


NOTORNIS

Ornithology of the Southern Pacific



ISSN 0029-4470

Volume 67 2020
Journal of the Ornithological Society of New Zealand

Volume 67, Part 1, March 2020

Special Issue

Lost Gold. Ornithology of the subantarctic Auckland Islands

CONTENTS

Dedication

Foreword	Sanson, L	9
Papers		
Ornithological discovery, exploration, and research on the Auckland Islands, New Zealand subantarctic	Miskelly, C.M.; Taylor, R.H.	11
Birds of the Auckland Islands, New Zealand subantarctic	Miskelly, C.M.; Elliott, G.P.; Parker, G.C.; Rexer-Huber, K.; Russ, R.B.; Taylor, R.H.; Tennyson, A.J.D.; Walker, K.J.	59
Subantarctic Adams Island and its birdlife	Elliott, G.P.; Walker, K.J.; Parker, G.C.; Rexer-Huber, K.; Miskelly, C.M.	153
Birds of Enderby Island, Auckland Islands, New Zealand subantarctic	French, R.K.; Miskelly, C.M.; Muller, C.G.; Russ, R.B.; Taylor, G.A.; Tennyson, A.J.D.	189
Shipwrecks and mollymawks: an account of Disappointment Island birds	Walker, K.J.; Elliott, G.P.; Rexer-Huber, K.; Parker, G.C.; Sagar, P.M.; McClelland, P.J.	213
Introduced land mammals and their impacts on the birds of the subantarctic Auckland Islands	Russell, J.C.; Horn, S.R.; Miskelly, C.M.; Sagar, R.L.; Taylor, R.H.	247
Holocene bird bones found at the subantarctic Auckland Islands	Tennyson, A.J.D.	269
An extinct New Zealand raven (<i>Corvus antipodum</i>) on the Auckland Islands – an osteographic enigma?	Dawson, E.W.	295
Population estimate for yellow-eyed penguins (<i>Megadyptes antipodes</i>) in the subantarctic Auckland Islands, New Zealand	Muller, C.G.; Chilvers, B.L.; French, R.K.; Hiscock, J.A.; Battley, P.F.	299
Development of aerial monitoring techniques to estimate population size of great albatrosses (<i>Diomedea</i> spp.)	Baker, G.B.; Elliott, G.P.; French, R.K.; Jenz, K.; Muller, C.G.; Walker, K.J.	321
Variation in the bill colour of the white-capped mollymawk (<i>Thalassarche cauta steadi</i>)	Tennyson, A.J.D.	333

Volume 67, Part 1, March 2020

Special Issue

Lost Gold. Ornithology of the subantarctic Auckland Islands

CONTENTS

Population trends of light-mantled sooty albatross (<i>Phoebastria palpebrata</i>) at Adams Island and trials of ground, boat, and aerial methods for population estimates	Rexer-Huber, K.; Walker, K.J.; Elliott, G.P.; Baker, G.B.; Debski, I.; Jenz, K.; Sagar, P.M.; Thompson, D.R.; Parker, G.C.	341
First northern giant petrel (<i>Macronectes halli</i>) breeding population survey and estimate for the Auckland Islands, New Zealand	Parker, G.C.; French, R.K.; Muller, C.G.; Taylor, G.A.; Rexer-Huber, K.	357
Year-round distribution, breeding cycle, and activity of white-headed petrels (<i>Pterodroma lessonii</i>) nesting on Adams Island, Auckland Islands	Taylor, G.A.; Elliott, G.P.; Walker, K.J.; Bose, S.	369
White-chinned petrel (<i>Procellaria aequinoctialis</i>) burrow density, occupancy, and population size at the Auckland Islands	Rexer-Huber, K.; Thompson, D.R.; Parker, G.C.	387
Genetic analyses reveal an unexpected refugial population of subantarctic snipe (<i>Coenocorypha aucklandica</i>)	Shepherd, L.D.; Bulgarella, M.; Haddrath, O.; Miskelly, C.M.	403
Macquarie Island shags (<i>Leucocarbo purpurascens</i>) at the Auckland Islands – an addition to the New Zealand list	Miskelly, C.M.; Cooper, J.H.	419
First record of South Polar skua (<i>Catharacta maccormicki</i>) from New Zealand – Auckland Islands, March 1904	Miskelly, C.M.	427
Endemic is good, introduced is boring? Biases in bird reporting rates at the Auckland Islands	Miskelly, C.M.	431
Acknowledgements	Miskelly, C.; Symes, C.	435

Volume 67, Part 2, June 2020

CONTENTS

Papers

Towards the reestablishment of community equilibrium of native and non-native landbird species in response to pest control on islands in the Eastern Bay of Islands, New Zealand	Ralph, C.J.; Ralph, C.P.; Long, L.L.	437
Breeding of little penguins (<i>Eudyptula minor</i>), including multiple brooding, at South Bay, Kaikōura, New Zealand, 2006–2017	Rowe, L.K.; Weir, J.S.; Judkins, K.G.	451
Aberrant and deformed Antarctic penguins and unusual eggs	Golubev, S.V.	459

Short notes

Recoveries of Hutton's shearwaters (<i>Puffinus huttoni</i>) from Kaikōura, New Zealand	Rowe, L.K.; Taylor, G.A.	469
Observations of New Zealand kingfisher (<i>Todiramphus sanctus</i>) foraging on insects associated with artificial sugar-water feeders	Erastova, D.A.; Stanley, M.C.	475
First record of a New Zealand banded red-billed gull (<i>Larus novaehollandiae scopulinus</i>) recovered from mainland Australia	Mills, J.A.; Yarrall, J.W.; Mills, D.A.	479
Large-scale hail-induced mortality in white-fronted tern (<i>Sterna striata</i>) and black-billed gull (<i>Larus bulleri</i>) breeding colonies on the Rangitata River, New Zealand	Weston, K.A.; Fraser, I.	481
Eurasian tree sparrow (<i>Passer montanus</i>) recently established on Guadalcanal, Solomon Islands	Butcher, S.C.; Crossland, A.C.; Crutchley, P.; Mugan, N.D.; Simeon, K.	485
A little penguin (<i>Eudyptula minor</i>) from South Bay, Kaikōura, New Zealand with a unique breeding history	Rowe, L.; Weir, J.	488
Palaeoecological reconstructions depend on accurate species identification: examples from South Island, New Zealand, <i>Pachyornis</i> (Aves: Dinornithiformes)	Holdaway, R.N.; Rowe, R.J.	494

Volume 67, Part 3, September 2020

CONTENTS

Papers

- Population estimation of the New Zealand storm petrel (*Fregatta maoriana*) from mark-recapture techniques at Hauturu/Little Barrier Island and from at-sea resightings of banded birds
Rayner, M.J.; Gaskin, C.P.; Taylor, G.A.; Tennyson, A.J.D.; Fitzgerald, N.B.; Baird, K.A.; Friesen, M.R.; Ross, J.; Ismar-Rebitz, S.M.H. 503
- Post-translocation dispersal and home range establishment of roroa (great spotted kiwi, *Apteryx haastii*): need for long-term monitoring and a flexible management strategy
Toy, R.; Toy, S. 511
- Individual variation in the foraging behaviour of two New Zealand foliage-gleaning birds
McLean, I.G. 526
- Breeding petrels of Breaksea and Dusky Sounds, Fiordland; responses to three decades of predator control
Miskelly, C.M.; Bishop, C.R.; Greene, T.C.; Rickett, J.; Taylor, G.A.; Tennyson, A.J.D. 543

Short notes

- Marine debris in the nests of tākapu (Australasian gannets, *Morus serrator*) in the inner Hauraki Gulf, New Zealand
Adams, N.; Gaskin, C.; Whitehead, E. 558
- First record of rose-crowned fruit-dove (*Ptilinopus regina*) from New Zealand
Miskelly, C.M. 564
- Acoustic attraction system draws in competing seabird species
Fischer, J.H.; Taylor, G.A.; Debski, I.; Wittmer, H.U. 568
- Black petrel (*Procellaria parkinsoni*) congregations at sea off Perú during the Austral summer
Quiñones, J.; Calderon, J.; Mayaute, L.; Bell, E. 573
- Observation of a predation event on a black-bellied storm petrel (*Fregatta tropica*) by brown skuas (*Stercorarius antarcticus*) on Enderby Island
Madani, G. 577
- Buller's mollymawk (*Thalassarche bulleri platei*) count at Rosemary Rock, Manawatāwhi (Three Kings Islands)
Rayner, M.J.; Parker, K.A.; Neho, T.; Hvid, T. 580
- Eggs salvaged from an abandoned black-billed gull (*Larus bulleri*) colony on the Ashley/Rakahuri River, North Canterbury
Dowding, J.E. 583

Volume 67, Part 4, December 2020

Special Issue
Wader Studies in New Zealand

CONTENTS

Foreword	Robertson, H. A.	585
Introduction	Woodley, K.	587
Distribution and numbers of waders in New Zealand, 2005–2019	Riegen, A.C.; Sagar, P.M.	591
A comparison of spring (November), summer (February), and winter (June) wader counts from Farewell Spit, 1998–2019	Schuckard, R.; Melville, D.S.; MacKenzie, D.; Bilton, P.; Cook, W.; Wood, S.; Cooper, D.	635
Numbers of bar-tailed godwits (<i>Limosa lapponica baueri</i>) in New Zealand and Australia during the austral summer of 2019–2020	Schuckard, R.; Melville, D.S.; Riegen, A.; Driscoll, P.; Driessen, J.; Kidd, L.R.	643
Notes on staging bar-tailed godwits (<i>Limosa lapponica baueri</i>) at Ouvéa (Loyalty Islands, New Caledonia) during southward migration in 2007	Schuckard, R.; Melville, D.S.	651
Bar-tailed godwits (<i>Limosa lapponica</i>) crossing the Inland Kaikoura Ranges, South Island, New Zealand	Smith, B.L.; Battley, P.F.	657
Movements of New Zealand ruddy turnstones (<i>Arenaria interpres</i>)	Melville, D.S.; Riegen, A.C.; Schuckard, R.; Habraken, A.M.	659
Seasonal use of farmland by shorebirds on the south Kaipara, North Island, New Zealand	Michaux, B.	673
National changes in occupancy of New Zealand-breeding Charadriiformes, 1969–1979 to 1999–2004	Walker, S.; Monks, A.; Innes, J.	677
Breeding of variable oystercatcher (<i>Haematopus unicolor</i>) at the Port Waikato sandspit, North Island, New Zealand	Berghuis, A.	693
Long distance movements of ‘adult’ variable oystercatchers (<i>Haematopus unicolor</i>) in New Zealand	Melville, D.S.; Schuckard, R.; Bell, C.; Bell, M.; Cook, W.; Cooper, D.; Bawden, G.	697
Underwater swimming by chicks of the variable oystercatcher (<i>Haematopus unicolor</i>) and the Chatham Island oystercatcher (<i>H. chathamensis</i>)	Dowding, J.E.	701
Longevity of pied stilt (<i>Himantopus himantopus</i>)	Habraken, A.M.; Lawrie, D.A.	705

Volume 67, Part 4, December 2020

Special Issue

Wader Studies in New Zealand

CONTENTS

Pedigree validation using genetic markers in an intensively-managed taonga species, the critically endangered kākī (<i>Himantopus novaezelandiae</i>)	Overbeek, A.; Galla, S.; Brown, L.; Cleland, S.; Thyne, C.; Maloney, R.; Steeves, T.	709
Changes in the number and distribution of northern New Zealand dotterels (<i>Charadrius obscurus aquilonius</i>): results of four censuses undertaken between 1989 and 2011	Dowding, J.E.	717
Record of a southern New Zealand dotterel (<i>Charadrius o. obscurus</i>) in the northern North Island	Dowding, J.E.	729
Distribution, long term population trends and conservation status of banded dotterels (<i>Charadrius bicinctus bicinctus</i>) on braided rivers in New Zealand	O'Donnell, C.F.J.; Monks, J.M.	733
Survival and breeding success of wrybills (<i>Anarhynchus frontalis</i>) in the Tekapo and Tasman Rivers, South Canterbury, New Zealand	Dowding, J.E.; Murphy, E.C.; Elliott, M.J.	755
Displaced by riverbed flooding; quantifying numbers and distribution of refugee wrybill (<i>Anarhynchus frontalis</i>) on Canterbury coastal wetlands in October–November 2013	Crossland, A.C.; Crutchley, P.	765
Reflections on <i>Thinornis rossii</i>	Kirwan, G.M.; Collar, N.J.	773

INDEX OF AUTHORS AND SPECIES

Volume 67

- Acanthis flammea*, see *Carduelis flammea*
Acanthisitta chloris, see rifleman
Acanthisittidae, 528
Acanthizidae, 528
Acridotheres tristis, see myna, common
Actitis hypoleucos, see sandpiper, common
ADAMS, N.; GASKIN, C.; WHITEHEAD, E. Marine debris in the nests of tākapu (Australasian gannets, *Morus serrator*) in the inner Hauraki Gulf, New Zealand, 558-563
Alauda arvensis, see skylark, Eurasian
albatross, Antipodean wandering, 75, 131, 134, 206, 324, 380
 black-browed, see mollymawk, black-browed
 Diomedea sp., 99
 Gibson's, see albatross, Gibson's wandering
 Gibson's wandering, 14, 23, 27, 29, 32, 33, 35-38, 43, 44, 46, 48, 49, 64, 73-75, 79, 96, 98, 118, 131, 136, 138, 152, 159-161, 163, 164, 167-168, 175, 179, 186, 187, 206, 212, 219, 221, 223-224, 290, 292, 313, 321-326, 328, 329, 331, 351, 371, 380, 385, 432, 435, 436
 great, 27
 great spp., 321-331
 grey-headed, see mollymawk, grey-headed
 large spp., 272
 light-mantled sooty, 9, 14, 20, 26, 27, 31, 38, 46, 64, 74, 77, 99, 117, 134, 136, 138, 157, 160, 161, 165, 166, 169, 179, 186, 187, 196, 204, 221, 225, 256, 278, 282, 289, 292, 293, 341-355, 432, 436
 northern royal, 36, 120, 212
 royal, 43, 45, 46, 272, 339
 shy, see mollymawk, shy
 sooty, 137, 139
 southern royal, 14, 19, 27, 31, 33, 35, 36, 44-47, 73, 74, 76, 118, 120, 134-136, 138, 161, 168-169, 179, 189, 191, 193-195, 204-207, 256, 261, 262, 269, 271, 272, 278, 281, 288, 289, 292, 293, 313, 321-329, 358, 432
 spp., 14, 16, 18, 19, 21-23, 27, 28, 41, 42, 47, 77, 86, 100, 135, 173, 271, 272, 323, 341, 342, 347, 358, 380, 383, 574
 wandering, 27, 43-46, 73, 75, 131, 339
 white-capped, see mollymawk, white-capped
Anarhynchus frontalis, see wrybill
Anas aucklandica, see teal, Auckland Island
 chlorotis, see teal, brown
 gracilis, see teal, grey
 nesiotis, see teal, Campbell Island
 platyrhynchos, see duck, mallard, see also mallard
 rhynchotis, see shoveler, Australasian
 superciliosa, see duck, grey
Anatidae, 636
Anomalospiza imberbis, see finch, cuckoo
Anser anser, see goose
Anthornis melanura, see bellbird
Anthus aucklandicus, see *Anthus novaeseelandiae aucklandicus*
 novaeseelandiae, see pipit, New Zealand
 novaeseelandiae aucklandicus, see pipit, Auckland Island
Aphelocoma ultramarina, see jay, gray-breasted
Aptenodytes flavilarvata, see *Megadyptes antipodes forsteri*, see penguin, emperor
 patagonicus, see penguin, king
Apteryx haastii, see kiwi, great spotted
 mantelli, see kiwi, North Island brown
Apus pacificus, see swift, fork-tailed
Ardea ibis, see egret, cattle
 modesta, see heron, white
Ardenna bulleri, see shearwater, Buller's
 grisea, see shearwater, sooty
 tenuirostris, see shearwater, short-tailed
Arenaria interpres, see turnstone, ruddy
 interpres interpres, see turnstone, ruddy
 interpres morinella, see turnstone, ruddy
 interpres oahuensis, see turnstone, ruddy
Athene cucularia, see owl, burrowing
avocet, 701
BAIRD, K.A., see RAYNER, M.J.; GASKIN, C.P.; TAYLOR, G.A.; TENNYSON, A.J.D.; FITZGERALD, N.B.; BAIRD, K.A.; FRIESEN, M.R.; ROSS, J.; ISMAR-REBITZ, S.M.H.
BAKER, G.B.; ELLIOTT, G.P.; FRENCH, R.K.; JENSZ, K.; MULLER, C.G.; WALKER, K.J. Development of aerial monitoring techniques to estimate population size of great albatrosses (*Diomedea* spp.), 321-331
BAKER, G.B., see REXER-HUBER, K.; WALKER, K.J.; ELLIOTT, G.P.; BAKER, G.B.; DEBSKI, I.; JENSZ, K.; SAGAR, P.M.; THOMPSON, D.R.; PARKER, G.C.
BATTLE, P.F., see MULLER, C.G.; CHILVERS, B.L.; FRENCH, R.K.; HISCOCK, J.A.; BATTLE, P.F.
BATTLE, P.F., see SMITH, B.L.; BATTLE, P.F.
BAWDEN, G., see MELVILLE, D.S.; SCHUCKARD, R.; BELL, C.; BELL, M.; COOK, W.; COOPER, D.; BAWDEN, G.

- BELL, C., see MELVILLE, D.S.; SCHUCKARD, R.;
BELL, C.; BELL, M.; COOK, W.; COOPER,
D.; BAWDEN, G.
- BELL, E., see QUINONES, J.; CALDERON, J.;
MAYAUTE, L.; BELL, E.
- BELL, M., see MELVILLE, D.S.; SCHUCKARD, R.;
BELL, C.; BELL, M.; COOK, W.; COOPER,
D.; BAWDEN, G.
- bellbird, 9, 16-19, 21, 22, 25, 27, 91, 92, 105, 107-108,
110-112, 117, 133, 135-138, 161-163, 172, 176-
179, 187, 200, 203, 204, 233, 257, 259, 263,
279, 288, 292-294, 432, 433, 475, 476
- BERGHUIS, A. Breeding of variable oystercatcher
(*Haematopus unicolor*) at the Port Waikato
sandspit, North Island, New Zealand, 693-696
- BILTON, P., see SCHUCKARD, R.; MELVILLE, D.S.;
MacKENZIE, D.; BILTON, P.; COOK, W.;
WOOD, S.; COOPER, D.
- bird, endemic spp., 431-434
extinct spp., 494-502
forest-dwelling spp., 233
fossil spp., 494-502
granivorous spp., 475
ground-dwelling spp., 233
ground-nesting land spp., 247, 263
insectivorous spp., 476, 477
introduced spp., 64, 65, 431-434
land spp., 59, 90-94, 99, 104-117, 125, 128-130,
132-139, 153, 157, 161-163, 171, 179, 259, 263,
264, 269
native spp., 431-434
nectarivorous spp., 475, 477
of prey spp., 578
predatory spp., 475
prehistoric spp., 193, 269-294, 494-502
- BISHOP, C.R., see MISKELLY, C.M.; BISHOP, C.R.;
GREENE, T.C.; RICKETT, J.; TAYLOR, G.A.;
TENNYSON, A.J.D.
- blackbird, Eurasian, 28, 29, 31, 65, 91, 92, 112-114,
134-136, 138, 161, 177, 200, 201, 203, 205,
221, 232, 235, 259, 276, 279, 288, 289, 292,
294, 432, 433, 441, 443, 445-447
- booby, brown, 561
- BOSE, S., see TAYLOR, G.A.; ELLIOTT, G.P.;
WALKER, K.J.; BOSE, S.
- Bowdleria punctata*, see fernbird
- Branta canadensis*, see goose, Canada
- BROWN, L., see OVERBEEK, A.; GALLA, S.;
BROWN, L.; CLELAND, S.; THYNE, C.;
MALONEY, R.; STEEVES, T.
- BULGARELLA, M., see SHEPHERD, L.D.;
BULGARELLA, M.; HADDRATH, O.;
MISKELLY, C.M.
- bunting, lark, 481
reed, 710
- BUTCHER, S.C.; CROSSLAND, A.C.; CRUTCHLEY,
P.; MUGAN, N.D.; SIMEON, K. Eurasian tree
sparrow (*Passer montanus*) recently established
on Guadalcanal, Solomon Islands, 485-487
- Cairina moschata*, see duck, Muscovy
- Calamospiza melanocorys*, see bunting, lark
- CALDERON, J., see QUINONES, J.; CALDERON, J.;
MAYAUTE, L.; BELL, E.
- Calidris acuminata*, see sandpiper, sharp-tailed
- alba*, see sanderling
- alpina*, see dunlin
- canutus*, see knot, lesser
- canutus canutus*, see knot, lesser
- canutus piersmai*, see knot, lesser
- canutus rogersi*, see knot, lesser
- ferruginea*, see sandpiper, curlew
- melanotos*, see sandpiper, pectoral
- paramelanotos*, see sandpiper, Cox's
- ruficollis*, see stint, red-necked
- subruficollis*, see sandpiper, buff-breasted
- tenuirostris*, see knot, great
- Callaeas wilsoni*, see kōkako, North Island
- Callipepla californica*, see quail, California
- Caloenas nicobarica*, see pigeon, Nicobar
canary, wild, 21, 116
- Cape hen, see skua, subantarctic
- Carduelis carduelis*, see goldfinch, European
- chloris*, see greenfinch, European
- flammea*, see redpoll, common
- Catarrhactes antipodes*, see *Megadyptes antipodes*
- Catharacta antarctica*, see skua, subantarctic
- antarctica lonnbergi*, see skua, subantarctic
- maccormicki*, see skua, South Polar
- Certhia familiaris*, see tree creeper, Eurasian
- chaffinch, 33, 129, 130, 134, 212, 441, 443, 445, 447,
450
- Chalcites lucidus*, see *Chrysococcyx lucidus*
- Charadrii, 677
- Charadriidae, 678
- Charadriiformes, 587, 677, 681, 684, 687, 689, 714
- Charadrius alexandrinus*, see Plover, Kentish, see also
plover, snowy
- bicinctus*, see dotterel, banded
- bicinctus bicinctus*, see dotterel, banded
- bicinctus exilis*, see dotterel, Auckland Island
- banded
- leschenaultii*, see plover, greater sand
- mongolus*, see dotterel, lesser sand
- obscurus*, see dotterel, New Zealand
- obscurus aquilonius*, see dotterel, northern New
Zealand
- obscurus obscurus*, see dotterel, southern New
Zealand
- semipalmatus*, see plover, semipalmated
spp., 702
- torquatus*, 47
- veredus*, see dotterel, oriental
- chickadee, black-capped, 466
- chicken, 129, 218, 263
- CHILVERS, B.L., see MULLER, C.G.; CHILVERS,
B.L.; FRENCH, R.K.; HISCOCK, J.A.;
BATTLE, P.F.
- Chlidonias albostratus*, see tern, black-fronted

- Chroicocephalus bulleri*, see gull, black-billed
noavehollandiae scopulinus, see gull, red-billed
scopulinus, see gull, red-billed
- Chrysococcyx lucidus*, see cuckoo, shining
- Circus approximans*, see harrier, swamp
- CLELAND, S., see OVERBEEK, A.; GALLA, S.;
 BROWN, L.; CLELAND, S.; THYNE, C.;
 MALONEY, R.; STEEVES, T.
- Coenocorypha aucklandica*, see snipe, subantarctic
aucklandica aucklandica, see snipe, Auckland
 Island
aucklandica meinertzhagenae, see snipe,
 Antipodes Island
aucklandica perseverance, see snipe, Campbell
 Island
huegeli, see snipe, Snares Island
pusilla, see snipe, Chatham Island
- COLLAR, N.J., see KIRWAN, G.M.; COLLAR, N.J.
- Columba livia*, see pigeon, rock
- COOK, W., see SCHUCKARD, R.; MELVILLE, D.S.;
 MACKENZIE, D.; BILTON, P.; COOK, W.;
 WOOD, S.; COOPER, D.
- COOK, W., see MELVILLE, D.S.; SCHUCKARD, R.;
 BELL, C.; BELL, M.; COOK, W.; COOPER,
 D.; BAWDEN, G.
- COOPER, D., see SCHUCKARD, R.; MELVILLE,
 D.S.; MACKENZIE, D.; BILTON, P.; COOK,
 W.; WOOD, S.; COOPER, D.
- COOPER, D., see MELVILLE, D.S.; SCHUCKARD,
 R.; BELL, C.; BELL, M.; COOK, W.;
 COOPER, D.; BAWDEN, G.
- COOPER, J.H., see MISKELLY, C.M.; COOPER, J.H.
 coot, Australian, 36, 125, 212
 sp., 636
- Coprotheres pomarinus*, see skua, pomarine
 cormorant sp., see shag sp.
- Corvus antipodum*, see raven, New Zealand
moriorum, see raven, Chatham Island
 sp., see raven, sp.
- Coturnix ypsilophora*, see quail, brown
 crane, spotless, 37, 125, 137, 212
- CROSSLAND, A.C.; CRUTCHLEY, P. Displaced by
 riverbed flooding: quantifying numbers and
 distribution of refugee wrybill (*Anarhynchus*
frontalis) on Canterbury coastal wetlands in
 October-November 2013, 765-771
- CROSSLAND, A.C., see BUTCHER, S.C.;
 CROSSLAND, A.C.; CRUTCHLEY, P.;
 MUGAN, N.D.; SIMEON, K.
- CRUTCHLEY, P., see BUTCHER, S.C.; CROSSLAND,
 A.C.; CRUTCHLEY, P.; MUGAN, N.D.;
 SIMEON, K.
- CRUTCHLEY, P., see CROSSLAND, A.C.;
 CRUTCHLEY, P.
- cuckoo, long-tailed, 17, 130, 132-133, 139
 shining, 17, 33, 128, 130, 441, 443-446, 449,
 528
 shining bronze, see cuckoo, shining
 sp., 17
- curlew, eastern, 612, 622-623, 632-634
- Cyanoramphus auriceps*, see parakeet, yellow-crowned
hochstetteri, see parakeet, Reischek's
malherbi, see parakeet, orange-fronted
noavehollandiae, see parakeet, red-crowned
noavehollandiae chathamensis, see parakeet,
 Chatham Island red-crowned
noavehollandiae cyanurus, see parakeet,
 Kermadec
noavehollandiae x auriceps, see parakeet, hybrid
 red-crowned x yellow-crowned
unicolor, see parakeet, Antipodes
- Cygnus atratus*, see swan, black
- Daption capense*, see petrel, Cape
capense australe, see petrel, New Zealand Cape
- DAWSON, E.W. An extinct New Zealand raven
 (*Corvus antipodum*) on the Auckland Islands –
 an osteographic enigma? 295-297
- DEBSKI, I., see REXER-HUBER, K.; WALKER, K.J.;
 ELLIOTT, G.P.; BAKER, G.B.; DEBSKI, I.;
 JENSZ, K.; SAGAR, P.M.; THOMPSON, D.R.;
 PARKER, G.C.
- DEBSKI, I., see FISCHER, J.H.; TAYLOR, G.A.;
 DEBSKI, I.; WITTMER, H.U.
- Dinornis robustus*, 499
- Dinornithidae, 494
- Dinornithiformes, 494-502
- Diomedea amsterdamensis*, see albatross, wandering
antipodensis antipodensis, see albatross,
 Antipodean wandering
antipodensis gibsoni, see albatross, Gibson's
 wandering
cauta, 26
cauta cauta, 46
culminata, 27
dabbenena, see albatross, wandering
epomophora, see albatross, southern royal
exulans, 20, see albatross, wandering
exulans gibsoni, see albatross, Gibson's
 wandering
melanophrys, see mollymawk, black-browed
regia, see *Diomedea epomophora*
sanfordi, see albatross, northern royal
 sp., 25
- Diomedeidae, 14
- diver sp., 21
- dotterel, Auckland Island banded, 14, 15, 17, 20, 27,
 32, 33, 36, 37, 39, 43, 48, 89, 91, 92, 94-96, 99,
 100, 118, 127, 133, 135-138, 161-165, 172, 175,
 191, 192, 194, 198, 202, 205, 206, 256, 259,
 264, 279, 287, 289, 292, 294, 432, 587, 777, 778
 banded, 33, 43, 47, 127, 137, 212, 292, 588,
 594, 598, 604-606, 623, 632-634, 674, 675,
 678-680, 682, 683, 688, 689, 732, 733-753, 756,
 761, 762, 777
 black-fronted, 598, 606-607, 632-634, 678, 680

- New Zealand, 442, 588, 591, 598, 601-604, 623, 632-634, 677, 678, 680, 682, 717-728, 729-731
 northern New Zealand, 588, 603, 678, 702, 717-728, 729-731, 745
 oriental, 634
 southern New Zealand, 602, 678, 679, 717, 723, 724, 729-731, 761
- DOWDING, J.E. Eggs salvaged from an abandoned black-billed gull (*Larus bulleri*) colony on the Ashley/Rakahuri River, North Canterbury, 583-585
- DOWDING, J.E. Underwater swimming by chicks of the variable oystercatcher (*Haematopus unicolor*) and the Chatham Island oystercatcher (*H. chathamensis*), 701-703
- DOWDING, J.E. Changes in the number and distribution of northern New Zealand dotterels (*Charadrius obscurus aquilonius*): results of four censuses undertaken between 1989 and 2011, 717-728
- DOWDING, J.E. Record of a southern New Zealand dotterel (*Charadrius o. obscurus*) in the northern North Island, 729-731
- DOWDING, J.E.; MURPHY, E.C.; ELLIOTT, M.J. Survival and breeding success of wrybills (*Anarhynchus frontalis*) in the Tekapo and Tasman Rivers, South Canterbury, New Zealand, 755-764
- DRIESSEN, J., see SCHUCKARD, R.; MELVILLE, D.S.; RIEGEN, A.; DRISCOLL, P.; DRIESSEN, J.; KIDD, L.R.
- DRISCOLL, P., see SCHUCKARD, R.; MELVILLE, D.S.; RIEGEN, A.; DRISCOLL, P.; DRIESSEN, J.; KIDD, L.R.
- duck, blue, 28, 119, 137
 grey, 16, 17, 21, 22, 25, 26, 28, 67, 69-70, 134, 136-138, 161, 178, 193, 204, 290, 432, 433
 mallard, 33, 37, 65, 67, 69, 70, 98, 99, 134, 136-138, 161, 178, 193, 204, 290, 432, 433
 mallard x grey hybrid, 69, 193, 432, 433
 Muscovy, 130, 263
 sp., 16, 67, 269
 spp., 18, 202
 wild spp., 17
- dunlin, 634
- dunnock, 33, 65, 108, 113, 116-117, 134, 136, 138, 161, 179, 202, 204, 221, 232, 235, 290, 432, 433, 441, 443, 445, 447, 450
- egret, cattle, 36, 125, 212
- Egretta novaehollandiae novaehollandiae*, see heron, white-faced
sacra, see heron, reef
- ELLIOTT, G.P.; WALKER, K.J.; PARKER, G.C.; REXER-HUBER, K.; MISKELLY, C.M. Subantarctic Adams Island and its birdlife, 153-187
- ELLIOTT, G.P., see MISKELLY, C.M.; ELLIOTT, G.P.; PARKER, G.C.; REXER-HUBER, K.; RUSS, R.B.; TAYLOR, R.H.; TENNYSON, A.J.D.; WALKER, K.J.
- ELLIOTT, G.P., see WALKER, K.J.; ELLIOTT, G.P.; REXER-HUBER, K.; PARKER, G.C.; SAGAR, P.M.; McCLELLAND, P.J.
- ELLIOTT, G.P., see BAKER, G.B.; ELLIOTT, G.P.; FRENCH, R.K.; JENSZ, K.; MULLER, C.G.; WALKER, K.J.
- ELLIOTT, G.P., see REXER-HUBER, K.; WALKER, K.J.; ELLIOTT, G.P.; BAKER, G.B.; DEBSKI, I.; JENSZ, K.; SAGAR, P.M.; THOMPSON, D.R.; PARKER, G.C.
- ELLIOTT, G.P., see TAYLOR, G.A.; ELLIOTT, G.P.; WALKER, K.J.; BOSE, S.
- ELLIOTT, M.J., see DOWDING, J.E.; MURPHY, E.C.; ELLIOTT, M.J.
- Elseyornis melanops*, see dotterel, black-fronted
- Emberiza citrinella*, see yellowhammer
schoeniclus, see bunting, reed
- Emeidae, 494
- Emeus crassus*, 500
- ERASTOVA, D.A.; STANLEY, M.C. Observations of New Zealand kingfisher (*Todiramphus sanctus*) foraging on insects associated with artificial sugar-water feeders, 475-478
- Eudynamis taitensis*, see cuckoo, long-tailed
- Eudyptes chrysocome*, see penguin, western rockhopper
chrysolophus, see penguin, macaroni
filholi, see penguin, eastern rockhopper
pachyrhynchus, see penguin, Fiordland crested
robustus, see penguin, Snares crested
schlegeli, see penguin, royal
sclateri, see penguin, erect-crested
- Eudyptula minor*, see penguin, little
minor albosignata, see penguin, white-flipped
minor variabilis, see penguin, Cook Strait blue
- Euryapteryx curtus*, 495, 500
- Falco australis*, see *Falco novaeseelandiae cenchroides*, see kestrel, nankeen
novaeseelandiae, see falcon, New Zealand
- falcon, New Zealand, 14, 17, 18, 19, 21, 23, 25, 27, 28, 37, 48, 49, 69, 87, 89-92, 96, 99, 100, 108, 114, 133, 135-138, 161-163, 165, 167, 170-172, 174, 175, 177-179, 186, 187, 189, 191, 192, 194, 195, 197, 203, 205, 206, 233, 256, 259, 264, 290, 384, 406, 420, 432, 433
 spp., 17
- fantail, New Zealand, 133, 139, 440, 441, 443-447, 476
 North Island, 440, 441, 443-446
- fernbird, 134, 135
- finch, cuckoo, 710
 introduced spp., 116
 spp., 21
- FISCHER, J.H.; TAYLOR, G.A.; DEBSKI, I.; WITTMER, H.U. Acoustic attraction system draws in competing seabird species, 568-572

- FITZGERALD, N.B., see RAYNER, M.J.; GASKIN, C.P.; TAYLOR, G.A.; TENNYSON, A.J.D.; FITZGERALD, N.B.; BAIRD, K.A.; FRIESEN, M.R.; ROSS, J.; ISMAR-REBITZ, S.M.H.
- flycatcher sp., 109
- FRASER, I., see WESTON, K.A.; FRASER, I.
- Fregatta grallaria*, see storm petrel, white-bellied
maoriana, see storm petrel, New Zealand
tropica, see storm petrel, black-bellied
- FRENCH, R.K.; MISKELLY, C.M.; MULLER, C.G.; RUSS, R.B.; TAYLOR, G.A.; TENNYSON, A.J.D. Birds of Enderby Island, Auckland Islands, New Zealand subantarctic, 189-212
- FRENCH, R.K., see MULLER, C.G.; CHILVERS, B.L.; FRENCH, R.K.; HISCOCK, J.A.; BATTLE, P.F.
- FRENCH, R.K., see BAKER, G.B.; ELLIOTT, G.P.; FRENCH, R.K.; JENSZ, K.; MULLER, C.G.; WALKER, K.J.
- FRENCH, R.K., see PARKER, G.C.; FRENCH, R.K.; MULLER, C.G.; TAYLOR, G.A.; REXER-HUBER, K.
- FRIESEN, M.R., see RAYNER, M.J.; GASKIN, C.P.; TAYLOR, G.A.; TENNYSON, A.J.D.; FITZGERALD, N.B.; BAIRD, K.A.; FRIESEN, M.R.; ROSS, J.; ISMAR-REBITZ, S.M.H.
- Fringilla coelebs*, see chaffinch
- fruit-dove, rose-crowned, 564-567
spp., 565-566
whistling, 566
- Fulica atra*, see coot, Australian
- fulmar, Antarctic, 37, 122
- Fulmarus glacialoides*, see fulmar, Antarctic
- GALLA, S., see OVERBEEK, A.; GALLA, S.; BROWN, L.; CLELAND, S.; THYNE, C.; MALONEY, R.; STEEVES, T.
- Gallinago aucklandica*, see *Coenocorypha aucklandica hardwickii*, see snipe, Japanese
- Gallirallus australis*, see weka
philippensis, see rail, banded
philippensis macquariensis, see rail, Macquarie Island banded
- Gallus gallus*, see chicken
- gannet, Australasian, 33, 124, 212, 442, 558-563
northern, 380, 558, 559, 561
- Garrodia nereis*, see storm petrel, grey-backed
- GASKIN, C., see ADAMS, N.; GASKIN, C.; WHITEHEAD, E.
- GASKIN, C.P., see RAYNER, M.J.; GASKIN, C.P.; TAYLOR, G.A.; TENNYSON, A.J.D.; FITZGERALD, N.B.; BAIRD, K.A.; FRIESEN, M.R.; ROSS, J.; ISMAR-REBITZ, S.M.H.
- Gerygone igata*, see warbler, grey
spp., 528
- godwit, bar-tailed, 25, 26, 126, 212, 279, 286, 292, 294, 587, 589, 591, 593, 609-613, 623, 632-640, 643-650, 651-656, 657-659, 673-676, 706, 708
black-tailed, 33, 126, 137, 212, 632-634, 658
eastern bar-tailed, 587, 589, 591, 593, 609
Hudsonian, 634
- goldfinch, European, 28, 37, 129, 130, 161, 212, 221, 232, 235, 441, 443, 445, 450
- GOLUBEV, S.V. Aberrant and deformed Antarctic penguins and unusual eggs, 459-468
- goose, Canada, 36, 118, 212, 674, 675
domestic, 129-130, 263
- grebe, hoary-headed, 137
- greenbul, Liberian, 778
- GREENE, T.C., see MISKELLY, C.M.; BISHOP, C.R.; GREENE, T.C.; RICKETT, J.; TAYLOR, G.A.; TENNYSON, A.J.D.
- greenfinch, European, 38, 129, 212, 441, 443, 445, 450
- greenshank, common, 137, 634
- gross-beak, see piopio
- gull, black-backed, 17, 19, 25, 26, 69, 79, 98-102, 132, 134, 136, 138, 161, 162, 175, 198-199, 202, 204, 221, 231, 254, 279, 287, 289, 292-294, 432, 441, 677, 678, 680, 682, 683, 695, 743, 760
black-billed, 132, 139, 442, 481-484, 583-585, 678-680, 682, 683, 687, 734, 745
red-billed, 16, 17, 19, 20, 25, 90, 98-100, 102-103, 132, 134, 136, 138, 161, 162, 175, 199, 202, 204, 221, 231, 259, 279, 287, 288, 292-294, 432, 441, 479-480, 677-679, 682, 683, 689
southern black-backed, see gull, black-backed
spp., 17, 19, 21, 28, 47, 205, 271, 587, 677, 679, 683, 687, 688
- Gymnorhina tibicen*, see magpie, Australian
- HABRAKEN, A.M.; LAWRIE, D.A. Longevity of pied stilt (*Himantopus himantopus*), 705-707
- HABRAKEN, A.M., see MELVILLE, D.S.; RIEGEN, A.C.; SCHUCKARD, R.; HABRAKEN, A.M.
- HADDRATH, O., see SHEPHERD, L.D.; BULGARELLA, M.; HADDRATH, O.; MISKELLY, C.M.
- Haematopodidae, 678
- Haematopus bachmani*, see oystercatcher, American
black
chathamensis, see oystercatcher, Chatham Island
finschi, see oystercatcher, South Island
moquini, see oystercatcher, African
ostralegus, see oystercatcher, Eurasian
unicolor, see oystercatcher, variable
- hakawai, 36, 37, 94
hakawai displays, 94
- Halcyon smyrnensis*, see kingfisher, white-breasted
- Halcyonidae, 475
- Halobaena caerulea*, see petrel, blue
- harrier, Australasian, see harrier, swamp
swamp, 33, 125, 130, 212, 442-444, 449, 695, 702, 760
- hawk, see falcon, New Zealand
- Heliangelus zusii*, see sunangel, Bogota

- Hemiphaga novaeseelandiae*, see pigeon, New Zealand sp., 17
- heron, black, 17, 47
 nankeen night, 137
 reef, 17, 125, 130, 137
 spp., 19
 white, 28, 125, 212
 white-faced, 100, 125, 161, 212, 675, 676
- Himantopus himantopus*, see stilt, pied
himantopus leucocephalus, see stilt, pied
novaezelandiae, see stilt, black
- Hirundapus caudacutus*, see needletail, white-throated
- Hirundo neoxena*, see swallow, welcome
- HISCOCK, J.A., see MULLER, C.G.; CHILVERS, B.L.; FRENCH, R.K.; HISCOCK, J.A.; BATTLE, P.F.
- hōiho, see penguin, yellow-eyed
- HOLDAWAY, R.N.; ROWE, R.J. Paleoecological reconstructions depend on accurate species identification: examples from South Island, New Zealand, *Pachyornis* (Aves: Dinornithiformes), 494-502
- HORN, S.R., see RUSSELL, J.C.; HORN, S.R.; MISKELLY, C.M.; SAGAR, R.L.; TAYLOR, R.H.
- HVID, T., see RAYNER, M.J.; PARKER, K.A.; NEHO, T.; HVID, T.
- Hydrobates pelagicus*, see storm petrel, European
- Hydroprogne caspia*, see tern, Caspian
- Hymenolaimus malacorhynchus*, see duck, blue
- Hypoleucus carunculatus traversi*, see *Leucocarbo purpurascens*
- INNES, J., see WALKER, S.; MONKS, A.; INNES, J.
- ISMAR-REBITZ, S.M.H., see RAYNER, M.J.; GASKIN, C.P.; TAYLOR, G.A.; TENNYSON, A.J.D.; FITZGERALD, N.B.; BAIRD, K.A.; FRIESEN, M.R.; ROSS, J.; ISMAR-REBITZ, S.M.H.
- jay, gray-breasted, 526
- JENSZ, K., see BAKER, G.B.; ELLIOTT, G.P.; FRENCH, R.K.; JENSZ, K.; MULLER, C.G.; WALKER, K.J.
- JENSZ, K., see REXER-HUBER, K.; WALKER, K.J.; ELLIOTT, G.P.; BAKER, G.B.; DEBSKI, I.; JENSZ, K.; SAGAR, P.M.; THOMPSON, D.R.; PARKER, G.C.
- JUDKINS, A.G., see ROWE, L.K.; WEIR, J.S.; JUDKINS, A.G.
- kākā, 446
- kakī, see stilt, black
- karoro, see gull, black-backed
- kestrel, nankeen, 137
- KIDD, L.R., see SCHUCKARD, R.; MELVILLE, D.S.; RIEGEN, A.; DRISCOLL, P.; DRIESSEN, J.; KIDD, L.R.
- kingfisher, New Zealand, see kingfisher, sacred
 sacred, 441, 443-446, 449, 475-478
 white-breasted, 476
- KIRWAN, G.M.; COLLAR, N.J. Reflections on *Thinornis rossii*, 773-781
- kiwi, brown, 512
 great spotted, 511-525
 North Island brown, 438
- knot, great, 634
 lesser, 33, 125-126, 212, 589, 591, 593, 612-616, 623, 632-634, 636-639, 659, 706
 red, see knot, lesser
- kōkako, North Island, 446, 519
- kuaka, see godwit, bar-tailed
- landbird, native spp., 437-450
 non-native spp., 437-450
- lapwing, 676, 680
- Laridae, 677, 678
- lark, see pipit, New Zealand
- Larus bulleri*, see gull, black-billed
dominicanus, see gull, black-backed
novaezelandiae scopulinus, see gull, red-billed
pacificus, 26
- LAWRIE, D.A., see HABRAKEN, A.M.; LAWRIE, D.A.
- Leucocarbo atriceps* spp., 422, 425
campbelli, see shag, Campbell Island
chalconotus, see shag, Stewart Island
colensoi, see shag, Auckland Island
nivalis, see shag, Heard Island
purpurascens, see shag, Macquarie Island
ranfurlyi, see shag, Bounty Island
 spp., 422
stewarti, see shag, Foveaux
- Lewinia muelleri*, see rail, Auckland Island
- pectoralis*, see rail, Lewin's
- Limosa haemastica*, see godwit, Hudsonian
- lapponica*, see godwit, bar-tailed
lapponica anadyrensis, see godwit, eastern bar-tailed
lapponica baueri, see godwit, eastern bar-tailed
lapponica menzibieri, see godwit, eastern bar-tailed
limosa, see godwit, black-tailed
- LONG, L.L., see RALPH, C.J.; RALPH, C.P.; LONG, L.L.
- Lugensa brevirostris*, see petrel, Kerguelen
- MacKENZIE, D., see SCHUCKARD, R.; MELVILLE, D.S.; MacKENZIE, D.; BILTON, P.; COOK, W.; WOOD, S.; COOPER, D.
- Macronectes giganteus*, see petrel, southern giant
halli, see petrel, northern giant
- MADANI, G. Observation of a predation event on a black-bellied storm petrel (*Fregatta tropica*) by brown skuas (*Stercorarius antarcticus*) on Enderby Island, 577-579

- magpie, Australian, 442
Eurasian, 710
- mallard, 33, 37, 65, 67, 69, 70, 98, 99, 134, 136-138, 161, 178, 193, 204, 290, 432, 433
- MALONEY, R., see OVERBEEK, A.; GALLA, S.; BROWN, L.; CLELAND, S.; THYNE, C.; MALONEY, R.; STEEVES, T.
- martin, tree, 133, 137
- MAYAUTE, L., see QUIÑONES, J.; CALDERON, J.; MAYAUTE, L.; BELL, E.
- McCLELLAND, P.J., see WALKER, K.J.; ELLIOTT, G.P.; REXER-HUBER, K.; PARKER, G.C.; SAGAR, P.M.; McCLELLAND, P.J.
- McLEAN, I.G. Individual variation in the foraging behaviour of two New Zealand foliage-gleaning birds, 526-542
- Megadyptes antipodes*, see penguin, yellow-eyed *waitaha*, 300
- Megalapterygidae, 494
- MELVILLE, D.S.; RIEGEN, A.C.; SCHUCKARD, R.; HABRAKEN, A.M. Movements of New Zealand ruddy turnstones (*Arenaria interpres*), 659-672
- MELVILLE, D.S.; SCHUCKARD, R.; BELL, C.; BELL, M.; COOK, W.; COOPER, D.; BAWDEN, G. Long distance movements of 'adult' variable oystercatchers (*Haematopus unicolor*) in New Zealand, 697-699
- MELVILLE, D.S., see SCHUCKARD, R.; MELVILLE, D.S.; MacKENZIE, D.; BILTON, P.; COOK, W.; WOOD, S.; COOPER, D.
- MELVILLE, D.S., see SCHUCKARD, R.; MELVILLE, D.S.; RIEGEN, A.; DRISCOLL, P.; DRIESSEN, J.; KIDD, L.R.
- MELVILLE, D.S., see SCHUCKARD, R.; MELVILLE, D.S.
- merganser, Auckland Island, 18, 20, 21, 24, 28, 35, 42, 43, 45, 46, 48, 65-66, 133, 135, 153, 159-161, 165, 179, 235, 247, 262, 270, 278-280, 289, 290, 292, 293, 420, 778
Chatham Island, 66, 292
- Mergus australis*, see merganser, Auckland Island
milleneri, see merganser, Chatham Island
- MICHAUX, B. Seasonal use of farmland by shorebirds on the south Kaipara, North Island, New Zealand, 673-676
- MILLS, D.A., see MILLS, J.A.; YARRALL, J.W.; MILLS, D.A.
- MILLS, J.A.; YARRALL, J.W.; MILLS, D.A. First record of a New Zealand banded red-billed gull (*Larus novaehollandiae scopulinus*) recovered from mainland Australia, 479-480
- MISKELLY, C.M.; SYMES, C. (eds), Lost Gold. Ornithology of the subantarctic Auckland Islands. Notornis 67, Part 1. March 2020.
- MISKELLY, C.M.; TAYLOR, R.H. Ornithological discovery, exploration, and research on the Auckland Islands, New Zealand subantarctic, 11-58
- MISKELLY, C.M.; ELLIOTT, G.P.; PARKER, G.C.; REXER-HUBER, K.; RUSS, R.B.; TAYLOR, R.H.; TENNYSON, A.J.D.; WALKER, K.J. Birds of the Auckland Islands, New Zealand subantarctic, 59-151
- MISKELLY, C.M.; COOPER, J.H. Macquarie Island shags (*Leucocarbo purpurascens*) at the Auckland Islands – an addition to the New Zealand list, 419-426
- MISKELLY, C.M.; BISHOP, C.R.; GREENE, T.C.; RICKETT, J.; TAYLOR, G.A.; TENNYSON, A.J.D. Breeding petrels of Breaksea and Dusky Sounds, Fiordland; responses to three decades of predator control, 543-557
- MISKELLY, C.M. First record of South Polar skua (*Catharacta maccormicki*) from New Zealand – Auckland Islands, March 1904, 427-429
- MISKELLY, C.M. Endemic is good, introduced is boring? Biases in bird reporting rates at the Auckland Islands, 431-435
- MISKELLY, C.M. First record of rose-crowned fruit dove (*Ptilinopus regina*) from New Zealand, 564-567
- MISKELLY, C.M., see ELLIOTT, G.P.; WALKER, K.J.; PARKER, G.C.; REXER-HUBER, K.; MISKELLY, C.M.
- MISKELLY, C.M., see FRENCH, R.K.; MISKELLY, C.M.; MULLER, C.G.; RUSS, R.B.; TAYLOR, G.A.; TENNYSON, A.J.D.
- MISKELLY, C.M., see RUSSELL, J.C.; HORN, S.R.; MISKELLY, C.M.; SAGAR, R.L.; TAYLOR, R.H.
- MISKELLY, C.M., see SHEPHERD, L.D.; BULGARELLA, M.; HADDRATH, O.; MISKELLY, C.M.
- moa spp., 494-502
- Mohoua albicilla*, see whitehead
- mollyhawk, see mollymawk
- mollymawk, black-browed, 29, 37, 46, 75, 76, 121, 133, 134, 323
Buller's, 31, 90, 121, 134, 161, 580-582
Campbell black-browed, 134
Campbell Island, 28, 121
grey-headed, 121, 130, 133, 134, 323, 381
New Zealand white-capped, see mollymawk, white-capped
Salvin's, 35, 121-122, 134
shy, 131, 234, 323, 581
sp., 27, 28
spp., 133
Tasmanian, 77, 333-337, 339
Thalassarche spp., 99
white-capped, 10, 23, 27, 29, 31, 35, 37, 38, 43, 45, 46, 48, 64, 74-77, 97, 118, 131, 133, 134, 136, 138, 157, 160, 161, 165, 169, 186, 212-214, 216, 218, 219, 221, 222, 224-225, 227, 231, 233-236, 240-245, 254, 255, 258, 259, 262,

- 278, 282, 292, 293, 323, 333-340, 351, 352, 365, 432, 433, 436
- MONKS, A., see WALKER, S.; MONKS, A.; INNES, J.
- MONKS, J.M., see O'DONNELL, C.F.J.; MONKS, J.M.
- morepork, 17, 139, 442
- Morus bassanus*, see gannet, northern
- serrator*, see gannet, Australasian
- MUGAN, N.D., see BUTCHER, S.C.; CROSSLAND, A.C.; CRUTCHLEY, P.; MUGAN, N.D.; SIMEON, K.
- MULLER, C.G.; CHILVERS, B.L.; FRENCH, R.K.; HISCOCK, J.A.; BATTLE, P.F. Population estimate for yellow-eyed penguins (*Megadyptes antipodes*) in the subantarctic Auckland Islands, New Zealand, 299-319
- MULLER, C.G., see FRENCH, R.K.; MISKELLY, C.M.; MULLER, C.G.; RUSS, R.B.; TAYLOR, G.A.; TENNYSON, A.J.D.
- MULLER, C.G., see BAKER, G.B.; ELLIOTT, G.P.; FRENCH, R.K.; JENSZ, K.; MULLER, C.G.; WALKER, K.J.
- MULLER, C.G., see PARKER, G.C.; FRENCH, R.K.; MULLER, C.G.; TAYLOR, G.A.; REXER-HUBER, K.
- MURPHY, E.C., see DOWDING, J.E.; MURPHY, E.C.; ELLIOTT, M.J.
- muttonbird sp., 16, 83, 218, 469
- Myiomoira macrocephala marrineri*, see *Petroica macrocephala marrineri*
- myna, common, 440, 441, 443, 445, 446
- needletail, white-throated, 38, 128, 212
- NEHO, T., see RAYNER, M.J.; PARKER, K.A.; NEHO, T.; HVID, T.
- nelly, see petrel, giant
- Nesonetta aucklandica*, see *Anas aucklandica*
- Nestor meridionalis*, see kākā
- ngutu-pare, see wrybill
- Ninox albigacies*, see owl, laughing
- novaeseelandiae*, see morepork
- Notiomystis cincta*, see stitchbird
- Numenius madagascariensis*, see curlew, eastern
- phaeopus*, see whimbrel
- phaeopus hudsonicus*, see whimbrel, American
- phaeopus variegatus*, see whimbrel, Asiatic
- nuthatch, 526
- Nycticorax caledonicus*, see heron, nankeen night
- Oceanites oceanicus*, see storm petrel, Wilson's
- Oceanodroma furcata*, see storm petrel, fork-tailed
- homochroa*, see storm petrel, ashy
- leucorhoa*, see storm petrel, Leach's
- O'DONNELL, C.F.J.; MONKS, J.M. Distribution, long term population trends and conservation status of banded dotterels (*Charadrius bicinctus bicinctus*) on braided rivers in New Zealand, 733-753
- OVERBEEK, A.; GALLA, S.; BROWN, L.; CLELAND, S.; THYNE, C.; MALONEY, R.; STEEVES, T. Pedigree validation using genetic markers in an intensively-managed taonga species, the critically endangered kakī (*Himantopus novaeseelandiae*), 709-716
- owl, barn, 578
- burrowing, 578
- laughing, 17
- spp., 17, 47
- oystercatcher, African black, 698, 699, 702
- American black, 701, 702
- Chatham Island, 587, 634, 701-703
- Eurasian, 483
- South Island pied, 36, 127, 212, 588, 594-597, 599, 601, 623, 632-640, 673-676, 678-680, 682, 683, 687, 689, 734
- sp., 47
- variable, 132, 139, 441, 591, 597, 599-601, 623, 632-634, 674, 675, 677, 678, 680, 682, 683, 689, 692-696, 697-699, 700, 701-703
- Pachyornis australis*, 494-500
- elephantopus*, 495-500
- geranoides*, 500
- Pachyptila belcheri*, see prion, thin-billed
- crassirostris*, see prion, fulmar
- crassirostris crassirostris*, see prion, fulmar
- crassirostris eatoni*, see prion, lesser fulmar
- crassirostris flemingi*, see prion, lesser fulmar
- desolata*, see prion, Antarctic
- salvini*, see prion, Salvin's
- turtur*, see prion, fairy
- vittata*, see prion, broad-billed
- parakeet, Antipodes Island, 128, 135, 279, 283, 287, 289, 292, 294, 420
- Chatham Island, 287
- Cyanoramphus* spp., 137
- hybrid red x yellow-crowned, 106, 107
- Kermadec, 287
- orange-fronted, 19, 31-32, 107, 132
- red-crowned, 17, 19, 21, 25, 27, 31, 104-107, 132, 136-138, 161, 163, 176, 178, 179, 187, 199, 203-205, 233, 259, 263, 287, 288, 290, 292, 432, 438, 446
- Reischek's, 135, 287, 420
- sp., 98, 105, 259, 279, 288, 290, 294, 432
- spp., 9, 17, 18, 49, 91, 92, 134, 172, 179, 202, 264, 433
- yellow-crowned, 17, 19, 21, 27, 28, 31, 105-107, 132, 133, 136-138, 161, 176, 178, 199, 257-259, 287, 288, 290, 292, 432, 433
- PARKER, G.C.; FRENCH, R.K.; MULLER, C.G.; TAYLOR, G.A.; REXER-HUBER, K. First northern giant petrel (*Macronectes halli*) breeding population survey and estimate for the Auckland Islands, New Zealand, 357-368
- PARKER, G.C., see MISKELLY, C.M.; ELLIOTT, G.P.;

- PARKER, G.C.; REXER-HUBER, K.; RUSS, R.B.; TAYLOR, R.H.; TENNYSON, A.J.D.; WALKER, K.J.
- PARKER, G.C., see ELLIOTT, G.P.; WALKER, K.J.; PARKER, G.C.; REXER-HUBER, K.; MISKELLY, C.M.
- PARKER, G.C., see WALKER, K.J.; ELLIOTT, G.P.; REXER-HUBER, K.; PARKER, G.C.; SAGAR, P.M.; McCLELLAND, P.J.
- PARKER, G.C., see REXER-HUBER, K.; WALKER, K.J.; ELLIOTT, G.P.; BAKER, G.B.; DEBSKI, I.; JENSZ, K.; SAGAR, P.M.; THOMPSON, D.R.; PARKER, G.C.
- PARKER, G.C., see REXER-HUBER, K.; THOMPSON, D.R.; PARKER, G.C.
- PARKER, K.A., see RAYNER, M.J.; PARKER, K.A.; NEHO, T.; HVID, T.
- paroquet, see parakeet
- parrot, sp., 17
- Parus ater*, see tit, coal
- major*, see tit, great
- Passer domesticus*, see sparrow, house
- montanus*, see sparrow, Eurasian tree sp., 92
- passerine spp., 92, 214, 290, 526, 527
- Pelagodroma marina*, see storm petrel, white-faced
- Pelecanoides exsul*, 44
- georgicus*, see petrel, South Georgian diving
- georgicus whenuahouensis*, see petrel, Whenua Hou diving
- urinatrix*, see petrel, common diving
- urinatrix exsul*, see petrel, subantarctic diving
- whenuahouensis*, see petrel, Whenua Hou diving, see also *Pelecanoides georgicus whenuahouensis*
- penguin, Adelie, 314, 459-468
- African, 466
- Aptenodytes* spp., 466
- Australian little, 452, 456, 457
- blue, see penguin, little
- chinstrap, 36, 119, 212, 314
- Cook Strait blue, 452
- crested spp., 18, 281
- eastern rockhopper, 17, 25, 26, 35, 67, 70-71, 119, 120, 134-136, 138, 161, 162, 167, 212, 220-223, 256, 269, 278, 281, 289, 292, 293, 432, 433
- erect-crested, 25, 26, 35, 119-120, 134, 161, 212, 221, 223, 235, 278, 281, 289, 292, 293, 300
- Fiordland crested, 25, 26, 119, 212
- gentoo, 137, 365
- king, 35, 119, 130, 161, 212, 278, 279, 289, 292, 293, 365, 466
- little, 70, 130, 139, 451-458, 488-493
- macaroni, 130, 137
- Magellan, 466
- rockhopper, 28, 29, 67, 99, 217, 235, 314, 365
- royal, 38, 120, 365
- Snares crested, 37, 119, 134, 161, 212, 278, 281, 289, 292, 293
- sp., 16, 98
- spp., 17-19, 25, 47, 99, 100, 135, 255, 271, 278, 281, 293, 358, 420
- western rockhopper, 300
- white-flipped, 452, 456, 488
- yellow-eyed, 14-19, 25-28, 35, 36, 38, 39, 42, 48, 63, 67, 71-73, 99, 100, 118, 134, 136, 138, 160-162, 163, 167, 191, 193-194, 198, 203, 204, 206, 220, 221, 235, 254-256, 261, 262, 272, 278, 281, 289, 292, 293, 299-319, 432, 436
- petrel, Antarctic, 37, 122
- Atlantic, 370
- Barau's, 381
- black, 573-576
- black-winged, 552
- blue, 28, 99, 100, 123, 212, 278, 282, 289, 292, 293
- burrowing spp., 18, 21, 22, 30, 31, 39, 135, 139, 206, 233, 254, 388, 544
- Cape, 19, 34, 79, 99, 118, 134, 137, 161, 212, 278, 282, 289, 292, 293
- Chatham, 381, 383
- common diving, 19, 20, 23, 25, 31, 44, 84, 100, 134, 136, 161-163, 171, 172, 392, 544, 552, 560, 570
- Cook's, 37, 123, 137
- diving sp., 294
- diving spp., 19, 20, 47, 83, 91, 98, 172, 269, 272, 276, 278, 286, 289, 293, 294, 577
- fulmarine spp., 358
- giant, 17, 19, 28, 46, 158, 161, 169-170, 233, 235, 272, 288
- giant spp., 278, 282, 292, 293
- great-winged, 370
- grey, 33, 123, 133, 134, 235, 278, 284, 289, 292, 293, 397
- grey-faced, 139, 370, 570
- Kerguelen, 122, 278, 282, 283, 289, 292, 293
- Kermadec, 552
- Magenta, see taiko, Chatham Island
- mottled, 28, 122-123, 134, 212, 292, 543, 544, 546, 547, 549-551
- Murphy's, 380-382
- northern giant, 17, 20, 22, 27, 33, 38, 48, 64, 74, 77-79, 98, 118, 122, 134, 136, 138, 161, 169-170, 175, 187, 196, 202, 204-206, 219, 221, 225, 254, 256, 262, 282, 292, 357-368, 432, 436
- Parkinson's, see petrel, black
- soft-plumaged, 37, 122, 133, 134, 292
- South Georgian diving, 20, 31, 39, 44-46, 48, 65, 85, 133, 135, 206, 212, 270, 272, 278, 280, 285-286, 290, 292, 294, 568
- southern giant, 31, 78, 122, 161, 212, 282, 323, 358, 466
- sp., 16, 98
- spectacled, 397

- spp., 18, 19, 20, 23, 39, 47, 91, 172, 187, 206, 213, 256, 269, 271, 323, 358, 383, 543-557, 574, 577
 subantarctic diving, 84-85, 92, 98, 100, 197, 221, 229-230, 231, 235, 219, 256, 259, 278, 285, 286, 289, 292, 294
 Westland, 131
 Whenua Hou diving, 43, 45, 270, 568-572
 white-chinned, 14, 15, 18, 23, 27, 29, 31, 38, 48, 64, 82-83, 92, 98-100, 118, 131, 134-136, 160, 161, 165, 166, 170-171, 175, 187, 196, 213, 221, 224, 226-227, 231, 233-235, 261, 269, 271, 272, 278, 284, 289, 292, 293, 380, 387-401, 552
 white-headed, 14, 15, 23, 27-29, 31, 48, 79-80, 91, 92, 97, 99, 100, 118, 221, 227-235, 259, 261, 272, 278, 282, 289, 292-294, 369-386, 392, 436
- Petrochelidon nigricans*, see martin, tree
Petroica longipes, see robin, North Island
macrocephala, see tomtit
macrocephala marrineri, see tomtit, Auckland Island
- Phalacrocorax (atriceps) bransfieldensis*, see shag, Antarctic
carbo, see shag, black
colensoi, see *Leucocarbo colensoi*
melanoleucos, see shag, little
sulcirostris, see shag, little black
traversi, see *Leucocarbo purpurascens*
varius, see shag, pied
- phalarope, red-necked, 634
Phalaropus lobatus, see phalarope, red-necked
Phasianus colchicus, see pheasant, ring-necked
 pheasant, ring-necked, 442
Philesturnus rufusater, see saddleback, North Island
Philomachus pugnax, see ruff
Phoebastria fusca, see albatross, sooty
palpebrata, see albatross, light-mantled sooty
Phyllastrephus leucolepis, see greenbul, Liberian
Pica pica, see magpie, Eurasian
 pigeon, New Zealand, 47, 132, 442, 446
 Nicobar, 566
 rock, 137
 spp., 17, 47, 132
- piopio, sp., 17
 pipit, Antipodes Island, 420
 Auckland Island, 16, 17, 19, 22, 25, 27, 29, 43, 91, 92, 98, 110, 115-116, 136, 138, 161, 163, 165, 177-178, 201-202, 204, 206, 221, 232, 250, 259, 264, 279, 288, 289, 292, 294, 432, 433, 777
 Australasian, 777
 New Zealand, 16, 17, 19, 22, 25, 27, 134, 442-444, 449
- Platycercus eximius*, see rosella, eastern
- plover, American golden, 676
 golden, 676
 greater sand, 633, 634
 grey, 634
 Kentish, 714
 lesser sand, 632-634
 New Zealand shore, see plover, shore
 New Zealand spp., 762
 Pacific golden, 33, 127, 137, 212, 587, 612, 617-620, 633, 634, 652, 653, 655
 semi-palmated, 634
 shore, 19, 20, 47, 65, 133, 269, 270, 290, 292, 587, 588, 634, 678, 680, 772
 snowy, 760
 sp., 269
 spp., 17, 778
 spur-winged, 36, 127, 212, 442, 608-609, 632-634, 675, 676, 680
- Pluvialis apricaria*, see plover, golden
dominica, see plover, American golden
fulva, see plover, Pacific golden
 sp., 701
squatarola, see plover, grey
- poaka, see stilt, pied
Poecile atricapilla, see chickadee, black-capped
Poliiocephalus poliocephalus, see grebe, hoary-headed
Porphyrio melanotus, see pūkeko
Porzana tabuensis, see crane, spotless
 prairie-chicken, Attwater's, 710, 714
 prion, Antarctic, 19, 21, 25, 26, 29, 31, 80-82, 91, 92, 98-100, 117, 131, 134, 136, 161-163, 170, 172, 175, 196, 203, 221, 229, 231, 235, 254, 255, 257, 259, 278, 284, 289, 292-294, 436
banksii, see *Pachyptila desolata*
 broad-billed, 33, 100, 123, 134, 212, 278, 284, 289, 292, 293, 543-547, 549-553
 fairy, 33, 44, 82, 123, 133, 134, 545
 fulmar, 30, 35, 39, 44, 82, 98-100, 134-136, 162, 231, 235, 292
 lesser fulmar, 15, 43, 44, 81-82, 98, 117, 123, 212, 221, 229, 278, 284, 289, 293
 Salvin's, 130, 131
 sp., 25, 83, 92, 259, 272
 spp., 23, 47, 98, 100, 255, 269, 272, 278, 284, 289, 293, 294, 577
 thin-billed, 131
- Prion banksi*, see *Pachyptila desolata*
turtur, 26
- Procellaria aequinoctialis*, see petrel, white-chinned
cinerea, see petrel, grey
conspicillata, see petrel, spectacled
gigantea, 26
parkinsoni, see petrel, black
vittata, see *Pachyptila vittata*
westlandica, see petrel, Westland
- Procellariidae, 370, 381
 Procellariiformes, 133, 508
Prothemadera novaeseelandiae, see tūī
Prunella modularis, see dunnoek
Pseudopron crassirostris, see *Pachyptila crassirostris*
turtur eatoni, see *Pachyptila crassirostris*
flemingi
- Pterodroma axillaris*, see petrel, Chatham

- barau*, see petrel, Barau's
cookii, see petrel, Cook's
gouldi, see petrel, grey-faced
incerta, see petrel, Atlantic
inexpectata, see petrel, mottled
lessonii, see petrel, white-headed
macroptera, see petrel, great-winged
magentae, see taiko, Chatham Island
mollis, see petrel, soft-plumaged
neglecta, see petrel, Kermadec
nigripennis, see petrel, black-winged
 spp., 370, 371, 380, 381, 384
ultima, see petrel, Murphy's
- Ptilinopus layardi*, see fruit-dove, whistling
regina, see fruit-dove, rose-crowned
 spp., see fruit-dove spp.
- Puffinuria urinatrix*, see *Pelecanoides urinatrix*
Puffinus assimilis, see shearwater, little
elegans, see shearwater, subantarctic little
gavia, see shearwater, fluttering
huttoni, see shearwater, Hutton's
puffinus, see shearwater, Manx
 sp., 83
- pūkeko, 36, 125, 212, 441, 443-446, 449
- Pygoscelis adeliae*, see penguin, Adelle
antarctica, see penguin, chinstrap
papua, see penguin, gentoo
- quail, brown, 441, 443, 445, 450
 California, 442
- QUIÑONES, J.; CALDERON, J.; MAYAUTE, L.;
 BELL, E. Black petrel (*Procellaria parkinsoni*)
 congregations at sea off Perú during the Austral
 summer, 573-576
- rail, Auckland Island, 15, 22, 32-34, 36, 43, 45, 48, 49,
 89, 91-93, 130, 133, 135, 136, 138, 159, 161,
 163, 165, 172-174, 177, 187, 213, 219, 221,
 230-231, 233, 235, 256, 259, 269, 272, 279,
 280, 286, 289, 290, 292, 294, 432, 433, 436, 778
 banded, 442
Lewinia spp., 174
 Lewin's, 22, 24, 132, 135, 174
 Macquarie Island banded, 133
- Rallus dieffenbachii*, 26
Dieffenbachii, 93
muelleri, see *Lewinia muelleri*
philippensis, see rail, banded
- RALPH, C.J.; RALPH, C.P.; LONG, L.L. Towards
 the establishment of a community equilibrium
 of native and non-native landbird species in
 response to pest control on islands in the Eastern
 Bay of Islands, New Zealand, 437-450
- RALPH, C.P., see RALPH, C.J.; RALPH, C.P.; LONG,
 L.L.
- raven, Chatham Island, 295, 296
 New Zealand, 17, 33, 47, 48, 128, 270, 272,
 279, 288, 290, 292, 294-297
 sp., 295
- RAYNER, M.J.; GASKIN, C.P.; TAYLOR, G.A.;
 TENNYSON, A.J.D.; FITZGERALD, N.B.;
 BAIRD, K.A.; FRIESEN, M.R.; ROSS, J.;
 ISMAR-REBITZ, S.M.H. Population estimation
 of the New Zealand storm petrel (*Fregetta
 maoriana*) from mark-recapture techniques at
 Hauturu/Little Barrier Island and from at-sea
 resightings of banded birds, 503-510
- RAYNER, M.J.; PARKER, K.A.; NEHO, T.; HVID,
 T. Buller's mollymawk (*Thalassarche bulleri
 platei*) count at Rosemary Rock, Manawatāwhi
 (Three Kings Islands), 580-582
- Recurvirostridae, 678
- redpoll, common, 21, 22, 31-33, 65, 113, 117, 134, 136,
 138, 161, 179, 201-203, 205, 221, 232, 235,
 290, 432, 433, 442
- REXER-HUBER, K.; WALKER, K.J.; ELLIOTT,
 G.P.; BAKER, G.B.; DEBSKI, I.; JENSZ, K.;
 SAGAR, P.M.; THOMPSON, D.R.; PARKER,
 G.C. Population trends of light-mantled sooty
 albatross (*Phoebastria palpebrata*) at Adams
 Island and trials of ground, boat, and aerial
 methods for population estimates, 341-355
- REXER-HUBER, K.; THOMPSON, D.R.; PARKER,
 G.C. White-chinned petrel (*Procellaria
 aequinoctialis*) burrow density, occupancy, and
 population size at the Auckland Islands, 387-401
- REXER-HUBER, K., see MISKELLY, C.M.; ELLIOTT,
 G.P.; PARKER, G.C.; REXER-HUBER, K.;
 RUSS, R.B.; TAYLOR, R.H.; TENNYSON,
 A.J.D.; WALKER, K.J.
- REXER-HUBER, K., see ELLIOTT, G.P.; WALKER,
 K.J.; PARKER, G.C.; REXER-HUBER, K.;
 MISKELLY, C.M.
- REXER-HUBER, K., see WALKER, K.J.; ELLIOTT,
 G.P.; REXER-HUBER, K.; PARKER, G.C.;
 SAGAR, P.M.; McCLELLAND, P.J.
- REXER-HUBER, K., see PARKER, G.C.; FRENCH,
 R.K.; MULLER, C.G.; TAYLOR, G.A.;
 REXER-HUBER, K.
- Rhipidura fuliginosa*, see fantail, New Zealand
- RICKETT, J., see MISKELLY, C.M.; BISHOP, C.R.;
 GREENE, T.C.; RICKETT, J.; TAYLOR, G.A.;
 TENNYSON, A.J.D.
- RIEGEN, A.C.; SAGAR, P.M. Distribution and
 numbers of waders in New Zealand, 2005-2019,
 591-634
- RIEGEN, A., see SCHUCKARD, R.; MELVILLE, D.S.;
 RIEGEN, A.; DRISCOLL, P.; DRIESSEN, J.;
 KIDD, L.R.
- RIEGEN, A.C., see MELVILLE, D.S.; RIEGEN, A.C.;
 SCHUCKARD, R.; HABRAKEN, A.M.
- rifleman, 446, 526-542
 South Island, 526-542
- riroriro, see warbler, grey
- ROBERTSON, H.A. Foreword to Wader studies in New
 Zealand, Notornis Vol 67, Part 4.
- robin, Australian, 110
 North Island, 438, 441, 443, 444, 519

- sp., 17
 robin-redbreast, 110
 rook, 17, 296
 rorua, see kiwi, great spotted
 rosella, eastern, 441, 443, 445, 450
 ROSS, J., see RAYNER, M.J.; GASKIN, C.P.;
 TAYLOR, G.A.; TENNYSON, A.J.D.;
 FITZGERALD, N.B.; BAIRD, K.A.; FRIESEN,
 M.R.; ROSS, J.; ISMAR-REBITZ, S.M.H.
 ROWE, L.K.; WEIR, J.S.; JUDKINS, A.G. Breeding
 of little penguins, (*Eudyptula minor*), including
 multiple brooding, at South Bay, Kaikōura, New
 Zealand, 2006-2017, 451-458
 ROWE, L.K.; TAYLOR, G.A. Recoveries of Hutton's
 shearwaters (*Puffinus huttoni*) from Kaikōura
 New Zealand, 469-474
 ROWE, L.; WEIR, J. A little penguin (*Eudyptula minor*)
 from South Bay, Kaikōura, New Zealand with a
 unique breeding history, 488-493
 ROWE, R.J., see HOLDAWAY, R.N.; ROWE, R.J.
 RUSS, R.B., see MISKELLY, C.M.; ELLIOTT, G.P.;
 PARKER, G.C.; REXER-HUBER, K.; RUSS,
 R.B.; TAYLOR, R.H.; TENNYSON, A.J.D.;
 WALKER, K.J.
 RUSS, R.B., see FRENCH, R.K.; MISKELLY, C.M.;
 MULLER, C.G.; RUSS, R.B.; TAYLOR, G.A.;
 TENNYSON, A.J.D.
 RUSSELL, J.C.; HORN, S.R.; MISKELLY, C.M.;
 SAGAR, R.L.; TAYLOR, R.H. Introduced land
 mammals and their impacts on the birds of the
 subantarctic Auckland Islands, 247-268
- saddleback, North Island, 438, 441, 443, 444
 SAGAR, P.M., see WALKER, K.J.; ELLIOTT, G.P.;
 REXER-HUBER, K.; PARKER, G.C.; SAGAR,
 P.M.; McCLELLAND, P.J.
 SAGAR, P.M., see REXER-HUBER, K.; WALKER,
 K.J.; ELLIOTT, G.P.; BAKER, G.B.; DEBSKI,
 I.; JENSZ, K.; SAGAR, P.M.; THOMPSON,
 D.R.; PARKER, G.C.
 SAGAR, P.M., see RIEGEN, A.C.; SAGAR, P.M.
 SAGAR, R.L., see RUSSELL, J.C.; HORN, S.R.;
 MISKELLY, C.M.; SAGAR, R.L.; TAYLOR,
 R.H.
- sanderling, 37, 126, 137, 212, 633, 634
 sand-lark, see pipit, New Zealand
 sandpiper, buff-breasted, 587, 676
 common, 634, 714
 curlew, 35, 126, 137, 612, 621, 632-634
 marsh, 632, 634
 pectoral, 38, 126, 137, 212, 633, 634
 sharp-tailed, 35, 126, 212, 587, 612, 621-622,
 632-634
 spp., 701
 terek, 623, 632-634
- SANSON, L. Foreword to Lost Gold. Ornithology of
 the Subantarctic Auckland Islands. Notornis Vol
 61, Part 1, 9
- SCHUCKARD, R.; MELVILLE, D.S.; MacKENZIE,
 D.; BILTON, P.; COOK, W.; WOOD,
 S.; COOPER, D. A comparison of spring
 (November), summer (February), and winter
 (June) wader counts from Farewell Spit, 1998-
 2019, 635-642
- SCHUCKARD, R.; MELVILLE, D.S.; RIEGEN,
 A.; DRISCOLL, P.; DRIESSEN, J.; KIDD,
 L.R. Numbers of bar-tailed godwits (*Limosa
 lapponica baueri*) in New Zealand and Australia
 during the austral summer of 2019-2020, 643-
 650
- SCHUCKARD, R.; MELVILLE, D.S. Notes on staging
 bar-tailed godwits (*Limosa lapponica baueri*) at
 Ouvéa (Loyalty Islands, New Caledonia) during
 southward migration in 2007, 651-656
- SCHUCKARD, R., see MELVILLE, D.S.; RIEGEN,
 A.C.; SCHUCKARD, R.; HABRAKEN, A.M.
- SCHUCKARD, R., see MELVILLE, D.S.;
 SCHUCKARD, R.; BELL, C.; BELL, M.;
 COOK, W.; COOPER, D.; BAWDEN, G.
- Scolopacidae, 404
Scolopax holmesii, see *Coenocorypha aucklandica*
 seabird spp., 9-11, 14, 15, 18, 19, 20-29, 30-39, 41-49,
 63-65, 70-104, 117-125, 127, 130-139, 152, 153,
 157, 161-163, 164-171, 177, 179, 189, 191, 193-
 199, 204-207, 212, 213-236, 240-245, 254-259,
 261-264, 269-272, 276, 278-290, 292-294, 298-
 319, 320-331, 332-340, 341-355, 357-368, 369-
 386, 387-401, 416, 451-458, 459-468, 469-474,
 479-480, 481-484, 488-493, 503-510, 543-557,
 558-563, 568-572, 573-576, 577-579
 burrowing spp., 159, 247, 263, 371, 388
 surface-nesting spp., 117, 247, 255, 366
- sea-gull, see gull spp.
 sea-pie, see oystercatcher spp.
 seedeater, hooded, 778
 shag, Antarctic, 466
 Auckland Island, 14, 17, 18, 21, 25, 26, 28, 31,
 33, 35, 39, 42, 43, 48, 49, 88-90, 98-100, 118,
 124, 131, 133, 134, 136, 138, 161, 162, 171,
 191, 197, 198, 203-205, 221, 230, 254, 255,
 259, 261, 262, 272, 279, 286, 289, 292-294,
 421-425, 432, 433, 436, 778
 black, 35, 124
 Bounty Island, 135, 420, 422, 424, 425
 Campbell Island, 131-132, 133, 135, 422, 424,
 425
 crested spp., 17
 Foveaux, 422, 424, 425
 Heard Island, 422, 424, 425
 little, 33, 124, 442
 little black, 39, 124
 Macquarie Island, 9, 28, 125, 419-426
 pied, 139, 441
 sp., 18, 20, 21, 42, 43, 65, 271
 spotted, 139
 Stewart Island, 131, 422, 424, 425

- shearwater, Buller's, 37, 123
 fluttering, 470, 552
 Hutton's, 131, 469-474
 little, 471, 552
 Manx, 470
 short-tailed, 37, 123, 381
 sooty, 16, 19-23, 25, 29, 31, 79, 83-84, 91, 92, 97, 99-101, 134, 136, 161-163, 171, 175, 196, 203, 221, 227-231, 233-235, 256, 257, 259, 261, 272, 278, 284-285, 289, 292-294, 380, 381, 383, 392, 543-548, 550-552
 spp., 187
 subantarctic little, 31, 98-100, 124, 130, 131, 133-135, 212, 278, 285, 289, 292, 293
- shelduck, chestnut-breasted, 36, 118, 130, 212
 paradise, 118, 130, 442, 674, 675
- SHEPHERD, L.D.; BULGARELLA, M.; HADDRATH, O.; MISKELLY, C.M. Genetic analyses reveal an unexpected refugial population of subantarctic snipe (*Coenocorypha aucklandica*), 403-418
- shorebird spp., 204, 205, 481, 587-781
- shoveler, Australasian, 33, 119, 130, 212, 292
- silveryeye, 25-27, 91, 108, 110, 112, 134-136, 138, 161, 189, 200, 201, 203-205, 221, 232, 235, 257, 263, 290, 292, 432, 440, 441, 443-447, 475-477
- SIMEON, K., see BUTCHER, S.C.; CROSSLAND, A.C.; CRUTCHLEY, P.; MUGAN, N.D.; SIMEON, K.
- Sitta europaea*, see nuthatch
- skewer gull, see skua, subantarctic
- skua, Arctic, 132, 287, 289, 292
 brown, see skua, subantarctic
 great, 518
 pomarine, 132, 287, 289, 292
 South Polar, 28, 127, 427-429
 southern, see skua, subantarctic
 sp., 279, 287, 294, 587
 subantarctic, 20, 22, 23, 25-29, 33, 35, 48, 69, 80-83, 85, 86, 90, 96-100, 123, 124, 134, 136, 138, 161-163, 165, 167, 170, 172, 175, 179, 187, 191, 193, 196-198, 202, 204-206, 212, 221, 227, 230, 231, 233, 235, 250, 259, 264, 276, 279, 282, 284-287, 292-294, 364, 384, 406, 427-429, 432, 433, 577-579
- skylark, 32
 Eurasian, 128, 130, 161, 212, 441, 443, 445, 450
- SMITH, B.L.; BATTLE, P.F. Bar-tailed godwits (*Limosa lapponica*) crossing the Inland Kaikoura Ranges, South Island, New Zealand, 657-658
- snipe, Antipodes Island, 135, 404, 411, 413, 416, 417, 420, 587
 Auckland Island, 9, 15, 16, 18-21, 24, 43, 45, 48, 49, 89, 91-94, 98-100, 134-136, 138, 159, 161-163, 165, 172, 173, 177, 179, 187, 189, 191, 192, 194, 195, 198, 203-206, 219, 221, 231, 233, 256, 257, 259, 264, 279, 286, 289, 292-294, 403-418, 432, 433, 436, 778
 Campbell Island, 135, 404, 411, 413, 416, 417, 587
 Chatham Island, 94, 588
 Japanese, 137
 Snares Island, 94, 135, 587
 sp., 17
 spp., 18, 233
 subantarctic, 9, 14, 17, 26-28, 32, 34-37, 39
- songbird, sagebrush spp., 481
- sparrow, Eurasian tree, 485-487
 house, 33, 128-130, 162, 212, 440, 441, 443, 445, 450
 sp., 21, 116
- Spheniscus demersus*, see penguin, African
humboldti, see penguin, Humboldt
magellanicus, see penguin, Magellan
mendiculus, see penguin, Galapagos
- Sporophila melanops*, see seedeater, hooded
- STANLEY, M.C., see ERASTOVA, D.A.; STANLEY, M.C.
- starling, common, 32, 33, 37, 65, 99, 100, 113-115, 134, 136, 138, 161, 200-201, 203, 221, 232, 235, 276, 279, 288, 289, 292, 294, 432, 433, 441, 443, 445, 450, 526,
 European, see starling, common
- STEEVES, T., see OVERBEEK, A.; GALLA, S.; BROWN, L.; CLELAND, S.; THYNE, C.; MALONEY, R.; STEEVES, T.
- Stercorarius antarcticus*, see skua, subantarctic, or skua, brown
parasiticus, see skua, Arctic
skua, see skua, great
- Sterna bergii*, see tern, crested
frontalis, see *Sterna striata*
paradisaea, see tern, Arctic
striata, see tern, white-fronted
vittata, see tern, Antarctic
- Sternidae, 678
- Sternula nereis davisae*, see tern fairy, or tern, New Zealand fairy
- Stictocorbo punctatus*, see shag, spotted
- stilt, Australasian pied, see stilt, pied
 black, 602, 632-634, 678, 679, 682, 687, 688, 708-716, 734, 745, 756, 761
 black/hybrids, 632-634, 711-713
 pied, 594, 597, 601-602, 623, 632-634, 674, 675, 678-680, 682, 683, 687, 689, 704-708, 710, 713, 714
 spp., 701, 710, 711
- stint, red-necked, 33, 126, 212, 587, 612, 619, 632-634
- stitchbird, 446
- storm petrel, ashy, 578
 black-bellied, 23, 27, 35, 37, 39, 87-88, 91, 92, 98-101, 131, 134, 136, 161, 163, 165, 171, 172, 175, 197, 221, 230, 231, 235, 257, 259, 278, 285, 289, 292, 294, 436, 507, 577-579
 European, 578

- fork-tailed, 570
 grey-backed, 24, 31, 37, 85-86, 88, 91, 92, 98-100, 134, 136, 161, 163, 171, 175, 197, 221, 230, 231, 256, 278, 285, 289, 292, 294, 545, 552
 Leach's, 570, 578
 New Zealand, 503-510
 sp., 20, 92, 98, 100
 spp., 504, 508, 577
 white-bellied, 131
 white-faced, 19, 31, 33, 47, 65, 86-87, 92, 100, 133, 135, 162, 206, 212, 257, 270, 278, 280, 285, 289, 290, 292, 294, 507, 552, 578
 Wilson's, 37, 124, 578
Sturnus vulgaris, see starling, common
Sula leucogaster, see booby, brown
 sulid spp., 561
 sunangel, Bogota, 779
 swallow, welcome, 33, 128, 130, 133, 212, 440, 441, 443, 444, 449
 swan, black, 28, 118, 137, 674, 675
 swift, fork-tailed, 137
 SYMES, C., see MISKELLY, C.; SYMES, C.
 SYMES, C., see WOODLEY, K.; SYMES, C.
- Tadorna tadornoides*, see shelduck, chestnut-breasted
variegata, see shelduck, paradise
 tāiko, Chatham Island, 122, 278, 282, 283, 289, 292, 293, 379, 381-383
 tara, see tern, white-fronted
 tara iti, see tern, fairy
 taranui, see tern, Caspian
 tarapirohe, see tern, black-fronted
 tarapuka, see gull, black-billed
 tattler, grey-tailed, 36, 126, 212, 633, 634
 wandering, 36, 126, 137, 212, 634, 652, 653, 655
 TAYLOR, G.A.; ELLIOTT, G.P.; WALKER, K.J.; BOSE, S. Year-round distribution, breeding cycle and activity of white-headed petrels (*Pterodroma lessonii*) nesting on Adams Island, Auckland Islands, 369-386
 TAYLOR, G.A., see FRENCH, R.K.; MISKELLY, C.M.; MULLER, C.G.; RUSS, R.B.; TAYLOR, G.A.; TENNYSON, A.J.D.
 TAYLOR, G.A., see PARKER, G.C.; FRENCH, R.K.; MULLER, C.G.; TAYLOR, G.A.; REXER-HUBER, K.
 TAYLOR, G.A., see ROWE, L.K.; TAYLOR, G.A.
 TAYLOR, G.A., see RAYNER, M.J.; GASKIN, C.P.; TAYLOR, G.A.; TENNYSON, A.J.D.; FITZGERALD, N.B.; BAIRD, K.A.; FRIESEN, M.R.; ROSS, J.; ISMAR-REBITZ, S.M.H.
 TAYLOR, G.A., see MISKELLY, C.M.; BISHOP, C.R.; GREENE, T.C.; RICKETT, J.; TAYLOR, G.A.; TENNYSON, A.J.D.
 TAYLOR, G.A., see FISCHER, J.H.; TAYLOR, G.A.; DEBSKI, I.; WITTMER, H.U.
 TAYLOR, R.H., see MISKELLY, C.M.; TAYLOR, R.H.
- TAYLOR, R.H., see MISKELLY, C.M.; ELLIOTT, G.P.; PARKER, G.C.; REXER-HUBER, K.; RUSS, R.B.; TAYLOR, R.H.; TENNYSON, A.J.D.; WALKER, K.J.
 TAYLOR, R.H., see RUSSELL, J.C.; HORN, S.R.; MISKELLY, C.M.; SAGAR, R.L.; TAYLOR, R.H.
- teal, Auckland Island, 14-22, 25, 27-29, 32, 35, 36, 42, 43, 45, 48, 49, 66-69, 91, 92, 98-100, 102, 118, 135, 136, 138, 159, 161-163, 165, 167, 172, 177, 186, 191-194, 198, 202-204, 206, 213, 219-221, 231, 233, 235, 256, 257, 259, 261, 264, 278, 279, 288, 292, 293, 432, 433, 778
 brown, 36, 438, 442
 Campbell Island, 69, 135
 flightless spp., 133, 134
 grey, 38, 119, 212
 spp., 198, 233
 TENNYSON, A.J.D. Holocene bird bones found at the subantarctic Auckland Islands, 269-294
 TENNYSON, A.J.D. Variation in the bill colour of the white-capped mollymawk (*Thalassarche cauta steadi*), 333-340
 TENNYSON, A.J.D., see MISKELLY, C.M.; ELLIOTT, G.P.; PARKER, G.C.; REXER-HUBER, K.; RUSS, R.B.; TAYLOR, R.H.; TENNYSON, A.J.D.; WALKER, K.J.
 TENNYSON, A.J.D., see FRENCH, R.K.; MISKELLY, C.M.; MULLER, C.G.; RUSS, R.B.; TAYLOR, G.A.; TENNYSON, A.J.D.
 TENNYSON, A.J.D., see RAYNER, M.J.; GASKIN, C.P.; TAYLOR, G.A.; TENNYSON, A.J.D.; FITZGERALD, N.B.; BAIRD, K.A.; FRIESEN, M.R.; ROSS, J.; ISMAR-REBITZ, S.M.H.
 TENNYSON, A.J.D., see MISKELLY, C.M.; BISHOP, C.R.; GREENE, T.C.; RICKETT, J.; TAYLOR, G.A.; TENNYSON, A.J.D.
- tern, Antarctic, 25, 26, 98, 103-104, 127, 134-136, 138, 160, 161, 199, 204, 221, 232, 287, 290, 292, 432
 Arctic, 33, 127-128, 380
 black-fronted, 139, 584, 678, 679, 682, 683, 687, 688, 734, 743, 745, 756
 Caspian, 36, 127, 137, 442, 677, 678, 682, 683
 crested, 652, 653
 fairy, see tern, New Zealand fairy
 New Zealand fairy, 677-680, 722
 sp., 279, 287, 294
 spp., 205, 290, 587, 677, 679, 683, 687, 688
 white-fronted, 19, 25, 26, 90, 98, 103, 104, 133, 135, 136, 138, 160-162, 189, 195, 199, 204, 205, 221, 231, 232, 287, 290, 292, 432, 442, 481-484, 677, 678, 682, 683
Thalassarche bulleri, see mollymawk, Buller's
 bulleri bulleri, see mollymawk, southern
 Buller's
 bulleri platei, see mollymawk, northern
 Buller's
 cauta, 31
 cauta cauta, see mollymawk, shy

- cauta stadii*, see mollymawk, white-capped
chrysostris, see mollymawk, grey-headed
impavida, see mollymawk, Campbell Island
melanophrys, see mollymawk, black-browed
salvini, see mollymawk, Salvin's
 sp., 25
 spp., 334
- Thalassoica antarctica*, see petrel, Antarctic
Thinornis novaeseelandiae, see plover, shore
novaeseelandiae rossii, see plover, shore
rossii, see plover, shore
- THOMPSON, D.R., see REXER-HUBER, K.;
 WALKER, K.J.; ELLIOTT, G.P.; BAKER,
 G.B.; DEBSKI, I.; JENSZ, K.; SAGAR, P.M.;
 THOMPSON, D.R.; PARKER, G.C.
- THOMPSON, D.R., see REXER-HUBER, K.;
 THOMPSON, D.R.; PARKER, G.C.
- thornbill spp., 528
- thrush, song, 32, 33, 65, 92, 113, 114, 134, 136, 138,
 161, 178, 200, 221, 232, 257, 290, 292, 432,
 433, 441, 443, 445, 450
 sp., 17
- THYNE, C., see OVERBEEK, A.; GALLA, S.;
 BROWN, L.; CLELAND, S.; THYNE, C.;
 MALONEY, R.; STEEVES, T.
- tit, coal, 526
 great, 539
- titipounamu, see rifleman
- Todiramphus sanctus*, see kingfisher, sacred
- tomtit, 134, 441, 443, 444
 Auckland Island, 18, 19, 21, 23, 25, 27, 33, 42,
 43, 91, 92, 108, 109-112, 117, 133, 135-138,
 161, 163, 165, 166, 172, 177, 179, 191, 200,
 202-204, 206, 233, 263, 264, 269, 289, 290,
 292, 432, 433, 778
 North Island, 441, 443, 444
- tōrea, see oystercatcher, South Island pied
 tōrea pango, see oystercatcher, variable
- TOY, R.; TOY, S. Post-translocation dispersal and home
 range establishment of roroa (great spotted kiwi,
Apteryx haastii): need for long-term monitoring
 and a flexible management strategy, 511-525
- TOY, S., see TOY, R.; TOY, S.
- tree creeper, Eurasian, 526
- Tringa brevipes*, see tattler, grey-tailed
cinerea, see sandpiper, terek
ferruginea, see sandpiper, curlew
hypoleucos, see sandpiper, common
incana, see tattler, wandering
nebularia, see greenshank, common
stagnatilis, see sandpiper, marsh
- Tryngites subruficollis*, see sandpiper, buff-breasted
- tūī, 17, 18, 19, 21, 25, 28, 105, 108-109, 133, 135-138,
 161, 178, 179, 189, 200, 201, 203, 205, 233,
 263, 279, 288, 289, 292, 294, 432, 433, 440,
 441, 443, 444, 446, 447, 475, 476, 710
- Turdus merula*, see blackbird, Eurasian
philomelos, see thrush, song
- Turnagra* sp., see piopio, sp.
- turnstone, 33, 35, 126-127, 212, 292, 432, 433
 ruddy, 212, 587-589, 593, 612, 615-618, 623,
 632-640, 659-672
- tūturiwhatu, see dotterel, banded, see also dotterel,
 southern New Zealand
- tuturuatu, see plover, New Zealand shore
- Tympanuchus cupido attwateri*, see prairie-chicken,
 Attwater's
- Tyto alba*, see owl, barn
- Vanellinae, 680
- Vanellus miles*, see plover, spur-winged
vanellus, see lapwing
- wader, Arctic-breeding spp., 587, 588, 591, 592, 609-
 623, 636, 659, 674, 676
 endemic New Zealand spp., 636
 Holarctic migrant spp., 137
 New Zealand breeding spp., 587, 592, 594
 northern hemisphere migrant spp., 591, 592,
 594, 609-623
 spp., 202, 205, 587-590, 655, 679, 683, 687, 688
 sub-Arctic breeding spp., 591, 592
 trans-Equatorial migratory spp., 636
- WALKER, K.J.; ELLIOTT, G.P.; REXER-
 HUBER, K.; PARKER, G.C.; SAGAR,
 P.M.; McCLELLAND, P.J. Shipwrecks and
 mollymawks: an account of Disappointment
 Island birds, 213-245
- WALKER, K.J., see MISKELLY, C.M.; ELLIOTT, G.P.;
 PARKER, G.C.; REXER-HUBER, K.; RUSS,
 R.B.; TAYLOR, R.H.; TENNYSON, A.J.D.;
 WALKER, K.J.
- WALKER, K.J., see ELLIOTT, G.P.; WALKER,
 K.J.; PARKER, G.C.; REXER-HUBER, K.;
 MISKELLY, C.M.
- WALKER, K.J., see BAKER, G.B.; ELLIOTT, G.P.;
 FRENCH, R.K.; JENSZ, K.; MULLER, C.G.;
 WALKER, K.J.
- WALKER, K.J., see REXER-HUBER, K.; WALKER,
 K.J.; ELLIOTT, G.P.; BAKER, G.B.; DEBSKI,
 I.; JENSZ, K.; SAGAR, P.M.; THOMPSON,
 D.R.; PARKER, G.C.
- WALKER, K.J., see TAYLOR, G.A.; ELLIOTT, G.P.;
 WALKER, K.J.; BOSE, S.
- WALKER, S.; MONKS, A.; INNES, J. National
 changes in occupancy of New Zealand-breeding
 Charadriiformes, 1969-1979 to 1999-2004, 677-
 691
- warbler, Australasian spp., 526
 grey, 139, 440, 441, 443-447, 449, 476, 526-542
 North American spp., 526, 527
- waterbird spp., 439, 588, 645, 769
- waterfowl spp., 202, 655
- water-hen, see rail, Auckland Island
- WEIR, J., see ROWE, L.; WEIR, J.
- WEIR, J.S., see ROWE, L.K.; WEIR, J.S.; JUDKINS,
 A.G.

- weka, 92, 129, 130, 263, 382, 383
- WESTON, K.A.; FRASER, I. Large-scale hail-induced mortality in white-fronted tern (*Sterna striata*) and black-billed gull (*Larus bulleri*) breeding colonies on the Rangitata River, New Zealand, 481-484
- whale bird, see prion spp.
- whimbrel, 37, 126, 137, 212, 612, 620, 632-634, 652, 653
 American, 620
 Asiatic, 587, 620
- whitehead, 438, 441, 443, 444, 446
- WHITEHEAD, E., see ADAMS, N.; GASKIN, C.; WHITEHEAD, E.
- 'widgeon', see shag, Auckland Island
- WITTMER, H.U., see FISCHER, J.H.; TAYLOR, G.A.; DEBSKI, I.; WITTMER, H.U.
- WOOD, S., see SCHUCKARD, R.; MELVILLE, D.S.; MacKENZIE, D.; BILTON, P.; COOK, W.; WOOD, S.; COOPER, D.
- WOODLEY, K. National wader census scheme: a tribute. Notornis Vol 67, Part 4
- WOODLEY, K. Introduction to Wader Studies in New Zealand, 587-590
- WOODLEY, K.; SYMES, C. (eds). Wader Studies in New Zealand. Notornis Vol 67, Part 4
- wood-pigeon, 17
- wrybill, 588, 594, 598, 606-607, 609, 632-634, 674, 678, 679, 682, 683, 687, 689, 734, 754, 755-764, 765-771
- YARRALL, J.W., see MILLS, J.A.; YARRALL, J.W.; MILLS, D.A.
- yellowhammer, 37, 129, 212, 441, 443, 445, 450
- Zosterops lateralis*, see silvereeye
- Compiled by* TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland 0627