PIERCE, R. J. 1982. A comparative ecological study of Pied and Black Stilts in South Canterbury. PhD thesis, University of Otago.

PIERCE, R. J. 1983. Charadriiforms of a high-country river valley. Notornis 30: 169-185.

PIERCE, R. J. 1984. The changed distribution of stilts in New Zealand. Notornis 31: 7-18.

POTTS, T. H. 1869. On the birds of New Zealand. Trans. NZ Inst. 2: 40-78.

POTTS, T. H. 1872. On the birds of New Zealand. Part 3. Trans. NZ Inst. 5: 171-205.

PRATER, A. J.; MARCHANT, J. H; VUORINEN, J. 1977. Guide to the identification and ageing of holarctic waders. Tring: British Trust for Ornithology.

SHORT, L. L. 1969. Taxonomic aspects of avian hybridization. Auk 86: 84-105.

STEAD, E. F. 1927. The native and introduced birds of Canterbury. In R. Speight, A. Wall, Laing, R. M. (eds). Natural history of Canterbury. Christchurch, Philisophical Inst. of Canterbury.

IRAVERS, W. T. L. 1871. Notes on the habitats of some of the birds of New Zealand. Trans. NZ Inst. 4: 206-13.

R. J. PIERCE, Department of Zoology, University of Otago, Dunedin

-\*-

## SHORT NOTE

## CORRECTION: NORTH ATLANTIC SHEARWATER TO PINK-FOOTED SHEARWATER

First sightings of the North Atlantic (Cory's) Shearwater Calonectris diomedea (Scopoli, 1769) in Australasian seas (Notornis 29: 85-91, 1982).

Overseas correspondence I have received in response to my report on the sightings of Cory's (North Atlantic) Shearwater, Calonectris diomedea, off the east coast of the South Island, has convinced me that my identification was incorrect. Indisputable evidence has been presented in support of Pink-footed Shearwater, Puffinus creatopus.

In May 1983 the OSNZ Rare Birds Committee met and reappraised the colour transparencies which featured as Figures 1, 2 and 3 in *Notornis* 29: 85-91 (1982). The Committee sent colour prints of the transparencies to Professor R. Schlatter, Universidad Austral de Chile, and Dr F. Roux, Museum of Natural History, Paris; both confirmed the birds in the photographs as Pink-footed Shearwater.

This is the first record of Pink-footed Shearwater in New Zealand.

I would like to acknowledge the constructive comments I received in correspondence from J. B. Cox, D. Eades, Kimball L. Garret, and John Izzard (and colleagues M. Carter and G. Holmes), and the OSNZ Rare Birds Committee, who acted promptly to my request that they meet and reconsider my *Notornis* report.

G. A. TUNNICLIFFE, Canterbury Museum