

### Recommended citations for information from this Appendix and the Supplementary Materials database

Miskelly, C.M. 2022. Alternative English, Māori, and Moriori names for New Zealand birds. Pp. 262–281 (Appendix 3) in Checklist Committee, *Checklist of the birds of New Zealand* (Fifth edition). Wellington, Birds New Zealand (published online as a pdf – <https://www.birdsnz.org.nz/wp-content/uploads/2022/05/checklist-2022-appendix3.pdf> and as an HTML webpage – <https://www.birdsnz.org.nz/society-publications/checklist/appendix-3-alternative-names-for-new-zealand-birds/>).

Miskelly, C.M. 2022. Database of alternative names for New Zealand birds. Supplementary Materials 2 in Checklist Committee, *Checklist of the birds of New Zealand*. (Fifth edition). Ornithological Society of New Zealand Occasional Publication No. 1. Wellington, Ornithological Society of New Zealand (published online – <https://www.birdsnz.org.nz/wp-content/uploads/2022/05/supp-2-bird-names-database.xlsx>).

## APPENDIX 3

### Alternative English, Māori, and Moriori names for New Zealand birds

Selecting preferred Māori and English names for New Zealand birds is a difficult and often controversial task, as multiple names are used for many species. Māori often named different ages, sexes, and growth stages of birds, based on the species' use and whakapapa (genealogy). For example, the name “tītī” has gained wide acceptance in recent decades as the Māori name for the sooty shearwater *Ardenna grisea*. However, it is not the name that many Rakiura Māori would give an individual adult *A. grisea* seen in flight. “Tītī” is mainly used for chicks of *A. grisea* at an age when they are ready for harvest. There is no agreement among muttonbirders on the name for adult *A. grisea*, with at least four different names in local use. Under-weight, unharvestable chicks have yet another name.

Furthermore, Māori apparently did not recognise as different, and separately name, certain similar-looking or closely-related species of birds. Different iwi (tribes) also have different dialects, and thus the spelling of essentially the same name may differ between different regions in the country (Table 2). In the late 19<sup>th</sup> Century, Māori bird names were taken from the works of prominent Pākehā (Europeans) who lived and worked with particular iwi. This is how the names used by certain iwi became more prevalent in recent usage than other tribal names for the same bird.

**Table 2.** New Zealand birds with more than 20 Māori names and/or with 30 or more variants of these names (i.e. the same sequence of letters, but with varying use of macrons, hyphens and/or spaces between words). The number of names is derived from this Appendix, with information on the source of all names and variants provided in the Supplementary Materials database.

ENGLISH NAME	SCIENTIFIC NAME(S)	MĀORI NAMES	TOTAL VARIANTS
Kaka	<i>Nestor meridionalis</i>	44	71
Bellbird	<i>Anthornis melanura</i>	44	70
New Zealand robins	<i>Petroica australis</i> + <i>P. longipes</i>	44	70
New Zealand fantail	<i>Rhipidura fuliginosa</i>	37	64
Whitehead	<i>Mohoua albicilla</i>	31	51
Banded rail	<i>Gallirallus philippensis</i>	28	50
Rifleman	<i>Acanthisitta chloris</i>	31	46
Stitchbird	<i>Notiomystis cincta</i>	25	41
Tomtit	<i>Petroica macrocephala</i>	24	41
Parakeets	<i>Cyanoramphus novaeseelandiae</i> + <i>C. auriceps</i>	24	41
New Zealand dotterel	<i>Charadrius obscurus</i>	30	38
Tui	<i>Prosthemadera novaeseelandiae</i>	25	38
Grey warbler	<i>Gerygone igata</i>	25	34
New Zealand scaup	<i>Aythya novaeseelandiae</i>	20	31

We here provide a preliminary list of alternative English, Māori, and Moriori names for New Zealand birds, to supplement the names presented in the main Checklist, and to allow users to link to species of interest, that may be searched for using an alternative name. The list was based on a database of 915 Māori and Moriori bird names compiled by Paul Scofield and Geoff Chambers, with input from the Māori Language Commission, during preparation of the 2010 Checklist. This was expanded to a database of 2,822 English and 2,515 Māori and Moriori names for New Zealand birds compiled by Colin Miskelly during preparation of the 2022 Checklist. Additional names were sourced primarily from Māori language dictionaries, and general publications on New Zealand birds. Eight Māori or Moriori names for New Zealand birds were sourced from recent single-species scientific publications, and 44 were created for the Te Taiao natural history exhibition in Te Papa (which opened in May 2019).

Birds are listed alphabetically by their scientific name, with superscripts used to provide an example of where the name was published. Multiple superscripts for a single name denote where the name has more than one variation (i.e. the same sequence of letters, but differing in the use of spaces, hyphens, macrons, apostrophes, or other diacritical marks) or where an earlier use of the name was imprecise about which species the name applied to. The recommended spellings of

Māori bird names were mainly derived from Appendix 3 in the 2010 Checklist, and from the Māori Dictionary website (<https://maoridictionary.co.nz> – viewed Aug. 2021). All variations and early imprecise use of names, and also the page reference for each name, are provided in the Supplementary Materials database (<https://www.birdsnz.org.nz/wp-content/uploads/2022/05/supp-2-bird-names-database.xlsx>).

The Checklist Committee intends to expand this list during subsequent revisions of the Checklist. We invite submissions of additional names that have been used in publications (including websites, signage, and brochures) – please email examples of these to [checklist@birdsnz.org.nz](mailto:checklist@birdsnz.org.nz) (please include a pdf, hyperlink, scan, or photograph showing the name in print).

Authors and editors of Birds New Zealand publications may use alternative bird names from this list, provided an explanation is given for why the name is used in preference to that in the main Checklist. Languages, and usage of bird names, evolve over time. If and when an alternative name is demonstrably the most frequently used name for a bird over the previous decade (at least) in *Notornis* (the scientific journal of Birds New Zealand / Ornithological Society of New Zealand), it will be moved to the main Checklist.

Standardised spellings have been used for the following English bird names: albatross includes albatros, dotterel includes dottrel and dotterell, mollymawk includes mollyhawk, mollymauk and molly-mawk, and parakeet includes parrakeet, paroquet and parroquet. Abbreviations: ch = chick, f = female, juv = juvenile, m = male, var = variety or colour variant.

The database is restricted to English, Māori and Moriori names that have been applied to New Zealand birds in New Zealand, plus English names that have been applied elsewhere to species that breed only in New Zealand. Some names were applied incorrectly, or names may have been switched between taxa over time. The main Checklist provides current names used for New Zealand birds.

### **Recommended citations for information from this Appendix and the Supplementary Materials database**

Miskelly, C.M. 2022. Alternative English, Māori, and Moriori names for New Zealand birds. Appendix 3 in Checklist Committee, *Checklist of the birds of New Zealand*. Fifth edition. Wellington, Birds New Zealand (published online – <https://www.birdsnz.org.nz/wp-content/uploads/2022/05/checklist-2022-appendix3.pdf>).

Miskelly, C.M. 2022. Database of alternative names for New Zealand birds. Supplementary Materials 2 in Checklist Committee, *Checklist of the birds of New Zealand*. Fifth edition. Wellington, Birds New Zealand (published online – <https://www.birdsnz.org.nz/wp-content/uploads/2022/05/supp-2-bird-names-database.xlsx>).

***Acanthis flammea* common redpoll<sup>108</sup>, lesser redpoll<sup>52</sup>, redpole<sup>16,16</sup>, redpoll<sup>47</sup>**

***Acanthisitta chloris* rifleman<sup>19</sup>, tītipounamu<sup>19,39,81</sup>, bush wren<sup>32</sup>, Chuck Connors<sup>100</sup>, citrine warbler<sup>35</sup>, creeper<sup>16</sup>, goldfinch<sup>10</sup>, hōtūtuutu<sup>54,74</sup>, kikimatu<sup>85</sup>, kikimutu<sup>7</sup>, kikipounamu<sup>36</sup>, kikirimutu<sup>19</sup>, kikitara<sup>36</sup>, kōhurehure<sup>36,81</sup>, kōrurerure (f)<sup>36,81</sup>, kotikotipa<sup>54</sup>, kotikotipae<sup>36</sup>, kōtipatipa<sup>54,81</sup>, kōtitititi<sup>54,81</sup>, mako<sup>10</sup>, miru miru<sup>11,13</sup>, momotawai<sup>36,113</sup>, momoutu<sup>36</sup>, mountain wren<sup>10</sup>, mōtūtuutu<sup>19,54,81</sup>, muhumuhu<sup>54</sup>, pihipipi<sup>6,8,10</sup>, pipiriki<sup>54</sup>, piripiri<sup>7</sup>, piwauwau<sup>5</sup>, piwauwaw<sup>11</sup>, rifleman wren<sup>54</sup>, spotted wren<sup>10</sup>, tāpahipare (m)<sup>36,81</sup>, thumbie<sup>78</sup>, titi-ponamu<sup>16</sup>, titipounamu<sup>14,52,93</sup>, titiripounamu<sup>92</sup>, toirua<sup>36</sup>, tokepiripiri<sup>19,81,93</sup>, A. c. granti North Island rifleman<sup>43</sup>; A. c. chloris South Island rifleman<sup>43</sup>, alpine rifleman<sup>34</sup>**

***Acridotheres tristis* common myna<sup>88</sup>, maina<sup>134</sup>, house myna<sup>47</sup>, Indian minah<sup>47</sup>, Indian myna<sup>47</sup>, minah<sup>46</sup>, myna<sup>58</sup>, mynah<sup>86</sup>**

***Acrocephalus australis* Australian reed warbler<sup>108</sup>**

***Actitis hypoleucos* common sandpiper<sup>79</sup>**

***Aegotheles novaezealandiae* New Zealand owlet-nightjar<sup>88</sup>, ruru hinapō<sup>122</sup>, little owl<sup>10</sup>, ruruwekau<sup>10</sup>**

***Aegotheles* sp. indet. St Bathans owlet-nightjar<sup>137</sup>**

***Alauda arvensis* Eurasian skylark<sup>111</sup>, kairaka<sup>92</sup>, common skylark<sup>135</sup>, pakeha pioio<sup>92</sup>, pakeha piopio<sup>92</sup>, skylark<sup>16</sup>**

***Aldiomedes angustirostris* Alastair's albatross<sup>137</sup>**

***Alectoris chukar* chukor<sup>72</sup>, chukar<sup>86</sup>, chukar partridge<sup>86</sup>, chukor partridge<sup>135</sup>, Indian chukar<sup>86</sup>, Persian chukar<sup>86</sup>**

***Anarhynchus frontalis* wrybill<sup>32,50</sup>, ngutu pare<sup>24,54,81</sup>, blackringed plover<sup>10</sup>, crockbill<sup>91</sup>, crook-bill<sup>85,135</sup>, crook-bill plover<sup>16</sup>, crook-billed plover<sup>17,91</sup>, dotterel<sup>10</sup>, ngutu-parore<sup>54,79,88</sup>, parore<sup>93</sup>, pohoera<sup>10</sup>, scissor-bill<sup>14,85</sup>, tuturiwatu<sup>10</sup>, wrybill plover<sup>52</sup>, wrybilled plover<sup>19,58</sup>**

***Anas acuta* northern pintail<sup>111</sup>**

***Anas aucklandica* Auckland Island teal<sup>72</sup>, metawetanga<sup>14</sup>, Auckland Island duck<sup>24,35</sup>, Auckland Islands duck<sup>43,48,51</sup>, Auckland Island flightless duck<sup>73</sup>, Auckland Islands teal<sup>115</sup>, Auckland teal<sup>89</sup>, flightless duck<sup>32</sup>, flightless teal<sup>135</sup>, red teal<sup>14</sup>, tētē kākāriki<sup>122</sup>**

***Anas castanea* chestnut teal<sup>94</sup>, Australian teal<sup>34</sup>, black teal<sup>85</sup>, chestnut-breasted teal<sup>85</sup>, mountain teal<sup>85</sup>, red teal<sup>85</sup>**

***Anas chathamica* Chatham Island duck<sup>73</sup>**

***Anas chlorotis* brown teal<sup>72</sup>, pāteke<sup>14,81</sup>, brown duck<sup>19</sup>, hoho<sup>92</sup>, patake<sup>24</sup>, pateka<sup>11</sup>, red teal<sup>16</sup>, South Island brown teal<sup>119</sup>, tarawhatu<sup>19,54</sup>, tata<sup>92</sup>, teal<sup>14</sup>, teal duck<sup>86</sup>, tei<sup>7</sup>, tētē<sup>24,81</sup>, tētē-whero<sup>19,36,58,81,134</sup>, tokitoki<sup>54</sup>**

***Anas gracilis* grey teal<sup>32</sup>, tētē-moroiti<sup>24,81,93,99</sup>, Australian teal<sup>43</sup>, green-headed teal<sup>48</sup>, little teal<sup>16</sup>, pohoriki<sup>24</sup>, tētē<sup>19,81,134</sup>, tētē-wai<sup>54,81,134</sup>, wood-teal<sup>24</sup>**

- Anas nesiotis** Campbell Island teal<sup>72</sup>, Campbell Island duck<sup>57</sup>, Campbell Island flightless duck<sup>73</sup>, Campbell Island flightless teal<sup>76</sup>, Campbell Islands teal<sup>115</sup>, Campbell teal<sup>89</sup>
- Anas platyrhynchos** mallard<sup>16</sup>, rakiraki<sup>113</sup>, feral duck<sup>113</sup>, matakīrea ūrangiuri<sup>122</sup>, pārera<sup>93</sup>
- Anas superciliosa** grey duck<sup>14</sup>, pārera<sup>5,8</sup>, black duck<sup>53</sup>, gray duck<sup>10</sup>, he parrera<sup>11</sup>, karakahia<sup>81</sup>, manua<sup>54</sup>, māunu<sup>24,81</sup>, Pacific black duck<sup>89</sup>, pārera maunu (moulting)<sup>134</sup>, supercilious duck<sup>85</sup>, tahora<sup>10</sup>, tāwaka<sup>81</sup>, topatopa (ch)<sup>36</sup>, turuki<sup>9</sup>
- Anhinga melanogaster** darter<sup>52</sup>, needle-beaked shag<sup>86</sup>, snakebird<sup>86,135</sup>; *A. m. novaehollandiae* Australian darter<sup>24</sup>, South Australian darter<sup>43</sup>
- Anomalopteryx didiformis** little bush moa<sup>90</sup>, moariki<sup>122</sup>
- Anous minutus** black noddy<sup>34</sup>, lesser noddy<sup>72</sup>, titerack<sup>86</sup>, white-capped noddy<sup>32</sup>, white-capped tern<sup>56</sup>
- Anous stolidus** brown noddy<sup>78</sup>, common noddy<sup>34</sup>, gogo<sup>86</sup>, greater noddy<sup>86</sup>, noddy<sup>16</sup>, noddy tern<sup>78</sup>
- Anser anser** greylag goose<sup>94</sup>, kuihi<sup>8</sup>, common goose<sup>47</sup>, domestic goose<sup>94</sup>, feral goose<sup>94</sup>, grey-lay goose<sup>47</sup>, kuuhi<sup>92</sup>, wild goose<sup>135</sup>
- Anthochaera carunculata** red wattlebird<sup>52,53,78,88</sup>, Australian honey-eater<sup>24</sup>, wattled honeyeater<sup>86</sup>, yellow wattle bird<sup>43,48</sup>
- Anthornis melanocephala** Chatham Island bellbird<sup>19,48</sup>, kōmako<sup>29,109</sup>, bell-bird<sup>49</sup>, Chatham Islands bellbird<sup>43,115</sup>, makomako<sup>11</sup>
- Anthornis melanura** bellbird<sup>10,13,48</sup>, korimako<sup>7</sup>, Auckland Islands' bell bird<sup>43</sup>, he-ghobarra<sup>11</sup>, kēkerematau (m)<sup>36,81</sup>, kerekere matutū (m)<sup>36,93</sup>, kerekerekematātu (m)<sup>54,81</sup>, kohimako<sup>8,19</sup>, kōhoimako<sup>5,36,81</sup>, kōhorimako<sup>5,81</sup>, kōkōmako<sup>6,7,81</sup>, kōkorihimako (m)<sup>38,81</sup>, kōkorimako<sup>9,81</sup>, kokorimoko<sup>7</sup>, kōkorohimako (m)<sup>19,81</sup>, kōkoromako<sup>14,81</sup>, kōmako<sup>19,81</sup>, kōmakohua<sup>99</sup>, kōmakohuariki (m)<sup>36,99</sup>, komakomako<sup>54</sup>, kōmamako<sup>36,81</sup>, kōpaopao<sup>7,93</sup>, kōpara<sup>9,81</sup>, kōparapara<sup>36,81</sup>, korihako<sup>54</sup>, korihimako<sup>38</sup>, korimaku<sup>5</sup>, korimoko<sup>7</sup>, koromako<sup>14</sup>, kotaiahū<sup>36</sup>, kukari (ch)<sup>36</sup>, mako<sup>19</sup>, makomako<sup>5,7</sup>, mocker<sup>16</sup>, mockie<sup>78</sup>, mockiemock<sup>100</sup>, mocking-creeper<sup>1,85</sup>, moko-moko<sup>16</sup>, New Zealand bellbird<sup>53,101</sup>, North Island bell bird<sup>43</sup>, para (f)<sup>54</sup>, rearea<sup>19</sup>, South Island bell bird<sup>43</sup>, tītāpū (f)<sup>19,81</sup>, titiāpū<sup>54</sup>, tītīmako<sup>6,7,8,81</sup>, titimoko<sup>93</sup>, titoaireka<sup>54</sup>, tītōmako<sup>14,81,93</sup>, tōtōaireka (f)<sup>36,81</sup>, totoara<sup>7</sup>, tukumako<sup>54</sup>, tūtūmako<sup>36,81</sup>; *A. m. obscura* Three Kings bellbird<sup>72</sup>; *A. m. oneho* Poor Knights bellbird<sup>88</sup>
- Anthus novaeseelandiae** New Zealand pipit<sup>19</sup>, pīhoihoi<sup>5,8,81</sup>, Australasian pipit<sup>108</sup>, Australian pipit<sup>88</sup>, common lark<sup>33</sup>, groundlark<sup>16,19,86</sup>, ground-pipit<sup>85</sup>, hīoi<sup>6,7,8</sup>, kātaitai<sup>5,81</sup>, kitaitai<sup>133</sup>, kogoo-aroure<sup>11</sup>, lark<sup>10</sup>, manu kahaki<sup>81,93,99</sup>, manukāwhaki<sup>99</sup>, native lark<sup>22</sup>, New Zealand lark<sup>11</sup>, North Island pipit<sup>43</sup>, okiuai<sup>7</sup>, pīoioi<sup>6,8,10,36,81</sup>, pīpī-tai<sup>54,81,99</sup>, pipit<sup>51</sup>, Richard's pipit<sup>88</sup>, sandlark<sup>78</sup>, South Island pipit<sup>43</sup>, whāioio<sup>8,36,81</sup>, whioio<sup>10,99</sup>, whioio<sup>92</sup>, wioi kataitai<sup>9</sup>; *A. n. chathamensis* Chatham Island pipit<sup>61</sup>, Chatham Islands' pipit<sup>43</sup>; *A. n. aucklandicus* Auckland Island pipit<sup>34</sup>, Auckland Islands pipit<sup>43,79</sup>, southern islands pipit<sup>73</sup>, subantarctic pipit<sup>101</sup>; *A. n. steindachneri* Antipodes Island pipit<sup>40</sup>, Antipodes lark<sup>32</sup>, Antipodes pipit<sup>79</sup>, Steindachner's pipit<sup>35</sup>
- Aptenodytes forsteri** emperor penguin<sup>79</sup>
- Aptenodytes patagonicus** king penguin<sup>24</sup>, tokoraki<sup>92</sup>
- Aptenodytes ridgeni** Ridgen's penguin<sup>90</sup>
- Apteryx** spp. kiwi<sup>5</sup>, eastern kiwi<sup>101</sup>, kiwi-ma<sup>92</sup>, ngutu-roa<sup>54</sup>, rire (juv)<sup>54</sup>, rirerire (juv)<sup>7</sup>
- Apteryx australis** southern brown kiwi<sup>101</sup>, tokoka<sup>9,14,79</sup>, big kiwi<sup>85</sup>, brown kiwi<sup>32</sup>, common kiwi<sup>89</sup>, great kiwi<sup>14</sup>, kivi<sup>11</sup>, kiwi<sup>5</sup>, kiwikiwi<sup>11</sup>, kiwi roa<sup>93</sup>, roa<sup>23</sup>, rowi<sup>20</sup>, southern kiwi<sup>32</sup>, tokoweka<sup>36</sup>, totoweka<sup>92</sup>; *A. australis* subsp. South Island brown kiwi<sup>79</sup>, Fiordland tokoka<sup>135</sup>, Haast tokoka<sup>119</sup>, north Fiordland tokoka<sup>113</sup>, northern Fiordland tokoka<sup>119</sup>, South Island kiwi<sup>19</sup>, southern Fiordland tokoka<sup>119</sup>, West Coast kiwi<sup>85</sup>; *A. a. australis* Stewart Island brown kiwi<sup>83</sup>, Rakiura tokoka<sup>119</sup>, Stewart Island kiwi<sup>34</sup>, Stewart Island tokoka<sup>113</sup>
- Apteryx haastii** Potts' kiwi<sup>137</sup>
- Apteryx littoralis** Marton kiwi<sup>137</sup>
- Apteryx mantelli** North Island brown kiwi<sup>83</sup>, kiwi-nui<sup>11,81</sup>, brown kiwi<sup>16</sup>, Buller's kiwi<sup>34</sup>, common brown kiwi<sup>14</sup>, common kiwi<sup>89</sup>, kiwikiwi<sup>5</sup>, kiwi-korako (white bird)<sup>54</sup>, kiwi-kura<sup>54,81</sup>, kiwi parure<sup>19,81</sup>, Mantell's kiwi<sup>34</sup>, North Island kiwi<sup>19</sup>, northern brown kiwi<sup>101</sup>
- Apteryx maxima** great spotted kiwi<sup>32</sup>, roroa<sup>96</sup>, fireman<sup>11</sup>, great grey kiwi<sup>43</sup>, great kiwi<sup>16</sup>, grey kiwi<sup>53</sup>, Haast's kiwi<sup>20</sup>, kiwi-karuai<sup>19</sup>, kiwi-karuwai<sup>36,81</sup>, kiwi parure<sup>11</sup>, kiwi roa<sup>99</sup>, kiwi roaroa<sup>99</sup>, large grey kiwi<sup>19</sup>, roa<sup>19</sup>, roaroa<sup>11,14,16</sup>, South Island kiwi<sup>54</sup>
- Apteryx owenii** little spotted kiwi<sup>72</sup>, kiwi pukupuku<sup>19,81</sup>, blue-hen<sup>20</sup>, grey kiwi<sup>14</sup>, kivi-iti<sup>11</sup>, kiwi<sup>20</sup>, kiwi-hoihoi<sup>10, 54</sup>, little apteryx<sup>10</sup>, little grey kiwi<sup>19</sup>, little kiwi<sup>58</sup>, Owen's kiwi<sup>34</sup>, spotted kiwi<sup>32</sup>, straight-billed kiwi<sup>20</sup>, West Coast kiwi<sup>34</sup>
- Apteryx rowi** rowi<sup>96</sup>, Okarito brown kiwi<sup>111</sup>
- Aptornis deforessi** South Island adzebill<sup>101</sup>, ngutu hahau<sup>122</sup>, adzebill<sup>90</sup>, greater aptornis<sup>52</sup>, South Island aptornis<sup>88</sup>
- Aptornis otidiformis** North Island adzebill<sup>101</sup>, adzebill<sup>90</sup>, lesser aptornis<sup>52</sup>, North Island aptornis<sup>88</sup>
- ?**Aptornis proasciarostratus** St Bathans adzebill<sup>137</sup>
- Apus pacificus** fork-tailed swift<sup>72</sup>, Australian swift<sup>24</sup>, large white-rumped swift<sup>135</sup>, Pacific swift<sup>135</sup>, white-rumped swift<sup>43</sup>

- Aquila moorei*** Haast's eagle<sup>101</sup>, extinct New Zealand eagle<sup>88</sup>, giant eagle<sup>135</sup>, greater extinct eagle<sup>52</sup>, harpagornis<sup>135</sup>, hokiori<sup>54</sup>, lesser extinct eagle<sup>52</sup>, New Zealand eagle<sup>90</sup>, pouakai<sup>81,87</sup>
- Archaeospheniscus lopdellorum*** Lopdells' penguin<sup>90,137</sup>
- Archaeospheniscus lowei*** Lowe's penguin<sup>90</sup>
- Ardea alba*** kōtuku<sup>6,7,8,81</sup>, white heron<sup>10</sup>, eastern great white egret<sup>73</sup>, eastern great white heron<sup>34</sup>, great egret<sup>88</sup>, great white egret<sup>85</sup>, great white heron<sup>48</sup>, katuka<sup>11</sup>, kotukutuku<sup>34</sup>, koutuku<sup>10</sup>, large egret<sup>86</sup>, New Zealand great white heron<sup>43</sup>, white crane<sup>12</sup>, white egret<sup>52</sup>
- Ardea cinerea*** grey heron<sup>48</sup>, common heron<sup>34</sup>, gray heron<sup>135</sup>; *A. c. jouyi* oriental grey heron<sup>111</sup>, Asiatic grey heron<sup>72</sup>, Australian grey heron<sup>43</sup>
- Ardea intermedia*** plumed egret<sup>84</sup>, intermediate egret<sup>83</sup>, lesser egret<sup>135</sup>, short-billed egret<sup>135</sup>, yellow-billed egret<sup>135</sup>
- Ardea pacifica*** Pacific heron<sup>78</sup>, white-necked heron<sup>72</sup>
- Ardenna* spp.** hakoakoa<sup>7</sup>, hakuakua<sup>36</sup>, titi-wahine<sup>92</sup>
- Ardenna bulleri*** Buller's shearwater<sup>24,52</sup>, rako<sup>131</sup>, ashy-back shearwater<sup>55</sup>, ashy-backed petrel<sup>53</sup>, ashy-backed shearwater<sup>48</sup>, ashy-backed wedge-tailed petrel<sup>143</sup>, Buller's petrel<sup>24</sup>, gray-backed shearwater<sup>59</sup>, grey-backed shearwater<sup>86</sup>, long-tailed shearwater<sup>32</sup>, New Zealand shearwater<sup>55</sup>
- Ardenna carneipes*** flesh-footed shearwater<sup>24</sup>, toanui<sup>86</sup>, fleshy-footed petrel<sup>53</sup>, fleshy-footed shearwater<sup>48</sup>, hakoakoa<sup>24</sup>, New Zealand flesh-footed petrel<sup>143</sup>, pale-footed shearwater<sup>86</sup>, pink-footed shearwater<sup>32</sup>, taonui<sup>54</sup>, tuanui<sup>113</sup>
- Ardenna creatopus*** pink-footed shearwater<sup>88</sup>
- Ardenna davealleni*** Pom's shearwater<sup>137</sup>
- Ardenna gravis*** great shearwater<sup>79</sup>
- Ardenna grisea*** sooty shearwater<sup>35</sup>, tītī<sup>8,24,81</sup>, akoko<sup>98</sup>, grey petrel<sup>50</sup>, hakeke<sup>36</sup>, hākēkeke<sup>99</sup>, hakoakoa<sup>8,24</sup>, hakoke<sup>36</sup>, hakoko<sup>36</sup>, hakuakua<sup>36</sup>, koakoa<sup>36</sup>, mutton-bird<sup>16,24</sup>, New Zealand muttonbird<sup>32,72</sup>, ngungu (small bird)<sup>36</sup>, ōi (ch)<sup>36,81</sup>, oii<sup>16</sup>, sombre petrel<sup>143</sup>, sombre shearwater<sup>24</sup>, takakau<sup>36</sup>, totorore<sup>24</sup>
- Ardenna pacifica*** wedge-tailed shearwater<sup>24,88</sup>, black burrower<sup>86</sup>, dark wedge-tailed shearwater<sup>55</sup>, Kermadec wedge-tailed petrel<sup>143</sup>, mourningbird<sup>135</sup>, wedge-shaped shearwater<sup>48</sup>, wedge-tailed muttonbird<sup>135</sup>, wedge-tailed petrel<sup>53</sup>
- Ardenna tenuirostris*** short-tailed shearwater<sup>48</sup>, Bonaparte's shearwater<sup>34</sup>, Brandt's shearwater<sup>19</sup>, hakoakoa<sup>24</sup>, hakoko<sup>99</sup>, hakuakua<sup>24</sup>, ngungu<sup>134</sup>, ōi<sup>81</sup>, short-tailed petrel<sup>143</sup>, slender-billed shearwater<sup>86</sup>, Tasmanian muttonbird<sup>32,72</sup>, tītī<sup>19</sup>
- Arenaria interpres*** ruddy turnstone<sup>85</sup>, eastern turnstone<sup>43</sup>, turnstone<sup>6</sup>
- Artamus cyanopterus*** dusky woodswallow<sup>137</sup>
- Artamus personatus*** masked woodswallow<sup>83,88</sup>, blue jay<sup>86</sup>, blue martin<sup>86</sup>, bush martin<sup>86</sup>, skimmer<sup>86</sup>
- Artamus superciliosus*** white-browed woodswallow<sup>83,88</sup>, blue martin<sup>86</sup>, summer-bird<sup>86</sup>
- Athene noctua*** little owl<sup>52</sup>, ruru nohinohi<sup>122</sup>, brown owl<sup>86</sup>, German owl<sup>78</sup>, little brown owl<sup>58</sup>, small brown owl<sup>147</sup>
- Australornis lovei*** Love's Paleocene seabird<sup>137</sup>
- Aythya australis*** Australian white-eyed duck<sup>43</sup>, karakahia<sup>14</sup>, barwing<sup>85</sup>, copperhead<sup>85</sup>, hardhead<sup>79</sup>, punkari<sup>85</sup>, white-eyed duck<sup>19</sup>, white-wing<sup>85</sup>, white-winged duck<sup>14,16</sup>
- Aythya novaeseelandiae*** New Zealand scaup<sup>19</sup>, pāpango<sup>10,81</sup>, black duck<sup>10</sup>, black teal<sup>16</sup>, black widgeon<sup>22</sup>, he patek<sup>11</sup>, kaiharopia<sup>36</sup>, kukupako<sup>92</sup>, matamatapōuri<sup>36,93</sup>, matapo<sup>93</sup>, matapōuri<sup>6,7,8,81</sup>, New Zealand duck<sup>11</sup>, New Zealand scarp<sup>51</sup>, New Zealand widgeon<sup>54</sup>, papanga<sup>14</sup>, pārera matapouri<sup>36,54,81</sup>, pōkeke<sup>81</sup>, pūakiaki<sup>36,81</sup>, pupango<sup>32</sup>, raipo<sup>19</sup>, repo<sup>11</sup>, scaup<sup>48</sup>, scaup duck<sup>54</sup>, tētē<sup>81</sup>, tētēpango<sup>19,54,81</sup>, tētēwai pango<sup>93</sup>, tētēwhero<sup>93</sup>, tītipōrangia<sup>19,81</sup>, tītipōrangia<sup>38,99</sup>, widgeon<sup>14</sup>
- Bartramia longicauda*** upland sandpiper<sup>83</sup>, Bartram's sandpiper<sup>84</sup>, prairie whistler<sup>84</sup>, quailie<sup>84</sup>, upland plover<sup>79</sup>
- Biziura delautourii*** New Zealand musk duck<sup>101</sup>, de Lautour's duck<sup>90</sup>
- Botaurus poiciloptilus*** Australasian bittern<sup>83</sup>, matuku-hürepo<sup>6,7,8,10,19,81</sup>, Australian bittern<sup>72</sup>, Australian brown bittern<sup>86</sup>, bittern<sup>10</sup>, black-backed bittern<sup>19</sup>, boomer<sup>135</sup>, brown bittern<sup>52</sup>, common bittern<sup>58</sup>, hürepo<sup>36,81</sup>, hūroto<sup>36,81</sup>, kāka<sup>36,81</sup>, kautuku<sup>36</sup>, matuku<sup>5,8</sup>, matuku-kāka<sup>36,81</sup>, matuku-kurepo<sup>52</sup>, matuku-nurepo<sup>13</sup>, matuku-urepo<sup>5</sup>, New Zealand bittern<sup>24</sup>, New Zealand black-backed bittern<sup>43</sup>
- Branta canadensis*** Canada goose<sup>52</sup>, kuihi<sup>113</sup>, Canadian goose<sup>47</sup>, honker<sup>86</sup>; *B. c. maxima* giant Canada goose<sup>86</sup>
- Bubulcus ibis*** cattle egret<sup>78</sup>, buff-backed heron<sup>78</sup>; *B. i. coromanda* eastern cattle egret<sup>111</sup>
- Bulweria bulwerii*** Bulwer's petrel<sup>111</sup>
- Cabalus modestus*** Chatham Island rail<sup>52</sup>, mātirakahu<sup>36,109</sup>, Chatham Island little rail<sup>53</sup>, Chatham Islands little rail<sup>51</sup>, Hutton's rail<sup>24</sup>, little Chatham Island rail<sup>48</sup>, little Chatham Islands' rail<sup>43</sup>, Mangare rail<sup>32</sup>, Mangere rail<sup>49</sup>
- Cacatua galerita*** sulphur-crested cockatoo<sup>47</sup>, white cockatoo<sup>52</sup>
- Cacomantis flabelliformis*** fan-tailed cuckoo<sup>79</sup>, ash-coloured cuckoo<sup>86</sup>
- Calidris acuminata*** sharp-tailed sandpiper<sup>43</sup>, kohutapu<sup>34</sup>, marsh sandpiper<sup>20</sup>, pectoral sandpiper<sup>35</sup>, sandpiper<sup>24</sup>, sharp-tailed stint<sup>48</sup>, Siberian pectoral sandpiper<sup>72</sup>
- Calidris alba*** sanderling<sup>48</sup>, beach-bird<sup>135</sup>, whitey<sup>135</sup>

- Calidris alpina dunlin*<sup>83</sup>, black-bellied sandpiper<sup>86</sup>, blackcrop<sup>135</sup>, red-backed sandpiper<sup>86</sup>
- Calidris bairdii* Baird's sandpiper<sup>83</sup>
- Calidris canutus* red knot<sup>86</sup>, huahou<sup>24,93</sup>, common knot<sup>113</sup>, eastern knot<sup>73</sup>, knot<sup>16</sup>, lesser knot<sup>84,111,137</sup>
- Calidris falcinellus* broad-billed sandpiper<sup>78</sup>; *C. f. sibirica* eastern broad-billed sandpiper<sup>83</sup>
- Calidris ferruginea* curlew sandpiper<sup>34,35</sup>, curlew stint<sup>86</sup>
- Calidris fuscicollis* white-rumped sandpiper<sup>83</sup>, Bonaparte's sandpiper<sup>86</sup>
- Calidris himantopus* stilt sandpiper<sup>111</sup>
- Calidris mauri* western sandpiper<sup>79</sup>
- Calidris melanotos* pectoral sandpiper<sup>48</sup>, American pectoral sandpiper<sup>72</sup>
- Calidris minuta* little stint<sup>48</sup>
- Calidris minutilla* least sandpiper<sup>72</sup>, American stint<sup>84</sup>, mud peep<sup>84</sup>
- Calidris paramelanotos* Cox's sandpiper<sup>137</sup>
- Calidris pugnax* ruff<sup>79</sup>, reeve (f)<sup>84</sup>
- Calidris pusilla* semipalmated sandpiper<sup>79,84</sup>, sand peep<sup>84</sup>
- Calidris ruficollis* red-necked stint<sup>48</sup>, eastern little stint<sup>72</sup>, red-necked sandpiper<sup>32</sup>, red-throated stint<sup>35</sup>, rufous-necked sandpiper<sup>86</sup>, rufous-necked stint<sup>135</sup>
- Calidris subminuta* long-toed stint<sup>79</sup>, Middendorf's stint<sup>135</sup>
- Calidris subruficollis* buff-breasted sandpiper<sup>115</sup>, grasspiper<sup>135</sup>
- Calidris tenuirostris* great knot<sup>79</sup>, Asiatic knot<sup>86</sup>, eastern knot<sup>86</sup>, greater knot<sup>86</sup>, greater sandpiper<sup>86</sup>
- Callaeas* spp. kōkako<sup>5,9,11,81,99</sup>, cinereous wattlebird<sup>11,108</sup>, crow<sup>10</sup>, gillbird<sup>78,108</sup>, hōkako<sup>54,81</sup>, hōngā<sup>36,81</sup>, hōngē<sup>36,81</sup>, kakako<sup>5</sup>, manu-whakaouna<sup>36</sup>, New Zealand crow<sup>32</sup>, ōnga<sup>54,81</sup>, ōngē<sup>7,8,81</sup>, organ-bird<sup>78</sup>, pakara<sup>36,81</sup>, wattlebird<sup>85,108</sup>, wattled crow<sup>51</sup>, werewere<sup>108</sup>, werewere-kokako<sup>54</sup>
- Callaeas cinerea* South Island kokako<sup>72,109</sup>, kōkā<sup>92,111</sup>, blue crow<sup>33</sup>, great wattled bird<sup>85</sup>, orange wattle crow<sup>44</sup>, orange-wattled crow<sup>16,86</sup>, orange-wattled kokako<sup>108</sup>, South Island crow<sup>32</sup>, wattled-bird<sup>22</sup>, yellow-wattled crow<sup>28</sup>
- Callaeas wilsoni* North Island kokako<sup>72</sup>, kōkako<sup>93</sup>, blue crow<sup>33</sup>, bluegill<sup>78,86</sup>, blue-gills<sup>85</sup>, blue-wattled crow<sup>16,86</sup>, North Island crow<sup>32</sup>
- Callipepla californica* California quail<sup>83</sup>, tikaokao<sup>54</sup>, Californian quail<sup>12</sup>, callie<sup>86</sup>, koera<sup>113</sup>, kuera Karipōnia<sup>122</sup>, McPherson quail<sup>135</sup>, plumed quail<sup>135</sup>, tikaukau<sup>54</sup>, tikoukou<sup>54</sup>
- Calonectris borealis* Cory's shearwater<sup>86</sup>, Mediterranean great shearwater<sup>57</sup>, Mediterranean shearwater<sup>73</sup>, North Atlantic shearwater<sup>72</sup>
- Calonectris leucomelas* streaked shearwater<sup>111</sup>
- Capellirallus karamu* snipe-rail<sup>90,101</sup>, cave rail<sup>73</sup>, New Zealand snipe-rail<sup>88</sup>
- Carduelis carduelis* European goldfinch<sup>108</sup>, kōurarini<sup>122</sup>, goldfinch<sup>16</sup>, goldie<sup>78</sup>
- Cereopsis novaehollandiae* Cape Barren goose<sup>16</sup>, pig goose<sup>86</sup>
- Charadrius bicinctus* banded dotterel<sup>19</sup>, pohowera<sup>16</sup>, dotterel<sup>16</sup>, double-banded dotterel<sup>43</sup>, double-banded plover<sup>86</sup>, mountain plover<sup>84</sup>, piopio<sup>6,7,99</sup>, redwinged plover<sup>10</sup>, turituri whatu<sup>93</sup>, turiwhati<sup>81</sup>, turiwhatu<sup>81</sup>, turuatu<sup>6,8,134</sup>, turuturuwhatu<sup>134</sup>, turuwhatu<sup>134</sup>, tuturiwatu<sup>10</sup>, tuturiwhata<sup>19</sup>, tūturiwhati<sup>24,134</sup>, tūturiwhatu<sup>14,93</sup>, tuturuatu<sup>134</sup>, turuwhatu<sup>134</sup>, *C. b. exilis* Auckland Island banded dotterel<sup>73</sup>, Auckland Island banded plover<sup>103</sup>
- Charadrius leschenaultii* greater sand plover<sup>84,135</sup>, Geoffroy's sand plover<sup>78</sup>, greater sand dotterel<sup>113</sup>, large sand dotterel<sup>72</sup>, large sand plover<sup>91</sup>, large-billed dotterel<sup>84</sup>, long-billed sand plover<sup>86</sup>
- Charadrius mongolus* lesser sand plover<sup>78,84</sup>, lesser sand dotterel<sup>113</sup>, Mongolian dotterel<sup>78</sup>, Mongolian plover<sup>86</sup>, Mongolian sand dotterel<sup>113</sup>, Mongolian sand plover<sup>113,135</sup>, short-billed sand plover<sup>86</sup>, Tibetan plover<sup>135</sup>
- Charadrius obscurus* New Zealand dotterel<sup>19</sup>, tūturiwhatu<sup>24,81</sup>, dotterel<sup>14</sup>, dusky plover<sup>3</sup>, ha-poho-era<sup>11</sup>, kūkuruatu<sup>81</sup>, moakura<sup>11</sup>, paturiwhata<sup>86</sup>, pohoera<sup>10</sup>, pukunui<sup>7</sup>, putoto<sup>7</sup>, pututo<sup>11</sup>, rako<sup>54</sup>, red-breasted dotterel<sup>72</sup>, red-breasted plover<sup>16</sup>, spotted plover<sup>10</sup>, tākahikahi<sup>7,81</sup>, tākaikaha<sup>36,81</sup>, tākaikai<sup>36,81</sup>, tituriwhatu-pukunui<sup>85</sup>, totoripa<sup>92</sup>, turiwhati<sup>36</sup>, turiwhatu<sup>36</sup>, turuatu<sup>7,8,36</sup>, turuturuwhatu<sup>36</sup>, turuwhatu<sup>36</sup>, tuturiwata<sup>13</sup>, tuturiwata pukunui<sup>11</sup>, tuturiwatu<sup>5</sup>, tuturiwhata<sup>19</sup>, tūturiwhati<sup>24,81</sup>, tūturiwhatu<sup>24,81</sup>, tuturiwhatu-pukunui<sup>36</sup>, tuturuatu<sup>36</sup>, tuturuwhati<sup>81</sup>, tuturuwhatu<sup>36,81</sup>, tūwhaipapa<sup>93</sup>; *C. o. aquilonius* northern New Zealand dotterel<sup>111</sup>; *C. o. obscurus* southern New Zealand dotterel<sup>111</sup>
- Charadrius ruficapillus* red-capped plover<sup>86</sup>, red-capped dotterel<sup>24</sup>, red-capped sandplover<sup>135</sup>, red-necked dotterel<sup>135</sup>, red-necked plover<sup>135</sup>, sandlark<sup>135</sup>
- Charadrius semipalmatus* semipalmated plover<sup>111</sup>
- Charadrius veredus* oriental dotterel<sup>43</sup>, eastern long-legged sand plover<sup>86</sup>, eastern sand plover<sup>86</sup>, oriental plover<sup>48</sup>
- Chenonetta finschi* Finsch's duck<sup>90</sup>, manutahora<sup>122</sup>, extinct New Zealand duck<sup>73</sup>, extinct New Zealand teal<sup>52</sup>
- Chenonetta jubata* Australian wood duck<sup>73</sup>, maned duck<sup>83</sup>, maned goose<sup>72</sup>

***Chlidonias albostriatus*** black-fronted tern<sup>24</sup>, tarapirohe<sup>54,99,134</sup>, common tern<sup>16</sup>, gray tern<sup>10</sup>, grey tern<sup>19</sup>, inland tern<sup>56</sup>, plough bird<sup>85</sup>, ploughboy<sup>78,85</sup>, riverbed tern<sup>78</sup>, sea martin<sup>78</sup>, tara<sup>10</sup>, taraiti<sup>93</sup>, tara piroe<sup>11,115</sup>

***Chlidonias hybridus*** whiskered tern<sup>83</sup>

***Chlidonias leucopterus*** white-winged black tern<sup>19</sup>, eastern white-winged black tern<sup>43</sup>, white-winged marsh tern<sup>52</sup>, white-winged tern<sup>16</sup>

***Chloris chloris*** European greenfinch<sup>108</sup>, green linnet<sup>16</sup>, greenfinch<sup>22</sup>, greenie<sup>135</sup>

***Chroicocephalus bulleri*** black-billed gull<sup>16</sup>, tarāpuka<sup>92,111,113</sup>, black bill gull<sup>92</sup>, Buller's gull<sup>34</sup>, lake gull<sup>85</sup>, rapunga<sup>54</sup>, tarapua<sup>54</sup>, tarapuke<sup>92</sup>, tarāpunga<sup>6,8,10,24,134</sup>, toie (juv)<sup>54</sup>

***Chroicocephalus novaehollandiae*** silver gull<sup>53</sup>, Australian gull<sup>34</sup>; ***C. n. scopulinus*** red-billed gull<sup>24</sup>, tarāpunga<sup>6,7,8,11,14,81,81</sup>, akiaki<sup>5,24</sup>, ash-backed gull<sup>4</sup>, brown-billed gull<sup>24</sup>, hakorā<sup>36,81</sup>, he talle<sup>11</sup>, jackie<sup>61</sup>, karae<sup>54</sup>, karehākōa<sup>36,81</sup>, katatē<sup>36,81</sup>, katete<sup>93</sup>, kittiwake<sup>44</sup>, kittywake<sup>85</sup>, little gull<sup>10</sup>, mackerel gull<sup>16,35</sup>, makora<sup>24,81,99</sup>, New Zealand red-billed gull<sup>43</sup>, New Zealand silver gull<sup>72</sup>, piapuka<sup>11</sup>, sea martin<sup>92</sup>, taketake<sup>36</sup>, tarāpua<sup>81,99</sup>

***Chrysococcyx lucidus*** shining cuckoo<sup>12</sup>, pīpīwharauroa<sup>8,33,81</sup>, bronze cuckoo<sup>33</sup>, bronze-winged cuckoo<sup>22</sup>, cuckoo<sup>54</sup>, cuckoo's mate<sup>41</sup>, dog-whistler<sup>85</sup>, glistening cuckoo<sup>41</sup>, goldenspotted cuckoo<sup>10</sup>, golden-winged cuckoo<sup>41</sup>, green cuckoo<sup>41</sup>, nakonako<sup>36</sup>, New Zealand shining cuckoo<sup>43</sup>, pipiauroa<sup>19,81</sup>, pipiriwharauroa<sup>54</sup>, pipiuwaraoa<sup>16,16</sup>, pipiwararoa<sup>14</sup>, pipiwharauroa<sup>6,7</sup>, pipiwarouroa<sup>11</sup>, pipiwawaroa<sup>5</sup>, pipiwawarou<sup>11</sup>, piripiriwharauroa<sup>36</sup>, piwarauroa<sup>9</sup>, poopoo arouro<sup>11</sup>, pūpūwharauroa<sup>36,81</sup>, rauroa<sup>81</sup>, shining bronze-cuckoo<sup>51,97</sup>, shining cuckow<sup>11</sup>, shiny cuckoo<sup>14</sup>, short-tailed cuckoo<sup>41</sup>, te manu a Māui<sup>99</sup>, warauroa<sup>7</sup>, whakarauroa<sup>54</sup>, wharau<sup>81</sup>, wharauroa<sup>36</sup>, whēnakonako<sup>41,81</sup>, whistler<sup>16</sup>, whistling cuckoo<sup>22</sup>

***Circus approximans*** swamp harrier<sup>78</sup>, kāhu<sup>6,8</sup>, austral harrier<sup>93</sup>, Australasian harrier<sup>72</sup>, common brown hawk<sup>10</sup>, common hawk<sup>25</sup>, Fiji harrier<sup>72</sup>, goldeneyed hawk<sup>10</sup>, Gould's harrier<sup>19</sup>, harrier<sup>14</sup>, harrier hawk<sup>46</sup>, hawk<sup>13</sup>, kāho<sup>99</sup>, kāhu-komokomo<sup>24,81,99</sup>, kāhu-kōrako (old bird)<sup>19,81,99</sup>, kahu korakorako<sup>10</sup>, kahu-kura<sup>54</sup>, kāhu maiepa<sup>24,81,99</sup>, kāhu-pango (juv)<sup>19,58,81,134</sup>, kahu papango<sup>10</sup>, kāhu pōkere o te whenua (juv)<sup>81</sup>, kērangi<sup>54,81</sup>, manu-tahae<sup>24,54</sup>, marsh harrier<sup>86</sup>, native harrier<sup>33</sup>, New Zealand harrier<sup>28</sup>, swamp hawk<sup>53,85</sup>, tapukōrako (old bird)<sup>134</sup>, tikaka<sup>36</sup>, white hawk<sup>10</sup>

***Circus teauteensis*** Eyles' harrier<sup>90</sup>, kērangi<sup>122</sup>, extinct harrier<sup>88</sup>, Forbes' harrier<sup>109</sup>, giant harrier<sup>135</sup>, large extinct harrier<sup>73</sup>, New Zealand harrier<sup>135</sup>

***Cnemiornis*** spp. New Zealand goose<sup>135</sup>, giant extinct goose<sup>52</sup>, tarepo<sup>54</sup>

***Cnemiornis calcitrans*** South Island goose<sup>90</sup>, South Island extinct goose<sup>73</sup>

***Cnemiornis gracilis*** North Island goose<sup>90</sup>, tarepo<sup>135</sup>, North Island extinct goose<sup>73</sup>, tarepo nō Te Ika-a-Māui<sup>122</sup>

***Coenocorypha*** spp. bush snipe<sup>66</sup>, hākawai<sup>94,99</sup>, hōkioi<sup>94,99</sup>, island snipe<sup>95</sup>, native snipe<sup>95</sup>, New Zealand semi-woodcock<sup>95</sup>, semi-woodcock<sup>53</sup>, snipe<sup>40</sup>, southern islands snipe<sup>95</sup>, subantarctic snipe<sup>95,95</sup>, tutukiwi<sup>84</sup>

***Coenocorypha aucklandica*** subantarctic snipe<sup>78,111</sup>, native snipe<sup>27</sup>, New Zealand snipe<sup>48</sup>, semi woodcock (New Zealand)<sup>51</sup>, semi-woodcock<sup>85</sup>; ***C. a. aucklandica*** Auckland Island snipe<sup>19,35</sup>, Auckland Islands snipe<sup>43,95</sup>; ***C. a. meinertzhagenae*** Antipodes Island snipe<sup>43</sup>; ***C. a. perseverance*** Campbell Island snipe<sup>101</sup>

***Coenocorypha barrierensis*** North Island snipe<sup>104</sup>, Little Barrier snipe<sup>73</sup>

***Coenocorypha chathamica*** Forbes' snipe<sup>109</sup>, extinct Chatham Island snipe<sup>52</sup>, Forbes's snipe<sup>104</sup>, giant Chatham Island snipe<sup>90</sup>

***Coenocorypha huegeli*** Snares Island snipe<sup>35,43</sup>, tutukiwi<sup>54</sup>, bush snipe<sup>85</sup>, Snares snipe<sup>32</sup>

***Coenocorypha iredalei*** South Island snipe<sup>104</sup>, tutukiwi<sup>109</sup>, hākawai<sup>99</sup>, hākuai<sup>92,99</sup>, hākuwai<sup>99,134</sup>, hōkio<sup>99</sup>, hōkioi<sup>99</sup>, hōkiwai<sup>99</sup>, Iredale's snipe<sup>101</sup>, kākuikui<sup>99</sup>, ōkioī<sup>6,7,8,81,99</sup>, Stewart Island snipe<sup>72</sup>

***Coenocorypha pusilla*** Chatham Island snipe<sup>24</sup>, Chatham Islands snipe<sup>48,43</sup>, Chatham snipe<sup>113</sup>, little snipe<sup>95</sup>, native snipe<sup>16</sup>

***Collocalia*** sp. indet. St Bathans swiftlet<sup>137</sup>

***Columba livia*** rock pigeon<sup>52</sup>, kererū aropari<sup>122</sup>, blue rock dove<sup>78</sup>, blue rock pigeon<sup>22</sup>, common pigeon<sup>47</sup>, domestic pigeon<sup>113</sup>, feral pigeon<sup>86</sup>, homing pigeon<sup>113</sup>, pigeon<sup>16</sup>, racing pigeon<sup>135</sup>, rock dove<sup>47</sup>, street pigeon<sup>135</sup>

***Coracina novaehollandiae*** black-faced cuckoo-shrike<sup>52,72</sup>, Australian greybird<sup>135</sup>, Australian little cuckoo-shrike<sup>43</sup>, Australian shrike<sup>24</sup>, bifcus<sup>135</sup>, black-faced greybird<sup>135</sup>, black-faced shrike<sup>19</sup>, blue jay<sup>86</sup>, blue peter<sup>135</sup>, cherry hawk<sup>135</sup>, greater cuckoo-shrike<sup>135</sup>, grey jay<sup>135</sup>, large cuckoo-shrike<sup>86</sup>, little cuckoo shrike<sup>48</sup>, rainbird<sup>135</sup>, shrike thrush<sup>16</sup>, shufflewing<sup>86</sup>, small-billed cuckoo-shrike<sup>135</sup>, stormbird<sup>135</sup>, summerbird<sup>86</sup>, white-vented cuckoo-shrike<sup>135</sup>

***Corvus frugilegus*** rook<sup>16</sup>, crow<sup>86</sup>

***Corvus moriorum*** New Zealand raven<sup>101</sup>, extinct New Zealand crow<sup>73</sup>, New Zealand crow<sup>90</sup>; ***C. m. antipodum*** North Island raven<sup>137</sup>; ***C. m. pycrafti*** South Island raven<sup>137</sup>; ***C. m. moriorum*** Chatham Island raven<sup>101</sup>, extinct Chatham Island crow<sup>52</sup>

***Coturnix novaezelandiae*** New Zealand quail<sup>19</sup>, koreke<sup>9</sup>, kāreke<sup>38,81</sup>, koikoiareke<sup>36</sup>, koitareka<sup>93</sup>, koitareke<sup>999</sup>, kōkōreke<sup>6,7,8,81</sup>, koreka<sup>14</sup>, kōrikī<sup>54,93</sup>, koutareke<sup>7,8,9</sup>, koweka<sup>54</sup>, moho-koreke<sup>10,11</sup>, native quail<sup>16</sup>, quail<sup>14</sup>, stubble quail<sup>88</sup>, tāreka<sup>93</sup>, tāreke<sup>36,81</sup>, tāwaka<sup>54,81</sup>, tikaokao<sup>54</sup>, tikaukau<sup>54</sup>, tikoukou<sup>54</sup>, tūpererū<sup>81</sup>, whēwhī<sup>81</sup>

***Coturnix ypsilophora*** brown quail<sup>47</sup>; ***Coturnix ypsilophora australis*** Australian brown quail<sup>78</sup>, kuera<sup>93</sup>, Australian quail<sup>46</sup>, koera<sup>134</sup>, rat quail<sup>80</sup>, swamp quail<sup>47</sup>, Tasmanian quail<sup>16</sup>

*Crex crex corncrake*<sup>48,72</sup>, land-rail<sup>43,52</sup>

?*Crossvallia waiparensis* Waipara *Crossvallia penguin*<sup>137</sup>

*Cuculus optatus* oriental cuckoo<sup>48</sup>, Australian cuckoo<sup>34</sup>, hawk cuckoo<sup>86</sup>, Himalayan cuckoo<sup>86</sup>, Horsfield's cuckoo<sup>135</sup>

*Cuculus pallidus* pallid cuckoo<sup>72</sup>, brainfever bird<sup>86</sup>, rain bird<sup>135</sup>, storm bird<sup>86</sup>

*Cyanoramphus auriceps* & *C. novaezelandiae* kakaiki<sup>16,16</sup>, kākāriki<sup>7,8,29,81</sup>, kākāwaiariki<sup>36,81</sup>, kākāwairiki<sup>81,97</sup>, kākāwariki<sup>24,81,97,99</sup>, kawariki<sup>36</sup>, kawatere<sup>36</sup>, New Zealand parakeet<sup>96</sup>, parakeet<sup>14</sup>, parewaka<sup>92,92</sup>, porere<sup>92</sup>, porete<sup>36,93</sup>, pōreterete<sup>36,81</sup>, porete-torete<sup>58,58</sup>, poroti<sup>81,99</sup>, pouwaitere<sup>9</sup>, powaitere<sup>7</sup>, pōwhaitere<sup>8,14,81</sup>, tatariki<sup>8,36</sup>, torete<sup>19</sup>, tōreterete<sup>54,81</sup>

*Cyanoramphus auriceps* yellow-crowned parakeet<sup>72</sup>, kākāriki<sup>5,93</sup>, auriceps parakeet<sup>44</sup>, goldenheaded parakeet<sup>10</sup>, kakariki porere<sup>9</sup>, North Island yellow-fronted parakeet<sup>43</sup>, potarakina<sup>10</sup>, South Island yellow-fronted parakeet<sup>43</sup>, yellow-fronted New Zealand parakeet<sup>85</sup>, yellow-fronted parakeet<sup>19</sup>, yellow-fronted parrot<sup>53</sup>, yellow-top<sup>14</sup>, yellow-top parakeet<sup>16</sup>

*Cyanoramphus forbesi* Forbes' parakeet<sup>72,85</sup>, Chatham Island parakeet<sup>32</sup>, Chatham Island yellow-crowned parakeet<sup>79</sup>, Chatham Island yellow-fronted parakeet<sup>73</sup>, Chatham Islands' yellow-fronted parakeet<sup>43</sup>, Chatham parakeet<sup>132</sup>, Forbes's parakeet<sup>104</sup>

*Cyanoramphus hochstetteri* Reischek's parakeet<sup>72</sup>, Antipodes Island red-crowned parakeet<sup>113</sup>, Antipodes Island red-fronted parakeet<sup>43</sup>, Antipodes red-crowned parakeet<sup>86</sup>, Hochstetter's parakeet<sup>101</sup>, red-eared parakeet<sup>86</sup>

*Cyanoramphus malherbi* orange-fronted parakeet<sup>24</sup>, kākāriki karaka<sup>112,127,135</sup>, alp-parakeet<sup>85</sup>, alpine parakeet<sup>72</sup>, kākāriki<sup>97,113</sup>, kākāriki-rae-karaka<sup>136</sup>, Malherbe's parakeet<sup>105</sup>, orange-fronted kākāriki<sup>136</sup>, orange-fronted parrot<sup>53</sup>

*Cyanoramphus novaezelandiae* red-crowned parakeet<sup>78</sup>, kākāriki<sup>5,81</sup>, Auckland-Island parakeet<sup>35</sup>, Auckland Islands' parakeet<sup>43</sup>, crimson-top<sup>14</sup>, crimson-top parakeet<sup>16</sup>, kakiriki<sup>11</sup>, lesser red-fronted parrot<sup>30</sup>, New Zealand parakeet<sup>72</sup>, red-fronted kakariki<sup>97</sup>, red-fronted parakeet<sup>19</sup>, red-fronted parrot<sup>53</sup>, red-headed parakeet<sup>10,135</sup>, red-topped parakeet<sup>85</sup>, red-topped parrot<sup>85</sup>; *C. n. cyanurus* Kermadec parakeet<sup>72</sup>, Kermadec Island parakeet<sup>32</sup>, Kermadec Islands' parakeet<sup>43</sup>; *C. n. novaezelandiae* red-crowned parakeet<sup>78</sup>, kākāriki<sup>5,99</sup>, kakariki matua<sup>9</sup>, po-e-tere<sup>5,11</sup>, New Zealand red-crowned parakeet<sup>86</sup>; *C. n. chathamensis* Chatham Island red-crowned parakeet<sup>79</sup>, Chatham Island parakeet<sup>72</sup>

*Cyanoramphus unicolor* Antipodes Island parakeet<sup>24</sup>, Antipodes green parakeet<sup>85</sup>, Antipodes Island green parakeet<sup>73</sup>, Antipodes Island parrot<sup>53</sup>, Antipodes Islands parakeet<sup>115</sup>, Antipodes parakeet<sup>35</sup>, green parakeet<sup>85</sup>, uniform parakeet<sup>135</sup>

*Cygnus atratus* black swan<sup>16</sup>, kakiānau<sup>135</sup>, Australasian black swan<sup>104</sup>, wāna<sup>113</sup>, wani<sup>113</sup>

*Cygnus olor* mute swan<sup>72</sup>, wāna<sup>134</sup>, wani<sup>134</sup>, white swan<sup>16</sup>

*Cygnus sumnerensis* New Zealand swan<sup>90</sup>, matapū<sup>54</sup>, extinct New Zealand swan<sup>52</sup>, poūwa<sup>117</sup>; *C. s. sumnerensis* New Zealand swan<sup>90</sup>, matapū<sup>54</sup>, New Zealand black swan<sup>104</sup>; *C. s. chathamicus* Chatham Island swan<sup>73</sup> poūwa<sup>117</sup>, Chatham Island black swan<sup>104</sup>

*Dacelo novaeguineae* laughing kookaburra<sup>52</sup>, great brown kingfisher<sup>86</sup>, kookaburra<sup>72</sup>, laughing jackass<sup>47</sup>

*Daption capense* Cape petrel<sup>19</sup>, karetai hurukoko<sup>122</sup>, Cape pigeon<sup>10</sup>, pintado petrel<sup>24</sup>, speckled haglet<sup>85</sup>, spotted petrel<sup>148</sup>; *D. c. australe* Snares Cape petrel<sup>111</sup>, New Zealand Cape petrel<sup>103</sup>, Snares Cape pigeon<sup>72</sup>; *D. c. capense* Antarctic Cape petrel<sup>113</sup>

*Deliaphaps zealandiensis* Zealandian dove<sup>137</sup>

*Dendrocygna eytoni* plumed whistling duck<sup>53,89</sup>, Eyton's tree-duck<sup>86</sup>, Eyton's whistling duck<sup>135</sup>, grass whistle duck<sup>86</sup>, grass whistling duck<sup>84</sup>, plumed tree-duck<sup>86</sup>, plumed whistle duck<sup>135</sup>, plumed whistling tree-duck<sup>78</sup>, whistling duck<sup>16</sup>

*Dendroscansor decurvirostris* long-billed wren<sup>104</sup>, manu paea<sup>122</sup>

*Diaphorapteryx hawkinsi* Hawkins' rail<sup>101</sup>, mehonui<sup>109</sup>, giant Chatham Island rail<sup>52</sup>, hopiritu<sup>29</sup>, moakirua<sup>54</sup>, moakuraruā<sup>54</sup>

*Dinornis novaezealandiae* North Island giant moa<sup>109</sup>, kuranui<sup>54</sup>, giant moa<sup>90</sup>, large bush moa<sup>90</sup>, moa tipua<sup>122</sup>, po-waka-i<sup>11</sup>, New Zealand ostrich<sup>54</sup>, slender bush moa<sup>90</sup>

*Dinornis robustus* South Island giant moa<sup>109</sup>, moa nunui<sup>122</sup>, giant moa<sup>48</sup>, large bush moa<sup>48</sup>, slender bush moa<sup>48</sup>

*Dinornithiformes* moa<sup>6</sup>, kuratai<sup>54</sup>, poua<sup>54</sup>, pouakai<sup>54</sup>, te kura<sup>104</sup>

*Diomedea* spp. toroa<sup>5,8</sup>, toroa-teo<sup>54</sup>, toroa-teoteo<sup>54</sup>, toroa whakairo<sup>54,81</sup>, toroa whara<sup>54,81</sup>

*Diomedea antipodensis* Antipodean albatross<sup>73</sup>, toroa<sup>12</sup>, Antipodes wandering albatross<sup>124</sup>, Australian wandering albatross<sup>43</sup>, wanderer<sup>65</sup>, wandering albatross<sup>22</sup>; *D. a. gibsoni* Gibson's albatross<sup>73</sup>, Gibson's wandering albatross<sup>124</sup>

*Diomedea epomophora* & *Diomedea sanfordi* (royal albatrosses), tapu-korako<sup>54</sup>, toroa ingoingo<sup>81,98</sup>, toroa whakaingo<sup>81,134</sup>, toroa whakairo<sup>99</sup>

*Diomedea epomophora* southern royal albatross<sup>72,134</sup>, toroa, Campbell Island royal albatross<sup>43</sup>, Enderby Island royal albatross<sup>43</sup>, royal albatross<sup>32</sup>

*Diomedea exulans* wandering albatross<sup>94</sup>, toroa, albatross<sup>14</sup>, gony<sup>85</sup>, hopo<sup>98</sup>, huianui<sup>54,85</sup>, leopard gony (juv)<sup>80</sup>, snowy albatross<sup>32</sup>, tapu-korako<sup>54,81,85</sup>, teoteo (ch)<sup>99</sup>, toreia<sup>19</sup>, wanderer<sup>86</sup>

*Diomedea sanfordi* northern royal albatross<sup>72,134</sup>, toroa, Chatham Island royal albatross<sup>73</sup>, hopo (ch)<sup>106</sup>, royal albatross<sup>52</sup>

*Dunstanetta johnstoneorum* Johnstones' duck<sup>111</sup>

*Duntroonornis parvus* Duntroon penguin<sup>90</sup>

*Egretta garzetta* little egret<sup>72</sup>

- Egretta novaehollandiae* white-faced heron<sup>52</sup>, matuku moana<sup>19,134</sup>, blue crane<sup>78</sup>, blue heron<sup>85</sup>, matuku<sup>39</sup>, white-fronted heron<sup>19</sup>**
- Egretta sacra* reef heron<sup>34,53</sup>, matuku moana<sup>36,78</sup>, blue crane<sup>14</sup>, blue heron<sup>10</sup>, blue reef heron<sup>73</sup>, eastern reef egret<sup>89</sup>, eastern reef heron<sup>86</sup>, heron<sup>13</sup>, kākatai<sup>6,8,36,81</sup>, kotuku-wai-tai<sup>92</sup>, matook<sup>3</sup>, matou-cou<sup>3</sup>, matuku<sup>8,9</sup>, matuku nua<sup>24,99</sup>, matuku tai<sup>24,134</sup>, mātukutuku<sup>6,8,24,81</sup>, matuku waitai<sup>10,36,134</sup>, New Zealand blue heron<sup>43</sup>, New Zealand heron<sup>3</sup>, reef egret<sup>113</sup>, sacred heron<sup>3</sup>, tīkāka<sup>36,81,93</sup>**
- Elseyornis melanops* black-fronted dotterel<sup>73</sup>, black-fronted plover<sup>86</sup>**
- Emberiza cirlus* cirl bunting<sup>16</sup>**
- Emberiza citrinella* yellowhammer<sup>16,46,58</sup>, hurukōwhai<sup>122</sup>, yellow bunting<sup>72</sup>**
- Emeus crassus* eastern moa<sup>90</sup>, moa mōmona<sup>122</sup>**
- Eolophus roseicapillus* galah<sup>94</sup>, rose cockatoo<sup>135</sup>, roseate cockatoo<sup>135</sup>, rose-breasted cockatoo<sup>135</sup>, Willock cockatoo<sup>135</sup>**
- Erythrogonyx cinctus* red-kneed dotterel<sup>183</sup>**
- Eudynamys taitensis* long-tailed cuckoo<sup>12,14,49</sup>, koekoeā, cuckoo<sup>10</sup>, home owl<sup>97</sup>, karere-o-mahuru<sup>54</sup>, kawakawaea<sup>11</sup>, kawea<sup>54</sup>, kawekawaea<sup>7,81</sup>, kawekawea<sup>54</sup>, koehoperoa<sup>8,33</sup>, koekoa<sup>14</sup>, koekoae<sup>6,7,8,81</sup>, koekoia<sup>5</sup>, kohaperoa<sup>5</sup>, kohapiroa<sup>5</sup>, koheperoae<sup>5</sup>, koheperoae<sup>11</sup>, kohili<sup>6,7</sup>, kōhoperoa<sup>7,81</sup>, kokoea<sup>36</sup>, kuekuea<sup>36</sup>, long-tailed koel<sup>94</sup>, manu-o-mahuru<sup>54</sup>, New Zealand koel<sup>85</sup>, screamer<sup>85</sup>, screecher<sup>86</sup>, Society cuckow<sup>11</sup>, sparrow hawk<sup>97</sup>**
- Eudyptes atatu* dawn crested penguin<sup>137</sup>**
- Eudyptes chrysocome* western rockhopper penguin<sup>88</sup>, southern rockhopper penguin<sup>135</sup>**
- Eudyptes chrysolophus* macaroni penguin<sup>24</sup>, *E. c. schlegeli* royal penguin<sup>24</sup>, macaroni penguin<sup>43</sup>, Schlegel's penguin<sup>34</sup>**
- Eudyptes filholi* eastern rockhopper penguin<sup>88</sup>, tawaki piki toka<sup>122</sup>, Campbell Island crested penguin<sup>43</sup>, crested penguin<sup>43</sup>, rock-hopper<sup>35</sup>, rockhopper penguin<sup>65,71</sup>, tufted penguin<sup>24</sup>, Victoria penguin<sup>34</sup>, yellow-crested penguin<sup>85</sup>**
- Eudyptes moseleyi* northern rockhopper penguin<sup>115</sup>, Moseley's rockhopper penguin<sup>83</sup>**
- Eudyptes pachyrhynchus* Fiordland crested penguin<sup>73</sup>, tawaki<sup>7</sup>, crested penguin<sup>16</sup>, drooping-crested penguin<sup>67</sup>, Fiordland penguin<sup>86</sup>, great penguin<sup>14</sup>, New Zealand crested penguin<sup>72</sup>, pokotiwha<sup>24</sup>, popotiwha<sup>54</sup>, tauake<sup>11</sup>, tawake<sup>81,92,99</sup>, tawhaki<sup>7</sup>, thick-billed penguin<sup>53</sup>, tufted penguin<sup>44</sup>, Victoria penguin<sup>40</sup>, yellow-crested penguin<sup>19</sup>**
- Eudyptes robustus* Snares crested penguin<sup>72</sup>, pokotiwha<sup>96</sup>, rock-hopper penguin<sup>35</sup>, Snares Island crested penguin<sup>89</sup>, Snares Island penguin<sup>67</sup>, Snares penguin<sup>86</sup>, tawaki nana hō<sup>122</sup>**
- Eudyptes sclateri* erect-crested penguin<sup>62</sup>, tawaki nana hī<sup>122</sup>, big-crested penguin<sup>32,40</sup>, great-crested penguin<sup>60</sup>, Selater's penguin<sup>24</sup>, Selater's rock-hopper<sup>35</sup>, tawaki<sup>86</sup>**
- Eudyptes warhami* Chatham Island crested penguin<sup>137</sup>, Chatham crested penguin<sup>101</sup>, Warham's crested penguin<sup>135</sup>, Warham's penguin<sup>135</sup>**
- Eudyptula minor* little penguin<sup>10</sup>, kororā<sup>5,8,81</sup>, blue penguin<sup>14</sup>, fairy penguin<sup>86</sup>, little blue penguin<sup>19</sup>, rockhopper<sup>44,50</sup>, *E. m. minor* New Zealand little penguin<sup>137</sup>, Chatham Island blue penguin<sup>83</sup>, Chatham Islands' little penguin<sup>43</sup>, Cook Strait blue penguin<sup>78</sup>, karora<sup>54</sup>, korara<sup>86</sup>, northern blue penguin<sup>72</sup>, penu<sup>81,92</sup>, silver penguin<sup>48</sup>, southern blue penguin<sup>72</sup>, white-flippered blue penguin<sup>83</sup>, white-flippered penguin<sup>32</sup>, *E. m. novaehollandiae* Australian little penguin<sup>119</sup>, fairy penguin<sup>89</sup>**
- Euryapteryx curtus* stout-legged moa<sup>109</sup>, moa hakahaka<sup>122</sup>, moa waewae hakahaka<sup>122</sup>; *E. c. curtus* coastal moa<sup>90</sup>, broad-billed moa<sup>135</sup>, North Island coastal moa<sup>119</sup>; *E. c. gravis* stout-legged moa<sup>90</sup>, South Island coastal moa<sup>119</sup>**
- Eurystomus orientalis* dollarbird<sup>30,72,88</sup>, Australian roller<sup>24</sup>, broad-billed roller<sup>72</sup>, eastern broad-billed roller<sup>52</sup>, roller<sup>48</sup>**
- Falco cenchroides* nankeen kestrel<sup>34</sup>, Australian kestrel<sup>86</sup>, Australian windhover<sup>78</sup>, hoverer<sup>78</sup>**
- Falco novaeseelandiae* New Zealand falcon<sup>11</sup>, kārearea<sup>6,8,11,81</sup>, bush falcon<sup>86</sup>, bush hawk<sup>19,43,71</sup>, eastern falcon<sup>86</sup>, falcon<sup>14</sup>, kāeaea<sup>19,81</sup>, kahu<sup>11</sup>, kahu papango<sup>11</sup>, kāiaia<sup>6,7,8,81</sup>, kaiawa<sup>54</sup>, kāieie<sup>36,99</sup>, kākarapiti (m)<sup>19,81</sup>, kakaratiti<sup>58</sup>, kārewarewa<sup>7,81</sup>, kārewarewa tara<sup>19,81</sup>, kari-area<sup>11</sup>, kāauua<sup>5,8,81</sup>, little falcon<sup>10</sup>, pimirumiru<sup>6,7</sup>, pouakai<sup>92</sup>, quail hawk<sup>16,19</sup>, southern falcon<sup>86</sup>, sparrowhawk<sup>13,16,86</sup>, tāwaka<sup>19,81</sup>**
- Fregata spp.* man-o'-war bird<sup>86,135</sup>, man-o'-war hawk<sup>86,135</sup>, pirate bird<sup>135</sup>, sea-hawk<sup>135</sup>**
- Fregata ariel* lesser frigatebird<sup>43,53,88</sup>, least frigatebird<sup>89</sup>, least man-o'-war<sup>78</sup>, small frigatebird<sup>19</sup>**
- Fregata minor* great frigatebird<sup>19,34,89</sup>, eastern tropic bird<sup>43</sup>, frigate bird<sup>14,16</sup>, greater frigatebird<sup>52,88</sup>, hakuai<sup>36</sup>, hakuwai<sup>24</sup>, hokioi<sup>24</sup>, hokiwai<sup>36</sup>, okioi<sup>6,36</sup>, Pacific man-o'-war bird<sup>86</sup>**
- Fregetta grallaria* white-bellied storm petrel<sup>72,89</sup>, broad-tailed storm petrel<sup>135</sup>, Vieillot's storm petrel<sup>135</sup>**
- Fregetta maoriana* New Zealand storm petrel<sup>73, 124</sup>, takahikare-raro<sup>113</sup>, lined storm-petrel<sup>53</sup>, Peninsula storm petrel<sup>55,57</sup>, Samoan storm petrel<sup>43</sup>, streaked storm-petrel<sup>124</sup>**
- Fregetta tropica* black-bellied storm petrel<sup>19,43</sup>, takahikare-rangi<sup>54</sup>, black-bellied petrel<sup>58</sup>, storm petrel<sup>54</sup>, stormy petrel<sup>16</sup>, takahikare<sup>54</sup>, takahikare-moana<sup>54</sup>, takahikare-raro<sup>54</sup>**
- Fringilla coelebs* chaffinch<sup>16</sup>, pahirini<sup>99</sup>, common chaffinch<sup>108</sup>, whitira korepe<sup>99</sup>**
- Fulica atra* Eurasian coot<sup>88</sup>, coot<sup>48</sup>; *F. a. australis* Australian coot<sup>34</sup>, Australasian coot<sup>86</sup>, eastern Australian coot<sup>43</sup>, Murray coot<sup>47</sup>**

***Fulica chathamensis*** Chatham Island coot<sup>88</sup>, extinct Chatham Island coot<sup>52</sup>, New Zealand coot<sup>73</sup>

***Fulica prisca*** New Zealand coot<sup>73</sup>, extinct South Island coot<sup>52</sup>

***Fulmarus glacialis*** northern fulmar<sup>137</sup>, Arctic fulmar<sup>135</sup>; ***F. g. rodgersii*** Pacific northern fulmar<sup>137</sup>

***Fulmarus glacialisoides*** Antarctic fulmar<sup>78</sup>, silver-grey fulmar<sup>72</sup>, silver-grey petrel<sup>32</sup>, silvery-grey fulmar<sup>40</sup>, silvery-grey petrel<sup>19</sup>, southern fulmar<sup>86</sup>

***Gallinago hardwickii*** Japanese snipe<sup>52</sup>, Australian snipe<sup>34</sup>, Latham's snipe<sup>86</sup>, longbill<sup>86</sup>

***Gallinula chloropus*** common moorhen<sup>111</sup>, common gallinule<sup>135</sup>, common waterhen<sup>135</sup>, Indian waterhen<sup>79</sup>, moorhen<sup>135</sup>

***Gallinula tenebrosa*** dusky moorhen<sup>79</sup>, black gallinule<sup>135</sup>, black moorhen<sup>135</sup>, dusky gallinule<sup>135</sup>, sombre gallinule<sup>135</sup>, sombre moorhen<sup>135</sup>

***Gallirallus australis*** weka<sup>5,96</sup>, brown wood-hen<sup>53</sup>, hoā<sup>36,54,81</sup>, kelp-hen<sup>21,91</sup>, Māori hen<sup>85,91,113</sup>, moho<sup>11</sup>, mokakaweka<sup>54,85</sup>, mokaweka<sup>54</sup>, mū<sup>54,81</sup>, troglodyte rail<sup>11</sup>, weka rail<sup>22,35</sup>, wekaweka<sup>5,36</sup>, woodhen<sup>5,10,14,16</sup>, woodrail<sup>78</sup>; ***G. a. greyi*** North Island weka<sup>14</sup>, brown woodhen<sup>58</sup>, North Island woodhen<sup>19,43</sup>; ***G. a. australis*** western weka<sup>72</sup>, black weka<sup>28</sup>, black woodhen<sup>16,19,35</sup>, brown weka<sup>48</sup>, brown woodhen<sup>34,48</sup>, dark wood hen<sup>14</sup>, Earl's weka<sup>54</sup>, mohopango<sup>14</sup>, South Island weka<sup>21</sup>, South Island woodhen<sup>19,35</sup>, southern woodhen<sup>30</sup>, water hen<sup>85</sup>, weka-pango (black morph)<sup>19,81</sup>; ***G. a. hectori*** buff weka<sup>72</sup>, buff woodhen<sup>34</sup>, eastern buff weka<sup>98</sup>, eastern weka<sup>72</sup>, hill woodhen<sup>32,85</sup>, South Island weka<sup>48</sup>, South Island woodhen<sup>43,48</sup>, southern woodhen<sup>53,85</sup>; ***G. a. scotti*** Stewart Island weka<sup>72</sup>, Stewart Island wood-hen<sup>43</sup>

***Gallirallus dieffenbachii*** Dieffenbach's rail<sup>19</sup>, moeriki<sup>5</sup>, Chatham Island rail<sup>48</sup>, Chatham Islands rail<sup>43,51</sup>, mehoriki<sup>109</sup>, meriki<sup>91</sup>, moerihī<sup>91</sup>, moho<sup>14</sup>

***Gallirallus philippensis*** banded rail<sup>24</sup>, moho pererū<sup>11,14,19,81,81</sup>, banded landrai<sup>85</sup>, buff-banded rail<sup>48</sup>, kata tei<sup>91</sup>, katatai<sup>5,81</sup>, konini<sup>5</sup>, landrail<sup>12,24,78</sup>, mioweka<sup>78</sup>, moho<sup>8,81</sup>, moho kākatai<sup>93</sup>, moho kātātai<sup>11,36,81</sup>, moho-koreke<sup>36</sup>, moho-kura<sup>36</sup>, moho-pango<sup>36</sup>, moho-patarai<sup>58</sup>, moho pātātai<sup>10,19,81,81</sup>, moho-popotai<sup>81,81</sup>, moho pūohotata<sup>54,81</sup>, moho-ririwai<sup>36,54</sup>, moho-tātai<sup>19,36,81</sup>, moho-tupereru<sup>36</sup>, moririwai<sup>54</sup>, motarua<sup>36</sup>, New Zealand banded rail<sup>72</sup>, New Zealand buff-banded rail<sup>43</sup>, oho<sup>36</sup>, ohomauri<sup>36,38</sup>, patarai<sup>58</sup>, pātātai<sup>19,81</sup>, pectoral rail<sup>32</sup>, pepe<sup>54</sup>, pōpōtai<sup>7,19,81</sup>, pūohotata<sup>24,81</sup>, striped land rail<sup>14</sup>, striped rail<sup>16</sup>, tātai<sup>133</sup>

***Garrodia nereis*** grey-backed storm petrel<sup>19,35</sup>, reoreo<sup>6,8,36</sup>, storm-petrel<sup>40</sup>

***Gelochelidon nilotica*** gull-billed tern<sup>73</sup>; ***G. n. macrotarsa*** Australian gull-billed tern<sup>137</sup>, Australian tern<sup>135</sup>, long-legged tern<sup>86</sup>

***Gerygone albofrontata*** Chatham Island warbler<sup>24</sup>, Chatham gerygone<sup>132</sup>, Chatham Island gerygone<sup>105</sup>, Chatham Islands warbler<sup>43,53</sup>, warbler<sup>61</sup>, white-faced warbler<sup>19</sup>, white-fronted warbler<sup>51</sup>, woodpecker<sup>49</sup>

***Gerygone igata*** grey warbler<sup>16</sup>, riroriro<sup>10,13</sup>, ashcoloured wren<sup>10</sup>, bartailed wren<sup>10</sup>, black cap<sup>14</sup>, bush warbler<sup>34</sup>, gray gerygone<sup>121</sup>, grey fairy-warbler<sup>113</sup>, grey gerygone<sup>102</sup>, hīrorirori<sup>36,81</sup>, hōrirerire<sup>10,81</sup>, hororirori<sup>54</sup>, igata<sup>5</sup>, kariroriro<sup>58</sup>, kōrire<sup>54,81</sup>, kōrirerire<sup>36,81</sup>, kōriroriro<sup>6,8,19,81</sup>, momohoua<sup>14</sup>, New Zealand gerygone<sup>135</sup>, New Zealand grey warbler<sup>53</sup>, nonoroheke<sup>36</sup>, nonoroheko<sup>36</sup>, North Island grey warbler<sup>43</sup>, North Island mountain warbler<sup>43</sup>, piripiri<sup>14</sup>, pītongatonga<sup>81,93</sup>, rainbird<sup>135</sup>, rirerire<sup>36</sup>, rirerite<sup>133</sup>, riretori<sup>81</sup>, riretoro<sup>54</sup>, riririro<sup>133</sup>, South Island bush warbler<sup>43</sup>, South Island grey warbler<sup>43</sup>, South-Island warbler<sup>35</sup>, teetotum<sup>86</sup>, titiripaenamu<sup>11</sup>, tōtoroie<sup>54,81</sup>, tototori<sup>38</sup>, tōtororire<sup>36,81</sup>, warbler<sup>33</sup>, whiringa-ā-tau<sup>81</sup>

***Glareola maldivarum*** oriental pratincole<sup>79</sup>, Australian pratincole<sup>34</sup>, eastern collared pratincole<sup>86</sup>, eastern pratincole<sup>86</sup>, large Indian pratincole<sup>135</sup>, oriental collared pratincole<sup>78</sup>, swallow-plover<sup>86</sup>

***Grallina cyanoleuca*** magpie-lark<sup>137</sup>, Australian magpie-lark<sup>47</sup>, mudlark<sup>47,135</sup>, peewee<sup>47,135</sup>, peewit<sup>135</sup>, pied grallina<sup>47</sup>

***Grus*** sp. unidentified crane<sup>135</sup>

***Gygis alba*** white tern<sup>32</sup>, angel tern<sup>113</sup>, fairy tern<sup>78</sup>, love tern<sup>78</sup>, Pacific tern<sup>86</sup>, silky white tern<sup>26</sup>, white noddy<sup>78</sup>

***Gymnorhina tibicen*** Australian magpie<sup>16</sup>, makipai<sup>113</sup>, bell-magpie<sup>113</sup>, black-backed magpie<sup>52</sup>, makipae<sup>93</sup>, timohina<sup>99</sup>, white-backed crow-shrike<sup>47</sup>, white-backed magpie<sup>52</sup>

***Haematopus chathamensis*** Chatham Island oystercatcher<sup>72</sup>, tōrea tai<sup>134</sup>, Chatham Islands oystercatcher<sup>115</sup>, Chatham oystercatcher<sup>113</sup>, oyster-catcher<sup>61</sup>, redbill<sup>86</sup>, torea<sup>29</sup>

***Haematopus finschi*** South Island pied oystercatcher<sup>72</sup>, tōrea<sup>6,7,8,81</sup>, common oystercatcher<sup>54</sup>, Finsch's oystercatcher<sup>101</sup>, korea<sup>54</sup>, New Zealand oyster-catcher<sup>43</sup>, New Zealand pied oystercatcher<sup>135</sup>, oystercatcher<sup>54</sup>, pied oystercatcher<sup>10,16</sup>, pied piper<sup>84</sup>, pied redbill<sup>85</sup>, redbill<sup>14,16,78</sup>, sea-pie<sup>22</sup>, SIPO<sup>85</sup>, torea-nui<sup>10</sup>, tōrea tai<sup>24,99</sup>, tōrea tuawhenua<sup>113</sup>, toria<sup>11</sup>, toria nui<sup>11</sup>

***Haematopus unicolor*** variable oystercatcher<sup>78</sup>, tōrea pango (black morph)<sup>19,22,81,88</sup>, black oystercatcher<sup>10,16</sup>, black red-bill<sup>22</sup>, korea<sup>54</sup>, mudpigeon<sup>78,84</sup>, musselpicker<sup>84</sup>, New Zealand black oyster-catcher<sup>43</sup>, North Island oyster-catcher<sup>70</sup>, North Island pied oystercatcher<sup>73</sup>, northern oystercatcher<sup>72</sup>, redbill<sup>13,54,56</sup>, sooty oyster-catcher<sup>53</sup>, tōrea<sup>6,7,8,81</sup>, torea-nui<sup>10</sup>, tōrea tai<sup>81</sup>, VOC<sup>113</sup>

***Hakawai melvillei*** New Zealand lake-wanderer<sup>137</sup>

***Haliaeetus leucogaster*** white-bellied sea eagle<sup>73,91</sup>

***Halobaena caerulea*** blue petrel<sup>19</sup>

***Hemiphaga chathamensis*** parea<sup>94</sup>, Chatham Island pigeon<sup>32</sup>, Chatham Islands pigeon<sup>43,48</sup>, Chatham pigeon<sup>113</sup>, kuku<sup>52</sup>, parē<sup>29</sup>

- Hemiphaga novaeseelandiae kererū<sup>6,8</sup>, New Zealand pigeon<sup>11</sup>, cucupyi<sup>11</sup>, hagarreroo<sup>11</sup>, karoro tangi harau<sup>81</sup>, keriru<sup>9</sup>, kokopa<sup>135</sup>, kūkū<sup>5,8,81</sup>, kūkupa<sup>5,8</sup>, manu-tute (m)<sup>54</sup>, native pigeon<sup>44</sup>, New Zealand wood pigeon<sup>58</sup>, parea<sup>54</sup>, pigeon<sup>10</sup>, rupe (large bird)<sup>36</sup>, tarariki (small bird)<sup>36</sup>, woodpigeon<sup>16,22,94</sup>**
- Heracles inexpectatus St Bathans giant parrot<sup>137</sup>**
- Heteralocha acutirostris huia<sup>6,7,93</sup>, ellia<sup>11</sup>, huianui (f)<sup>99</sup>, New Zealand woodpecker<sup>135</sup>, paoke<sup>54</sup>**
- Himantopus sp. tukararoa<sup>54</sup>**
- Himantopus himantopus leucocephalus pied stilt<sup>10</sup>, poaka<sup>14</sup>, Australasian pied stilt<sup>88</sup>, barker<sup>78</sup>, black-throated stilt<sup>20</sup>, black-winged stilt<sup>91</sup>, daddy longlegs<sup>78</sup>, New Zealand stilt<sup>43</sup>, pied stilt plover<sup>16</sup>, pip<sup>78</sup>, popourangi<sup>81,99</sup>, rerewaka<sup>92</sup>, stilt<sup>78</sup>, tarapunga<sup>6,9</sup>, tōrea<sup>6,24,81</sup>, tore-iti<sup>10,10</sup>, toria<sup>5</sup>, turituri pourewa<sup>6,8,36,54,93</sup>, turiturupourewa<sup>36</sup>, turuturu-pourewa<sup>54,134</sup>, tutumata<sup>10</sup>, tuturi pourewa<sup>24,39,134</sup>, tuturu-pourewa<sup>54,134</sup>, waewae tōrea<sup>99</sup>, white-headed stilt<sup>19</sup>, white-necked stilt<sup>34</sup>, white-necked stilt-plover<sup>24</sup>**
- Himantopus novaezelandiae kaki<sup>19,81</sup>, black stilt<sup>10</sup>, black stilt plover<sup>16</sup>, kanohi<sup>133</sup>, (New Zealand) black stilt<sup>51</sup>, poaka<sup>14</sup>, poako<sup>11</sup>, pōkākā<sup>81,99</sup>, stilt<sup>14</sup>, stilt plover<sup>12</sup>, tore-iti<sup>11</sup>, tore-iti<sup>10,11</sup>, tōrea pango<sup>24,81,81</sup>, tūarahia<sup>24,81</sup>, tutumata<sup>5</sup>**
- Hirundapus caudacutus white-throated needletail<sup>94</sup>, needle-tailed swift<sup>94</sup>, northern needletail<sup>135</sup>, spine-tailed swift<sup>34</sup>, white-throated needle-tailed swift<sup>86</sup>**
- Hirundo neoxena welcome swallow<sup>72</sup>, warou<sup>93</sup>, Australian swallow<sup>47</sup>, house swallow<sup>94</sup>, Pacific swallow<sup>94</sup>, swallow<sup>86</sup>**
- Hydroprogne caspia Caspian tern<sup>16</sup>, taranui<sup>10,19,36,81</sup>, great tern<sup>10</sup>, kāhawai<sup>36,81</sup>, New Zealand Caspian tern<sup>43</sup>, tara<sup>14</sup>, tara-a-punga<sup>36</sup>, tara kakao<sup>10</sup>, tara punga<sup>81,99</sup>, tara-whaka-rara<sup>92</sup>, tern<sup>14</sup>**
- Hymenolaimus malacorhynchos whio<sup>10</sup>, blue duck<sup>16</sup>, blue mountain-duck<sup>14,30</sup>, he-wee-go<sup>11</sup>, korowhio<sup>54</sup>, korowhiowhio<sup>93</sup>, kōwhiowhio<sup>96</sup>, lapped bill duck<sup>10</sup>, mountain duck<sup>16,37</sup>, parera-kowhio<sup>92</sup>, soft-billed duck<sup>11</sup>, whiho<sup>11</sup>, whiorau<sup>8,36</sup>, whistling duck<sup>85</sup>, wio<sup>7</sup>, wiorau<sup>6</sup>**
- Ixobrychus minutus little bittern<sup>88</sup>, Ixobrychus minutus dubius Australian little bittern<sup>88</sup>**
- Ixobrychus novaezelandiae New Zealand little bittern<sup>43</sup>, kaoriki<sup>19</sup>, kioriki<sup>54</sup>, little bittern<sup>16</sup>, New Zealand bittern<sup>109</sup>**
- Kaiika maxwelli Maxwell's penguin<sup>137</sup>**
- Kairuku grebneffi Grebneff's penguin<sup>137</sup>**
- Kairuku waewaeroa Junats' penguin<sup>137</sup>**
- Kairuku waitaki Waitaki penguin<sup>137</sup>**
- Korora oliveri Oliver's penguin<sup>90</sup>**
- Kuiornis indicator St Bathans wren<sup>137</sup>**
- Kumimanu biceae Bice's penguin<sup>137</sup>, colossal penguin<sup>137</sup>**
- Kupoupou stilwelli Stilwell's penguin<sup>137</sup>**
- Lalage tricolor white-winged triller<sup>79</sup>, Australian white-winged triller<sup>88</sup>, peewee-lark<sup>86</sup>, white-shouldered caterpillar-eater<sup>86</sup>**
- Larus dominicanus southern black-backed gull<sup>19</sup>, karoro<sup>6,7</sup>, Antarctic black-backed gull<sup>85</sup>, black-backed gull<sup>4</sup>, brown gull<sup>10</sup>, common gull<sup>10</sup>, dominican gull<sup>83</sup>, eagle gull<sup>54</sup>, kaiē (juv)<sup>81</sup>, kelp gull<sup>85</sup>, koiro (ch)<sup>24</sup>, koriro (ch)<sup>54</sup>, kōtingotingo (juv)<sup>36,81</sup>, mollyhawk (juv)<sup>135</sup>, New Zealand black-backed gull<sup>43</sup>, ngōiro (ch)<sup>19,81</sup>, pohio<sup>81,92,134</sup>, punua (ch)<sup>24</sup>, rāpunga<sup>81</sup>, seagull<sup>54</sup>, southern black-back gull<sup>31</sup>, tangiharau<sup>81</sup>, toie (juv)<sup>36</sup>**
- Leucocarbo spp. kauau<sup>7</sup>, kauwau<sup>5</sup>, kawau<sup>93</sup>, kōau<sup>36,81</sup>**
- Leucocarbo campbelli Campbell Island shag<sup>24,35</sup>, black-backed cormorant<sup>57</sup>, Campbell Island cormorant<sup>76</sup>, Campbell Islands shag<sup>115</sup>, Campbell shag<sup>89</sup>, Magellanic shag<sup>27</sup>, white-rumped cormorant<sup>53</sup>**
- Leucocarbo carunculatus New Zealand king shag<sup>72</sup>, kawau pāteketeke<sup>134</sup>, carunculated shag<sup>86</sup>, Cook Strait cormorant<sup>86</sup>, Cook-Straits cormorant<sup>35</sup>, king shag<sup>79</sup>, koau-pateketekē<sup>92</sup>, Marlborough shag<sup>72</sup>, Marlborough Sounds shag<sup>86</sup>, New Zealand king cormorant<sup>135</sup>, rough-faced cormorant<sup>53</sup>, rough-faced shag<sup>19</sup>, te kawau-a-Toru<sup>113</sup>**
- Leucocarbo chalconotus Otago shag<sup>137</sup>, matapo<sup>54</sup>, bronze cormorant<sup>53</sup>, bronze shag<sup>43</sup>, brown shag<sup>24</sup>, Gray's shag<sup>19</sup>, Hutton's shag<sup>24</sup>, mapo<sup>54</sup>, mapua<sup>11</sup>, parekareka<sup>7</sup>, pink-footed shag<sup>32</sup>, Stewart cormorant<sup>113</sup>, Stewart Island cormorant<sup>135</sup>, Stewart Island shag<sup>72</sup>, Stewart shag<sup>89</sup>, white-rumped cormorant<sup>53</sup>**
- Leucocarbo colensoi Auckland Island shag<sup>24,35</sup>, kawau o Motu Maha<sup>122</sup>, Auckland cormorant<sup>113</sup>, Auckland Islands shag<sup>43,115</sup>, Auckland shag<sup>89</sup>, white-rumped cormorant<sup>53</sup>**
- Leucocarbo onslowi Chatham Island shag<sup>52</sup>, papua<sup>54</sup>, Chatham cormorant<sup>113</sup>, Chatham Island cormorant<sup>60</sup>, Chatham Islands shag<sup>115</sup>, Chatham Islands white-breasted shag<sup>49</sup>, Chatham shag<sup>89</sup>, emperor shag<sup>24</sup>, kawau o Rēkohu<sup>122</sup>, kawau o Wharekauri<sup>122</sup>, Lord Onslow's shag<sup>35</sup>, Onslow's shag<sup>34</sup>, Pitt Island shag<sup>32</sup>**
- Leucocarbo purpurascens Macquarie Island shag<sup>32,35</sup>, blue-eyed shag<sup>88</sup>, emperor shag<sup>86</sup>, imperial cormorant<sup>86</sup>, imperial shag<sup>88</sup>, king shag<sup>88</sup>, Macquarie Island cormorant<sup>57</sup>, Macquarie shag<sup>89</sup>, subantarctic king shag<sup>86</sup>**
- Leucocarbo ranfurlyi Bounty Island shag<sup>32,35</sup>, Bounty cormorant<sup>113</sup>, Bounty Island cormorant<sup>85</sup>, Bounty Islands shag<sup>43,115</sup>, Bounty shag<sup>89</sup>, Ranfurly's shag<sup>34</sup>, white-rumped cormorant<sup>53</sup>**
- Leucocarbo septentrionalis kōhatu shag<sup>118,128</sup>, kawau kōhatu<sup>118,137</sup>**

- Leucocarbo stewarti* Foveaux shag<sup>137</sup>, mapo<sup>54</sup>, bronze cormorant<sup>53</sup>, bronze shag<sup>52</sup>, matapo<sup>54</sup>, Stewart cormorant<sup>113</sup>, Stewart Island cormorant<sup>135</sup>, Stewart Island shag<sup>32,35</sup>, Stewart shag<sup>89</sup>, white-backed cormorant<sup>57</sup>, white-rumped cormorant<sup>53</sup>**
- Leucophaeus atricilla* laughing gull<sup>137</sup>**
- Leucophaeus pipixcan* Franklin's gull<sup>111</sup>**
- Lewinia muelleri* Auckland Island rail<sup>32</sup>, Auckland Islands rail<sup>143,115</sup>, Lewin's rail<sup>94</sup>**
- Limnodromus semipalmatus* Asiatic dowitcher<sup>88</sup>, Asian dowitcher<sup>95</sup>**
- Limosa haemastica* Hudsonian godwit<sup>35</sup>, American black-tailed godwit<sup>78</sup>, American godwit<sup>48</sup>, Hudsonian sandpiper<sup>53</sup>, hudwit<sup>135</sup>, red-breasted godwit<sup>34</sup>**
- Limosa lapponica* bar-tailed godwit<sup>19</sup>, kuaka<sup>6,7,8,81</sup>, barred godwit<sup>58</sup>, barred-rumped godwit<sup>19</sup>, barwit<sup>135</sup>, curlew<sup>16</sup>, godwit<sup>10</sup>, goodwit<sup>16</sup>; *L. baueri* eastern bar-tailed godwit<sup>72</sup>, kuaka<sup>6,7,8,81</sup>, eastern barred-rumped godwit<sup>43</sup>, grey stilt<sup>14</sup>, hakakao (old bird)<sup>24</sup>, kakao (old bird)<sup>36</sup>, karoro<sup>81</sup>, kohikuhikuaka<sup>10</sup>, kuako<sup>54</sup>, kuhikuhiwaka<sup>54</sup>, kuhikuiwaka<sup>85</sup>, kura (breeding plumage)<sup>36</sup>, New Zealand godwit<sup>21</sup>, Pacific bar-tailed godwit<sup>78</sup>, Pacific godwit<sup>86</sup>, pāeraera (juv)<sup>99</sup>, pārerarera (juv)<sup>36,81</sup>, poaka<sup>92</sup>, pouaka<sup>92</sup>, powaka<sup>92</sup>, rakakao (old bird)<sup>36</sup>, rīrīwaka<sup>11,81</sup>, southern godwit<sup>24</sup>, tapukōrako<sup>99</sup>, tarakakao<sup>36,54,81</sup>**
- Limosa limosa* black-tailed godwit<sup>88</sup>; *L. l. melanuroides* Asiatic black-tailed godwit<sup>78</sup>, eastern black-tailed godwit<sup>86</sup>**
- Litorallus livezeyi* Livezey's rail<sup>137</sup>**
- Lugensa brevirostris* Kerguelen petrel<sup>72</sup>**
- Macronectes* spp giant petrel<sup>19</sup>, pāngurunguru<sup>54,81,134</sup>, giant fulmar<sup>55,86,86</sup>, glutton<sup>85,85</sup>, nellie<sup>85,85</sup>, nelly<sup>16,27,85</sup>, omakura<sup>93</sup>, pāngurungaru<sup>99</sup>, sea vulture<sup>135</sup>, stinker<sup>85,85,86</sup>, stinkpot<sup>56,71,85</sup>**
- Macronectes giganteus* southern giant petrel<sup>79,89</sup>, pāngurunguru<sup>54,81,113</sup>, Antarctic giant petrel<sup>43</sup>, white nelly (white morph)<sup>35</sup>**
- Macronectes halli* northern giant petrel<sup>79,89</sup>, pāngurunguru<sup>54,81,113</sup>, Hall's giant petrel<sup>86</sup>, New Zealand giant petrel<sup>43</sup>**
- Malacorhynchus membranaceus* pink-eared duck<sup>94</sup>, pink-ear<sup>135</sup>, pink-eye<sup>135</sup>, pink-eyed duck<sup>94</sup>, pinkie<sup>135</sup>, whistler<sup>135</sup>, whistling teal<sup>135</sup>, wigeon<sup>135</sup>, zebra duck<sup>135</sup>, zebra teal<sup>135</sup>**
- Malacorhynchus scarletti* Scarlett's duck<sup>90</sup>, New Zealand pink-eared duck<sup>104</sup>**
- Manu antiquus* extinct albatross (?)<sup>90</sup>**
- Manuherikia douglasi* Douglas' duck<sup>111</sup>**
- Manuherikia lacustrina* Manuherikia duck<sup>111</sup>**
- Manuherikia minuta* minute Manuherikia duck<sup>111</sup>**
- Marplesornis novaezealandiae* Harris' penguin<sup>90</sup>**
- Matanas enrighti* Enright's duck<sup>111</sup>**
- Matuku otagoense* St Bathans heron<sup>137</sup>**
- Megadyptes antipodes* yellow-eyed penguin<sup>44</sup>, hoiho<sup>7,10,93</sup>, common penguin<sup>14</sup>, grand penguin<sup>40</sup>, great penguin<sup>10</sup>, hoihoi<sup>54,85</sup>, korara<sup>11</sup>, takaraha<sup>134</sup>, takaraka<sup>86</sup>, yellow-crested penguin<sup>48</sup>, yellow-crowned penguin<sup>19</sup>, yellow-headed penguin<sup>27</sup>; *M. a. waitaha* Waitaha penguin<sup>111</sup>; *M. a. richdalei* Richdale's penguin<sup>137</sup>**
- Megalapteryx didinus* upland moa<sup>90</sup>, moa pukepuke<sup>122</sup>**
- Meleagris gallopavo* wild turkey<sup>73</sup>, korukoru<sup>113</sup>, feral turkey<sup>135</sup>, pīpipi<sup>6,7</sup>, turkey<sup>16</sup>; *M. g. gallopavo* Gould's wild turkey<sup>111</sup>**
- Mergus australis* Auckland Island merganser<sup>24,53</sup>, miuweka<sup>92</sup>, Auckland Islands merganser<sup>43,48</sup>, Auckland Island's muganser<sup>51</sup>, Auckland merganser<sup>89</sup>, merganser<sup>58</sup>, New Zealand merganser<sup>111</sup>, ngutu niniho<sup>122</sup>, southern merganser<sup>32</sup>**
- Mergus milleneri* Chatham Island merganser<sup>137</sup>**
- Microcarbo melanoleucos* little pied cormorant<sup>85</sup>, little cormorant<sup>53,85</sup>, little pied shag<sup>52</sup>; *M. m. brevirostris* little shag<sup>72</sup>, kawaupaka<sup>19,58,81</sup>, aroarotea<sup>36</sup>, frilled shag<sup>16</sup>, kauau<sup>7</sup>, kauawau<sup>5</sup>, kawau<sup>93</sup>, kawau tatariki<sup>38</sup>, kawau teoteo<sup>54,81</sup>, kawau tieke (pied morph)<sup>54,81</sup>, kōau<sup>36,81</sup>, little river shag<sup>86</sup>, pohotea<sup>81</sup>, teoteo<sup>36</sup>, white-throated shag<sup>16</sup>**
- Milvus migrans* black kite<sup>94</sup>, fork-tailed kite<sup>94</sup>, Kimberley kite<sup>135</sup>, kite hawk<sup>135</sup>**
- Miotadorna sanctibathansi* St Bathans shelduck<sup>111</sup>, St Bathans duck<sup>135</sup>**
- Mohoua albicilla* whitehead<sup>16,32,44</sup>, pōpokotea<sup>6,10,81</sup>, bush canary<sup>48</sup>, canary<sup>33</sup>, hihi popokera<sup>11,85</sup>, hihipopokero<sup>14,36</sup>, hore<sup>36</sup>, horehore<sup>54</sup>, mohoua<sup>36</sup>, mohua<sup>36</sup>, momohua<sup>36</sup>, momoroua<sup>7</sup>, mōriorio<sup>54,81</sup>, mōtengitengi<sup>54,81</sup>, ūriorio<sup>133</sup>, pōpokatea<sup>8,11,93</sup>, pōporoihewa<sup>6,8,81</sup>, popotea<sup>19</sup>, porihawa<sup>6,54</sup>, poriporihewa<sup>36,85</sup>, poupoutea<sup>19</sup>, riroriro<sup>92</sup>, tātāeko<sup>33,36,81</sup>, tātāeto<sup>33,81</sup>, tātāhore<sup>36,81</sup>, tātāiato<sup>7,36,81</sup>, tātaihore<sup>33,81,99</sup>, tātāngaeko<sup>36,81</sup>, tātaranaeko<sup>54,81</sup>, tātarangaeko<sup>36,81</sup>, tātariheko<sup>36,81</sup>, toitoi<sup>5,7</sup>, upokotea<sup>19</sup>, white-headed canary<sup>33</sup>, whiteheaded tit<sup>10</sup>**
- Mohoua novaeseelandiae* brown creeper<sup>16</sup>, pīpipi<sup>7,11</sup>, brown canary<sup>85</sup>, brown linnet<sup>16</sup>, brown wren<sup>41</sup>, bush creeper<sup>44</sup>, horirerire<sup>11</sup>, momohoua<sup>5,11</sup>, momohua<sup>7</sup>, New Zealand creeper<sup>19</sup>, New Zealand titmouse<sup>102</sup>, pipirihika<sup>36</sup>, reed wren<sup>14</sup>, riroriro<sup>5,7</sup>, ūtitirihika<sup>36,81</sup>, toitoi<sup>7,54,81</sup>, toetoe<sup>5,7</sup>, toitoi<sup>16</sup>**

***Mohoua ochrocephala*** **mohua**<sup>36,93</sup>, **yellowhead**<sup>16,43,44</sup>, bush canary<sup>32</sup>, canary<sup>16</sup>, hihi popokera<sup>36,54,93</sup>, hihipopokero<sup>36</sup>, hore<sup>36</sup>, mohoua<sup>7</sup>, mohoua houa<sup>5</sup>, mōhuahua<sup>36,81</sup>, momohoua<sup>54</sup>, native canary<sup>33</sup>, New Zealand canary<sup>85</sup>, popokatea<sup>5</sup>, popokotea<sup>6,19</sup>, popotea<sup>19</sup>, poriporihewa<sup>36</sup>, poupoutea<sup>19</sup>, South Island canary<sup>33</sup>, tataeko<sup>36</sup>, tataeto<sup>36</sup>, tatahore<sup>36</sup>, tataiato<sup>7,36</sup>, tataihore<sup>36</sup>, tatangaeko<sup>36</sup>, tatarangaeko<sup>36</sup>, tatariheko<sup>36</sup>, tatariki<sup>6,92</sup>, upokotea<sup>19</sup>, yellow-head canary<sup>30</sup>, yellow-headed canary<sup>33</sup>, yellow-headed flycatcher<sup>102</sup>

***Monarcha melanopsis*** **black-faced monarch**<sup>111</sup>, black-faced flycatcher<sup>135</sup>, black-faced monarch-flycatcher<sup>135</sup>, carinated flycatcher<sup>135</sup>, grey-winged monarch-flycatcher<sup>135</sup>, pearly-winged flycatcher<sup>135</sup>

***Morus capensis*** **Cape gannet**<sup>111</sup>, South African gannet<sup>135</sup>

***Morus serrator*** **Australasian gannet**<sup>83</sup>, **tākupu**<sup>10,81</sup>, Australian gannet<sup>19</sup>, gannet<sup>10</sup>, karake<sup>36</sup>, New Zealand gannet<sup>43</sup>, Pacific gannet<sup>135</sup>, solan goose<sup>86</sup>, taiko<sup>7</sup>, tākupu<sup>6,7,8</sup>, tākupu kareke<sup>81</sup>, tara<sup>5</sup>, tātāki<sup>36,93,99</sup>, the gannet<sup>48</sup>, toroa-haoika<sup>24,81</sup>, toroa-horoika<sup>36,81</sup>, toroa tataki<sup>7,4,81</sup>

***Muriwaimanu tuatahi*** **Waipara penguin**<sup>111</sup>

***Myiagra cyanoleuca*** **satin flycatcher**<sup>78</sup>

***Neilus samsonae*** **Sansom's plover**<sup>137</sup>

***Nelepsittacus daphneleeae*** **Lee's parrot**<sup>137</sup>

***Nelepsittacus donmertoni*** **Merton's parrot**<sup>137</sup>

***Nelepsittacus minimus*** **little St Bathans parrot**<sup>137</sup>

***Nestor chathamensis*** **Chatham Island kaka**<sup>101</sup>, Chatham Island parrot<sup>135</sup>, Chatham kaka<sup>135</sup>, Chatham parrot<sup>135</sup>

***Nestor meridionalis*** **kākā**<sup>5,8,93</sup>, **kaka**<sup>5</sup>, brown parrot<sup>16</sup>, bush parrot<sup>86</sup>, huripā (var)<sup>36,99</sup>, kaea<sup>54</sup>, kaka huripa (var)<sup>9</sup>, kākā kereru (var)<sup>12,54,81</sup>, kākā kōrako (var)<sup>12,81</sup>, kākā kura (var)<sup>12,54,81</sup>, kaka motaraua (var)<sup>9</sup>, kākā nihoriki (var)<sup>54,81</sup>, kākā parakiwai (var)<sup>54,134</sup>, kaka parrot<sup>19</sup>, kaka-pipiwharauroa<sup>19</sup>, kākā pipiwharauroa (var)<sup>54,81</sup>, kākā reko (var)<sup>24,81</sup>, karoro tea (var)<sup>36,54,81</sup>, karoro uri (var)<sup>36,54,81</sup>, kawkaw<sup>135</sup>, kēkētoi (fat bird)<sup>38,81</sup>, kereru (var)<sup>36</sup>, korako<sup>36</sup> (var), kōri<sup>54,81</sup>, kōriwhai<sup>36,81</sup>, kura (var)<sup>36</sup>, maimoa<sup>54</sup>, manu-tuauru (var)<sup>54</sup>, mokai<sup>54</sup>, motaraua (var)<sup>36</sup>, moutī (decoy bird)<sup>54,81</sup>, mū, New Zealand kaka<sup>104</sup>, niho (var)<sup>81</sup>, nihonui (var)<sup>36,54</sup>, nihoriki (var)<sup>36,54</sup>, pakipaki<sup>54</sup>, parrot<sup>10</sup>, perehere<sup>36</sup>, perua<sup>54</sup>, pipiriwharauroa (var)<sup>36</sup>, reko (var)<sup>36</sup>, southern brown parrot<sup>1</sup>, tamaire (var)<sup>36</sup>, tarariki (f)<sup>36</sup>, tātāpopo (m)<sup>36,38,81</sup>, tātarariki (flock leader)<sup>38,81</sup>, tātāriki (flock leader)<sup>38,81</sup>, tatarikuha (flock leader)<sup>54,99</sup>, tāwaka (m)<sup>38,81</sup>, tiaka (flock leader)<sup>81</sup>, tuaru (var)<sup>36</sup>, western kaka parrot<sup>19</sup>, whakakope<sup>54</sup>; ***N. m. septentrionalis*** **North Island kaka**<sup>72</sup>, brown kaka<sup>52</sup>, North Island brown kaka<sup>58</sup>, North Island kaka parrot<sup>43</sup>; ***N. m. meridionalis*** **South Island kaka**<sup>72</sup>, green kaka<sup>52</sup>, South Island green kaka<sup>58</sup>, South Island kaka parrot<sup>43</sup>

***Nestor notabilis*** **kea**<sup>11</sup>, alpine parrot<sup>85</sup>, green parrot<sup>22</sup>, kaieo<sup>22</sup>, kea parrot<sup>19</sup>, keha<sup>24</sup>, keorangi<sup>54</sup>, kia<sup>81</sup>, mountain parrot<sup>14,19</sup>, New Zealand mountain parrot<sup>135</sup>

***Ninox albifacies*** **laughing owl**<sup>16,19</sup>, **whēkau**<sup>19,81</sup>, big morepork<sup>92</sup>, big owl<sup>85</sup>, hakoke<sup>36</sup>, kakaha<sup>19</sup>, kopake<sup>93</sup>, laughing jackass<sup>16,19</sup>, open country owl<sup>192</sup>, rock owl<sup>86</sup>, ruruwekau<sup>11</sup>, ruru-whēkau<sup>19,81,81,99</sup>, ruru-whenua<sup>92</sup>, wekau<sup>11</sup>, wekaukau<sup>54</sup>, whēkaukau<sup>36,81</sup>; ***N. a. rufifacies*** **North Island laughing owl**<sup>43</sup>, rufous-faced owl<sup>34</sup>, rufous laughing owl<sup>73</sup>; ***N. a. albifacies*** **South Island laughing owl**<sup>43</sup>

***Ninox novaeseelandiae*** **ruru**<sup>6</sup>, **morepork**<sup>10,13,19</sup>, boobook<sup>94</sup>, boobook owl<sup>53</sup>, common owl<sup>10</sup>, eou hou<sup>11</sup>, herooro<sup>11</sup>, heruru<sup>13</sup>, kao-kao<sup>11,85</sup>, karu peho (large-eyed)<sup>99</sup>, koukou<sup>5,6,8,13</sup>, kuru<sup>39</sup>, morepork owl<sup>51</sup>, New Zealand owl<sup>19</sup>, North Island morepork owl<sup>43</sup>, peho<sup>14</sup>, pehopeho<sup>36</sup>, peopeo<sup>92</sup>, piropio<sup>92</sup>, ruru koukou<sup>92,92</sup>, rurupeho<sup>5,22</sup>, ruru-ruru<sup>11,36,85</sup>, South Island morepork owl<sup>43</sup>, southern boobook<sup>97</sup>

***Notiomystis cincta*** **hihi**<sup>7,113</sup>, **stitchbird**<sup>16,19,48</sup>, hihi-matakiore (f)<sup>19</sup>, hihi-paka (m)<sup>14,19</sup>, hihi-pakawera<sup>36</sup>, hioi<sup>11</sup>, honey-bird<sup>85</sup>, ihe<sup>133</sup>, ihi<sup>5</sup>, kōhihi (m)<sup>6,36,81</sup>, kōtihe<sup>5,81</sup>, kōtihe wera (m)<sup>19,54,81,134</sup>, kōtihetihe (m)<sup>6,7,8,54,81</sup>, kotihetike (m)<sup>85</sup>, matakiore (f)<sup>36</sup>, mōtihe<sup>133</sup>, mōtihetihe<sup>36,81</sup>, pogonornis<sup>100</sup>, tihe<sup>10</sup>, tihe-kiore (f)<sup>19</sup>, tihe-ora (m)<sup>24,54</sup>, tihe-wai (f)<sup>36,38</sup>, tihe-wera (m)<sup>36,38</sup>, tihi-kiore (f)<sup>85</sup>, tihi-ora (m)<sup>85</sup>, tiora (m)<sup>24</sup>, tiora<sup>93</sup>, tīro<sup>54,81</sup>, yellowwinged finch<sup>10</sup>

***Numenius hudsonicus*** **American whimbrel**<sup>72</sup>, Hudsonian curlew<sup>72</sup>, Hudsonian whimbrel<sup>73</sup>

***Numenius madagascariensis*** **eastern curlew**<sup>73</sup>, Australian curlew<sup>24</sup>, curlew<sup>52</sup>, far-eastern curlew<sup>83,84</sup>, long-billed curlew<sup>72</sup>

***Numenius minutus*** **little whimbrel**<sup>34</sup>, least whimbrel<sup>135</sup>, little curlew<sup>86</sup>, pygmy curlew<sup>86</sup>

***Numenius phaeopus*** **Eurasian whimbrel**<sup>137</sup>, little curlew<sup>86</sup>, whimbrel<sup>52</sup>; ***N. p. variegatus*** **Asiatic whimbrel**<sup>72</sup>, Australian whimbrel<sup>34</sup>, eastern whimbrel<sup>73</sup>

***Numenius tahitiensis*** **bristle-thighed curlew**<sup>79</sup>

***Numida meleagris*** **helmeted guineafowl**<sup>86</sup>, crowned guineafowl<sup>86</sup>, guineafowl<sup>16,72,86</sup>, guineahen<sup>113</sup>, pintado<sup>86</sup>, tufted guineafowl<sup>84,86</sup>

***Nycticorax caledonicus*** **nankeen night heron**<sup>19</sup>, **Umu kōtuku**<sup>135</sup>, Australian night heron<sup>43</sup>, Caledonian night-heron<sup>3</sup>, night heron<sup>14,53</sup>, rufous night heron<sup>73</sup>

***Oceanites oceanicus*** **Wilson's storm petrel**<sup>24,52,89</sup>, Australian yellow-webbed storm-petrel<sup>43</sup>, Wilson's petrel<sup>85</sup>, yellow-webbed storm petrel<sup>48,53</sup>

***Oceanodroma leucorhoa*** **Leach's storm petrel**<sup>86,89</sup>, fork-tailed storm petrel<sup>73</sup>, Leach's fork-tail petrel<sup>57</sup>, Leach's fork-tailed petrel<sup>72</sup>, Leach's fork-tailed storm petrel<sup>78</sup>, Leach's petrel<sup>86</sup>

***Onychoprion anaethetus*** **bridled tern**<sup>88</sup>, brown-winged tern<sup>88</sup>

- Onychoprion fuscatus*** sooty tern<sup>32</sup>, Australian sooty tern<sup>43</sup>, egg bird<sup>85</sup>, whale bird<sup>86</sup>, wideawake<sup>78</sup>, wideawake tern<sup>56,85</sup>
- Onychoprion lunatus*** grey-backed tern<sup>111</sup>, spectacled tern<sup>115</sup>
- Oxyura vantetsi*** New Zealand blue-billed duck<sup>111</sup>, blue-billed duck<sup>88</sup>, New Zealand stiff-tailed duck<sup>109</sup>
- Pachydyptes ponderosus*** New Zealand giant penguin<sup>90</sup>, greater wide-flippered penguin<sup>52</sup>
- Pachyornis australis*** crested moa<sup>90</sup>, moa koukou<sup>122</sup>
- Pachyornis elephantopus*** heavy-footed moa<sup>90</sup>, moa waewae taumaha<sup>122</sup>
- Pachyornis geranoides*** Mantell's moa<sup>109</sup>, moa ruarangi<sup>122</sup>, Mappin's moa<sup>90</sup>
- Pachyptila*** spp. hakora<sup>36</sup>, taketake<sup>36</sup>, tarapunga<sup>6,36</sup>, totoro<sup>36</sup>, whiroia<sup>36</sup>
- Pachyptila belcheri*** thin-billed prion<sup>48</sup>, korotangi<sup>54</sup>, narrow-billed prion<sup>72</sup>, slender-billed prion<sup>86</sup>
- Pachyptila crassirostris*** fulmar prion<sup>72</sup>, cliff prion<sup>86</sup>, fulmar-billed prion<sup>55</sup>, thick-billed prion<sup>86</sup>; ***P. c. crassirostris***, Bounty Island prion<sup>73</sup>, Bounty Islands dove-petrel<sup>43</sup>; ***P. c. pyramidalis*** Chatham fulmar prion<sup>72</sup>, Pyramid Rock prion<sup>73</sup>; ***P. c. flemingi*** lesser fulmar prion<sup>72</sup>
- Pachyptila desolata*** Antarctic prion<sup>72</sup>, totoro<sup>81,113</sup>, Auckland Island prion<sup>72</sup>, Auckland Islands' dove-petrel<sup>43</sup>, Banks' dove-petrel<sup>21</sup>, Bank's petrel<sup>54</sup>, Banks's dove petrel<sup>19</sup>, Banks's petrel<sup>35</sup>, blue petrel<sup>85</sup>, dove-petrel<sup>34,35</sup>, dove prion<sup>48</sup>, Kerguelen prion<sup>88</sup>, pekeha<sup>7,93</sup>, South Georgian prion<sup>72</sup>, totore<sup>133</sup>, whalebird<sup>16,40,72</sup>, whiroia<sup>32</sup>
- Pachyptila salvini*** Salvin's prion<sup>86</sup>, Crozet Island prion<sup>72</sup>, Crozet Islands prion<sup>86</sup>, lesser broad-billed prion<sup>72</sup>, Marion Island prion<sup>73</sup>, medium-billed prion<sup>86</sup>
- Pachyptila turtur*** fairy prion<sup>48</sup>, tītī wainui<sup>44,44,54,81,93</sup>, ariel prion<sup>54</sup>, Chatham fairy prion<sup>55</sup>, Chatham Island dove petrel<sup>49</sup>, dove-petrel<sup>19,30</sup>, dove prion<sup>113</sup>, flake-billed fairy prion<sup>55</sup>, Gould's dove petrel<sup>24</sup>, laughing jackass<sup>16</sup>, narrow-billed prion<sup>65</sup>, northern fairy prion<sup>73</sup>, short-billed dove petrel<sup>34</sup>, smooth-billed fairy prion<sup>55</sup>, southern fairy prion<sup>73</sup>, subantarctic fairy prion<sup>73</sup>, tītī<sup>96</sup>, totoro<sup>24</sup>, whale-bird<sup>13,16</sup>, whiroia<sup>19</sup>
- Pachyptila vittata*** broad-billed prion<sup>48</sup>, parara<sup>44,81</sup>, blue billy<sup>60,86</sup>, broad-billed dove petrel<sup>19</sup>, broad-billed petrel<sup>11</sup>, New Zealand broad-billed prion<sup>43</sup>, parera<sup>44</sup>, parikoko<sup>92</sup>, pekehā<sup>7,81</sup>, pepekehā<sup>54,81</sup>, scooper<sup>86</sup>, southern prion<sup>20</sup>, tītī<sup>96</sup>, whalebird<sup>11,72</sup>
- Palaeudyptes antarcticus*** Huxley's penguin<sup>137</sup>, narrow-flippered penguin<sup>52</sup>
- Palaeudyptes marplesi*** Marples' penguin<sup>90</sup>
- Palaelodus aotearoa*** New Zealand palaelodus<sup>137</sup>
- Passer domesticus*** house sparrow<sup>33,72</sup>, tiu<sup>99</sup>, English sparrow<sup>86</sup>, kai witi<sup>92</sup>, manukino<sup>92</sup>, spadger<sup>86</sup>, sparrow<sup>16</sup>
- Pavo cristatus*** peafowl<sup>47,72</sup>, pīkao<sup>93</sup>, common peafowl<sup>113</sup>, Indian peafowl<sup>86</sup>, peacock (m)<sup>16</sup>, peahen (f)<sup>113</sup>, pīkake (m)<sup>113</sup>
- Pelagodroma albicularis*** Kermadec storm petrel<sup>72</sup>, Kermadec Island storm petrel<sup>101</sup>, Kermadec white-faced storm petrel<sup>73</sup>
- Pelagodroma marina*** white-faced storm petrel<sup>19,40</sup>, takahikare<sup>81</sup>, frigate petrel<sup>86</sup>; ***P. m. dulciae*** Australian white-faced storm petrel<sup>86</sup>, ***P. m. maoriana*** New Zealand white-faced storm petrel<sup>43,73</sup>, takahikare<sup>81</sup>, dancing dolly<sup>86</sup>, J.C. bird<sup>78</sup>, Jesus Christ bird<sup>78</sup>, kaiwhakararu<sup>93</sup>, Mother Carey's bird<sup>113</sup>, Mother Carey's chicken<sup>135</sup>, skipjack<sup>78</sup>, takahikare rangi<sup>81</sup>, takahikare raro<sup>81</sup>, takahikare-moana<sup>64,78,81,93</sup>, tītī<sup>96</sup>
- Pelagornis stirtoni*** Stirton's pseudotoothed bird<sup>137</sup>, Stirton's false-toothed pelican<sup>90</sup>
- ?***Pelagornis miocaenus*** Miocene pseudotoothed bird<sup>137</sup>, Miocene false-toothed pelican<sup>90</sup>
- Pelecanoides georgicus*** South Georgian diving petrel<sup>52,89</sup>, South Georgia diving-petrel<sup>124</sup>, sub-Antarctic diving-petrel<sup>113</sup>; ***P. g. whenuahouensis*** Whenua Hou diving petrel<sup>129</sup>, kuaka Whenua Hou<sup>129</sup>, Codfish diving-petrel<sup>124</sup>, tītī<sup>96</sup>
- Pelecanoides miokuaka*** Miocene diving petrel<sup>111</sup>
- Pelecanoides urinatrix*** common diving petrel<sup>52,89</sup>, kuaka<sup>44,122</sup>, dipchick<sup>78</sup>, diver<sup>135</sup>, diving petrel<sup>11,60</sup>, larger diving petrel<sup>34</sup>, small diving petrel<sup>57</sup>, smaller diving petrel<sup>34</sup>, teetee<sup>11</sup>, tītī<sup>11,96</sup>; ***P. u. urinatrix*** northern diving petrel<sup>72</sup>, New Zealand diving petrel<sup>86</sup>; ***P. u. chathamensis*** southern diving petrel<sup>72</sup>, Chatham Island diving petrel<sup>73</sup>, Richdale's diving petrel<sup>101</sup>; ***P. u. exsul*** subantarctic diving petrel<sup>72,78</sup>, Kerguelen diving petrel<sup>53</sup>
- Pelecanus conspicillatus*** Australian pelican<sup>52</sup>, perikana<sup>93,134</sup>, eastern Australian pelican<sup>43</sup>, New Zealand pelican<sup>88</sup>, pelican<sup>53</sup>, spectacled pelican<sup>86</sup>
- Petrochelidon ariel*** fairy martin<sup>88</sup>, bottle swallow<sup>135</sup>, cliff swallow<sup>135</sup>, land swallow<sup>135</sup>
- Petrochelidon nigricans*** tree martin<sup>86</sup>, Australian tree martin<sup>52,78</sup>, Australian tree-swallow<sup>19,43</sup>, tree swallow<sup>78</sup>
- Petroica australis*** & ***P. longipes*** bush robin<sup>86</sup>, hātoitoi<sup>36,81</sup>, kakaruawai<sup>85</sup>, kakaruawai<sup>36</sup>, karae<sup>99</sup>, karuae<sup>36</sup>, karuai<sup>54</sup>, karuwai<sup>36</sup>, kātoitoi<sup>10,36,81</sup>, kātuhituhī<sup>81</sup>, miromiro<sup>5,7,10</sup>, mōioio<sup>54,81</sup>, mokorā (f)<sup>36,81</sup>, New Zealand robin<sup>53</sup>, New Zealand wood robins<sup>32</sup>, pie<sup>99</sup>, pier<sup>36,99</sup>, pīhaua<sup>7,81</sup>, pīhere<sup>36,81</sup>, pirangirangi<sup>85</sup>, pītoitoi<sup>6,8,10,36,81</sup>, robin<sup>10,51</sup>, tarapō (f)<sup>8,134</sup>, tariwai<sup>54</sup>, taruwai<sup>54</sup>, tātaruwai<sup>36,81</sup>, tātāwai<sup>7,54,81</sup>, tītīketeketemanawa (call)<sup>36,134</sup>, tītīwahanui<sup>36,54,81</sup>, toitoireka<sup>36</sup>, toroire<sup>99</sup>, totawara<sup>7</sup>, tōtōara<sup>9,81</sup>, totoi<sup>54</sup>, totoireka<sup>36</sup>, tōtōrōri<sup>81,99</sup>, tōtōwai<sup>81</sup>, tōtōwara<sup>36,81</sup>, toutou<sup>6,8,19</sup>, toutouai<sup>7</sup>, toutouwai<sup>7,14,81</sup>, wheko-pō<sup>54,54,81,134</sup>, wood robin<sup>16</sup>
- Petroica australis*** South Island robin<sup>19,35</sup>, kakaruai<sup>92</sup>, alpine robin<sup>34</sup>, kakariwai<sup>92</sup>, South Island wood-robin<sup>30,32</sup>, southern robin<sup>63</sup>, stonechat<sup>10</sup>, white-fronted thrush<sup>11</sup>; ***P. a. rakiura*** Stewart Island robin<sup>72</sup>, toutouwai<sup>96</sup>
- Petroica longipes*** North Island robin<sup>19</sup>, toutouwai<sup>19</sup>, North Island wood robin<sup>32</sup>

**Petroicamacrocephalatomtit**<sup>49,85</sup>, brown tit<sup>10</sup>, butcherbird<sup>78,102</sup>, hōmiromiro<sup>36,54,81</sup>, kikitorē<sup>99</sup>, kikitorī<sup>54</sup>, kōmiromiro<sup>6,7,19,19,36,81</sup>, large-headed tit<sup>10</sup>, large-headed tomtit<sup>53,85</sup>, māui-pōtiki<sup>36,54,81,81,93,134</sup>, mīmīro<sup>36,54,99</sup>, miro-miro<sup>5,6,8,10,19,99</sup>, mirumiru<sup>36,54</sup>, New Zealand tit<sup>32</sup>, New Zealand tomtit<sup>53,88</sup>, ngirungiru<sup>5,7</sup>, pī-miromiro<sup>24,24,36,99,134</sup>, pī-mirumiru<sup>6,8,36,54,81,134</sup>, pīngirungiru<sup>24,24,36,54,93,134</sup>, pipitorē<sup>54,81</sup>, pipitorī<sup>7,24,24,36</sup>, pīrangirangi<sup>5,7,81,134</sup>, robin<sup>14</sup>, tāne-te-waiora<sup>36,54,81,85,93</sup>, tarapō (f)<sup>6,8,36,81</sup>, tit<sup>22</sup>, toitoi<sup>10,36</sup>, wheedler<sup>78</sup>. **P. m. totoi** North Island tomtit<sup>24</sup>, miromiro<sup>19</sup>, mirotoitoi<sup>7</sup>, nirungiru<sup>11</sup>, North Island tit<sup>86</sup>, pied tit<sup>16,37</sup>, pied tomtit<sup>102</sup>, pitongatonga<sup>54</sup>, to-i-toe<sup>5</sup>, white-breasted tit<sup>10,32</sup>, white-breasted tomtit<sup>73</sup>; **P. m. macrocephala** South Island tomtit<sup>24,44</sup>, ngirungiru<sup>19,32</sup>, great-headed titmouse<sup>11</sup>, mirro mirro<sup>11</sup>, pirau<sup>133</sup>, piropiro<sup>36</sup>, South Island tit<sup>35,54</sup>, southern tomtit<sup>102</sup>, yellow breast tit<sup>22</sup>, yellow-breasted robin<sup>22</sup>, yellow-breasted tit<sup>10,16</sup>, yellow-breasted tomtit<sup>73</sup>; **P. m. chathamensis** Chatham Island tomtit<sup>73</sup>, miromiro<sup>29</sup>, Chatham Island tit<sup>72</sup>, Chatham Islands' tomtit<sup>43</sup>, yellow-breasted tit<sup>61</sup>; **P. m. dannefaerdi** Snares Island tomtit<sup>73</sup>, miromiro<sup>96</sup>, black robin<sup>56</sup>, black tit<sup>79</sup>, black tomtit<sup>27</sup>, little wood robin<sup>32</sup>, Snares black tit<sup>72</sup>, Snares Island robin<sup>34,35</sup>, Snares robin<sup>40</sup>, Snares tit<sup>86</sup>, Snares tomtit<sup>103</sup>; **P. m. marrineri** Auckland Island tomtit<sup>73</sup>, Auckland Island tit<sup>72</sup>, Auckland Islands' tomtit<sup>43</sup>

**Petroica traversi** black robin<sup>48</sup>, karure<sup>130</sup>, black wood robin<sup>32</sup>, Chatham Island black robin<sup>85</sup>, Chatham Island robin<sup>19</sup>, Chatham Island tit<sup>21</sup>, Chatham Islands robin<sup>43,53</sup>, kakaruai<sup>98</sup>

**Phaethon lepturus** white-tailed tropicbird<sup>73,83</sup>, bo'sun bird<sup>86</sup>, longtail<sup>135</sup>, marlin-spike<sup>135</sup>, white-tailed bosunbird<sup>135</sup>, yellow-billed tropicbird<sup>86,111</sup>

**Phaethon rubricauda** red-tailed tropicbird<sup>24,53,88</sup>, amokura<sup>24</sup>, bosun bird<sup>86,115</sup>, hawe<sup>7</sup>, rakorakoa<sup>54</sup>, ruddy tropic bird<sup>43</sup>, strawtail<sup>78</sup>, tawake<sup>81,135</sup>, western Pacific red-tailed tropic bird<sup>73</sup>

**Phalacrocorax** spp. kaha<sup>92</sup>, kahia<sup>92</sup>, kauau<sup>6,7</sup>, kauau<sup>5,9</sup>, kauau<sup>9,13,16,93</sup>, kōau<sup>36,54,81,85,93</sup>, koauteko<sup>92</sup>, rori<sup>92</sup>

**Phalacrocorax carbo** great cormorant<sup>86</sup>, common cormorant<sup>35</sup>; **P. c. novaehollandiae** black shag<sup>16</sup>, māpunga<sup>54,81,99</sup>, black cormorant<sup>35</sup>, common black shag<sup>54</sup>, cormorant<sup>16</sup>, great black shag<sup>22</sup>, great green cormorant<sup>10</sup>, great shag<sup>18</sup>, houmea<sup>54</sup>, kaihau<sup>54</sup>, kauau nui<sup>10</sup>, kauau pango<sup>10</sup>, kauau tua-whenua<sup>10,11</sup>, kauau<sup>14</sup>, kauau-maro<sup>54</sup>, kauau pū<sup>54,81</sup>, kauau tuawhenua<sup>22,54,81</sup>, koau-mapua<sup>92</sup>, koau-pango<sup>92</sup>, large black shag<sup>113</sup>, māpo<sup>93</sup>, māpua<sup>99</sup>, matapo<sup>81,93</sup>, matapu<sup>38,99</sup>, New Zealand cormorant<sup>54</sup>, papu<sup>38</sup>, pāpua<sup>38,81</sup>, sea shag<sup>34</sup>, shag<sup>14</sup>, whitethighed cormorant<sup>10</sup>

**Phalacrocorax featherstoni** Pitt Island shag<sup>52</sup>, kawau o Rangihauate<sup>122</sup>, Chatham Island cormorant<sup>53</sup>, Chatham Island shag<sup>19,35</sup>, Chatham Islands' shag<sup>43</sup>, double-crested shag<sup>60</sup>, kawau o Rangiauria<sup>122</sup>, Pitt Island cormorant<sup>60</sup>, Pitt Island spotted shag<sup>49</sup>, Pitt shag<sup>89</sup>

**Phalacrocorax punctatus** spotted shag<sup>11</sup>, kawau tikitiki<sup>54,81</sup>, blue shag<sup>52</sup>, crested cormorant<sup>10</sup>, crested shag<sup>20</sup>, flip-flap<sup>20</sup>, kauau pari<sup>10</sup>, kauau pāteketeke<sup>54,81</sup>, king shag<sup>30</sup>, koau tai<sup>92</sup>, ocean shag<sup>20</sup>, pa-degga-degga<sup>11</sup>, papua<sup>54</sup>, pārekareka<sup>36,81</sup>, pāteketeke<sup>81</sup>, spotted cormorant<sup>53</sup>

**Phalacrocorax sulcirostris** little black shag<sup>31</sup>, kawau tūrī<sup>54,81,93</sup>, black shag<sup>34</sup>, little black cormorant<sup>53</sup>

**Phalacrocorax varius** pied cormorant<sup>53</sup>; **P. v. varius** pied shag<sup>11</sup>, kāruhiruhi<sup>6,9,81</sup>, aroarotea<sup>81</sup>, kauāu<sup>8,10</sup>, large pied shag<sup>135</sup>, māpunga<sup>93</sup>, teoteo<sup>93</sup>, yellow-faced cormorant<sup>86</sup>

**Phalaropus fulicaria** grey phalarope<sup>24</sup>, red phalarope<sup>52</sup>

**Phalaropus lobatus** red-necked phalarope<sup>53</sup>, northern phalarope<sup>52</sup>

**Phalaropus tricolor** Wilson's phalarope<sup>88</sup>

**Phasianus colchicus** common pheasant<sup>22</sup>, peihana<sup>93</sup>, black-necked pheasant<sup>86</sup>, Chinese pheasant<sup>16</sup>, English pheasant<sup>16</sup>, Mongolian pheasant<sup>86</sup>, pheasant<sup>72</sup>, ringed pheasant<sup>47</sup>, ring-necked pheasant<sup>88</sup>

**Philesturnus** spp. saddleback<sup>16,28,43</sup>, tīke<sup>8,11,93</sup>, pūrourou<sup>5,8,81</sup>, redbacked thrush<sup>10</sup>, saddle bird<sup>14</sup>, tiaka<sup>11</sup>, tiakanga<sup>133</sup>, tiake<sup>5</sup>, tiaki<sup>7,11</sup>, tīke-rere<sup>36,54,81</sup>, tieki<sup>7</sup>, tierawaki<sup>7</sup>, tira-ouake<sup>5,11</sup>, tīraueke<sup>54,81</sup>, tīrauweke<sup>19,81</sup>, tīraweke<sup>14,81</sup>, wattled stare<sup>3</sup>

**Philesturnus carunculatus** South Island saddleback<sup>72</sup>, tīke<sup>5,93</sup>, jackbird (juv)<sup>24,56</sup>, southern saddleback<sup>66</sup>

**Philesturnus rufusater** North Island saddleback<sup>72</sup>, tīke<sup>93</sup>, urourou<sup>36</sup>

**Phoebastria immutabilis** Laysan albatross<sup>111</sup>

**Phoebastria nigripes** black-footed albatross<sup>72</sup>, black-footed mollymawk<sup>53</sup>, black gooney<sup>86</sup>

**Phoebetria fusca** sooty albatross<sup>48</sup>, Australian sooty albatross<sup>43</sup>

**Phoebetria palpebrata** light-mantled sooty albatross<sup>48</sup>, toroa pango<sup>11,24</sup>, Cape hen<sup>16</sup>, grey-mantled albatross<sup>53</sup>, kōputa<sup>93</sup>, kōputu<sup>54,81</sup>, New Zealand light-mantled sooty albatross<sup>43</sup>, pee-arr<sup>85</sup>, pee-oo<sup>86</sup>, pēō<sup>134</sup>, pie<sup>85</sup>, pio<sup>85</sup>, sooty albatross<sup>19</sup>, torea-pango<sup>19</sup>, toroa-a-ruru<sup>54,99</sup>, toroa haunui<sup>7,14,54</sup>, toroa ruru<sup>54,81</sup>

**Pikaihao bartlei** Bartle's bittern<sup>137</sup>, St Bathans bittern<sup>135</sup>

**Platalea flavipes** yellow-billed spoonbill<sup>83</sup>

**Platalea regia** royal spoonbill<sup>24</sup>, kōtuku ngutupapa<sup>24,81,93,111</sup>, black-billed spoonbill<sup>53,135</sup>, koutuku ngutu-papa<sup>10,11</sup>, kuru whengi<sup>93</sup>, spoonbill<sup>10</sup>

**Platycercus eximius** eastern rosella<sup>52</sup>, kākā uhi whero<sup>122</sup>, Rose-hill parakeet<sup>47</sup>, rosella<sup>47</sup>, roselle parakeet<sup>47</sup>, white-cheeked rosella<sup>135</sup>

**Platypteryx amiesi** Amies' penguin<sup>90</sup>

**Platypteryx marplesi** Simpson's penguin<sup>111</sup>

*Platypteryx novaezealandiae* wide-flippered penguin<sup>90</sup>, lesser wide-flippered penguin<sup>52</sup>

*Plegadis falcinellus* glossy ibis<sup>34</sup>

*Pleistorallus flemingi* Fleming's rail<sup>111</sup>

*Pluvialis dominicus* American golden plover<sup>91</sup>

*Pluvialis fulva* Pacific golden plover<sup>72</sup>, kuriri<sup>134</sup>, Asiatic golden plover<sup>78</sup>, eastern golden plover<sup>19</sup>, golden plover<sup>16</sup>, least golden plover<sup>83</sup>, lesser golden plover<sup>48</sup>, pakihitaki<sup>11</sup>, spotted plover<sup>32</sup>, tuturiwatu<sup>14</sup>, tuturiwhata<sup>11</sup>, tuturuata<sup>11</sup>

*Pluvialis squatarola* grey plover<sup>72</sup>, black-bellied plover<sup>86</sup>, grey sandpiper<sup>135</sup>, silver plover<sup>135</sup>

*Podiceps cristatus* great crested grebe<sup>19</sup>; *P. c. australis* Australasian crested grebe<sup>88</sup>, pūteketeke<sup>52,93</sup>, crested grebe<sup>10</sup>, diver<sup>85</sup>, kāha<sup>36,81</sup>, kāmana<sup>38,81</sup>, manapou<sup>38</sup>, New Zealand crested grebe<sup>43</sup>, pāteketeke<sup>24,81</sup>, southern crested grebe<sup>72,77</sup>, totokepio<sup>133</sup>

*Poliocephalus poliocephalus* hoary-headed grebe<sup>83</sup>, taihoropī<sup>93</sup>, hoary-headed dabchick<sup>86</sup>, Tom Pudding<sup>86</sup>

*Poliocephalus rufopectus* New Zealand dabchick<sup>19</sup>, weweia<sup>19</sup>, dabchick<sup>16,16</sup>, diver<sup>92</sup>, grebe<sup>56</sup>, koikoipia<sup>36</sup>, little grebe<sup>10</sup>, New Zealand grebe<sup>113</sup>, red-necked grebe<sup>85</sup>, taihoropī<sup>24,81</sup>, taratimoho<sup>24</sup>, taratitomohi<sup>36</sup>, tekotekopia<sup>36</sup>, tokitoki<sup>7,36</sup>, tokitokipia<sup>36</sup>, tokitokipio<sup>54</sup>, tongitongipia<sup>36</sup>, torokipia<sup>85</sup>, totoipio<sup>54</sup>, totokipia<sup>36</sup>, totokipio<sup>11</sup>, weiweia<sup>10</sup>, whiroia<sup>93</sup>, whirowhiro<sup>36</sup>

*Poodytes punctatus* fernbird<sup>24,44,56</sup>, mātātā<sup>5,81</sup>, common utick<sup>85</sup>, grassbird<sup>14,16,108</sup>, grass-pheasant<sup>85</sup>, haumata<sup>92</sup>, koreti<sup>134</sup>, koroātito<sup>9,81</sup>, korowātito<sup>7,81</sup>, kōtātā<sup>6,8,11,81</sup>, kūkurutoki<sup>36,81</sup>, maata<sup>54</sup>, maataa<sup>92</sup>, mātā<sup>5,81,96</sup>, mataa<sup>92</sup>, mātuhi<sup>54,81</sup>, nako<sup>19</sup>, New Zealand fernbird<sup>101</sup>, ngako<sup>54</sup>, potata<sup>133</sup>, reed sparrow<sup>44</sup>, reed wren<sup>10</sup>, swamp-bird<sup>85</sup>, swamp-lark<sup>27</sup>, swamp sparrow<sup>108</sup>, swamp thrush<sup>86</sup>, tataki<sup>92</sup>, tataki thrush<sup>78</sup>, toetoe<sup>11</sup>, toitoi<sup>92</sup>, tutaki<sup>92</sup>, utick<sup>85</sup>, wetito<sup>54</sup>, whetito<sup>54</sup>; *P. p. vealeae* North Island fernbird<sup>43,72</sup>, koroātito<sup>93</sup>, common utick<sup>19</sup>; *P. p. punctatus* South Island fernbird<sup>43,72</sup>, mātātā<sup>93</sup>, fulvous fernbird<sup>24</sup>, fulvous utick<sup>19</sup>; *P. p. stewartiana* Stewart Island fernbird<sup>72</sup>, mātā<sup>96</sup>; *P. p. wilsoni* Codfish Island fernbird<sup>73</sup>, mātā<sup>96</sup>, Codfish fernbird<sup>72</sup>; *P. p. caudatus* Snares Island fernbird<sup>43,73</sup>, mātā<sup>96</sup>, Snares fernbird<sup>34,56</sup>, tawny fernbird<sup>32,108</sup>, The Snares fernbird<sup>113</sup>

*Poodytes rufescens* Chatham Island fernbird<sup>24,48,61</sup>, Chatham Island utick<sup>19</sup>, Chatham Islands fern-bird<sup>43,51</sup>

*Porphyrio hochstetteri* South Island takahe<sup>92</sup>, takahē<sup>9,81</sup>, Mantell's notornis<sup>19</sup>, moho<sup>7,8</sup>, moho keo<sup>36,81</sup>, moho rākau<sup>54,81</sup>, moho rangi<sup>54,81</sup>, notornis<sup>10</sup>, pass bird<sup>86</sup>, takahea<sup>14</sup>, tokohea<sup>19</sup>

*Porphyrio mantelli* North Island takahe<sup>88</sup>, moho<sup>8,14,81</sup>, extinct takahe<sup>52</sup>, mohoau<sup>135</sup>

*Porphyrio porphyrio* pūkeko<sup>5,8</sup>, pukeko<sup>5</sup>, Australasian swamphen<sup>135</sup>, Australian swamphen<sup>101</sup>, Chatham Island pukeko<sup>61</sup>, Chatham Island swamp hen<sup>49</sup>, Chatham Islands' swamp-hen<sup>43</sup>, eastern swamp-hen<sup>53</sup>, moorhen<sup>10</sup>, old swampie<sup>84</sup>, pakaki<sup>45</sup>, pākura<sup>6,8</sup>, pook<sup>78</sup>, pukaki<sup>78</sup>, puke<sup>86</sup>, purple gallinule<sup>85</sup>, purple swamphen<sup>88</sup>, rauhara<sup>9</sup>, southwest Pacific swamphen<sup>111,115</sup>, swamphen<sup>14,19,88</sup>, tangata-tawhito<sup>54,81</sup>

*Porzana fluminea* Australian crake<sup>91</sup>, Australian spotted crake<sup>79</sup>

*Priscaweka parvales* Bannockburn crake<sup>137</sup>

*Proapteryx micromeros* St Bathans kiwi<sup>137</sup>

*Procellaria aequinoctialis* white-chinned petrel<sup>32</sup>, karetai kauae mā<sup>122</sup>, Cape hen<sup>53</sup>, New Zealand white-chinned petrel<sup>43</sup>, oi<sup>11</sup>, shoemaker<sup>73</sup>, stink-pot<sup>40</sup>, stink-pot petrel<sup>34</sup>, storm petrel<sup>10</sup>, takupu<sup>11</sup>

*Procellaria altirostris* deep-billed petrel<sup>137</sup>

*Procellaria cinerea* grey petrel<sup>34</sup>, kuia<sup>24</sup>, black-tailed petrel<sup>135</sup>, black-tailed shearwater<sup>135</sup>, brown petrel<sup>16</sup>, great grey shearwater<sup>85</sup>, hākuikui<sup>54,81</sup>, night-hawk<sup>85</sup>, pediunker<sup>72</sup>

*Procellaria parkinsoni* black petrel<sup>19</sup>, tāiko<sup>8,11,81</sup>, black fulmar<sup>89</sup>, brown petrel<sup>85</sup>, karetai<sup>54</sup>, kuia<sup>24</sup>, kuihi<sup>93</sup>, night demon<sup>85</sup>, Parkinson's petrel<sup>59</sup>, ruru-tāiko<sup>54,81,81</sup>, tākoketai<sup>120,125</sup>, taonui<sup>39</sup>, toanui<sup>16,32</sup>, tuanui<sup>93</sup>

*Procellaria westlandica* Westland petrel<sup>88</sup>, tāiko<sup>113,134</sup>, tītī<sup>96</sup>, Westland black petrel<sup>72</sup>, Westland shoemaker<sup>73</sup>

*Procelsterna cerulea* blue-grey noddy<sup>86</sup>; *P. c. albivitta* grey noddy<sup>25</sup>, blue-billy<sup>86</sup>, grey ternlet<sup>72</sup>, little blue petrel<sup>86</sup>, little grey noddy<sup>43</sup>, little grey tern<sup>53</sup>, little noddy<sup>24</sup>

*Prosthemadera novaeseelandiae* tūrī<sup>4,8,81</sup>, tui<sup>5</sup>, Auckland Islands' tui<sup>43</sup>, kogo<sup>11</sup>, kōkō<sup>6,81,81</sup>, kōkōtaua (m)<sup>54,81</sup>, kōkōtea (f)<sup>38,54</sup>, kōkōuri (m)<sup>38,81</sup>, kopureha<sup>54</sup>, kōpūrehe (m)<sup>38,81</sup>, kouwha (f)<sup>38</sup>, kukari (ch)<sup>36</sup>, mocking bird<sup>10</sup>, North Island tui<sup>43</sup>, parson bird<sup>10,30,98</sup>, pi (ch)<sup>7,9</sup>, pikari (ch)<sup>9</sup>, pikōkō<sup>6,8</sup>, pi-tui (ch)<sup>19,58</sup>, poe<sup>5</sup>, poe bird<sup>85</sup>, poey bird<sup>100</sup>, pōhe<sup>11</sup>, pureke (juv)<sup>9</sup>, rōghee etooee<sup>11</sup>, South Island tui<sup>43</sup>, tākaha (m)<sup>36,81</sup>, teoteo (f)<sup>36</sup>, toi<sup>5</sup>, toui<sup>11</sup>, tui-koko<sup>10,14</sup>, tui-teoteo (f)<sup>54</sup>, tute (m)<sup>36</sup>; *P. n. chathamensis* Chatham Island tui<sup>61</sup>, kōkō<sup>29,98</sup>

*Protodontopteryx ruthae* Ruth's pseudotoothed bird<sup>137</sup>

*Prunella modularis* dunnock<sup>72</sup>, British hedge sparrow<sup>72</sup>, hedge accentor<sup>40,113</sup>, hedge sparrow<sup>22,40,83</sup>, hedgegie<sup>78</sup>

*Pseudobulweria rostrata* Tahiti petrel<sup>88</sup>

*Pterodroma alba* Phoenix petrel<sup>72</sup>, Christmas Island petrel<sup>73</sup>, Pacific petrel<sup>48</sup>, Phoenix Island petrel<sup>52</sup>, short-billed petrel<sup>53</sup>, small-billed petrel<sup>57</sup>, white-bellied petrel<sup>53</sup>

*Pterodroma axillaris* Chatham petrel<sup>88</sup>, ranguru<sup>73</sup>, Chatham Island petrel<sup>32</sup>, Chatham Islands' blue-footed petrel<sup>43</sup>, Chatham Islands petrel<sup>115</sup>, karetai<sup>93</sup>, Salvin's petrel<sup>34</sup>

- Pterodroma brevipes** collared petrel<sup>137</sup>, magnificent petrel<sup>135</sup>
- Pterodroma cervicalis** white-naped petrel<sup>83</sup>, black-capped petrel<sup>32</sup>, Salvin's capped petrel<sup>35</sup>, Sunday Island petrel<sup>34</sup>, white-necked petrel<sup>89</sup>
- Pterodroma cookii** Cook's petrel<sup>19,52</sup>, blue-footed petrel<sup>43</sup>, e-titi<sup>11</sup>, titi<sup>5,8,81</sup>, white-winged petrel<sup>48</sup> **Pt. c. cookii** northern Cook's petrel<sup>137</sup>; **Pt. c. orientalis** southern Cook's petrel<sup>137</sup>
- Pterodroma externa** Juan Fernandez petrel<sup>83</sup>, white-necked petrel<sup>86</sup>
- Pterodroma gouldi** grey-faced petrel<sup>16</sup>, ōi<sup>36,81</sup>, Gould's petrel<sup>85</sup>, gray-faced petrel<sup>124</sup>, great-winged petrel<sup>53</sup>, grey-headed petrel<sup>103</sup>, kuia (juv)<sup>75</sup>, long-winged petrel<sup>19</sup>, muttonbird<sup>86</sup>, New Zealand grey-faced petrel<sup>43</sup>, New Zealand mutton bird<sup>54</sup>, northern muttonbird<sup>94</sup>, ohī<sup>85</sup>, oīi<sup>24</sup>, sooty petrel<sup>85</sup>, titi<sup>75</sup>
- Pterodroma heraldica** Herald petrel<sup>137</sup>
- Pterodroma imberi** Imber's petrel<sup>137</sup>
- Pterodroma inexpectata** mottled petrel<sup>24</sup>, kōrure<sup>73,99</sup>, Dawson's petrel<sup>50</sup>, karae<sup>92</sup>, korari<sup>52</sup>, laughing petrel<sup>24</sup>, mottled fulmar<sup>40</sup>, pakahā<sup>93</sup>, Peale's petrel<sup>86</sup>, rainbird<sup>32,52</sup>, scaled petrel<sup>85</sup>, titi<sup>86,96</sup>
- Pterodroma lessonii** white-headed petrel<sup>16</sup>, eastern white-headed petrel<sup>43</sup>
- Pterodroma leucoptera** Gould's petrel<sup>78</sup>, Gould petrel<sup>72</sup>, sooty-capped petrel<sup>135</sup>, white-throated petrel<sup>135</sup>, white-winged fulmar<sup>135</sup>, white-winged petrel<sup>135</sup>; **Pt. l. caledonica** New Caledonian petrel<sup>86</sup>
- Pterodroma longirostris** Stejneger's petrel<sup>78</sup>
- Pterodroma magentae** Chatham Island taiko<sup>79</sup>, tāiko<sup>84,135</sup>, Chatham Islands taiko<sup>115</sup>, Chatham taiko<sup>104</sup>, Magenta petrel<sup>55</sup>, tchaik<sup>86</sup>
- Pterodroma mollis** soft-plumaged petrel<sup>24</sup>
- Pterodroma neglecta** Kermadec petrel<sup>48</sup>, pia koia<sup>85</sup>, doubtful petrel<sup>24</sup>, karetai Rangitahua<sup>122</sup>, Kermadec Island mutton bird<sup>32</sup>, Kermadec Islands' petrel<sup>43</sup>, Kermadec muttonbird<sup>85</sup>, Kermadec petrel "summer"<sup>248</sup>, Kermadec petrel "winter"<sup>248</sup>, neglected petrel<sup>55</sup>, Phillip's fulmar<sup>85</sup>, Schlegel's petrel<sup>34</sup>, summer surface mutton bird<sup>85</sup>, winter petrel<sup>56</sup>
- Pterodroma nigripennis** black-winged petrel<sup>35</sup>, karetai kapa mangū<sup>122</sup>, Kermadec blue-footed petrel<sup>43</sup>, Rothschild's petrel<sup>34</sup>
- Pterodroma pycrofti** Pycroft's petrel<sup>52,72</sup>
- Pterodroma solandri** providence petrel<sup>88</sup>, big-hill muttonbird<sup>86</sup>, bird of providence<sup>72</sup>, brown-headed petrel<sup>86</sup>, Mount Pitt bird<sup>135</sup>, Phillips' petrel<sup>134</sup>, Solander's petrel<sup>86</sup>
- Ptilinopus regina** rose-crowned fruit-dove<sup>137</sup>, pink-capped fruit-dove<sup>135</sup>, red-crowned fruit-dove<sup>111</sup>, Swainson's fruit-dove<sup>135</sup>
- Puffinus** spp. hakoakoa<sup>7</sup>, hakuakua<sup>36</sup>, titi-wahine<sup>92</sup>
- Puffinus assimilis** little shearwater<sup>53</sup>, totoro<sup>52</sup>, allied shearwater<sup>24</sup>, mutton-bird<sup>11,14</sup>, small shearwater<sup>25</sup>, whistler<sup>86</sup>, titi<sup>14</sup>; **P. a. assimilis** Norfolk Island little shearwater<sup>79</sup>, allied petrel<sup>43</sup>, Norfolk Island allied shearwater<sup>72</sup>; **P. a. kermadecensis** Kermadec little shearwater<sup>79</sup>, allied petrel<sup>43</sup>, Kermadec allied shearwater<sup>72</sup>, Kermadec Island little shearwater<sup>101</sup>; **P. a. haurakiensis** North Island little shearwater<sup>79</sup>, New Zealand allied shearwater<sup>73</sup>, New Zealand little shearwater<sup>104</sup>, North Island allied shearwater<sup>72</sup>
- Puffinus elegans** subantarctic little shearwater<sup>79</sup>, allied shearwater<sup>52</sup>, Chatham Island allied shearwater<sup>73</sup>, Chatham Islands' allied petrel<sup>43</sup>, Giglioli's shearwater<sup>85</sup>, subantarctic allied shearwater<sup>72</sup>, subantarctic shearwater<sup>124</sup>, Tristan shearwater<sup>85</sup>
- Puffinus gavia** fluttering shearwater<sup>52</sup>, pakahā<sup>36,81</sup>, brown-backed petrel<sup>43</sup>, brown-beaked shearwater<sup>89</sup>, flutterer<sup>135</sup>, Forster's petrel<sup>89</sup>, Forster's shearwater<sup>19</sup>, hākoakoa<sup>8,13,81</sup>, hākuakua<sup>81</sup>, laughing jackass<sup>16</sup>, New Zealand allied petrel<sup>43</sup>, pakahāa<sup>24</sup>, rainbird<sup>16,24</sup>, shearwater<sup>16</sup>, takaha<sup>54</sup>, wet-bird<sup>16,16</sup>
- Puffinus huttoni** Hutton's shearwater<sup>72,73</sup>, Kaikōura titi<sup>116</sup>, muttonbird<sup>86</sup>, pakahā<sup>86,113</sup>, Snares brown-backed petrel<sup>43</sup>, titi<sup>86,96</sup>
- Puffinus nativitatis** Christmas Island shearwater<sup>83</sup>, black shearwater<sup>86</sup>, Christmas shearwater<sup>84</sup>, Kiritimati shearwater<sup>135</sup>
- Puffinus newelli** Newell's shearwater<sup>111</sup>, black-vented shearwater<sup>135</sup>
- Puffinus puffinus** Manx shearwater<sup>83</sup>, common shearwater<sup>86</sup>
- Puffinus spelaeus** Scarlett's shearwater<sup>101</sup>, ōiruki<sup>122</sup>
- Pygoscelis adeliae** Adelie penguin<sup>73,73</sup>
- Pygoscelis antarctica** chinstrap penguin<sup>79</sup>, bearded penguin<sup>86</sup>, ringed penguin<sup>86</sup>
- Pygoscelis papua** gentoo penguin<sup>72</sup>, jackass penguin<sup>85</sup>, Johnny<sup>86</sup>, Johnny penguin<sup>86</sup>, rock-hopper<sup>24,32,85</sup>; **P. p. papua** northern gentoo penguin<sup>88</sup>
- Pygoscelis tyreei** Tyree's penguin<sup>90</sup>
- Recurvirostra novaehollandiae** red-necked avocet<sup>19</sup>, piwari<sup>10</sup>, Australian avocet<sup>72</sup>, Australian red-necked avocet<sup>88</sup>, avocet<sup>10</sup>, cobbler<sup>135</sup>, cobbler's awl<sup>135</sup>, eastern red-necked avocet<sup>43</sup>, painted lady<sup>135</sup>, red-necked stilt<sup>85</sup>, scooper<sup>135</sup>, trumpeter<sup>135</sup>, yelper<sup>135</sup>

- Rhipidura fuliginosa** New Zealand fantail<sup>53</sup>, pīwakawaka<sup>5,7,8,81</sup>, black fantail<sup>16,16</sup>, black flycatcher<sup>12</sup>, diggowaghwagh<sup>11</sup>, fantail<sup>14</sup>, fan-tailed flycatcher<sup>2,10</sup>, grey fantail<sup>88</sup>, hee-waka-waka<sup>11</sup>, hinai<sup>85</sup>, hīrairaka<sup>36,81</sup>, hītakataka<sup>36,81</sup>, hīwai<sup>54,81</sup>, hīwaiwaka<sup>36,81</sup>, hīwakawaka<sup>6,8,11</sup>, kōtiuti<sup>54,81</sup>, pied fantail<sup>16,16</sup>, pied fantail-flycatcher<sup>35</sup>, pied flycatcher<sup>22</sup>, pi-ouaka-oua-ka<sup>11</sup>, pīrairaka<sup>24,81</sup>, pīrakaraka<sup>36,93</sup>, pīrangirangi<sup>54,81</sup>, pītakataka<sup>24,81</sup>, pīwaiwaka<sup>19,81</sup>, sooty fantail-flycatcher<sup>35</sup>, tewakawaka<sup>7,11</sup>, tīiaaka<sup>36,99</sup>, tīaka<sup>81</sup>, tīakaaka<sup>36,81</sup>, tieaka<sup>36</sup>, tīrairaka<sup>24,81</sup>, tīrairaka pango (black morph)<sup>134</sup>, tīrakaraka<sup>7,9,81</sup>, tīraueka<sup>54</sup>, tīraueke<sup>93</sup>, tīraureka<sup>36,81</sup>, tītaiwaka<sup>92,123</sup>, tītakataka<sup>36,81</sup>, tītīrairaka<sup>36,81</sup>, titiwaiko<sup>10</sup>, tiwaewaka<sup>7</sup>, tiwaikawaka<sup>22</sup>, tīwaiwaka<sup>14,81</sup>, tīwakawaka<sup>10,16,81</sup>, wakawaka<sup>54</sup>; **R. f. placabilis** North Island fantail<sup>72</sup>, North Island pied fantail<sup>43</sup>; **R. f. fuliginosa** South Island fantail<sup>72</sup>, South Island pied fantail<sup>43</sup>; **R. f. penita** Chatham Island fantail<sup>72</sup>, tchitake<sup>29</sup>, Chatham fantail<sup>61</sup>, Chatham Island pied fantail<sup>73</sup>, Chatham Islands' pied fantail<sup>73</sup>
- Rhipidura leucophrys** willie wagtail<sup>111</sup>, black-and-white fantail<sup>135</sup>, black-and-white flycatcher<sup>135</sup>, fantail flycatcher<sup>135</sup>, pied fantail<sup>135</sup>, shepherd's companion<sup>135</sup>, water wagtail<sup>135</sup>, white-browed fantail<sup>135</sup>
- Rostratula benghalensis** painted snipe<sup>88</sup>, Australian painted snipe<sup>135</sup>
- Rupephaps taketake** St Bathans pigeon<sup>111</sup>
- Scythrops novaehollandiae** channel-billed cuckoo<sup>72</sup>, channel-bill<sup>73</sup>, flood bird<sup>86</sup>, flying walking-stick<sup>135</sup>, storm bird<sup>86</sup>
- Sequiwaimanu rosieae** Rosie's penguin<sup>137</sup>
- Spatula clypeata** northern shoveler<sup>79</sup>
- Spatula rhynchos** Australasian shoveler<sup>88</sup>, kuruwhengi<sup>19,93</sup>, hoho<sup>92</sup>, kāhoho<sup>19,81</sup>, kukupaki<sup>11</sup>, kūkuruwhetū<sup>54,81,99</sup>, kukuruwhitu<sup>92</sup>, kuruengo<sup>7</sup>, kuruhenga<sup>99</sup>, kuruwhengu<sup>24</sup>, kuruwhetu<sup>133</sup>, New Zealand shoveler<sup>72</sup>, New Zealand shoveller<sup>19</sup>, papaungūngu<sup>99</sup>, papaunguungu<sup>24,54</sup>, pāteke<sup>24,81</sup>, paungu-ungu<sup>85</sup>, pakau-kuku<sup>10</sup>, pikau-kuku<sup>11</sup>, pūtaitai<sup>19,81</sup>, rangi-tauharuru<sup>10,11</sup>, shoveler<sup>22</sup>, shoveler duck<sup>54</sup>, shoveller<sup>10</sup>, shoveller duck<sup>28</sup>, spoonbill<sup>14,54</sup>, spoonbill duck<sup>19,58</sup>, spoonie<sup>78</sup>, tatau<sup>92</sup>, tētē<sup>14,81</sup>, wetawetangū<sup>19,81</sup>, whetawetangū<sup>85</sup>
- Stercorarius antarctica** southern skua<sup>19,85</sup>, great skua<sup>48,95</sup>, southern great skua<sup>83</sup>; **C. a. lonnbergi** subantarctic skua<sup>86</sup>, hākoako<sup>8,54,73,81</sup>, Antarctic great skua<sup>76</sup>, Antarctic skua<sup>113</sup>, bonxie<sup>85</sup>, brown skua<sup>86</sup>, dark southern skua<sup>53</sup>, hakaokao<sup>36</sup>, hakoko<sup>54</sup>, hākuakua<sup>36,54,81</sup>, New Zealand great skua<sup>43</sup>, plundering gull<sup>85</sup>, pohio<sup>81,92</sup>, raptorial gull<sup>4</sup>, sea-hawk<sup>32,40,56,85</sup>, sea hen<sup>14,16</sup>, skua gull<sup>27</sup>, southern skua gull<sup>71</sup>
- Stercorarius longicaudus** long-tailed skua<sup>79</sup>, long-tailed jaeger<sup>86</sup>
- Stercorarius maccormicki** South Polar skua<sup>43</sup>, Antarctic skua<sup>52</sup>, McCormick's skua<sup>34</sup>, McCormick's skua<sup>86</sup>
- Stercorarius parasiticus** Arctic skua<sup>43</sup>, Arctic jaeger<sup>95</sup>, Buffon's skua<sup>19</sup>, parasitic jaeger<sup>52</sup>, parasitic skua<sup>113</sup>, Richardson's skua<sup>24</sup>, Richardson's skua gull<sup>131</sup>, skua gull<sup>16</sup>
- Stercorarius pomarinus** pomarine skua<sup>72</sup>, pomarine jaeger<sup>73</sup>, pomatorhine skua<sup>86</sup>
- Sterna hirundo** common tern<sup>88</sup>; **S. h. longipennis** eastern common tern<sup>88</sup>
- Sterna paradisea** Arctic tern<sup>52</sup>
- Sterna striata** white-fronted tern<sup>19</sup>, tara<sup>6,7,8,16</sup>, Auckland Islands white-fronted tern<sup>43</sup>, barracouta bird<sup>85,92</sup>, black-billed tern<sup>95</sup>, blackcap<sup>78,86</sup>, black-legged tern<sup>10</sup>, grenadier<sup>78</sup>, kahawai bird<sup>78</sup>, New Zealand white-fronted tern<sup>43</sup>, noddy<sup>78</sup>, sea-swallow<sup>16,19</sup>, southern tern<sup>95</sup>, southern white-fronted tern<sup>119</sup>, swallowtail<sup>78</sup>, tara iti<sup>93,93</sup>, tara kakao<sup>93</sup>, tara nui<sup>10</sup>, tara pirohe<sup>92</sup>, tikkitak<sup>78</sup>, whale bird<sup>22</sup>, whitefront tern<sup>92</sup>
- Sterna vittata** Antarctic tern<sup>69</sup>, southern tern<sup>34</sup>, subantarctic tern<sup>48,51,52</sup>, swallow-tailed tern<sup>32</sup>; **S. v. bethunei** New Zealand Antarctic tern<sup>88</sup>, Bethune's tern<sup>34</sup>, New Zealand subantarctic tern<sup>43</sup>
- Sternula albifrons** little tern<sup>78</sup>, black-lored tern<sup>86</sup>, sea-swallow<sup>86</sup>, white-shafted ternlet<sup>86</sup>; **S. a. sinensis** eastern little tern<sup>79</sup>, tara teo<sup>93,134</sup>, Asiatic little tern<sup>86</sup>, tara iti<sup>134</sup>, tara teoteo<sup>54,134</sup>
- Sternula nereis** fairy tern<sup>48</sup>; **S. n. davisae** New Zealand fairy tern<sup>43</sup>, tara iti<sup>19,36,81</sup>, little tern<sup>10</sup>, little white tern<sup>19</sup>, tara paku<sup>10</sup>, tara-teo<sup>54,81,81</sup>, tara-teoteo<sup>54,81</sup>, tara-titi<sup>58</sup>
- Streptopelia chinensis** spotted dove<sup>78</sup>, Chinese dove<sup>135</sup>, Indian spotted dove<sup>73</sup>, laceneck<sup>78</sup>, laceneck dove<sup>86</sup>, Malay spotted dove<sup>72</sup>, pearl-necked dove<sup>135</sup>, spotted-necked dove<sup>78</sup>, spotted turtledove<sup>86,94</sup>, turtle dove<sup>78</sup>
- Streptopelia risoria** Barbary dove<sup>83</sup>, African collared dove<sup>113</sup>, African ring-necked dove<sup>135</sup>, domestic collared dove<sup>86</sup>, Java dove<sup>86</sup>, ring dove<sup>16</sup>, ring-neck dove<sup>113</sup>, ringed turtle dove<sup>86</sup>
- Strigops habroptila** kākāpō<sup>7,81</sup>, kakapo<sup>7</sup>, great night parrot<sup>10</sup>, ground parrot<sup>14,19</sup>, kākātarapō<sup>6,8,36,81</sup>, night parrot<sup>12</sup>, North Island kakapo<sup>43</sup>, owl parrot<sup>19,94</sup>, South Island kakapo<sup>43</sup>, tarapō<sup>6,7,8,81</sup>, tarepo<sup>9,81</sup>, tātarapō<sup>54,81</sup>, tātarapū<sup>93</sup>
- Sturnus vulgaris** common starling<sup>52</sup>, tāringi<sup>99</sup>, European starling<sup>135</sup>, starling<sup>16</sup>
- Sula dactylatra** masked booby<sup>72</sup>, blue-faced booby<sup>52</sup>, masked gannet<sup>26</sup>, Tasman booby<sup>115</sup>, whistling booby<sup>86</sup>, white booby<sup>86</sup>
- Sula leucogaster** brown booby<sup>52</sup>, Brewster's booby<sup>86</sup>, brown gannet<sup>34</sup>, common booby<sup>86</sup>, white-bellied booby<sup>86</sup>
- Sula sula** red-footed booby<sup>137</sup>, red-legged gannet<sup>16</sup>; **S. s. rubripes** Indo-Pacific red-footed booby<sup>137</sup>; **S. s. websteri** eastern Pacific red-footed booby<sup>137</sup>
- Tachybaptus novaehollandiae** eastern little grebe<sup>88</sup>, little grebe<sup>113</sup>, tricolored grebe<sup>113</sup>; **T. n. novaehollandiae** Australasian little grebe<sup>79</sup>, tokitokipō<sup>93</sup>, Australasian grebe<sup>89</sup>, Australian dabchick<sup>86</sup>, Australian grebe<sup>135</sup>, Australian little grebe<sup>86</sup>, black-throated grebe<sup>86</sup>

- Tadorna tadornoides chestnut-breasted shelduck**<sup>73</sup>, Australian shelduck<sup>86</sup>, chestnut shelduck<sup>135</sup>, chestnut-coloured shelduck<sup>135</sup>, grunter<sup>135</sup>, mountain duck<sup>86</sup>, mountain shelduck<sup>135</sup>
- Tadorna variegata paradise shelduck**<sup>83</sup>, pūtangitangi<sup>5,7,81</sup>, New Zealand sheldrake<sup>19</sup>, painted duck<sup>85</sup>, paradise duck<sup>5,53</sup>, pari<sup>86</sup>, parrie<sup>113</sup>, pōoa duggie duggie<sup>11</sup>, pūpūtangi-ā-tama<sup>36,81,81</sup>, pūpūtangi-ā-toa<sup>36,81</sup>, pūtakitaki<sup>11,81</sup>, putangetangi<sup>14</sup>, putangitange<sup>15</sup>, pūtangitangi-ā-tama<sup>8,36,81,99</sup>, pūtangitangi-ā-toa<sup>8,36,81,99</sup>, pututangiatama<sup>7</sup>, Rangitata goose<sup>78</sup>, sheldrake<sup>28</sup>, variegated goose<sup>11</sup>
- Tereingaornis moisleyi Moisley's penguin**<sup>90</sup>
- Thalassarche** spp. toroa<sup>8,36</sup>, toroa teoteo<sup>81</sup>, totoria<sup>92</sup>
- Thalassarche bulleri Buller's albatross**<sup>34</sup>, toroa<sup>113</sup>, Buller's mollymawk<sup>52,72</sup>, white-capped mollymawk<sup>32</sup>; **T. b. bulleri** southern Buller's albatross<sup>101</sup>, toroa<sup>137</sup>, Snares Island mollymawk<sup>43</sup>, southern Buller's mollymawk<sup>86</sup>; **T. b. platei** northern Buller's albatross<sup>101</sup>, Chatham Island Buller's mollymawk<sup>82</sup>, hopo (ch)<sup>106</sup>, northern Buller's mollymawk<sup>86</sup>, Pacific albatross<sup>103</sup>, Pacific mollymawk<sup>106</sup>
- Thalassarche carteri Indian Ocean yellow-nosed albatross**<sup>111</sup>, Carter's mollymawk<sup>135</sup>, east Australian yellow-nosed mollymawk<sup>43</sup>, eastern yellow-nosed mollymawk<sup>119</sup>, Indian Ocean yellow-nosed mollymawk<sup>113</sup>, Indian yellow-nosed albatross<sup>103</sup>, Indian yellow-nosed mollymawk<sup>106</sup>, yellow-nosed albatross<sup>19</sup>, yellow-nosed mollymawk<sup>32</sup>
- Thalassarche cauta white-capped albatross**<sup>101,101</sup>, toroa<sup>113</sup>, Bounty Island mollymawk<sup>48</sup>, Layard's albatross<sup>35</sup>, shy albatross<sup>24</sup>, shy mollymawk<sup>58</sup>, white-capped mollymawk<sup>52,52</sup>; **T. c. cauta** Tasmanian albatross<sup>111</sup>, shy albatross<sup>113</sup>, Tasmanian mollymawk<sup>113</sup>, Tasmanian shy albatross<sup>124</sup>; **T. c. steadi** New Zealand white-capped albatross<sup>111</sup>, Auckland shy albatross<sup>124</sup>, New Zealand shy mollymawk<sup>88</sup>, New Zealand white-capped mollymawk<sup>88</sup>
- Thalassarche chlororhynchos Atlantic yellow-nosed albatross**<sup>111</sup>, Atlantic yellow-nosed mollymawk<sup>88</sup>, western yellow-nosed albatross<sup>135</sup>, western yellow-nosed mollymawk<sup>135</sup>, yellow-nosed albatross<sup>89</sup>, yellow-nosed mollymawk<sup>88</sup>
- Thalassarche chrysostoma grey-headed albatross**<sup>19</sup>, toroa<sup>113</sup>, Campbell Island flat-billed mollymawk<sup>43</sup>, flat-billed mollymawk<sup>48</sup>, grey-headed mollymawk<sup>32</sup>
- Thalassarche eremita Chatham Island albatross**<sup>101</sup>, toroa<sup>98</sup>, Chatham albatross<sup>103</sup>, Chatham Island mollymawk<sup>52</sup>, Chatham Islands mollymawk<sup>115</sup>, Chatham mollymawk<sup>113</sup>, hopo (ch)<sup>98</sup>
- Thalassarche impavida Campbell black-browed albatross**<sup>111</sup>, toroa<sup>24</sup>, Australian black-browed mollymawk<sup>43</sup>, black-browed mollymawk<sup>48</sup>, black-eyebrowed albatross<sup>19</sup>, Campbell albatross<sup>103</sup>, Campbell black-browed mollymawk<sup>135</sup>, Campbell Island albatross<sup>101</sup>, Campbell Island mollymawk<sup>113</sup>, Campbell Islands albatross<sup>115</sup>, Campbell Islands mollymawk<sup>115</sup>, Campbell mollymawk<sup>135</sup>, common mollymawk<sup>40</sup>, mollymawk<sup>16,32</sup>, New Zealand black-browed mollymawk<sup>72</sup>, toreia<sup>19</sup>, yellow-billed mollymawk<sup>56</sup>
- Thalassarche melanophris black-browed albatross**<sup>35</sup>, toroa<sup>81</sup>, black-browed mollymawk<sup>72</sup>, king gannet<sup>135</sup>
- Thalassarche salvini Salvin's albatross**<sup>34</sup>, toroa<sup>113</sup>, Bounty Island mollymawk<sup>43</sup>, grey-backed mollymawk<sup>32</sup>, Salvin's mollymawk<sup>72</sup>, shy albatross<sup>35</sup>, white-capped albatross<sup>59</sup>, white-capped mollymawk<sup>52</sup>
- Thalasseus bergii crested tern**<sup>48</sup>, Fijian crested tern<sup>43</sup>, great crested tern<sup>135</sup>, greater crested tern<sup>86</sup>, swift tern<sup>86</sup>, yellow-billed tern<sup>135</sup>
- Thalassoica antarctica Antarctic petrel**<sup>24</sup>
- Thinornis novaeseelandiae shore plover**<sup>48</sup>, tuturuatu<sup>19</sup>, Auckland Island plover<sup>40</sup>, doodooroo attoo<sup>11</sup>, kohutapu<sup>24</sup>, kukuruatu<sup>11</sup>, masked plover<sup>91</sup>, New Zealand plover<sup>11</sup>, New Zealand sand-plover<sup>19</sup>, New Zealand shore plover<sup>24,51</sup>, sand plover<sup>16</sup>, shore dotterel<sup>113</sup>, stone plover<sup>85</sup>, tuturuatu<sup>19</sup>
- Threskiornis molucca white ibis**<sup>86</sup>, Australian white ibis<sup>52</sup>
- Threskiornis spinicollis straw-necked ibis**<sup>115</sup>
- Todiramphus sanctus sacred kingfisher**<sup>52</sup>; **T. s. vagans** New Zealand kingfisher<sup>19</sup>, kōtare<sup>7,81</sup>, ghotarre<sup>11</sup>, kingfisher<sup>10,13</sup>, kōkare<sup>54,99</sup>, kōtarepopo<sup>5,11,36,81,93</sup>, kōtaretare<sup>6,7,8,7</sup>, kōtaritari<sup>5</sup>, kotoretarō<sup>11</sup>, native kingfisher<sup>33</sup>, New Zealand sacred kingfisher<sup>73</sup>, North Island kingfisher<sup>43</sup>, South Island kingfisher<sup>43</sup>, warehenga<sup>36</sup>
- Traversia lyalli Lyall's wren**<sup>101</sup>, Lyall's rockwren<sup>114</sup>, rock wren<sup>107</sup>, Stephen Island wren<sup>48</sup>, Stephens Island rockwren<sup>126</sup>, Stephens Island wren<sup>32,53,88</sup>
- Tribonyx hodgenorum Hodgens' waterhen**<sup>101</sup>, Hodgen's rail<sup>88</sup>, New Zealand gallinule<sup>73</sup>
- Tribonyx ventralis black-tailed native-hen**<sup>78,88</sup>, black-tailed waterhen<sup>48,135</sup>, gallinule<sup>135</sup>, swamphen<sup>135</sup>, turbo-chicken<sup>135</sup>, waterhen<sup>135</sup>
- Tringa brevipes grey-tailed tattler**<sup>72</sup>, ashen tringine sandpiper<sup>135</sup>, grey sandpiper<sup>135</sup>, grey-rumped sandpiper<sup>84</sup>, grey-rumped tattler<sup>73</sup>, Siberian tattler<sup>78</sup>
- Tringa flavipes lesser yellowlegs**<sup>79</sup>, yellowshank<sup>86</sup>
- Tringa incana wandering tattler**<sup>52</sup>, Alaskan tattler<sup>78</sup>, American grey-rumped sandpiper<sup>86</sup>, American tattler<sup>86</sup>, grey sandpiper<sup>24</sup>
- Tringa nebularia common greenshank**<sup>94</sup>, greenshank<sup>34</sup>
- Tringa stagnatilis marsh sandpiper**<sup>78</sup>, little greenshank<sup>78</sup>

- Turdus merula** Eurasian blackbird<sup>111</sup>, manu pango<sup>93</sup>, blackbird<sup>16,22</sup>, common blackbird<sup>108</sup>, merle<sup>22</sup>
- Turdus philomelos** song thrush<sup>16,35</sup>, manu-kai-hua-rakau<sup>92</sup>, English thrush<sup>44</sup>, mavis<sup>86</sup>, piopio<sup>122</sup>, thrush<sup>22</sup>
- Turnagra capensis & Turnagra tanagra**, kakaroeo<sup>85</sup>, keropia<sup>11,85</sup>, kohu eou<sup>11,85</sup>, korohea<sup>19,36</sup>, korokio<sup>54</sup>, koropio<sup>10,24</sup>, native thrush<sup>16,68</sup>, New Zealand native thrush<sup>108</sup>, New Zealand thrush<sup>78</sup>, piopio<sup>5,6,7,8,11,16</sup>, piopio-kata<sup>122,135</sup>, thrush<sup>10,14</sup>, tiotio<sup>7,54</sup>, tiotio-kata<sup>135</sup>, titiu<sup>6,7,8,54,81</sup>, titiukata<sup>19,36</sup>
- Turnagra capensis** South Island piopio<sup>73</sup>, piopio<sup>7</sup>, golobieo<sup>11</sup>, kakaroeo<sup>11</sup>, korowhio<sup>92</sup>, South Island thrush<sup>19,35</sup>, thick-billed thrush<sup>11</sup>; **T. c. minor** Stephens Island piopio<sup>111</sup>
- Turnagra tanagra** North Island piopio<sup>73</sup>, piopio<sup>6,9</sup>, korowhe<sup>58</sup>, North Island thrush<sup>19</sup>
- Tyto alba** barn owl<sup>73</sup>; **T. a. delicatula** Australian barn owl<sup>72</sup>, delicate owl<sup>86</sup>, eastern barn owl<sup>113</sup>, lesser masked owl<sup>86</sup>, screech owl<sup>78</sup>, white owl<sup>178</sup>
- Vanellus miles** masked lapwing<sup>91</sup>, Australian masked plover<sup>24</sup>, masked plover<sup>88</sup>; **V. m. novaehollandiae** spur-winged plover<sup>43</sup>, spur-wing<sup>135</sup>
- Waimanu manneringi** Mannerling's penguin<sup>111</sup>
- Xenicus gilviventris** rock wren<sup>16,19</sup>, pīwauwau<sup>113</sup>, alpine rock wren<sup>105,114</sup>, alpine wren<sup>43</sup>, Fiordland rock wren<sup>73</sup>, hurupounamu<sup>99</sup>, mātuhui<sup>113</sup>, mātuhituhui<sup>134</sup>, mātuitui<sup>99</sup>, mountain wren<sup>14</sup>, New Zealand rock wren<sup>104,114</sup>, northern rock wren<sup>119</sup>, rock wren “northern”<sup>119</sup>, rock wren “southern”<sup>119</sup>, South Island wren<sup>110</sup>, southern rock wren<sup>119</sup>, tuke<sup>113</sup>
- Xenicus jagmi** North Island stout-legged wren<sup>88</sup>, Grant-Mackie's wren<sup>90</sup>, stout-legged wren<sup>101</sup>
- Xenicus longipes** bush wren<sup>19,48,114</sup>, mātuhituhui<sup>19,81</sup>, e-tekte tee pomou<sup>11</sup>, green wren<sup>16</sup>, heno<sup>92</sup>, hino<sup>92</sup>, hurupounamu<sup>19,54</sup>, kakaruai<sup>10</sup>, kōtipatipa<sup>93</sup>, long-legged warbler<sup>11</sup>, longlegged wren<sup>10</sup>, mātuhui<sup>36,109</sup>, mātuitui<sup>99</sup>, mirō-mirō<sup>11</sup>, momotawai<sup>38</sup>, New Zealand bush wren<sup>104</sup>, pīwauwau<sup>19,81</sup>, puano<sup>24</sup>, rifleman<sup>16</sup>, rock wren<sup>16</sup>, stripe-faced wren<sup>16</sup>, toirua<sup>38</sup>, Tom Thumb bird<sup>78</sup>, white-legged wren<sup>85</sup>, wren<sup>14</sup>; **X. l. stokesii** North Island bush wren<sup>43</sup>, matuhituhui<sup>14</sup>, North Island wren<sup>34</sup>; **X. l. longipes** South Island bush wren<sup>43</sup>; **X. l. variabilis** Stead's bush wren<sup>72</sup>, Stewart Island bush wren<sup>73</sup>
- Xenicus yaldwyni** South Island stout-legged wren<sup>88</sup>, stout-legged wren<sup>101</sup>, Yaldwyn's wren<sup>90</sup>
- Xenus cinereus** Terek sandpiper<sup>72</sup>, avocet sandpiper<sup>86</sup>
- Zapornia pusilla** Baillon's crake<sup>91</sup>, Baillon's rail<sup>115</sup>; **P. p. affinis** marsh crake<sup>52</sup>, kotoreke<sup>36</sup>, kāreke<sup>36,81</sup>, koikoiareke<sup>54</sup>, koitareke<sup>19</sup>, koitareki<sup>14</sup>, kōkōreke<sup>6,8,36,81</sup>, koreke<sup>36</sup>, kōriki<sup>81</sup>, little crake<sup>53</sup>, marsh rail<sup>24,32</sup>, moho katatai<sup>10</sup>, moho patatai<sup>11</sup>, patatai<sup>9</sup>, popotai<sup>9</sup>, spotted rail<sup>16</sup>, swamp-crake<sup>30</sup>, swamp rail<sup>14</sup>, tārere<sup>81</sup>, toitoi<sup>92</sup>, water crake<sup>19,85</sup>
- Zapornia tabuensis** spotless crake<sup>52</sup>, pūweto<sup>6,8,39</sup>, black rail<sup>14</sup>, blue rail<sup>16</sup>, kueto<sup>54</sup>, kuiato<sup>54</sup>, kūweto<sup>7,8,36</sup>, mehotatai<sup>11</sup>, moakerua<sup>7</sup>, moakoru<sup>7</sup>, moho pereru<sup>10</sup>, moho periru<sup>9</sup>, motarua<sup>9</sup>, Polynesian rail<sup>56</sup>, pūeto<sup>19,81</sup>, pūetoeto<sup>7,8,81</sup>, puheto<sup>54</sup>, puketo<sup>85</sup>, pūtoto<sup>14,81</sup>, pūwetoweto<sup>36,81</sup>, puwheto<sup>54</sup>, slate-colored rail<sup>12</sup>, sooty rail<sup>78</sup>, spotless rail<sup>58</sup>, swamp crake<sup>19,28</sup>, swamp rail<sup>24,32</sup>, Tabuan rail<sup>11</sup>, tītitipō<sup>54,81</sup>, totoriawai<sup>9</sup>
- Zosterops lateralis** silvereye<sup>19,43,52</sup>, tauhou<sup>14,32,81</sup>, blightbird<sup>14,16,54</sup>, blightie<sup>78</sup>, chestnut flanked white-eye<sup>113</sup>, gold-eye<sup>47</sup>, grey-breasted silver-eye<sup>53</sup>, hiraka<sup>24</sup>, iringatau<sup>19</sup>, kanohi mōwhiti<sup>14,19,93,134</sup>, kanohi-mowhitiwhiti<sup>54</sup>, karu-hiriwha<sup>19</sup>, karu-patene<sup>19</sup>, karu-ringi<sup>24</sup>, mōtengitengi<sup>81</sup>, motingitingi<sup>7,24</sup>, mowhiti<sup>54</sup>, mowhitiwhiti<sup>54</sup>, notingitingi<sup>36</sup>, pihipihi<sup>6,8,36</sup>, pīkariahi<sup>81</sup>, poporehe<sup>99</sup>, poporohē<sup>19</sup>, ring-eye<sup>54,92</sup>, stranger<sup>85</sup>, tauhau<sup>14</sup>, titiri pounamu<sup>92</sup>, twinkie<sup>47</sup>, waxeye<sup>16,42,44</sup>, whiorangi<sup>24</sup>, white-eye<sup>13,16</sup>

## References

- <sup>1</sup>J. Latham 1782, <sup>2</sup>J. Latham 1783, <sup>3</sup>J. Latham 1785, <sup>4</sup>McCormick 1842, <sup>5</sup>J.E. Gray 1843, <sup>6</sup>W. Williams 1844, <sup>7</sup>R. Taylor 1848, <sup>8</sup>W. Williams 1852, <sup>9</sup>R. Taylor 1855, <sup>10</sup>Ellman 1861, <sup>11</sup>G.R. Gray 1862, <sup>12</sup>Buller 1869, <sup>13</sup>F. Hutton 1869, <sup>14</sup>Anon. 1870, <sup>15</sup>R. Taylor [1870], <sup>16</sup>F. Hutton 1871, <sup>17</sup>Potts 1872b, <sup>18</sup>Potts 1872c, <sup>19</sup>Buller 1872–73, <sup>20</sup>Potts 1873, <sup>21</sup>Buller 1875b, <sup>22</sup>Potts 1882, <sup>23</sup>Reischek 1885, <sup>24</sup>Buller 1887–88, <sup>25</sup>Cheeseman 1888b, <sup>26</sup>Cheeseman 1889, <sup>27</sup>Reischek 1889, <sup>28</sup>W. Smith 1889, <sup>29</sup>A. Shand 1895, <sup>30</sup>Handly 1896, <sup>31</sup>Pycroft 1899, <sup>32</sup>F. Hutton & Drummond 1904, <sup>33</sup>Fulton 1904, <sup>34</sup>Buller 1905–06, <sup>35</sup>Ogilvie-Grant 1905, <sup>36</sup>H.W. Williams 1906, <sup>37</sup>J. McLean 1907, <sup>38</sup>E. Best 1909, <sup>39</sup>F. Hutton & Drummond 1909, <sup>40</sup>Waite 1909, <sup>41</sup>Fulton 1910, <sup>42</sup>Guthrie-Smith 1910, <sup>43</sup>Mathews & Iredale 1913, <sup>44</sup>Guthrie-Smith 1914, <sup>45</sup>Anon. 1917, <sup>46</sup>Guthrie-Smith 1921, <sup>47</sup>Thomson 1922, <sup>48</sup>Oliver 1923, <sup>49</sup>Archey & Lindsay 1924, <sup>50</sup>Guthrie-Smith 1925, <sup>51</sup>Mathews 1930b, <sup>52</sup>Oliver 1930, <sup>53</sup>Mathews 1931, <sup>54</sup>J. Walker [1931], <sup>55</sup>Mathews 1934b, <sup>56</sup>Guthrie-Smith 1936, <sup>57</sup>Mathews 1936b, <sup>58</sup>Moncrieff 1936, <sup>59</sup>R. Murphy 1936, <sup>60</sup>Fleming 1939a, <sup>61</sup>Fleming 1939b, <sup>62</sup>Richdale 1941, <sup>63</sup>Richdale [1942], <sup>64</sup>Richdale 1943, <sup>65</sup>Richdale 1944, <sup>66</sup>Richdale [1945], <sup>67</sup>Richdale [1948], <sup>68</sup>Richdale [1949], <sup>69</sup>Richdale [1950], <sup>70</sup>Buddle 1951, <sup>71</sup>Sorensen 1951, <sup>72</sup>Checklist Committee 1953, <sup>73</sup>Oliver 1955, <sup>74</sup>H.W. Williams 1957, <sup>75</sup>Phillipps 1958, <sup>76</sup>Westerskov 1960, <sup>77</sup>Bailey & Sorensen 1962, <sup>78</sup>Falla *et al.* 1966, <sup>79</sup>Checklist Committee 1970, <sup>80</sup>Falla *et al.* 1970, <sup>81</sup>H.W. Williams 1971, <sup>82</sup>Soper 1976, <sup>83</sup>Checklist Committee 1980, <sup>84</sup>Falla *et al.* 1981, <sup>85</sup>Fleming 1982, <sup>86</sup>C. Robertson 1985, <sup>87</sup>Holdaway 1989, <sup>88</sup>Checklist Committee 1990, <sup>89</sup>Marchant & Higgins 1990, <sup>90</sup>B. Gill & Martinson 1991, <sup>91</sup>Marchant & Higgins 1993, <sup>92</sup>Beattie 1994, <sup>93</sup>Ryan 1995, <sup>94</sup>Heather & Robertson 1996, <sup>95</sup>Higgins & Davies 1996, <sup>96</sup>Ngāi Tahu 1998, <sup>97</sup>Higgins 1999, <sup>98</sup>Department of Conservation 1999, <sup>99</sup>A. Crowe 2001, <sup>100</sup>Higgins *et al.* 2001, <sup>101</sup>Holdaway *et al.* 2001, <sup>102</sup>Higgins & Peter 2002, <sup>103</sup>Shirihai 2002, <sup>104</sup>Worthy & Holdaway 2002, <sup>105</sup>Dickinson 2003, <sup>106</sup>Aikman & Miskelly 2004, <sup>107</sup>Medway 2004d, <sup>108</sup>Higgins *et al.* 2006, <sup>109</sup>Tennyson & Martinson 2006, <sup>110</sup>BirdLife International 2007, <sup>111</sup>Checklist Committee 2010, <sup>112</sup>Ewen *et al.*

2013, <sup>113</sup>Scofield & Stephenson 2013, <sup>114</sup>Dickinson & Christidis 2014, <sup>115</sup>Heather & Robertson 2015, <sup>116</sup>Deppe *et al.* 2017, <sup>117</sup>Rawlence, Kardamaki *et al.* 2017, <sup>118</sup>Rawlence, Till *et al.* 2017, <sup>119</sup>H. Robertson *et al.* 2017, <sup>120</sup>E. Bell *et al.* 2018, <sup>121</sup>Clements *et al.* 2019, <sup>122</sup>Te Papa 2019, <sup>123</sup>Wehi *et al.* 2019, <sup>124</sup>S. Howell & Zufelt 2019, <sup>125</sup>E. Bell *et al.* 2020, <sup>126</sup>Handbook of the Birds of the World and BirdLife International 2020, <sup>127</sup>Galla *et al.* 2020, <sup>128</sup>Evans 2021, <sup>129</sup>Fischer *et al.* 2021, <sup>130</sup>Forsdick *et al.* 2021, <sup>131</sup>Friesen *et al.* 2021, <sup>132</sup>F. Gill *et al.* 2021, <sup>133</sup>He Pātaka Kupu 2021, <sup>134</sup>Māori Dictionary 2003–21, <sup>135</sup>Miskelly 2013–21, <sup>136</sup>Predator Free NZ 2022, <sup>137</sup>Checklist Committee 2022 (this publication).