

NOTORNIS

QUARTERLY JOURNAL

of the

Ornithological Society of New Zealand

(Incorporated)



VOLUME ELEVEN: 1964

INDEX TO VOLUME ELEVEN

- Acanthisitta chloris chloris* see Rifleman, South Island.
Adeola ibis see Egret, Cattle.
Alauda arvensis see Skylark.
 Albatross, Light-mantled Sooty, 70.
 Royal, 69.
 Wandering, 69.
Anarhynchus frontalis see Wrybill.
Anas castanea chlorotis see Teal, Brown.
Anas platyrhynchos platyrhynchos see Mallard.
Anas superciliosa superciliosa see Duck, Grey.
Anous stolidus see Noddy, Common.
 temuirostris minutus see Noddy, White-capped.
Anthornis melanura melanura see Bellbird.
Anthus novaeseelandiae novaeseelandiae see Pipit, New Zealand.
Apus pacificus pacificus see Swift, Fork-tailed.
 Atkinson, I. A. E., Feeding stations and food of North Island Saddleback in August, 93-97.
 Auditors (Chambers, Worth & Chambers), 55.
 Balance Sheet (1964), 54; Card Committee's (1964), 56.
 Bell, B. D., Greenshanks at Farewell Spit, 51.
 Bellbird, 37-38, 127, 128, 174.
 Bittern, Little, 195.
 Blackbird, 40-41, 80, 127, 128, 174.
 Blackburn, A., Review, 60; Long Swim by North Island Weka, 51; The Kermadecs Expedition, 67-68; Some observations on behaviour of North Island Saddleback in August, 87-92; Kermadecs Expedition, 192-193.
 Blanshard, R. H., Brown Teal at Little Barrier Island, 49-51.
 Boeson, B. W., Cattle Egret at Masterton, 135-136.
 Booby, Blue-faced see Booby, Masked.
 Brown, 75, 152, 170.
 Masked, 74, 152.
 Bourne, W. R. P., The relationship between Magenta Petrel and Chatham Island Taiko, 139-144.
Bowdleria punctata punctata see Fernbird, South Island.
Bulweria sp. see Petrel, Bulwers.
 Burland, J. C., Some notes on the bird life of Palmerston Atoll, 145-154.
Cacomantis pyrrhophanus prionurus see Cuckoo, Eastern Australian Fan-tailed.
Calidris acuminata see Sandpiper, Siberian Pectoral.
 canutus rogersi see Knot.
 ferruginea see Sandpiper, Curlew.
Callaeas cinerea see Kokako.
 Card Committee, Income and Earned Surplus (1964), 56; Balance Sheet (1964), 56; Report (1963-64), 57.
Carduelis carduelis britannica see Goldfinch.
 flammea cabaret see Redpoll, Lesser.
 flammea flammea see Redpoll, Mealy.
 Chaffinch, 127, 128, 175.
Chalcites lucidus lucidus see Cuckoo, Shining.
 Chambers, B. S., Card Committee Report (1963-64), 57.
 Chambers, Worth & Chambers (Auditors), 55.
 Chapman, Graeme, Satin Flycatcher, 35.

- Charadrius asiaticus veredus* see Dotterel, Oriental.
bicinctus see Dotterel, Banded.
dominicus fulvus see Plover, Pacific Golden.
leschenaulti see Dotterel, Large Sand.
- Checklist Committee, 57.
 Chicken Islands, 161 see also Hen and Chicken Islands.
 Child, Peter, Black-fronted Terns on West Coast, 136.
Chlidonias hybrida albostratus see Tern, Black-fronted.
leucopterus see Tern, White-winged Black.
- Circus approximans approximans* see Harrier, Fiji.
approximans gouldi see Harrier, Australasian.
- Claridge, J. C. R., Nest Records Scheme report (1964), 58.
- Coot, Australian, in Rotorua District, 82-86.
- Corvus sp.* see Raven, Australian.
- Crane, Spotless, 76.
- Cuckoo, Eastern Australian Fan-tailed, first New Zealand record, 108.
 Long-tailed, 79, 128, 154.
 Oriental, on West Coast, 130-133.
 Shining, 79, 172.
- Cuculus saturatus horsfieldi* see Cuckoo, Oriental.
- Curlew, Bristle-thighed, 153.
- Cyanoramphus auriceps auriceps* see Parakeet, Yellow-crowned.
novaezelandiae cyanurus see Parakeet, Kermadec.
novaezelandiae novaezelandiae see Parakeet, New Zealand.
- Daption capensis capensis* see Pigeon, Cape.
- Davis, Miss M. M., Field Study Week-end, Canterbury (1963), 61.
- Dawson, David G., Heaphy Track Survey, 127; Eggs of the House Sparrow, 187-189.
- Diomedea cauta cauta* see Mollymawk, White-capped.
epomophora see Albatross, Royal.
exulans exulans see Albatross, Wandering.
melanophris see Mollymawk, Black-browed.
- Dotterel, Banded, 77.
 Oriental, 77.
- Duck, Grey, 75.
- Ducula pacifica* see Pigeon, Pacific Fruit.
- Dunnock see Sparrow, British Hedge.
- Edgar, A. T., Recording Scheme report (1963-64), 59.
- Egret, Cattle, 86, 135-136, 194.
 Little, 135.
- Egretta garzetta* see Egret, Little.
sacra sacra see Heron, Blue.
- Emberiza citrinella citrinella* see Yellow Hammer.
- Eudynamis taitensis* see Cuckoo, Long-tailed.
- Eudyptula minor novaehollandiae* see Penguin, Northern Blue.
- Evans, Enid A., Librarian's report (1963-64), 53.
- Falco novaeseelandiae* see Falcon, New Zealand.
- Falcon, New Zealand, 171.
- Valla, R. A., The Porirua Yellowlegs, 104-106; Obituary — Major R. A. Wilson, 195.
- Fantail, North Island, 173.
 South Island, 127-128, 195.
- Fernbird, South Island, 128.
- Field Study Week-end, Canterbury (1963), 61.
 New Plymouth, 190-191.

- Finlay, F. J., Annual Field Study week-end, New Plymouth (1964), 190-191.
- Flycatcher, Satin, 35.
- Fordham, R. A., Breeding Biology of the Southern Black-backed Gull, 3-34, 110-126.
- Fregata* sp. see Frigate Bird sp.
- minor* see Frigate Bird, Greater.
- Frigate Bird, sp., 75.
- Greater, 146.
- Fringilla coelebs gengleri* see Chaffinch.
- Fulica atra australis* see Coot, Australian.
- Gallinula chloropus indica* see Water Hen, Indian.
- Gallirallus australis australis* see Weka, Western.
- australis greyi* see Weka, North Island.
- Gannet, Australian, 74, 170.
- Gerygone igata* see Warbler, Grey.
- Godwit, Eastern Bar-tailed, 77.
- Goldfinch, 81.
- Grant, P., Cattle Egret near Greymouth, 86; Oriental Cuckoo at Kaihiku, West Coast, 130-133; Little Egrets at Greymouth, 135.
- Greenshank, 51.
- Gull, Red-billed, 78, 81, 171.
- Southern Black-backed, pre-egg and egg stage, 3-34; 77; Incubation and chick stage, 110-126, 171.
- Gygis alba royana* see Tern, White.
- Haematopus ostralegus finschi* see Oystercatcher, South Island Pied.
- Halycon sancta vagans* see Kingfisher, New Zealand.
- Harrier, Australasian, 171.
- Fiji, 75.
- Heaphy Track, birds of, 127-129.
- Heather, B. D., White-winged Black Tern in inland Southland, 63.
- Hemiphaga novaeseelandiae novaeseelandiae* see Pigeon, New Zealand.
- Hen Island, place names on, 182.
- Hen and Chicken Islands, Birds of, 159-176, Map, 160.
- Henderson, L. E., Welcome Swallow in Southland, 106.
- Heron, Blue, 75, 153, 171.
- Heteroscelus incanus incanus* see Tattler, Wandering.
- Hirundo neoxena* see Swallow, Welcome.
- Howard, P. J. (et al.), Reported Little Bittern at Meremere, 195.
- Hydroprogne caspia* see Tern, Caspian.
- Income and Earned Surplus, Card Committee (1964), 56.
- Income and Expenditure (1964), 55.
- Ixobrychus minutus novaezealandiae* see Bittern, Little.
- Jackson, R., & H. Lyall, An account of the Australian Coot in Rotorua District, 82-86.
- Jones, E. B., Cattle Egrets near Levin, 194.
- Kaka, North Island, 172.
- Kea, 128.
- Kendrick, J. L., Observations on song of North Island Saddleback, 98-99; (et al.), Reported Little Bittern at Meremere, 195.
- Kermadec Islands, Birds of, 69-81.
- Kermadecs Expedition, 67-68, 192-193.

Kingfisher, New Zealand, 80, 173.
Knot, 77.
Kokako, 41-42.

Larus dominicanus see Gull, Southern Black-backed.
novae-hollandiae scopulinus see Gull, Red-billed.

Librarian's Report (1963-64), 53.

Limosa lapponica baueri see Godwit, Eastern Bar-tailed.

Lindsay, C. J., & R. G. Ordish Food of the Morepork, 154-158.

Lobibyx novae-hollandiae see Plover, Spur-winged.

Lyall, H., Two forms of Redpoll in high country, 126; (and R. Jackson),
An account of the Australian Coot in Rotorua District, 82-86.

McCann, C., Observations on tongues of some New Zealand Birds, 36-45;
Greenfinch-like Sparrows, 134; Tongues of Pukeko and
Takahe compared, 183-186.

MacDonald, Maurice G., Marsh Sandpiper in South Taranaki, 133-134.

McKenzie, H. R., Treasurer's report (1963-64), 57; (and Mrs. Juliet
Urquhart), Little Whimbrel in Manukau Harbour,
99; (et al.), Reported Little Bittern at Meremere, 195.

McKenzie, Norman, Reported first sighting of Lesser Yellowlegs in New
Zealand — I. At Napier, 100.

Macronectes giganteus see Petrel, Giant.

Mallard, 171.

Meeting, Annual General, 53.

Megapodius sp. see Mound Bird.

Molly-mawk, Black-browed, 69.

White-capped, 69.

Morepork, Food of, 154-158; 173.

Mound Bird, 76.

Muttonbird, see Shearwater, Sooty.

Myiagra cyanoleuca see Flycatcher, Satin.

Nelly, see Petrel, Giant.

Nest Records Scheme, report (1964), 58; Notice, 196.

Nestor meridionalis septentrionalis see Kaka, North Island.
notabilis see Kea.

Ninox novaeseelandiae novaeseelandiae see Morepork.

Noddy, Common, 147.

White-capped, 79.

Notices, 63, 196.

Notornis, tongue comparison with Pukeko, 183-186.

Notornis mantelli see Notornis.

Numenius minutus see Whimbrel, Little.

phaeopus variegatus see Whimbrel, Asiatic.

tahitiensis see Curlew, Bristle-thighed.

Obituary — Major R. A. Wilson, 195.

Okareka, Lake, Map 82.

Ordish, R. G., & C. J. Lindsay, Food of the Morepork, 154-158.

Oystercatcher, South Island Pied, 127.

Pachyptila belcheri see Prion, Narrow-billed.

desolata desolata see Prion, Antarctic.

turtur see Prion, Fairy.

Palmerston Atoll, birds of, 145-154.

- Parakeet, Kermadec, 79.
 New Zealand, 172.
 Yellow-crowned, 172.
- Pelagodroma marina albiclunis* see Storm Petrel, Kermadec.
- Pelecanoides urinatrix* see Petrel, Northern Diving.
- Penguin, Northern Blue, 165.
- Peterson, O., 109.
- Petrel, Black-capped see Petrel, Sunday Island.
 Black-winged, 73.
 Cook's, 72-73.
 Giant, 70.
 Grey-faced, 71, 168.
 Kermadec, 72.
 Magenta, relationship with Chatham Island Taiko, 139-144.
 Northern Diving, 170.
 Phoenix, 72.
 Pycroft's, 169.
 Sunday Island, 71.
- Petroica macrocephala toitoi* see Tit, Pied.
- Phaethon aethereus* see Tropic Bird, White-tailed.
rubricauda roseotincta see Tropic Bird, Red-tailed.
- Phalacrocorax melanoleucos brevirostris* see Shag, White-throated.
sulcirostris see Shag, Little Black.
varius varius see Shag, Pied.
- Philesturnus carunculatus rufusater* see Saddleback, North Island.
- Phoebastria palpebrata* see Albatross, Light-mantled Sooty.
- Pigeon, Cape, 70.
 New Zealand, 79, 127, 172.
 Pacific Fruit, 153.
- Piopio, South Island see Thrush, South Island.
- Pipit, New Zealand, 80, 128, 174.
- Plover, Pacific Golden, 76, 153.
 Spur-winged, 129.
 Wrybilled see Wrybill.
- Poppelwell, W. T., Gull and octopus, 81.
- Porphyrio porphyrio melanotus* see Pukeko.
- Porzana tabuensis plumbea* see Crake, Spotless.
- Prion, Antarctic, 70.
 Fairy, 70, 165.
 Narrow-billed, 70, 165.
- Procelsterna cerulea albigutta* see Ternlet, Grey.
- Prosthemadera novaeseelandiae novaeseelandiae* see Tui.
- Prunella modularis occidentalis* see Sparrow, British Hedge.
- Pterodroma alba* see Petrel, Phoenix.
cooki cooki see Petrel, Cook's.
externa cervicalis see Petrel, Sunday Island.
hypoleuca nigripennis see Petrel, Black-winged.
longirostris pycrofti see Petrel, Pycroft's.
macroptera gouldi see Petrel, Grey-faced.
magentae see Petrel, Magenta.
neglecta see Petrel, Kermadec.
- Puffinus assimilis haurakiensis* see Shearwater, North Island Allied.
bulleri see Shearwater, Buller's.
carneipes huiianus see Shearwater, Flesh-footed.
gavia gavia see Shearwater, Fluttering.
griseus see Shearwater, Sooty.
nativitatus see Shearwater, Christmas Island.

- pacificus pacificus* see Shearwater, Wedge-tailed.
tenuirostris see Shearwater, Short-tailed.
 Pukeko, 76; tongue comparison with Takahe, 183-186.
- Rail, New Zealand Banded, 76.
Rallus philippensis assimilis see Rail, New Zealand Banded.
 Raven, Australian, 176.
 Recording Scheme report (1963-64), 59.
 Redpoll, Lesser, 81, 126, 128.
 Mealy, 126.
 Regional Organisers (1964-65), 62.
 Review, 'Book of the Huia' by W. J. Phillips, 60.
Rhipidura fuliginosa fuliginosa see Fantail, South Island.
 fuliginosa placabilis see Fantail, North Island.
 Rifleman, South Island, 128.
 Rowe, E. K. S., & E. G. Turbott, Spur-winged Plover breeding in Canterbury, 129.
- Saddleback sp., 38-39.
 North Island, behaviour, 87-92; feeding and food, 93-97;
 song, 98-99; 175; population on Hen Island, 176-182.
- Sandpiper, Curlew, 77.
 Marsh, 133-134.
 Siberian Pectoral, 77.
- Shag, Little Black, 75.
 Pied, 170.
 White-throated, 171.
- Shearwater, Buller's, 166.
 Christmas Island, 152.
 Flesh-footed, 63, 166.
 Fluttering, 167.
 Kermadec Allied, 71.
 North Island Allied, 168.
 Short-tailed, 70, 167.
 Sooty, Wreck of, 46-48, 167.
 Wedge-tailed, 70.
- Silvereye see White-eye.
- Skegg, P. D. G., Birds of the Hen and Chicken Islands, 159-176;
 Population estimate of the North Island Saddleback
 on Hen Island, 176-182; Place names on Hen I., 182.
- Skylark, 80, 128.
- Somes Island, Maps, 4, 6, 8.
- Soper, M. F., Plumage of Black Fantail, 195.
- Sorenson, J. H., Birds of the Kermadec Islands, 69-81.
- Sparrow, British Hedge, 127, 174.
 House, 134, 175; eggs of, 187-189.
- Starling, 40, 81, 175.
- Sterna bergii cristata* see Tern, Crested.
 fuscata see Tern, Sooty.
 striata see Tern, White-fronted.
- Stonehouse, Dr. Bernard, A wreck of juvenile Sooty Shearwaters in South Canterbury, 46-48.
- Storm Petrel, Kermadec, 73-74.
- Sturnus vulgaris* see Starling.
- Sula bassana serrator* see Gannet, Australian.
 leucogaster plotus see Booby, Brown.
 pactylatra personata see Booby, Masked.

- Swallow, Welcome, 106, 193.
 Swift, Fork-tailed, 108, 109.
- Taiko, Chatham Island, relationship with Magenta Petrel, 139-144.
 Takahe see Notornis.
 Tattler, Wandering, 77, 153.
 Teal, Brown, Little Barrier Island occurrences, 49-51.
 Tern, Black-fronted, 136.
 Caspian, 78, 171.
 Crested, 78-79.
 Sooty, 79, 152.
 White, 79, 152.
 White-fronted, 171.
 White-winged Black, 63.
 Ternlet, Grey, 78.
 Thrush, Song, 80, 127-128, 173.
 South Island, 144.
 Tit, Pied, 127, 173.
Totanus melanoleuca see Yellowlegs, Greater.
 Treasurer's report (1963-64), 57.
Tringa flavipes see Yellowlegs, Lesser.
 nebularia see Greenshank.
 stagnatilis see Sandpiper, Marsh.
 Tropic Bird, Red-tailed, 73, 149.
 White-tailed, 151.
 Tui, 36-37, 80, 127, 174.
 Tunnicliffe, G. A., Reported first sightings of Lesser Yellowlegs in New Zealand, 2; At Lake Ellesmere, 103-104.
 Turbott, E. G. & Rowe, B. K. S., Spur-winged Plover Breeding in Canterbury, 129; (and R. J. Scarlett) Australian stragglers in New Zealand with first record of the Fan-tailed Cuckoo, 107.
Turdus ericetorum see Thrush, Song.
 merula see Blackbird.
Turnagra capensis capensis see Thrush, South Island.
- Urquhart, Mrs. Juliet, & H. R. McKenzie, A Little Whimbrel in Manukau Harbour, 99.
- Warbler, Grey, 128, 173.
 Water Hen, Indian, 107.
 Weka, North Island, 51.
 Western, 128.
 Whalebird see Prion, Antarctic.
 Whimbrel, Asiatic, 77.
 Little, 99.
 White-eye, 80, 127-128, 175.
 Williams, M. J., Flesh-footed Shearwater at New Plymouth, 63.
 Wilson, Major R. A. (Obituary), 195.
 Wright, A., Welcome Swallows at the Brothers, 193.
- Yellowhammer, 81.
 Yellowlegs, Greater, 104-106.
 Lesser, at Napier, 100-103; at Lake Ellesmere, 103-104; at Porirua, 104-106.
- Zosterops lateralis* see White-eye.