


NOTORNIS

Ornithology of the Southern Pacific



Volume 52 2005

Journal of the Ornithological Society of New Zealand

NOTORNIS

Contents of Volume 52, 2005

Volume 52, Part 1, March 2005

CONTENTS

Papers

Roost habitat of a North Island blue duck (<i>Hymenolaimus malacorhynchos</i>) population	Baillie, B.R.; Glaser, A.B.	1
The second census of Chatham Island shag and Pitt Island shag — are numbers declining?	Bester, A.D.; Charteris, M.	6
Translocation of fluttering shearwater (<i>Puffinus gavia</i>) chicks to create a new colony	Bell, M.; Bell, B.D.; Bell, E.A.	11
The further spread of introduced birds in Samoa	McAllen, I.A.W.; Hobcroft, D.	16
Forest birds recolonising Wellington	Miskelly, C.; Empson, R.; Wright, K.	21
Population status of great spotted kiwi (<i>Apteryx haastii</i>) near Saxon Hut, Heaphy Track, New Zealand	Robertson, H.A.; McLennan, J.A.; Colbourne, R.M. McCann, T.J.	27
The distribution and numbers of Australasian crested grebe (kamana) in New Zealand, January 2004	Jensen, L.A.; Snoyink, R.J.	34
A scientific name for fulmar priors nesting at Auckland and Heard Islands	Tennyson, A.J.D.; Bartle, J.A.	47

Short notes

Spread of Australasian pipit (<i>Anthus novaeseelandiae</i>) onto Campbell Island following eradication of Norway rats (<i>Rattus norvegicus</i>)	Thompson, D.R.; Bearhop, S.; Ross, B.	43
Kermadec petrels (<i>Pterodroma neglecta</i>) in the Atlantic Ocean — a rebuttal	Tove, M.H.	56

Letter

A response to M. Tove's rebuttal of Imber (2004)	Imber, M.J.	58
--	-------------	----

Noticeboard

60

Volume 52, Part 2, June 2005

CONTENTS

Papers

Maggie interactions with other birds in New Zealand: results from a literature review and public survey	Morgan, D.; Waas, J.; Innes, J.	61
Rockhopper penguin (<i>Eudyptes chrysocome filholi</i>) foraging at Antipodes Islands	Sagar, P.M.; Murdoch, R.; Sagar, M.W.; Thompson, D.R.	75
Capture and handling of saddlebacks during pre-nesting does not affect timing of egg-laying or reproductive success	Jamieson, I.G.; Grant, J.L.; Beaver, B.M.	81
Distribution, abundance, habitat use and behaviour of three <i>Procellaria</i> petrels off South America	Spear, L.B.; Ainley, D.G.; Webb, S.W.	88

Short notes

Egg predation by South Island kaka (<i>Nestor meridionalis</i>)	Winn, J.M. ; Holdaway, R.N.	106
Using isotopic analysis to identify incorporation of marine nutrients in terrestrial birds at Snares Islands	Hawke, D.J.; Newman, J.	108
Feeding association of tui (<i>Prosthemadera n. novaeseelandiae</i>) with North Island kaka (<i>Nestor meridionalis septentrionalis</i>)	Medway, D.G.	111
Comparing anting hypothesis predictions to observations of behaviour in a North Island robin (<i>Petroica australis longipes</i>)	Berggren, A.	112
Prevalence and impact of the native blood-sucking louse-fly (<i>Ornithoica</i> sp.) on the North Island robin (<i>Petroica australis longipes</i>)	Berggren, A.	114
The supposed Macquarie Island parakeet in the collection of Canterbury Museum	Scofield, R.P.	117
Longevity record for Snares Island snipe (<i>Coenocorypha aucklandica huegeli</i>)	Miskelly, C.M.; Sagar, P.M.	120

Letter to Editor

Kermadec petrels in the Atlantic Ocean	Bourne, W.R. P.	121
--	-----------------	-----

Review

Shorebirds of North America: The photographic guide	Battley, P.	122
Corrigendum		124

Volume 52, Part 3, September 2005

CONTENTS

Papers

- | | | |
|---|---|-----|
| Antipodes Islands birds in autumn 2001 | Imber, M.J.; Bell, B.D.; Bell, E.A. | 125 |
| Activity rhythms at a gentoo penguin (<i>Pygoscelis papua</i>) colony at Cierva Point, Antarctic Peninsula | Quintana, R.D.; Pratolongo, P.D.; Agraz, J.L.; Benítez, O.; Mengual, A.R. | 133 |
| An experimental evaluation of food hoarding by North Island robins (<i>Petroica australis longipes</i>) | Alexander, L.; Duthie, C.; Fyfe, J.; Haws, Z.; Hunt, S.; Montoya, I.; Ochoa, C.; Siva, A.; Stringer, L.; van Horik, J.; Burns, K.C. | 138 |
| Discovery of a previously unknown <i>Coenocorypha</i> snipe in the Campbell Island group, New Zealand subantarctic | Barker, D.; Carroll, J.W.A.; Edmonds, H.K.; Fraser, J.R.; Miskelly, C.M. | 143 |
| Failed attempts to reintroduce bellbirds (<i>Anthornis melanura</i>) to Waiheke Island, Hauraki Gulf, 1988-1991 | Lee, M. | 150 |
| Verification of seabird contributions to Australasian harrier diet at Motunau Island, North Canterbury, using stable isotope analysis | Hawke, D.J.; Clark, J.M.; Challies, C.N. | 158 |

Short notes

- | | | |
|--|---|-----|
| Evidence for 'hakawai' aerial displaying by Snares Island snipe (<i>Coenocorypha aucklandica huegeli</i>) | Miskelly, C.M. | 163 |
| Marlborough Sounds, an important nesting and wintering area for white-fronted terns (<i>Sterna striata</i>) | Schuckard, R. | 165 |
| Status of Kermadec petrels (<i>Pterodroma neglecta</i>) on the Meyer Islets, and prospects for their re-colonisation of Raoul Island, Kermadec group | Imber, M.J. | 168 |
| Assessment of relative conspicuousness: a correction to McKinley (2001) | Nicholson, R.S. | 170 |
| Stabilisation of the genus-group name of the New Zealand bellbird | Scofield, R.P.; McAllan, I.A.W.; Palma, R.; Worthey, T.H. | 171 |

Conference abstracts

- | | |
|---------|-----|
| Various | 173 |
|---------|-----|

Volume 52, Part 4, December 2005

CONTENTS

Papers

- | | | |
|--|---|-----|
| Observations of black and white storm petrels in the Hauraki Gulf, November 2003 - June 2005: Were they of New Zealand storm petrels? | Gaskin, C.; Baird, K. | 181 |
| Band recoveries of southern royal albatrosses (<i>Diomedea epomophora</i>) from Campbell Island, 1943-2003 | Moore, P.J.; Bettany, S.M. | 195 |
| Population changes and biology of the Antipodean wandering albatross (<i>Diomedea antipodensis</i>) | Walker, K.; Elliott, G. | 206 |
| Detecting population trends of Gibson's and Antipodean wandering albatrosses | Elliott, G.; Walker, K. | 215 |
| Evaluating distribution modeling using kernel functions for northern royal albatrosses (<i>Diomedea sanfordi</i>) at sea off South America | Nicholls, D.G.; Robertson, C.J.R.; Naef-Daenzer, B. | 223 |
| Changes in egg size of exotic passerines introduced to New Zealand | Cassey, P.; Blackburn, T.M.; Evans, K.L. | 243 |

Short notes

- | | | |
|--|--|-----|
| Salvin's albatross (<i>Thalassarche salvinii</i>) on Midway Atoll | Robertson, C.J.R.; Klavitter, J.; McCarthy, R. | 236 |
| Cape gannet (<i>Sula capensis</i>) breeding at Cape Kidnappers, New Zealand | Robertson, C.J.R.; Stephenson, B.M. | 238 |
| Designation of a lectotype and clarification of authorship and date of publication for the New Caledonian petrel (<i>Pterodroma leucoptera caledonica</i>) | Palma, R.L.; Tennyson, A.J.D. | 247 |
| A little black cormorant (<i>Phalacrocorax sulcirostris</i>) from Kadavu Island, Fiji | Cherry, B. | 249 |
| Molecular systematics of Macquarie Island and Reischek's parakeets | Chambers, G.K.; Boon, W.M. | 249 |
| Lizard predation by North Island fernbird (<i>Bowdleria punctata vealeae</i>) | Ball, O.; Parrish, R. | 250 |

Review

- | | | |
|--|-------------------|-----|
| Hérons, egrets and bitterns. Their biology and conservation in Australia | O'Donnell, C F.J. | 251 |
|--|-------------------|-----|

INDEX OF AUTHORS AND SPECIES

Volume 52

- Abstracts of papers presented at the Ornithological Society of New Zealand, Inc. AGM and Conference, 5 June 2005, Hamilton, New Zealand, 173-178
- Acanthisitta chloris granti*, see rifleman, North Island
- Accipitridae, 70
- Acridotheres fuscus*, see myna, jungle
- tristis*, see myna, common
- Aegolius acadicus*, see owl, saw-whet
- AGRAZ, J.L., see QUINTANA, R.D.; PRATOLONGO, P.D.; AGRAZ, J.L.; BENITEZ, O.; MENGUAL, A.R.
- AIKMAN, H., see CHAN, C-H.; BALLANTYNE, K.N.; AIKMAN, H.; DAUGHERTY, C.H.; CHAMBERS, G.K.
- AINLEY, D.G., see SPEAR, L.B.; AINLEY, D.G.; WEBB, S.W.
- Alauda arvensis*, see skylark
- albatross, Amsterdam wandering, 211, 218
- Antipodean wandering, 126, 127, 206-214, 215-222
- black-browed, see mollymawk, black-browed
- black-footed, 102, 236
- Buller's, see mollymawk, Buller's
- Campbell, see mollymawk, New Zealand
- black-browed
- Chatham Island, see mollymawk, Chatham Island
- Gibson's, 126, 206, 210, 211, 215-222
- grey-headed, see mollymawk, grey-headed
- Laysan, 102, 236, 237
- light-mantled sooty, 126, 128, 130, 145
- northern royal, 126, 129, 130, 195, 196, 202, 223-235
- royal, 130, 195-205
- Salvin's, see mollymawk, Salvin's
- short-tailed, 236
- shy, see mollymawk, shy spp.
- southern royal, 126, 129, 195-205
- spp., 125, 195-205
- Steller's, see albatross, short-tailed
- wandering, 129, 130, 202, 203, 206, 210, 211, 217, 218, 220, 221, 229
- wandering spp., 206-214, 215-222
- waved, 100
- white-capped, see mollymawk, white-capped
- ALEXANDER, C.; DUTHIE, C.; FYFE, J.; HAWS, Z.; HUNT, S.; MONTOYA, I.; OCHOA, C.; SIVA, A.; STRINGER, L.; VAN HORIK, J.; BURNS, K.C. An experimental evaluation of food hoarding by North Island robins (*Petroica australis longipes*), 138-142
- Anas aucklandica*, see teal, Auckland Island
- chlorotis*, see teal, brown
- platyrhynchos*, see mallard
- ANNUAL GENERAL MEETING. Abstracts of papers presented at the Ornithological Society of New Zealand, Inc. AGM and Conference, 5 June 2005, Hamilton, New Zealand, 173-178
- Anthomiza*, see *Anthornis*
- caeruleocephala*, see *Anthornis melanura*
- Anthomyza*, see *Anthornis*
- Anthornis melanocephala*, see bellbird, Chatham Island
- melanura*, see bellbird
- Anthus antarctica*, see pipit, Antarctic
- novaeseelandiae*, see pipit, New Zealand
- novaeseelandiae aucklandicus*, see pipit, Auckland Island
- novaeseelandiae steindachneri*, see pipit, Antipodes Island
- Aplonis atrifusca*, see starling, Samoan
- Apteryx australis lawryi*, see kiwi, Stewart Island
- brown
- haastii*, see kiwi, great spotted
- mantelli*, see kiwi, North Island brown
- owenii*, see kiwi, little spotted
- rowi*, see rowi, or kiwi, Okarito brown
- Ardea novaehollandiae*, see heron, white-faced
- Arenaria interpres*, see turnstone
- Artamidae, 61, 70
- Athene noctua*, see owl, little
- BAILLIE, B.R.; GLASER, A.B. Roost habitat of a North Island blue duck (*Hymenolaimus malacorhynchos*) population, 1-5
- BAIRD, K., see GASKIN, C.; BAIRD, K.
- BALL, O.; PARRISH, R. Lizard predation by North Island fernbird (*Bowdleria punctata vealeae*), 250-251
- BALLANTYNE, K.N., see CHAN, C-H.; BALLANTYNE, K.N.; AIKMAN, H.; DAUGHERTY, C.H.; CHAMBERS, G.K.
- BARKER, D.; CARROLL, J.W.A.; EDMONDS, H.K.; FRASER, J.R.; MISKELLY, C.M. Discovery of a previously unknown *Coenocorypha* snipe in the Campbell Island group, New Zealand subantarctic, 143-149

- BARTLE, J.A., see TENNYSON, A.J.D.; BARTLE, J.A.
- BATTLE, P.F. Shorebirds of North America. The photographic guide. D. Paulson, (Review), 122-123
- BATTLE, P.F.; MELVILLE, D.S.; SCHUCKARD, R. Movements of Arctic-breeding waders in New Zealand: the first year's results (Abstract), 177
- BEARHOP, S., see THOMPSON, D.R.; BEARHOP, S.; ROSS, B.
- BEAUCHAMP, A.J. Pipit (*Anthus novaeseelandiae*) detection and site use in Northland (Abstract), 176
- BEAVEN, B.M., see JAMIESON, I.G.; GRANT, J.L.; BEAVEN, B.M.
- BELL, B.D., see BELL, M.; BELL, B.D.; BELL, E.A.
- BELL, B.D., see IMBER, M.J.; BELL, B.D.; BELL, E.A.
- BELL, E.A.; SIM, J. Long term monitoring of black petrel (*Procellaria parkinsoni*) on Great Barrier Island (Abstract), 175-176
- BELL, E.A., see BELL, M.; BELL, B.D.; BELL, E.A.
- BELL, E.A., see IMBER, M.J.; BELL, B.D.; BELL, E.A.
- BELL, M.; BELL, B.D.; BELL, E.A. Translocation of fluttering shearwater (*Puffinus gavia*) chicks to create a new colony, 11-15
- bellbird, 21-23, 25, 26, 65, 69, 72-74, 148, 150-157, 170, 171-172
Chatham Island, 117
- BENITEZ, O., see QUINTANA, R.D.; PRATOLONGO, P.D.; AGRAZ, J.L.; BENITEZ, O.; MENGUAL, A.R.
- BERGGREN, A. Comparing anting hypothesis predictions to observations of behaviour in a North Island robin (*Petroica australis longipes*), 112-114
- BERGGREN, A. Prevalence and impact of the native blood-sucking louse-fly (*Ornithoica* sp.) on the North Island robin (*Petroica australis longipes*), 114-116
- BESTER, A.J.; CHARTERIS, M. The second census of Chatham Island shag and Pitt Island shag – are numbers declining? 6-10
- BETTANY, S.M., see MOORE, P.J.; BETTANY, S.M.
- bird, forest spp., 21-26
- bittern, Australasian, 251, 252
little, 252
spp., 252
- blackbird, 61, 65, 68, 69, 72-74, 106, 107, 129, 170, 244, 245, 252
- BLACKBURN, T.M., see CASSEY, P.; BLACKBURN, T.M.; EVANS, K.L.
- BLACKWELL, H., see INNES, J.; FITZGERALD, N.; WATTS, C.; THORNBURROW, D.; BLACKWELL, H.; LANCASTER, E.; BURNS, B.
- BOON, W.M., see CHAMBERS, G.K.; BOON, W.M.
- BOURNE, W.R.P. Kermadec petrels in the Atlantic Ocean, (Letter), 121-122
- Bowdleria punctata caudata*, see fernbird, Snares Island
- punctata punctata*, see fernbird, South Island
- punctata vealeae*, see fernbird, North Island
- bowerbird spp., 138
- Branta canadensis*, see goose, Canada
- Bubulcus ibis*, see egret, cattle
- budgerigar, 24
- bulbul, red-vented, 16-19, 124
- BURNS, B., see INNES, J.; FITZGERALD, N.; WATTS, C.; THORNBURROW, D.; BLACKWELL, H.; LANCASTER, E.; BURNS, B.
- BURNS, K.C., see ALEXANDER, C.; DUTHIE, C.; FYFE, J.; HAWS, Z.; HUNT, S.; MONTOYA, I.; OCHOA, C.; SIVA, A.; STRINGER, L.; VAN HORIK, J.; BURNS, K.C.
- butcherbird, 70
- Cabalus modestus*, see rail, Chatham Island
- CALDWELL, R., see ROXBURGH, J.; CALDWELL, R.; WILLIAMS, L.
- Calidris canutus*, see knot, lesser
- Callaeas cinerea wilsoni*, see kokako, North Island
- Callipepla californica*, see quail, California
- canary, 64, 65, 72-74
- Carduelis carduelis*, see goldfinch
- chloris*, see greenfinch
- flammea*, see redpoll
- CARROLL, J.W.A., see BARKER, D.; CARROLL, J.W.A.; EDMONDS, H.K.; FRASER, J.R.; MISKELLY, C.M.
- CASSEY, P.; BLACKBURN, T.M.; EVANS, K.L. Changes in egg size of exotic passerines introduced to New Zealand, 243-246
- Catharacta skua lonnbergi*, see skua, brown
- Certhia melanura*, see *Anthornis melanura*
- chaffinch, 65, 72-74, 106, 107, 129, 170, 244, 245
- CHALLIES, C.N., see HAWKE, D.J.; CLARK, J.M.; CHALLIES, C.N.
- CHAMBERS, G.K.; BOON, W.M. Molecular systematics of Macquarie Island and Reischek's parakeets, 249-250
- CHAMBERS, G.K., see CHAN, C-H.; BALLANTYNE, K.N.; AIKMAN, H.; DAUGHERTY, C.H.; CHAMBERS, G.K.
- CHAN, C-H.; BALLANTYNE, K.N.; AIKMAN, H.; DAUGHERTY, C.H.; CHAMBERS, G.K. Hybridisation of Forbes' parakeet (*Cyanoramphus forbesi*) in the Chatham Islands: a molecular geneticist's view (Abstract), 173-174
- Charadriiformes, 129
- Charadrius bicinctus*, see dotterel, banded
- obscurus aquilonius*, see dotterel, New

- Zealand
sp., see plover, sp.
- CHARTERIS, M., see BESTER, A.J.; CHARTERIS, M.
- CHERRY, B. A little black cormorant (*Phalacrocorax sulcirostris*) from Kadavu Island, Fiji, 249
- chickadee, Carolina, 141
- chicken, see fowl, domestic
- Chrysococcyx lucidus lucidus*, see cuckoo, shining
- Circus approximans*, see harrier, Australasian
eylesi, see harrier, Eyles's
- CLARK, J.M., see HAWKE, D.J.; CLARK, J.M.; CHALLIES, C.N.
- Coenocorypha aucklandica aucklandica*, see snipe, Auckland Island
- aucklandica huegeli*, see snipe, Snares Island
- aucklandica iredalei*, see snipe, Stewart Island
- aucklandica meinertzhagenae*, see snipe, Antipodes Island
- pusilla*, see snipe, Chatham Island
- COLBOURNE, R.M., see ROBERTSON, H.A.; McLENNAN, J.A.; COLBOURNE, R.M.; McCANN, A.J.
- Columba livia*, see pigeon, feral
- cormorant, see shag
little black, see shag, little black
- CORRIGENDA
- Corrections to McALLAN, I.A.W.; HOBSCROFT, D. (2005, *Notornis* 52: 16-20), 124
- Correction to JAMIESON, I.G.; GRANT, J.L.; BEAVEN, B.M. (2005, *Notornis* 52: 81-87), 179
- Correction to HAWKE, D.J.; NEWMAN, J. (2005, *Notornis* 52: 108-111), 180
- Corvidae, 70, 138
- Corvus brachyrhynchus*, see crow, American
corax, see raven
- Coturnix japonica*, see quail, Japanese
- Cractidae, 62
- crow, 70
American, 160
- cuckoo, long-tailed, 65, 72-74, 106
shining, 21
- curlew, bristle-thighed, 123
- Eskimo, 122
- currawong, 70
- Cyanoramphus auriceps*, see parakeet, yellow-crowned
erythrotis, see parakeet, Macquarie Island
erythrotis hochstetteri, see *Cyanoramphus novaezelandiae hochstetteri*
forbesi, see parakeet, Forbes'
hochstetteri, see *Cyanoramphus novaezelandiae hochstetteri*
- novaezelandiae chathamensis*, see parakeet, Chatham Island
red-crowned
novaezelandiae hochstetteri, see parakeet, Reischek's
novaezelandiae novaezelandiae, see parakeet, red-crowned
sp., see parakeet sp.
unicolor, see parakeet, Antipodes Island
- Daption capense australe*, see pigeon, cape
- DAUGHERTY, C.H., see CHAN, C-H.; BALLANTYNE, K.N.; AIKMAN, H.; DAUGHERTY, C.H.; CHAMBERS, G.K.
- Diomedea amsterdamensis*, see albatross, Amsterdam
wandering
- antipodensis*, see albatross, Antipodean
antipodensis antipodensis, see albatross, Antipodean
wandering
- antipodensis gibsoni*, see albatross, Gibson's
epomophora, see albatross, southern royal
exulans, see albatross, wandering
- gibsoni*, see albatross, Gibson's
salvini, see *Thalassarche salvini*
sanfordi, see albatross, northern royal
- dotterel, banded, 65, 72-74, 148
New Zealand, 65, 72-74
- dove, rock, see pigeon, feral
spotted, 65, 72-74
- dowitcher, 123
- Dryolimnas*, see rail spp.
- duck, blue, 1-5
mallard, 65, 72-74, 175
spp., 63
- dunnock, 68, 129, 170, 245
- DUTHIE, C., see ALEXANDER, C.; DUTHIE, C.; FYFE, J.; HAWS, Z.; HUNT, S.; MONTOYA, I.; OCHOA, C.; SIVA, A.; STRINGER, L.; VAN HORIK, J.; BURNS, K.C.
- eagle, spp., 70
- EDMONDS, H.K., see BARKER, D.; CARROLL, J.W.A.; EDMONDS, H.K.; FRASER, J.R.; MISKELLY, C.M.
- egret, cattle, 64, 65, 72-74, 252
great, 251, 252
little, 252
spp., 251-252
white, 251, 252
- ELLIOTT, G.; WALKER, K. Detecting population trends of Gibson's and Antipodean wandering albatrosses, 215-222
- ELLIOTT, G., see WALKER, K.; ELLIOTT, G.
- Emberiza citrinella*, see yellowhammer
- EMPSON, R., see MISKELLY, C.; EMPSON, R.; WRIGHT, K.
- Eudynamis taitensis*, see cuckoo, long-tailed
- Eudyptes chrysocome chrysocome*, see penguin, rockhopper
chrysocome filholi, see penguin, eastern
rockhopper
chrysocome moseleyi, see penguin,

- Moseley's rockhopper
sclateri, see penguin, erect-crested
- Eudyptula minor*, see penguin, blue
minor albosignata, see penguin, white-flippered
- EVANS, K.L., see CASSEY, P.; BLACKBURN, T.M.; EVANS, K.L.
- Falco novaeseelandiae*, see falcon, New Zealand
peregrinus, see falcon, peregrine
- falcon, New Zealand, 4, 21, 65, 70, 72-74, 148, 176
 peregrine, 160
 spp., 70
- Falconidae, 70
- fantail, 65, 72-74, 170
- North Island, 21, 111
- fernbird, North Island, 250-251
 Snares Island, 108, 109, 110, 180, 250
 South Island, 250
- finch spp., 63
- FITZGERALD, N., see INNES, J.; FITZGERALD, N.; WATTS, C.; THORNBURROW, D.; BLACKWELL, H.; LANCASTER, E.; BURNS, B.
- FORDHAM, R., see FRASER, M.; ROBERTSON, C.J.R.; FORDHAM, R.; MINOT, E.
- fowl, domestic, 16, 19, 65, 69, 72-74, see also junglefowl, red
- FRASER, J.R., see BARKER, D.; CARROLL, J.W.A.; EDMONDS, H.K.; FRASER, J.R.; MISKELLY, C.M.
- FRASER, M.; ROBERTSON, C.J.R.; FORDHAM, R.; MINOT, E. Characteristics of white-chinned petrels (*Procellaria aequinoctialis*) in New Zealand waters (Abstract), 175
- Fregata aquila*, see frigate, Ascension
magnificans, see frigate, magnificent
minor, see frigatebird, great
- Fregetta grallaria*, see storm petrel, white-bellied
- tropica*, see storm petrel, black-bellied
- frigatebird, Ascension, 121
 great, 121
 magnificent, 121
- Fringilla coelebs*, see chaffinch
- fulmar, northern, 102
- Fulmarus glacialis*, see fulmar, northern
- FYFE, J., see ALEXANDER, C.; DUTHIE, C.; FYFE, J.; HAWS, Z.; HUNT, S.; MONTOYA, I.; OCHOA, C.; SIVA, A.; STRINGER, L.; VAN HORIK, J.; BURNS, K.C.
- Gallinago gallinago*, see snipe, common
- Gallirallus australis*, see weka
australis greyi, see weka, North Island
 sp., see rail, sp.
- Gallus gallus*, see junglefowl, red
- gallus domesticus*, see fowl, domestic
- gannet, Australasian, 130, 238-242
 cape, 238-242
 hybrid cape/Australasian, 240-242
 northern, 238
- Garrodia nereis*, see storm petrel, grey-backed
- GARTRELLE, B. An overview of the role of the New Zealand Wildlife Health Centre at Massey University (Abstract), 176
- GASKIN, C.; BAIRD, K. Observations of black and white storm petrels in the Hauraki Gulf, November 2003 – June 2005: Were they of New Zealand storm petrels? 181-194
- Gerygone igata*, see warbler, grey
- GLASER, A.B., see BAILLIE, B.R.; GLASER, A.B.
- godwit, bar-tailed, 123, 177
- goldfinch, 61, 65, 72-74, 106, 107, 129, 159, 170, 244, 245
- goose, Canada, 36, 175
- GRANT, J.L., see JAMIESON, I.G.; GRANT, J.L.; BEAVEN, B.M.
- grebe, Australasian crested, 34-42
 crested, 37, 39
- greenfinch, 68, 170, 244, 245
- gull, band-tailed, 100
 black-backed, 65, 72-74, 126, 129, 159, 175
 red-billed, 9, 65, 72-74, 159
 spp., 175
- Gymnorhina tibicen*, see magpie, Australian
- Haematopus unicolor*, see oystercatcher, variable
- hakawai, 163-165
- Halcyon sancta*, see kingfisher, New Zealand
- harrier, Australasian, 4, 61, 64, 65, 68, 69, 70, 72-74, 158-162
 Eyles's, 4
- hawk, see harrier, Australasian
 spp., 70
- HAWKE, D.J.; NEWMAN, J. Using isotopic analysis to identify incorporation of marine nutrients in terrestrial birds at Snares Islands, 108-111
- HAWKE, D.J.; CLARK, J.M.; CHALLIES, C.N. Verification of seabird contributions to Australasian harrier diet at Motunau Island, North Canterbury, using stable isotope analysis, 158-162
- HAWS, Z., see ALEXANDER, C.; DUTHIE, C.; FYFE, J.; HAWS, Z.; HUNT, S.; MONTOYA, I.; OCHOA, C.; SIVA, A.; STRINGER, L.; VAN HORIK, J.; BURNS, K.C.
- Hemiphaga novaeseelandiae*, see pigeon, New Zealand
- heron, day spp., 251, 252
 great-billed, 252
- nankeen night, 252
- night spp., 251, 252
 reef, 252
 spp., 251-252

- white, 251, 252
white-faced, 65, 69, 72-74, 252
- hihi, see stitchbird
- HOBCROFT, D., see McALLAN, I.A.W.;
HOBCROFT, D.
- HOLDAWAY, R.N., see WINN, J.M.; HOLDAWAY,
R.N.
- honeyeater, cardinal, 19
spp., 69
- HUGHES, B.; PARKER, K.A. The translocation of
North Island tomtit (miromiro) to Tiritiri
Matangi Island in 2004 (Abstract), 173
- HUNT, S., see ALEXANDER, C.; DUTHIE,
C.; FYFE, J.; HAWS, Z.; HUNT, S.;
MONTROYA, I.; OCHOA, C.; SIVA, A.;
STRINGER, L.; VAN HORIK, J.; BURNS,
K.C.
- Hydrobatidae, 58
- Hymenolaimus malacorhynchos*, see duck, blue
- IMBER, M.J. A response to M. Tove's rebuttal of
Imber (2004), 58-59
- IMBER, M.J. Status of Kermadec petrels
(*Pterodroma neglecta*) on the Meyer Islands
and prospects for their recolonisation of
Raoul Island, Kermadec Group, 168-169
- IMBER, M.J.; BELL, B.D.; BELL, E.A. Antipodes
Island birds in autumn 2001, 125-132
- INNES, J.; FITZGERALD, N.; WATTS, C.;
THORNBURROW, D.; BLACKWELL, H.;
LANCASTER, E.; BURNS, B. Distribution,
movements and nesting success of
Waikato tui (Abstract), 173
- INNES, J., see MORGAN, D.; WAAS, J.R.; INNES, J.
- JAMIESON, I.G.; GRANT, J.L.; BEAVEN, B.M.
Capture and handling of saddlebacks
during pre-nesting does not affect timing
of egg-laying or reproductive success, 81-
87
- jay spp., 138
- JENSEN, L.A.; SNOYINK, R.J. The distribution and
numbers of Australasian crested grebe
(kamana) in New Zealand, January 2004,
34-42
- junglefowl, red, 16, 19
- kaka, 65, 72-74
North Island, 21-23, 111-112, 151, 152
South Island, 106-108
- kakapo, 107
- kamana, see grebe, Australasian crested
- kea, 65, 72-74, 106, 107
- kereru, see pigeon, New Zealand
- kingfisher, New Zealand, 21, 65, 69, 70, 72-74
- kite, spp., 70
- kiwi, brown, 27, 31
great spotted, 27-33
little spotted, 22, 31
North Island brown, 156
Okarito brown, or rowi, 31
Stewart Island brown, 109, 110, 117, 180
- KLAVITTER, J., see ROBERTSON, C.J.R.;
KLAVITTER, R.; MCCARTHY, R.
- knot, lesser, 177
red, see knot, lesser
- kokako, North Island, 65, 72-74
- korimako, see bellbird
- Lalage maculosa*, see triller, Polynesian
- LANCASTER, E., see INNES, J.; FITZGERALD,
N.; WATTS, C.; THORNBURROW, D.;
BLACKWELL, H.; LANCASTER, E.;
BURNS, B.
- larid spp., 92, 102, 126
- Larus belcheri*, see gull, band-tailed
bulleri, see gull, black-billed
dominicanus, see gull, black-backed, or
gull, kelp
novaehollandiae scopulinus, see gull, red-
billed
- LEE, M. Failed attempts to reintroduce bellbirds
(*Anthornis melanura*) to Waiheke Island,
Hauraki Gulf, 1988-91, 150-157
- LETTERS:
BOURNE, W.R.P. Kermadec petrels in the
Atlantic Ocean, 121-122
- Leucocarbo campbelli*, see shag, Campbell Island
carunculatus, see shag, king
chalconotus, see shag, Stewart Island
onslowi, see shag, Chatham Island
- Limosa lapponica*, see godwit, bar-tailed
lapponica baueri, see godwit, eastern bar-
tailed
lapponica menzbieri, see godwit, bar-tailed
taymyrensis, see godwit, bar-tailed
- Macronectes halli*, see petrel, northern giant
- magpie, Australian, 61-74
black-backed, 62
white-backed, 62
- mallard, see duck, mallard
- McALLAN, I.A.W.; HOBCROFT, D. Further spread
of introduced birds in Samoa, 16-20
- McALLAN, I.A.W., see SCOFIELD, R.P.;
McALLAN, I.A.W.; PALMA, R.;
WORTHY, T.H.
- McARDLE, B., see RUSSELL, J.; McARDLE, B.
- McCANN, A.J., see ROBERTSON, H.A.;
McLENNAN, J.A.; COLBOURNE, R.M.;
McCANN, A.J.
- MCCARTHY, R., see ROBERTSON, C.J.R.;
KLAVITTER, R.; MCCARTHY, R.
- McLENNAN, J.A., see ROBERTSON, H.A.;
McLENNAN, J.A.; COLBOURNE, R.M.;
McCANN, A.J.

- McKAY, J.; RUSSELL, J. Rats on islands: What they do to birds and what we do to them (Abstract), 174
- MEDWAY, D.G. Feeding association of tui (*Prosthemadera n. novaeseelandiae*) with North Island kaka (*Nestor meridionalis septentrionalis*), 111-112
- megapode, 16
- Megapodius* sp., 16
- Meliagris gallopavo*, see turkey
- MELVILLE, D.S., see BATTLE, P.F.; MELVILLE, D.S.; SCHUCKARD, R.
- MENGUAL, A.R., see QUINTANA, R.D.; PRATOLONGO, P.D.; AGRAZ, J.L.; BENITEZ, O.; MENGUAL, A.R.
- merganser, 148
- Mergus australis*, see merganser
- MINOT, E., see FRASER, M.; ROBERTSON, C.J.R.; FORDHAM, R.; MINOT, E.
- MISKELLY, C.M. Evidence for 'hakawai' aerial displaying by Snares Island snipe (*Coenocorypha aucklandica huegeli*), 163-165
- MISKELLY, C.; EMPSON, R.; WRIGHT, K. Forest birds recolonising Wellington, 21-26
- MISKELLY, C.M.; SAGAR, P.M. Longevity record for Snares Island snipe (*Coenocorypha aucklandica huegeli*), 120-121
- MISKELLY, C.M., see BARKER, D.; CARROLL, J.W.A.; EDMONDS, H.K.; FRASER, J.R.; MISKELLY, C.M.
- Mohoua albicilla*, see whitehead
- mollymawk, black-browed, 126, 128, 130, 202
- Buller's, 101, 102
- Campbell, see mollymawk, New Zealand black-browed
- Chatham Island, 236, 237
- grey-headed, 130, 202
- New Zealand black-browed, 126, 130, 202, 203
- Pacific, 126
- Salvin's, 101, 126, 236-237
- shy, 236
- shy sp., 236
- southern Buller's, 130
- white-capped, 125-128, 130, 236
- MONTOYA, I., see ALEXANDER, C.; DUTHIE, C.; FYFE, J.; HAWS, Z.; HUNT, S.; MONTOYA, I.; OCHOA, C.; SIVA, A.; STRINGER, L.; VAN HORIK, J.; BURNS, K.C.
- MOORE, P.J.; BETTANY, S.M. Band recoveries from southern royal albatrosses (*Diomedea epomophora*) from Campbell Island, 1943-2003, 195-205
- morepork, 21, 65, 70, 72-74, 154
- MORGAN, D.; WAAS, J.R.; INNES, J. Magpie interactions with other birds in New Zealand: results from a literature review and public survey, 61-74
- Morus*, see also *Sula*
- serrator*, see gannet, Australasian
- MUNRO, A.; POWLESLAND, R. Some preliminary results from the Wellington OSNZ's bird counts at Pauatahanui Inlet (Abstract), 175
- MURDOCH, R., see SAGAR, P.M.; MURDOCH, R.; SAGAR, M.W.; THOMPSON, D.R.
- myna, common, 16, 19, 65, 69, 72-74, 124
- Indian, see myna, common
- jungle, 16, 18, 19, 124
- Myzomela*, see honeyeater
- jugularis*, see honeyeater, cardinal
- NAEF-DAENZER, B., see NICHOLLS, D.G.; ROBERTSON, C.J.R.; NAEF-DAENZER, B.
- Nestor meridionalis septentrionalis*, see kaka, North Island
- notabilis*, see kea
- NEWMAN, J., see HAWKE, D.J.; NEWMAN, J.
- NICHOLLS, D.G.; ROBERTSON, C.J.R.; NAEF-DAENZER, B. Evaluating distribution modelling using kernel functions for northern royal albatrosses (*Diomedea sanfordi*) at sea off South America, 223-235
- NICHOLSON, R.S. Assessment of relative conspicuousness: a correction to McKinlay (2001), 170-171
- Ninox novaeseelandiae*, see morepork
- NOTICEBOARD:
- 24th International Ornithological Congress – call for papers, 60
- 23rd International Ornithological Congress papers published, 60
- Forthcoming publication, 60
- 3rd Australasian ornithological conference – call for papers, 60
- Australasian shorebird conference 2005 – call for papers, 60
- Notiomystis cincta*, see stitchbird
- O'DONNELL, C.F.J. Herons, egrets and bitterns. Their biology and conservation in Australia. N. McKilligan, (Review), 251-252
- Oceanites gracilis*, see storm petrel, Galapagos, or storm petrel, Elliot's
- neris*, see storm petrel, grey-backed
- oceanicus*, see storm petrel, Wilson's
- Oceanodroma leucorhoa*, see storm petrel, Leach's
- markhami*, see storm petrel, Markham's
- melania*, see storm petrel, black
- OCHOA, C., see ALEXANDER, C.; DUTHIE, C.; FYFE, J.; HAWS, Z.; HUNT, S.; MONTOYA, I.; OCHOA, C.; SIVA, A.; STRINGER, L.; VAN HORIK, J.; BURNS,

- K.C.
 ostrich, 160
 owl, little, 65, 72-74, 109, 110, 180
 saw-whet, 161
 sp., 70
 oystercatcher, variable, 175
- Pachyptila crassirostris crassirostris*, see prion, fulmar
crassirostris eatoni, see prion, fulmar
crassirostris flemingi, see prion, lesser fulmar
crassirostris pyramidalis, see prion, fulmar
 turtur, see prion, fairy
- PALMA, R.L.; TENNYSON, A.J.D. Designation of a lectotype and clarification of authorship and date of publication for the New Caledonian petrel (*Pterodroma leucoptera caledonica*), 247-248
- PALMA, R., see SCOFIELD, R.P.; McALLAN, I.A.W.; PALMA, R.; WORTHY, T.H.
- parakeet, Antipodes Island, 107, 117, 118, 129, 131
 Chatham Island red-crowned, 173-174
Cyanoramphus spp., 107
 Forbes', 173-174
 Macquarie Island, 117-120, 249-250
 red-crowned, 21-24, 107, 131, 155
 red-fronted, see parakeet, red-crowned
 Reischek's, 118, 119, 129, 131, 249-250
 sp., 22-24, 148, 155
 yellow-crowned, 22, 24
 yellowish, see parakeet, Macquarie Island
- Paridae, 138
- PARKER, K.A., see HUGHES, B.; PARKER, K.A.
- PARRISH, R., see BALL, O.; PARRISH, R.
- Parus cinctus*, see tit, Siberian
 major, see tit, great
 montanus, see tit, willow
- Passer domesticus*, see sparrow, house
- passerine, 82
 exotic spp., 243-246
 native spp., 154
- pateke, see teal, brown
- Pealeornis maoriana*, see storm petrel, New Zealand
- Pelagodroma marina maoriana*, see storm petrel, white-faced
- Pelecanoides urinatrix*, see petrel, common diving
 urinatrix exsul, see petrel, subantarctic diving
- penguin, blue, 158-161, 194
 crested spp., 75-80
 eastern rockhopper, 75-80
 erect-crested, 76, 127
 gentoo, 133-137
 Moseley's rockhopper, 70
 rockhopper, 44, 75-80, 126
 spp., 129, 130
 western rockhopper, 75
 white flippered, 159
- petrel, Atlantic, 131
 black, 88-105, 130, 131, 175-176, 181, 188
 black-winged, 188
 common diving, see petrel, diving
 Cook's, 126, 181, 183, 194
 diving, 15, 126, 128, 130, 181, 188, 194
 gadfly spp., 121, 125, 128-131
 Galapagos, see petrel, dark-rumped
 giant sp., 126-128, 130, 131
 Gould's, 11, 247
 grey, 125-128, 130, 131, 207
 grey-faced, 126, 131, 194
 Herald, 56-58
 Kermadec, 56-59, 121-122, 168-169
 mottled, 126
 New Caledonian, 247-248
 northern giant, 126-128, 130, 145
 Parkinson's see petrel, black
 phoenix, 122
 Pycroft's, 181
 soft-plumaged, 126, 128-131
 spp., 11-16, 56-59, 148, 158
 subantarctic diving, 144, 145
 Trinidad, 56-59, 121, 122
 Westland, 88-105, 131, 161
 white-chinned, 88-105, 126, 128, 130, 148, 175
 white-headed, 126, 128-131, 207
- Petroica australis australis*, see robin, South Island
australis longipes, see robin, North Island
australis rakiura, see robin, Stewart Island
 macrocephala, see tomtit, New Zealand
 macrocephala dannefaerdi, see tomtit, Snares Island
 macrocephala toitoi, see tomtit, North Island
- Phalacrocorax carbo*, see shag, black
 melanoleucos, see shag, little
 sulcirostris, see shag, little black
- Phasianus colchicus*, see pheasant, ring-necked
 pheasant, ring-necked, 65, 72-74
- Philesturnus carunculatus carunculatus*, see saddleback, South Island
 carunculatus rufusater, see saddleback, North Island
- Phoebastria albatrus*, see albatross, short-tailed, or albatross, Steller's
 immutabilis, see albatross, Laysan
 irrorata, see albatross, waved
 nigripes, see albatross, black-footed
- Phoebastria palpebrata*, see albatross, light-mantled sooty
- pigeon, cape, 126, 128, 130, 145
 feral, 16, 17, 19, 65, 72-74, 124, 159
 New Zealand, 21, 22, 61, 64, 68, 69, 72-74, 109, 110, 151, 170, 180
 rock, see pigeon, feral
- piopio, 155
- pipit, Antarctic, 43
 Antipodes, 129

- Auckland Island, 45, 46
 Australasian, see pipit, New Zealand
 Campbell Island, 144, 145, 148
 New Zealand, 43-46, 65, 69, 72-74, 176
Platycercus eximius, see rosella, eastern
hochstetteri, see *Cyanoramphus novaezelandiae hochstetteri*
pacificus, see *Cyanoramphus erythrotis*
 plover, grey, 123
 spp., 148
 spur-winged, 65, 72-74, 175
Podiceps cristatus australis, see grebe, Australasian
 crested
cristatus cristatus, see grebe, crested
Poecile carolinensis, see chickadee, Carolina
Porphyrio porphyrio melanotus, see pukeko
 POWLESLAND, R.G., see MUNRO, A.;
 POWLESLAND, R.G.
 PRATOLONGO, P.D., see QUINTANA, R.D.;
 PRATOLONGO, P.D.; AGRAZ, J.L.;
 BENITEZ, O.; MENGUAL, A.R.
 prion, fairy, 47, 49, 50-52, 54, 55, 126, 128, 130, 131,
 159-161, 181-183, 194
 fulmar, 47-55
 lesser fulmar, 47-55
 spp., 131, 145, 158, 182
Procellaria aequinoctialis, see petrel, white-chinned
cinerea, see petrel, grey
parkinsoni, see petrel, black
steadi, see petrel, white-chinned
westlandica, see petrel, Westland
 Procellariidae, 49, 56-59
 Procellariiformes, 11-15, 47-55, 56-59, 88-105, 125-
 132, 158-162, 168-169, 175, 181-194, 195-
 205, 206-214, 215-222, 223-235, 236-237,
 238-242, 247-248
Procelsterna cerulea, see ternlet, grey
Prosthemadera novaeseelandiae, see tui
Prunella modularis, see dunnoek
Pseudoprion crassirostris eatoni, see *Pachyptila*
crassirostris eatoni
turtur eatoni, see *Pachyptila turtur*
Pterodroma alba, see petrel, phoenix
arminjoniana, see petrel, Trinitade
cookii, see petrel, Cook's
heraldica, see petrel, Herald
incerta, see petrel, Atlantic
inexpectata, see petrel, mottled
lessonii, see petrel, white-headed
leucoptera caledonica, see petrel, New
 Caledonian
leucoptera leucoptera, see petrel, Gould's
macroptera gouldi, see petrel, grey-faced
magentae, see taiko, Chatham Island
mollis, see petrel, soft-plumaged
neglecta, see petrel, Kermadec
nigripennis, see petrel, black-winged
phaeopygia, see petrel, dark-rumped
pycrofti, see petrel, Pycroft's
 spp., 182
 Ptilinorhynchidae, 138
Puffinus assimilis elegans, see shearwater,
 subantarctic little
assimilis haurakiensis, see shearwater, little
bulleri, see shearwater, Buller's
carneipes, see shearwater, flesh-footed
elegans, see *Puffinus assimilis elegans*
gavia, see shearwater, fluttering
griseus, see shearwater, sooty
huttoni, see shearwater, Hutton's
puffinus, see shearwater, Manx
tenuirostris, see shearwater, short-tailed
 pukeko, 65, 72-74
Pycnonotus cafer, see bulbul, red-vented
Pygoscelis papua, see penguin, gentoo
 quail, California, 65, 72-74
 Japanese, 160
 QUINTANA, R.D.; PRATOLONGO, P.D.; AGRAZ,
 J.L.; BENITEZ, O.; MENGUAL, A.R.
 Activity rhythms at a gentoo penguin
 (*Pygoscelis papua*) colony at Cierva Point,
 Antarctic Peninsula, 133-137
 rail, Chatham Island, 117
 spp., 148
 raven, 69, 70
 redpoll, 68, 106, 107, 129
 REVIEWS:
 BATTLE, P. Shorebirds of North
 America. The photographic guide. D.
 Paulson, 122-123
 O'DONNELL, C.F.J. Herons, egrets and
 bitterns. Their biology and conservation in
 Australia. N. McKilligan, 251-252
Rhipidura fuliginosa, see fantail
fuliginosa placabilis, see fantail, North Island
 rifleman, North Island, 155
 ROBERTSON, C.J.R. The OSNZ bird distribution
 atlas 1999-2004 (Abstract), 177
 ROBERTSON, C.J.R.; KLAVITTER, R.;
 MCCARTHY, R. Salvin's albatross
 (*Thalassarche salvini*) on Midway Atoll,
 236-237
 ROBERTSON, C.J.R.; STEPHENSON, B.M. Cape
 gannet (*Sula capensis*) breeding at Cape
 Kidnappers, New Zealand, 238-242
 ROBERTSON, C.J.R., see FRASER, M.;
 ROBERTSON, C.J.R.; FORDHAM, R.;
 MINOT, E.
 ROBERTSON, C.J.R., see NICHOLLS, D.G.;
 ROBERTSON, C.J.R.; NAEF-DAENZER,
 B.
 ROBERTSON, H.A.; McLENNAN, J.A.;
 COLBOURNE, R.M.; McCANN, A.J.
 Population status of great spotted kiwi

- (*Apteryx haastii*) near Saxon Hut, Heaphy Track, New Zealand, 27-33
- robin, North Island, 22, 112-114, 114-116, 138-142, 155
South Island, 138, 140, 141, 154
Stewart Island, 81-85, 87
- rosella, eastern 65, 69, 72-74
- ROSS, B., see THOMPSON, D.R.; BEARHOP, S.; ROSS, B.
- rowi, 31, see also kiwi, Okarito brown
- ROXBURGH, J.; CALDWELL, R.; WILLIAMS, L.
Pateke/brown teal: the fall and rise of a "cute wee brown duck" (Abstract), 174
- RUSSELL, J.; McARDLE, B. Correcting for sampling effort in the atlas of bird distribution in New Zealand (Abstract), 177-178
- RUSSELL, J., see McKAY, J.; RUSSELL, J.
- saddleback, 155
North Island, 22, 111
South Island, 81-87, 179
- SAGAR, M.W., see SAGAR, P.M.; MURDOCH, R.; SAGAR, M.W.; THOMPSON, D.R.
- SAGAR, P.M.; MURDOCH, R.; SAGAR, M.W.; THOMPSON, D.R. Rockhopper penguin (*Eudyptes chrysocome filholi*) foraging at Antipodes Islands, 75-80
- SAGAR, P.M., see MISKELLY, C.M.; SAGAR, P.M.
- sandpiper, Baird's, 123
buff-breasted, 122
Calidris spp., 123
least, 123
semi-palmated, 123
stilt, 123
western, 123
- sand-plover, greater, 123
lesser, 123
- SCHUCKARD, R. Marlborough sounds, an important nesting and wintering area for white-fronted terns (*Sterna striata*), 165-167
- SCHUCKARD, R., see BATTLE, P.F.; MELVILLE, D.S.; SCHUCKARD, R.
- SCOFIELD, R.P. The supposed Macquarie Island parakeet in the collection of Canterbury Museum, 117-120
- SCOFIELD, R.P. The scientific recording of rare birds and bird distribution in New Zealand: where to now that the atlas is over? (Abstract), 178
- SCOFIELD, R.P.; McALLAN, I.A.W.; PALMA, R.; WORTHY, T.H. Stabilisation of the genus-group name of the New Zealand bellbird, 171-172
- seabird spp., 6-10, 11-15, 47-55, 56-59, 75-80, 88-105, 108, 125-132, 133-137, 158-162, 181-194, 195-205, 206-214, 215-222, 223-235, 236-237, 238-242, 247-248, 249
- SEATON, R. Ecological requirements of the New Zealand bush falcon in plantation forestry (Abstract), 176
- Serinus canaria*, see canary
- shag, black, 65, 72-74, 175
Campbell Island, 145
Chatham Island, 6-10
little, 68, 175
little black, 68, 249
king, 9
Pitt Island, 6-10
spotted, 9
spp., 175
Stewart Island, 9
- shearwater, Buller's, 181, 183, 188, 194
flesh-footed, 181, 183, 194
fluttering, 11-15, 181, 183, 194
Hutton's, 107
little, 126, 131, 181, 188, 194
Manx, 11, 12, 15
North Island little, 188, 194
short-tailed, 11
sooty, 15, 102, 109, 110, 126, 128, 130, 145, 159, 164, 180, 181
spp., 11, 30
subantarctic little, 126, 131
- shelduck, paradise, 36, 65, 72-74, 175
- shorebird spp., 82, 122-123
- silvereye, 21, 65, 72-74, 108-110, 129, 170, 180
- SIM, J., see BELL, E.A.; SIM, J.
- SIVA, A., see ALEXANDER, C.; DUTHIE, C.; FYFE, J.; HAWS, Z.; HUNT, S.; MONTROYA, I.; OCHOA, C.; SIVA, A.; STRINGER, L.; VAN HORIK, J.; BURNS, K.C.
- skua, brown, 126, 128-131, 145
southern, see skua, brown
spp., 121, 130, 131
- skylark, 65, 69, 72-74, 245
- snipe, Antipodes Island, 129, 131, 146, 147
Auckland Island, 145-147, 163
Campbell Island, 143-149
Chatham Island, 146, 163
Coenocorypha spp., 163-165
Common, 120
Gallinago spp., 146, 148, 163
Snares Island, 108-110, 120-121, 146, 163-165, 180
Stewart Island, 146, 163
- SNOYINK, R.J., see JENSEN, L.A.; SNOYINK, R.J.
- sparrow, hedge, see dunnoek
house, 65, 69, 72-74, 170, 244, 245
- SPEAR, L.B.; AINLEY, D.G.; WEBB, S.W.
Distribution, abundance, habitat use and behaviour of three *Procellaria* petrels off South America, 88-105
- spoonbill, royal, 175
- starling, 65, 69, 72-74, 129, 145, 170, 244, 245
Samoan, 19

- STEPHENSON, B.M., see ROBERTSON, C.J.R.;
STEPHENSON, B.M.
- Sterna albostrata*, see tern, black-fronted
striata, see tern, white-fronted
vittata bethunei, see tern, Antarctic
- Stictocarbo featherstoni*, see shag, Pitt Island
- punctatus*, see shag, spotted
- stitchbird, 114, 115, 154
- storm petrel, black, 100
black and white spp., 181-194
black-bellied, 125, 126, 129-131, 181, 183,
185, 187, 188
Elliot's, 100, 183
Fregetta spp., 188
Galapagos, 100
grey-backed, 107, 126, 129, 144, 145, 188,
189
Leach's, 11
Markham's, 100
New Zealand, 181-194
white-bellied, 100, 183, 187
white-faced, 159, 181-183, 187, 188, 194
Wilson's, 126, 183, 185, 188
- Streptopelia chinensis*, see dove, spotted
- Strigidae, 70
- Strigops habroptilus*, see kakapo
- STRINGER, L., see ALEXANDER, C.; DUTHIE,
C.; FYFE, J.; HAWS, Z.; HUNT, S.;
MONTROYA, I.; OCHOA, C.; SIVA, A.;
STRINGER, L.; VAN HORIK, J.; BURNS,
K.C.
- Struthio camelus*, see ostrich
- Sturnus vulgaris*, see starling
- Sula bassana*, see gannet, northern
capensis, see gannet, Cape
serrator, see gannet Australasian
- surfbird, 123
- Tadorna variegata*, see shelduck, paradise
- taiko, Chatham Island, 125, 131
- TAYLOR, G.A. New directions in the New Zealand
national bird banding scheme (Abstract),
178
- teal, brown, 145, 155
Campbell Island, 144-146, 148
- TENNYSON, A.J.D.; BARTLE, J.A. A scientific
name for fulmar prions nesting at
Auckland and Heard Islands, 47-55
- TENNYSON, A.J.D., see PALMA, R.L.;
TENNYSON, A.J.D.
- tern, Antarctic, 129
black-fronted, 65, 72-74, 126
white-fronted, 130, 165-167
- ternlet, grey, 17
- Thalassarche bulleri*, see mollymawk, Buller's
cauta, see mollymawk, shy
chrysostoma, see mollymawk, grey-headed
eremita, see mollymawk, Chatham Island
impavida, see mollymawk, New Zealand
black-browed
melanophrys, see mollymawk, black-
browed
salvini, see mollymawk, Salvin's
sp. nov., see mollymawk, Pacific
spp., see mollymawk spp.
steadi, see mollymawk, white-capped
- Thalassidroma melanogaster*, see *Fregetta tropica*
- THOMPSON, D.R.; BEARHOP, S.; ROSS, B.
Spread of Australasian pipit (*Anthus
novaeseelandiae*) onto Campbell Island
following eradication of Norway rats
(*Rattus norvegicus*), 43-46
- THOMPSON, D.R., see SAGAR, P.M.; MURDOCH,
R.; SAGAR, M.W.; THOMPSON, D.R.
- THORNBURROW, D., see INNES, J.;
FITZGERALD, N.; WATTS, C.;
THORNBURROW, D.; BLACKWELL, H.;
LANCASTER, E.; BURNS, B.
- thrush, song, 65, 68, 69, 72-74, 108-110, 129, 170,
180, 244, 245
- tieke, see saddleback
- tit, great, 106
Siberian, 141
spp., 138
willow, 141
- tomtit, 65, 72-74, 148
North Island, 21-26, 173
Snarres Island, 108, 109, 180
- TOVE, M.H. Kermadec petrels (*Pterodroma neglecta*)
in the Atlantic Ocean – a rebuttal, 56-58
- triller, Polynesian, 19
- tui, 21, 65, 68, 69, 72-74, 111-112, 151, 152, 170, 173
- Turdus merula*, see blackbird
philomelos, see thrush, song
- turkey, 68, 69
- Turnagra capensis*, see piopio
- turnstone, 177
ruddy, 177
- turtle-dove, spotted, see dove, spotted
- VAN HORIK, J., see ALEXANDER, C.; DUTHIE,
C.; FYFE, J.; HAWS, Z.; HUNT, S.;
MONTROYA, I.; OCHOA, C.; SIVA, A.;
STRINGER, L.; VAN HORIK, J.; BURNS,
K.C.
- Vanellus miles novaeollandiae*, see plover, spur-
winged
- WAAS, J.R., see MORGAN, D.; WAAS, J.R.;
INNES, J.
- wader, spp., 122-123, 175, 177
- WALKER, K.; ELLIOTT, G. Population changes
and biology of the Antipodean wandering
albatross (*Diomedea antipodensis*), 206-214
- WALKER, K., see ELLIOTT, G.; WALKER, K.
- warbler, grey, 21, 61, 65, 72-74, 170

- waterbird spp., 175
WATTS, C., see INNES, J.; FITZGERALD, N.;
WATTS, C.; THORNBURROW, D.;
BLACKWELL, H.; LANCASTER, E.;
BURNS, B.
WEBB, S.W., see SPEAR, L.B.; AINLEY, D.G.;
WEBB, S.W.
weka, 109, 110, 161, 180
North Island, 22, 156
whitehead, 21-24, 155
WILLIAMS, L., see ROXBURGH, J.; CALDWELL,
R.; WILLIAMS, L.
WINN, J.M.; HOLDAWAY, R.N. Egg predation by
South Island kaka (*Nestor meridionalis*),
106-108
WORTHY, T.H., see SCOFIELD, R.P.; McALLAN,
I.A.W.; PALMA, R.; WORTHY, T.H.
wren, bush, 155
WRIGHT, K., see MISKELLY, C.; EMPSON, R.; WRIGHT, K.
Xenicus longipes, see wren, bush
yellowhammer, 65, 72-74, 159, 244, 245
yellowlegs, greater, 123
Zosterops lateralis, see silvereye

Compiled by TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland 0627