


NOTORNIS

Ornithology of the Southern Pacific



Volume 54 2007`

Journal of the Ornithological Society of New Zealand

Volume 54, Part 1, March 2007

CONTENTS

Papers

Wader (Charadriiformes) and royal spoonbill (<i>Platalea regia</i>) use of roosts in Whangarei Harbour and at Ruakaka Estuary, Northland, 1973–2000	Beauchamp, A.J.; Parrish, G.R.	1
Climate change and the arrival of self-introduced bird species in New Zealand	Neuhäuser, M.; Cuming, P.	11
Direct observations of shining cuckoos (<i>Chrysococcyx lucidus</i>) parasitising and depredating grey warbler (<i>Gerygone igata</i>) nests	Briskie, J.V.	15
Satellite tracking a New Zealand falcon (<i>Falco novaeseelandiae</i>)	Holland, J.D.; McCutcheon, R.R.	20
The influence of geographic variation in song dialect on post-translocation pair formation in North Island kokako (<i>Callaeas cinerea wilsoni</i>)	Rowe, S.J.; Bell, B.D.	28

Short notes

Morphological sexing of Forbes' parakeet (<i>Cyanoramphus forbesi</i>) validated by molecular data	Tokunaga, C.; Lam, W.-J.; Fastier, D.; Aikman, H.; Chan, C.-H.; Chambers, G.K. Durand, M.	38
Toxic gases and dead birds at Sulphur Bay, Rotorua, North Island, New Zealand		42
Notes on New Zealand pipit (<i>Anthus n. novaeseelandiae</i>) home range, parental care, and the behaviour of dependent young	Beauchamp, A.J.	44
Incestuous breeding by sibling variable oystercatchers (<i>Haematopus unicolor</i>)	Cook, W.A.; Cooper, D.; Melville, D.S.	48
First record of Salvin's albatross (<i>Thalassarche salvini</i>) on the Patagonian Shelf	Seco Pon, J.P.; Weinecke, B.; Robertson, G.	49
North Island kokako (<i>Callaeas cinerea wilsoni</i>) feed on flax (<i>Phormium tenax</i>) nectar on Tiritiri Matangi Island, Hauraki Gulf, New Zealand	Thorogood, R.; Henry, T.; Fordham, S.	52
Cattle egrets (<i>Bubulcus ibis</i>) and other vagrant birds in Fiji	Dutson, D.; Watling, D.	54

Letters

Weka and petrels	Hawke, D.J.	56
Weka and petrels: a reply	Harper, G.A.	56
Sir George Grey and moa sightings	Spittle, B.	57
Egg sizes in introduced birds	Cassey, P.	57

Obituary

Roger Robertson Sutton (1921–2006)	Cooper, W.; Muller, P.	58
------------------------------------	------------------------	----

Corrigenda

At-sea distribution of Gibson's and Antipodean wandering albatrosses, and relationships with longline fisheries. <i>Notornis</i> 53(3): 265–290	Walker, K.; Elliott, G.	60
---	-------------------------	----

Volume 54, Part 2, June 2007

CONTENTS

Papers

Determining sex of South Island saddlebacks (<i>Philesturnus carunculatus carunculatus</i>) using discriminant function analysis	Taylor, S.S.; Jamieson, I.G.	61
South Island robin (<i>Petroica australis australis</i>) abundance and leaf-litter invertebrates in plantation and native forest	Borkin, K.M.; Goodman, A.J.; Mayhew, K.; Smith, E.	65
Changes in abundance and distribution of the rock wren (<i>Xenicus gilviventris</i>) in the South Island, New Zealand	Michelsen-Heath, S.; Gaze, P.	71
Climate change and the arrival of self-introduced bird species in New Zealand	Neuhäuser, M.; Cuming, P.	79
Wader (Charadriiformes) and royal spoonbill (<i>Platalea regia</i>) use of roosts in Whangarei Harbour and Ruakaka Estuary, Northland, 1973-2000	Beauchamp, A.J.; Parrish, G.R.	83
Black shag (<i>Phalacrocorax carbo</i>) roost counts at Melling, Hutt Valley, and breeding in the Wellington region, New Zealand	Powlesland, R.G.; Munro, A.R.; Westbrooke, I.M.	93
Population densities and detectability of 3 species of Fijian forest birds	Jackson, D.B.	99

Short notes

Opportunistic scavenging or active predation of a blackbird (<i>Turdus merula</i>) by an Australian magpie (<i>Gymnorhina tibicen</i>)?	Parker, K.A.	92
Notes on New Zealand pipit (<i>Anthus n. novaeseelandiae</i>) home range, parental care, and the behaviour of dependent young	Beauchamp, A.J.	112
The correct type locality of the shore plover <i>Thinornis novaeseelandiae</i> (Gmelin, 1789)	Medway, D.G.	115
Possible tool use by an Australian magpie (<i>Gymnorhina tibicen</i>)	McCormick, J.	116
Wrybills (<i>Anarhynchus frontalis</i>) at the Manawatu River Estuary, North Island, New Zealand	Armitage, I.	118

Editor's notes		120
----------------	--	-----

Volume 54, Part 3, September 2007

CONTENTS

Papers

Validating locations from CLS:Argos satellite telemetry	Nicholls, D.G.; Robertson, C.J.R.	121
Measuring accuracy and precision for CLS:Argos satellite telemetry locations	Nicholls, D.G.; Robertson, C.J.R.; Murray, M.D.	137
Plumages of northern (<i>Diomedea sanfordi</i>) and southern royal (<i>D. epomophora</i>) albatrosses observed in Chilean seas in September 2004	Nicholls, D.G.	158
Assessing flight characteristics for the Chatham albatross (<i>Thalassarche eremita</i>) from satellite tracking	Nicholls, D.G.; Robertson, C.J.R.	168
Satellite tracking of sooty shearwaters (<i>Puffinus griseus</i>) during their pre-laying "exodus" and incubation	Söhle, I.S.; Robertson, C.J.R.; Nicholls, D.G.; Mouritsen, H.; Frost, B.; Moller, H.	180

Volume 54, Part 4, December 2007

CONTENTS

Papers

Bird collections made by the Cheeseman family: a record of the avifauna of Auckland, New Zealand, in the late 19th century	Gill, B.J.	189
Birds of Motuhoropapa I, Noises Group, Hauraki Gulf, North Is, New Zealand	Mackay, J.W.B.; Russell, J.C.; Anderson, S.H.	197
Phrase types, repertoire size and repertoire overlap in the South Island saddleback (<i>Philesturnus carunculatus carunculatus</i>)	Ludwig, K.; Jamieson, I.G.	201
Survival estimates of Antarctic terns (<i>Striata vittata bethunei</i>) on the Snares Islands, New Zealand	Sagar, P.M.; Miskelly, C.M.; Scofield, R.P.; Sagar, J.L.	214
Observations of prion (<i>Pachyptila</i>) wrecks on the west coast of South America	Post, P.W.	220

Short notes

Further evidence for the natural re-establishment of the pipit (<i>Anthus novaeseelandiae aucklandicus</i>) on Campbell Island, New Zealand	Armitage, I.	226
The visit by John MacGillivray to the Kermadec Islands in 1854 and the discovery and description of the Kermadec petrel (<i>Pterodroma neglecta</i>)	Bourne, W.R.P.; David, A.C.F.	229
First record of the austral thrush (<i>Turdus falcklandii</i>) from the South Shetland Islands, Antarctic	Santos, M.M.; Montalti, D.; Juárez, M.; Coria, N.R.; Archuby, D.	231
Longevity of a whitehead (<i>Mohoua albicilla</i>) on Tiritiri Matangi Island	Leuschner, N.; Brekke, P.; Cope, T.	233
Records of juvenile northern giant petrels (<i>Macronectes halli</i>) in Peruvian seas	Ayala, L.	234
A possible live South Island snipe (<i>Coenocorypha iredalei</i>) at Dusky Sound in 1773	Medway, D.G.	237
Common diving petrel (<i>Pelecanoides urinatrix</i>) breeding at 1 year old	Miskelly, C.M.; Taylor, G.A.	239
Re-laying following egg failure by common diving petrels (<i>Pelecanoides urinatrix</i>)	Taylor, G.A.; Miskelly, C.M.	240

Abstracts

Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 3 June 2007, Taranaki, New Zealand	Various	243
---	---------	-----

INDEX OF AUTHORS AND SPECIES

Volume 54

- Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 3 June 2007, Taranaki, New Zealand, 243-247
- Acanthisitta chloris*, see rifleman
- Acanthisittidae, 71
- Acanthisittides, 71
- Acanthiza chrysorrhoa*, see thornbill, yellow-rumped
- Acrocephalus arundinaceus*, see warbler, great reed
- AIKMAN, H., see TOKUNAGA, C.; LAM, W-J.; FASTIER, D.; AIKMAN, H.; CHAN, C-H.; CHAMBERS, G.K.
- Alauda arvensis*, see skylark
- albatross, black-browed, see mollymawk, black-browed,
- Buller's, see mollymawk, Buller's
- Chatham, see mollymawk, Chatham
- Gibson's, 142
- North Pacific spp., 20
- northern royal, 123, 125, 127, 128, 130, 141, 142, 144, 158-167
- royal spp., 158-167
- Salvin's, see mollymawk, Salvin's
- southern royal, 158-167
- spp., 20, 49-51, 121-138, 143, 144, 145, 149, 150, 153-155, 158-167, 168-179, 229, 239, 240
- wandering, 141, 142, 158, 159, 177, 178, 237
- waved, 177
- yellow-nosed, see mollymawk, yellow-nosed
- Anarhynchus frontalis*, see wrybill
- Anas chlorotis*, see teal, brown
- nesiotis*, see teal, Campbell Island
- rhynchotis*, see shoveler, Australasian
- strepera*, 237
- superciliosa*, see duck, grey
- ANDERSON, S.H. Birds as pollinators and seed dispersers of the native flora, (Abstract), 243
- ANDERSON, S.H., see MacKAY, J.W.B.; RUSSELL, J.C.; ANDERSON, S.H.
- ANNUAL GENERAL MEETING. Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 3 June 2007, Taranaki, New Zealand, 243-247
- Anseriformes, 244
- Anthornis melanura melanura*, see bellbird
- Anthus novaeseelandiae aucklandicus*, see pipit, Auckland Island
- novaeseelandiae novaeseelandiae*, see pipit, New Zealand
- Apterygidae, 71
- Apteryx mantelli*, see kiwi, brown
- Aquila chrysaetos*, see eagle, golden
- wahlbergi*, see eagle, Wahlberg's
- ARCHUBY, D., see SANTOS, M.M.; MONTALTI, D.; JUÁRES, M.; CORIA, N.R.; ARCHUBY, D.
- Ardea alba*, 237
- jugularis*, 237
- novaehollandiae*, see heron, white-faced
- sacra*, see heron, reef
- Arenaria interpres*, see turnstone
- ARMITAGE, I. Wrybills (*Anarhynchus frontalis*) at the Manawatu River Estuary, North Island, New Zealand, 118-119
- ARMITAGE, I. Further evidence for the natural re-establishment of the pipit (*Anthus novaeseelandiae aucklandicus*) on Campbell Island, New Zealand, 226-228
- Artamus personatus*, see woodswallow, masked
- Athene*, see owl, sp.
- avocet, Australian, 79
- AYALA, L. Records of northern giant petrels (*Macronectes halli*) in Peruvian seas, 234-236
- Aythya novaeseelandiae*, see scaup, New Zealand
- BATTLE, P.F.; GILL, R.E. Jr.; TIBBITTS, T.L.; WARNOCK, N. Satellite tracking the migrations of New Zealand bar-tailed godwits *Limosa lapponica baueri*, (Abstract), 243
- BATTLE, P. see SCHUCKARD, R.; BATTLE, P.; MELVILLE, D.
- BEAUCHAMP, A.J. Notes on New Zealand pipit (*Anthus n. novaeseelandiae*) home range, parental care, and the behaviour of dependent young, 112-114
- BEAUCHAMP, A.J.; PARRISH, G.R. Wader (Charadriiformes) and royal spoonbill (*Platylea regia*) use of roosts in Whangarei Harbour and at Ruakaka Estuary, Northland, 1973-2000, 83-91
- BELL, Ben D., see ROWE, S.J.; BELL, Ben D.
- bellbird, 52, 192, 195, 200, 243, 245
- BEVERS, C. Putting Taranaki kiwi on the map, (Abstract), 243
- bird, Australian spp., 79-82
- European spp., 80
- parasitic spp., 15-19, 245
- self-introduced spp., 79-82
- bittern, Australasian, 42, 81, 192, 195
- blackbird, 92, 199, 246
- booby, masked, 229
- BORKIN, K.M.; GOODMAN, A.J.; MAYHEW, K.; SMITH, E. South Island robin (*Petroica australis australis*) abundance and leaf-litter invertebrates

- in plantation and native forest, 65-70
- Botaurus stellaris poiciloptilus*, see bittern, Australasian
- BOURNE, W.R.P.; DAVID, A.C.F. The visit by John MacGillivray to the Kermadec Islands in 1854 and the discovery and description of the Kermadec petrel (*Pterodroma neglecta*), 229-230
- Bowdleria punctata*, see fernbird
- BRADFIELD, P., see GRAHAM, M.; BRADFIELD, P.
- BREKKE, P., see LEUSCHNER, N.; BREKKE, P.; COPE, T.
- BRISKIE, J.V. Direct observations of shining cuckoos (*Chrysococcyx lucidus*) parasitizing and depredating grey warbler (*Gerygone igata*) nests, 15-19
- Bubulcus ibis*, see egret, cattle
- bunting, corn, 35
- indigo, 36
- Calidris acuminata*, see sandpiper, sharp-tailed
- canutus*, see knot, lesser
- ferruginea*, see sandpiper, curlew
- ruficollis*, see stint, red-necked
- Callaeas cinerea cinerea*, see kokako, South Island
- cinerea wilsoni*, see kokako, North Island
- Callaeatidae, 28, 52, 71
- Callaeidae, 201
- Calonectris diomedea*, see shearwater, Cory's
- Caracara plancus*, see caracara, southern
- caracara, southern, 221
- Carduelis chloris*, see greenfinch
- flammea*, see redpoll
- CASSEY, P. (Letter). Egg sizes in introduced birds, 57
- Catharacta lonnbergi*, see skua, brown
- chaffinch, 19, 193, 195
- CHAMBERS, G.K., see TOKUNAGA, C.; LAM, W.-J.; FASTIER, D.; AIKMAN, H.; CHAN, C.-H.; CHAMBERS, G.K.
- CHAN, C.-H., see TOKUNAGA, C.; LAM, W.-J.; FASTIER, D.; AIKMAN, H.; CHAN, C.-H.; CHAMBERS, G.K.
- Charadriiformes, 83-91, 244
- Charadrius bicinctus*, see dotterel, banded
- melanops*, see dotterel, black-fronted
- novaezeelandiae*, see *Thinornis novaezeelandiae*
- obscurus aquilonius*, see dotterel, northern New Zealand
- obscurus obscurus*, see dotterel, southern New Zealand
- torquata*, see *Thinornis novaezeelandiae*
- veredus*, see dotterel, oriental
- Chrysococcyx basalis*, see cuckoo, Horsfield's bronze
- lucidus lucidus*, see cuckoo, shining
- lucidus plagosus*, see cuckoo, Australian shining
- Chrysoenas luteovirens*, see dove, golden
- Circus approximans*, see harrier, Australasian
- Coenocorypha iredalei*, see snipe, South Island
- Columba livia*, see pigeon, rock
- Columbiformes, 99, 244
- COOK, W.A.; COOPER, D.; MELVILLE, D.S. Incestuous breeding by sibling oystercatchers (*Haematopus unicolor*), 48
- COOPER, D., see COOK, W.A.; COOPER, D.; MELVILLE, D.S.
- COOPER, W.; MULLER, P. (Obituary), Roger Robertson Sutton (1921-2006), 58-59
- COPE, T. see LEUSCHNER, N.; BREKKE, P.; COPE, T.
- Coraciiformes, 79
- CORIA, N.R., see SANTOS, M.M.; MONTALTI, D.; JUÁRES, M.; CORIA, N.R.; ARCHUBY, D.
- cormorant spp., see shag spp.
- CORRIGENDA: WALKER, K., ELLIOTT, G. Notornis 53: 265-290, 60
- Corvida, 116
- Corvus brachyrhynchos*, see crow, American
- spp., see crow, spp.
- creeper, brown, 16
- crow, American, 117
- spp., 116
- cuckoo, Australian shining, 15, 18
- European, 18
- Horsfield's bronze, 18
- long-tailed, 192, 194, 245
- shining, 15-19, 192
- spp., 15
- Cuculus canorus*, see cuckoo, European
- CUMING, P.; FRIEND, B.; ROWE, S.; ROWE, J. Rotorua/Hamilton OSNZ Lake surveys, (Abstract), 243-244
- CUMING, P., see NEUHÄUSER, M.; CUMING, P.
- curlew, eastern, 86
- spp., 237
- Cyanoramphus auriceps*, see parakeet, yellow-crowned
- auriceps forbesi*, see parakeet, Forbes'
- forbesi*, see parakeet, Forbes'
- novaezeelandiae chathamensis*, see parakeet, Chatham Island red-crowned
- novaezeelandiae cyanurus*, see parakeet, Kermadec red-crowned
- Cygnus atratus*, see swan, black
- dabchick, New Zealand, 42
- DAVID, A.C.F., see BOURNE, W.R.P.; DAVID, A.C.F.
- Diomedea chlororhyncha*, 229
- epomophora*, see albatross, southern royal
- exulans*, see albatross, wandering
- gibsoni*, see albatross, Gibson's
- palpebrata*, 237
- sanfordi*, see albatross, northern royal
- spp., see albatross spp.
- dotterel, banded, 42, 86, 87, 89, 90, 192, 195
- black-fronted, 80
- New Zealand, 86-89, 91, 192, 195, 196, 238
- oriental, 86
- dove, golden, 99-111
- duck, grey, 42, 192, 193, 195, 229

- mallard, 59
 spp., 115, 118, 190, 237
 dunnock, 246
 DURAND, M. Toxic gases and dead birds at Sulphur Bay, Rotorua, North Island, New Zealand, 42-44
 DUTSON, G.; WATLING, D. Cattle egrets (*Bubulcus ibis*) and other vagrant birds in Fiji, 54-55
 eagle, golden, 26
 Wahlberg's 20
 white-tailed, 26
 EDITOR'S NOTES, 120
 egret, cattle, 54-55
Egretta sacra, see heron, reef
Eudynamys taitensis, see cuckoo, long-tailed
Eudyptula minor, see penguin, blue
Falco cherrug, see saker
 naumanni, see kestrel, lesser
 novaeseelandiae, see falcon, New Zealand
 peregrinus, see falcon, peregrine
 rusticolus, see gyrfalcon
 falcon, bush, 20-27
 eastern, 20, 26
 New Zealand, 20-27, 112, 247
 peregrine, 20, 25
 southern, 20
 Falconiformes, 20-27, 244
 fantail, 192, 193, 246
 North Island, 192, 193, 195, 199
 FASTIER, D., see TOKUNAGA, C.; LAM, W-J;
 FASTIER, D.; AIKMAN, H.; CHAN, C-H;
 CHAMBERS, G.K.
 fernbird, 189, 192, 193, 195
 North Island, 189, 192, 193, 195
Ficedula hypoleuca, see flycatcher, pied
 flycatcher, pied, 34
 FORDHAM, S., see THOROGOOD, R.; HENRY, T.;
 FORDHAM, S.
 FRASER, M.J., see ROBERTSON, C.J.R.; HYVONEN,
 P.; FRASER, M.J.; PICKARD, C.R.
Fregetta grallaria, see storm petrel, white-bellied
 tropica, see storm petrel, black-bellied
 FRIEND, B., see CUMING, P.; FRIEND, B.; ROWE,
 S.; ROWE, J.
Fringilla coelebs, see chaffinch
 FROST, B., see SÖHLE, I.S.; ROBERTSON, C.J.R.;
 NICHOLLS, D.G.; MOURITSEN, H.; FROST, B.;
 MOLLER, H.
 fruit-dove, many-coloured, 99, 100, 101, 103, 105, 108,
 109, 111
 FRYER, P. "How I ended up here", (Abstract), 244
Gallicolumba stairi, see ground-dove, friendly
Gallinago gallinago, see snipe, common
hardwickii, see snipe, Japanese
Gallirallus australis, see weka
 philippensis, see rail, banded
 gannet, Australasian, 191, 199
 GAZE, P., see MICHELSON-HEATH, S.; GAZE, P.
Gerygone igata, see warbler, grey
 GILL, B.J. Bird collections made by the Cheeseman
 family: a record of the avifauna of Auckland,
 New Zealand, in the late 19th century, 189-196
 GILL, B.J. Australasian museums collections as a
 resource for ornithology, (Abstract), 244
 GILL, R.E. Jr., see BATTLE, P.F.; GILL, R.E. Jr.;
 TIBBITTS, T.L.; WARNOCK, N.
 godwit, bar-tailed, see godwit, eastern bar-tailed
 black-tailed, 86
 eastern bar-tailed, 83, 85-90, 118, 192, 195, 246
 GOODMAN, A.J., see BORKIN, K.M.; GOODMAN,
 A.J.; MAYHEW, K.; SMITH, E.
 GRAHAM, M.; BRADFIELD, P. Kokako recovery
 projects, (Abstract), 244
 grebe, Australasian little, 80
 GREENE, T., see HARTLEY, L.; GREENE, T.; PRYDE,
 M.; WESTBROOKE, I.
 greenfinch, 199
 ground-dove, friendly, 99, 100, 101, 103, 108, 109, 111
 gull, black-backed, 42, 44, 192, 194, 195, 199
 black-billed, 42
 laughing, 55
 red-billed, 42
 southern black-backed, see gull, black-backed
 spp., 118, 230
Gygis alba, see tern, white
Gymnomyza viridis, see honeyeater, giant forest
 viridis brunneirostris, see honeyeater, giant forest
 viridis viridis, see honeyeater, giant forest
Gymnorhina tibicen, see magpie, Australian
 gyrfalcon, 26
Haematopus ostralegus, 297
 ostralegus finschi, see oystercatcher, South Island
 pied
 unicolor, see oystercatcher, variable
Halcyon sancta vagans, see kingfisher, New Zealand
Haliaeetus albicilla, see eagle, white-tailed
 HARPER, G.A. (Letter). Weka and petrels: a reply,
 56-57
 harrier, Australasian, 112, 114, 193, 195, 199
 HARTLEY, L.; GREENE, T.; PRYDE, M.;
 WESTBROOKE, I. Five minute counts and the
 future, (Abstract), 244-245
 HAUBER, M., see LEUSCHNER, N.; HAUBER, M.
 hawk, harrier, see harrier, Australasian
 HAWKE, D.J. (Letter). Weka and petrels, 56
Hemiphaga novaeseelandiae, see pigeon, New Zealand
 HENDERSON, J., see POWLESLAND, R.; MORAN,
 L.; MORAN, K.; PULLEN, K.; JOICE, N.;
 HENDERSON, J.; KIVI, S.
 HENRY, T., see THOROGOOD, R.; HENRY, T.;
 FORDHAM, S.
 heron, nankeen night, 80, 81
 reef, 191, 193, 195, 199
 white-faced, 12, 54-55
Heteroscelus brevipes, see Tringa brevipes
Himantopus himantopus leucocephalus, see stilt,

- Australasian pied
novaezelandiae, see stilt, black
- Hirundo rustica*, see swallow, barn
tahitica neoxena, see swallow, welcome
- HOLLAND, J.D.; McCUTCHEON, R.R. Satellite tracking of a New Zealand falcon (*Falco novaeseelandiae*), 20-27
- honeyeater spp., 52, 53
 giant forest, 99-111
- Hydrobates pelagicus*, see storm petrel, British
- HYVONEN, P., see ROBERTSON, C.J.R.; HYVONEN, P.; FRASER, M.J.; PICKARD, C.R.
- jackbird, see saddleback, South Island
- JACKSON, D.B.; JIT, R. Population densities and detectability in 3 species of Fijian forest birds, 99-111
- JAMIESON, I.G., see TAYLOR, S.S.; JAMIESON, I.G.
- JAMIESON, I.G., see LUDWIG, K.; JAMIESON, I.G.
- JIT, R., see JACKSON, D.B.; JIT, R.
- JOICE, N., see POWLESLAND, R.; MORAN, L.; MORAN, K.; PULLEN, K.; JOICE, N.; HENDERSON, J.; KIVI, S.
- JUARES, M., see SANTOS, M.M.; MONTALTI, D.; JUARES, M.; CORIA, N.R.; ARCHUBY, D.
- kaka, 191, 193, 194, 195, 198
 North Island, 191, 193, 195, 198
- kakapo, 28
- kereru, see pigeon, New Zealand
- kestrel, lesser, 25
- kingfisher, New Zealand, 193-195, 229
 sacred, see kingfisher, New Zealand
- KIVI, S., see POWLESLAND, R.; MORAN, L.; MORAN, K.; PULLEN, K.; JOICE, N.; HENDERSON, J.; KIVI, S.
- kiwi, brown 189, 193, 195, 243
- knot, lesser, 83, 85-90, 118, 192, 195, 246
 red, see knot, lesser
- kokako, 189, 191, 193, 195, 204
 North Island, 28-37, 52-54, 189, 191, 193, 195, 204
 South Island, 53, 194
- LAM, W.-J., see TOKUNAGA, C.; LAM, W.-J.; FASTIER, D.; AIKMAN, H.; CHAN, C.-H.; CHAMBERS, G.K.
- lapwing, masked, see plover, spur-winged
- Larus atricilla*, see gull, laughing
bulleri, see gull, black-billed
dominicanus, see gull, black-backed
fuscus, 237
naevius, 237
novaeollandiae scopulinus, see gull, red-billed
- LETTERS: HAWKE, D.J. Weka and petrels, 56
 HARPER, G.A. Weka and petrels: a reply, 56-57
 SPITTLE, B.C. Sir George Grey and moa sightings, 57
 CASSEY, P. Egg sizes in introduced birds, 57
- LEUSCHNER, N.; BREKKE, P.; COPE, T. Longevity of a whitehead (*Mohoua albicilla*) on Tiritiri Matangi Island, 233
- LEUSCHNER, N.; HAUBER, M. Enemy recognition in the cuckoo host whitehead (*Mohoua albicilla*), (Abstract), 245
- Limosa lapponica baueri*, see godwit, eastern bar-tailed
limosa, see godwit, Asiatic black-tailed
- LUDWIG, K.; JAMIESON, I.G. Phrase type, repertoire size and repertoire overlap in the South Island saddleback (*Philesturnus carunculatus carunculatus*), 201-213
- MacKAY, J.W.B.; RUSSELL, J.C.; ANDERSON, S.H. Birds of Motuhoropapa I, Noises Group, Hauraki Gulf, North Is, New Zealand, 197-200
- Macronektes giganteus*, see petrel, southern giant
halli, see petrel, northern giant
 sp., see petrel, giant
- magpie, Australian, 92, 116-117
- mallard, see duck, mallard
- MAYHEW, K., see BORKIN, K.M.; GOODMAN, A.J.; MAYHEW, K.; SMITH, E.
- McCORMICK, J. Possible tool use by an Australian magpie (*Gymnorhina tibicen*), 116-117
- McCUTCHEON, R.R., see HOLLAND, J.D.; McCUTCHEON, R.R.
- MEDWAY, D.G. The correct type locality of the shore plover *Thinornis novaeseelandiae* (Gmelin, 1789), 115-116
- MEDWAY, D.G. A possible live South Island snipe (*Coenocorypha iredalei*) at Dusky Sound in 1773, 237-238
- MEDWAY, D.G. Why did bellbirds (*Anthornis melanura*) return to New Plymouth, and why have they gone again? 245
- Meliphagidae, 52
- Melospiza melodia*, see sparrow, song
- MELVILLE, D.S., see COOK, W.A.; COOPER, D.; MELVILLE, D.S.
- MELVILLE, D., see SCHUCKARD, R.; BATTLE, P.; MELVILLE, D.
- MICHELSON-HEATH, S.; GAZE, P. Changes in distribution and abundance of the rock wren (*Xenicus gilviventris*) in the South Island, New Zealand, 71-78
- Miliaria calandra*, see bunting, corn
- MISKELLY, C.M.; TAYLOR, G.A. Common diving petrel (*Pelecanoides urinatrix*) breeding at 1 year old, 239-240
- MISKELLY, C.M., see SAGAR, P.M.; MISKELLY, C.M.; SCOFIELD, R.P.; SAGAR, J.L.
- MISKELLY, C.M., see TAYLOR, G.A.; MISKELLY, C.M.
- moa sp., 57
- Mohoua albicilla*, see whitehead
novaezeelandiae, see creeper, brown
- MOLLER, H., see SÖHLE, I.S.; ROBERTSON, C.J.R.; NICHOLLS, D.G.; MOURITSEN, H.; FROST, B.; MOLLER, H.
- mollymawk, black-browed, 51, 178
 Buller's, 177, 178

- Chatham, 123-126, 130, 142, 144, 168-179
 Salvin's, 49-51
 spp., 20, 123, 229
 yellow-nosed, 12, 177
- MONTALTI, D., see SANTOS, M.M.; MONTALTI, D.; JUÁRES, M.; CORIA, N.R.; ARCHUBY, D.
- MORAN, K., see POWLESLAND, R.; MORAN, L.; MORAN, K.; PULLEN, K.; JOICE, N.; HENDERSON, J.; KIVI, S.
- MORAN, L., see POWLESLAND, R.; MORAN, L.; MORAN, K.; PULLEN, K.; JOICE, N.; HENDERSON, J.; KIVI, S.
- morepork, 193, 195, 197-199, 245
- Morus serrator*, see gannet, Australasian
- MOURITSEN, H., see SÖHLE, I.S.; ROBERTSON, C.J.R.; NICHOLLS, D.G.; MOURITSEN, H.; FROST, B.; MOLLER, H.
- MULLER, P., see COOPER, W.; MULLER, P.
- MUNRO, A.R., see POWLESLAND, R.G.; MUNRO, A.R.; WESTBROOKE, I.M.
- MURRAY, M.D., see NICHOLLS, D.G.; ROBERTSON, C.J.R.; MURRAY, M.D.
- muttonbird spp., 230
- Nestor meridionalis*, see kaka
- NEUHÄUSER, M.; CUMING, P. Climate change and arrival of self-introduced bird species in New Zealand, 79-82
- NICHOLLS, D.G. Plumages of northern (*Diomedea sanfordi*) and southern royal (*D. epomophora*) albatrosses observed in Chilean seas in September 2004, 158-167
- NICHOLLS, D.G.; ROBERTSON, C.J.R. Validating locations from CLS:Argos satellite telemetry, 121-136
- NICHOLLS, D.G.; ROBERTSON, C.J.R. Assessing flight characteristics for the Chatham albatross (*Thalassarche eremita*) from satellite tracking, 168-179
- NICHOLLS, D.G.; ROBERTSON, C.J.R.; MURRAY, M.D. Measuring accuracy and precision for CLS:Argos satellite telemetry locations, 137-157
- NICHOLLS, D.G., see SÖHLE, I.S.; ROBERTSON, C.J.R.; NICHOLLS, D.G.; MOURITSEN, H.; FROST, B.; MOLLER, H.
- Ninox novaeseelandiae*, see morepork
- NOTICES: Fourth Biennial Australasian Ornithological Conference, 10
- Notiomystidae, 52, 71
- Notiomystis cincta*, see stitchbird
- Numenius madagascariensis*, see curlew, eastern
- phaeopus variegatus*, see whimbrel, Asiatic
- Nycticorax caledonicus*, see heron, nankeen night
- OBITUARY: COOPER, W.; MULLER, P. Roger Robertson Sutton (1921-2006), 58-59
- Oceanites oceanicus*, see storm petrel, Wilson's
- Oceanodroma castro*, see storm petrel, Madeiran
- furcata*, see storm petrel, fork-tailed
- leucorhoa*, see storm petrel, Leach's
- Oligomyodi, 71
- Onychoprion fuliginosus*, see *Sterna fuscata*
- owl, laughing, 112
 sp., 229
- oystercatcher, South Island pied, 83, 85-90, 192, 194, 195
 variable, 48, 83, 87-91, 118, 192, 195, 197-199
- Pachyptila belcheri*, see prion, thin-billed
- crassirostris*, see prion, fulmar
- desolata*, see prion, Antarctic
- eatoni eatoni*, see *Pachyptila crassirostris*
- salvini*, see prion, Salvin's
- turtur*, see prion, fairy
- vittata*, see prion, broad-billed
- parakeet, Chatham Island red-crowned, 38-41
- Cyanoramphus* spp., 38-41
- Forbes', 38-41
- hybrid Forbes' × Chatham Island red-crowned, 38-41
- Kermadec, 229, 230
- spp., 237
- PARKER, K.A. Opportunistic scavenging or active predation of a blackbird (*Turdus merula*) by an Australian magpie (*Gymnorhina tibicen*), 92
- PARRISH, G.R., see BEAUCHAMP, A.J.; PARRISH, G.R.
- parrot, masked shining, 99-111
 red shining, 110
 spp., 237
- Passer domesticus*, see sparrow, house
- Passeriformes, 99, 244
- Passerina cyanea*, see bunting, indigo
- passerine, exotic spp., 57
 suboscine spp., 71
- Pelecanoides georgicus*, see petrel, South Georgian
- diving
 sp., see petrel, diving sp.
- urinatrix*, see petrel, common diving
- urinatrix exsul*, see petrel, subantarctic diving
- urinatrix urinatrix*, see petrel, common diving
- Pelecanus carbo*, 237
- graculus*, 237
- penguin, blue, 193, 195, 199
- Humboldt, 234
- spp., 122
- Petrel, black-capped, see petrel, white-naped
- collared, 230
- common diving, 239-240
- diving, 229
- Fiji, 230
- gadfly spp., 230
- giant sp., 229
- grey-faced, 199
- Herald, 230
- Kermadec, 229-230
- northern giant, 234-236
- soft-plumaged, 230
- South Georgian diving, 241

- southern giant, 50, 234
 spp., 56-57, 137, 199, 229, 239, 240
 subantarctic diving, 241
 Westland, 56, 138, 142-145, 149, 180
 white-headed, 230
 white-naped, 229
- Petroica australis*, see robin, New Zealand
australis australis, see robin, South Island
macrocephala, see tomtit
traversi, see robin, black
- Phaethon phoenicurus*, see *Phaethon rubricauda*
Phaethon rubricauda, see tropicbird, red-tailed
- Phalacrocoracidae, 93-98
- Phalacrocorax carbo*, see shag, black
melanoleucos, see shag, little
 spp., see shag, spp.
varius, see shag, pied
- Phasianus colchicus*, see pheasant, ring-necked
- pheasant, 193, 195
- Philesturnus carunculatus carunculatus*, see saddleback, South Island
carunculatus rufusater, see saddleback, North Island
- Phoebastria*, see albatross, North Pacific spp.
irrorata, see albatross, waved
- PICKARD, C.R., see ROBERTSON, C.J.R.;
 HYVONEN, P.; FRASER, M.J.; PICKARD, C.R.
- pigeon, New Zealand, 237, 243, 245
 racing, 26, see also pigeon, rock
 rock, 26
 sp., 237
- pintado, 229
- pipit, Auckland Island, 226-228
 Australasian, 227
 New Zealand, 44-47, 112-114, 189, 193, 195, 226
- Platalea regia*, see spoonbill, royal
- Platycercus pacificus*, see *Cyanoramphus novaezelandiae cyanurus*
- plover, grey, 55, 86
 New Zealand, see plover, shore
 Pacific golden, 55, 86, 87, 89, 90, 118
 shore, 115-116, 238
 spur-winged, 4-7, 55, 58, 80, 86-89
- Pluvialis fulva*, see plover, Pacific golden
squatarola, see plover, grey
- pohebird, 237
- Porphyrio hochstetteri*, see takahe
porphyrio, see pukeko
- POST, P.W. Observation of prion (*Pachyptila*) wrecks on the west coast of South America, 220-225
- POWLESLAND, R.G.; MUNRO, A.R.; WESTBROOKE, I.M. Black shag (*Phalacrocorax carbo*): roost counts at Melling, Hutt Valley, and breeding in the Wellington region, New Zealand, 93-98
- POWLESLAND, R.; MORAN, L.; MORAN, K.; PULLEN, K.; JOICE, N.; HENDERSON, J.; KIVI, S. Aspects of kereru ecology in and about New Plymouth, (Abstract), 245
- prion, antarctic, 220-223
 broad-billed, 220, 223
 fairy, 220, 223
 fulmar, 220, 223
 Salvin's, 220, 222
 spp., 220-225
 thin-billed, 220-223
- Procellaria gigantea*, see *Macronectes* sp.
hasitata, see *Pterodroma cervicalis*
lessonii, see *Pterodroma lessonii*
raoulensis, see *Pterodroma neglecta*
 sp. see petrel, sp.
torquata, see *Pterodroma leucoptera brevipes*
vittata, 237
westlandica, see petrel, Westland
- Procellariiformes, 121-136, 137-157, 158-167, 168-179, 180-188, 220-225, 229-230, 234-236, 239-240, 240-242, 244
- Procelsterna cerulea*, see ternlet, grey
- Prosopiea personata*, see parrot, masked shining
tabuensis, see parrot, red shining
- Prosthemadera concinnata*, see *Prosthemadera novaeseelandiae*
novaeseelandiae, see tui
- PRYDE, M., see HARTLEY, L.; GREENE, T.; PRYDE, M.; WESTBROOKE, I.
- Pseudobulweria macgillivrayi*, see petrel, Fiji
- Pseudopron turtur solandei*, see *Pachyptila turtur*
- Psittaciformes, 99, 244
- Pterodroma arminjoniana heraldica*, see petrel, Herald
cervicalis, see petrel, white-naped
lessonii, see petrel, white-headed
leucoptera brevipes, see petrel, collared
macroptera gouldi, see petrel, grey-faced
mollis, see petrel, soft-plumaged
neglecta, see petrel, Kermadec
- Ptilinopus perousii*, see fruit-dove, many-coloured
- Puffinuria* sp., see *Pelecanoides* sp.
- Puffinus assimilis*, see shearwater, little
gravis, see shearwater, great
griseus, see shearwater, sooty
puffinus, see shearwater, Manx
tenuirostris, see shearwater, short-tailed
- pukeko, 81, 193, 195
- PULLEN, K., see POWLESLAND, R.; MORAN, L.; MORAN, K.; PULLEN, K.; JOICE, N.; HENDERSON, J.; KIVI, S.
- quail, brown, 193, 195
 California, 246
- rail, banded, 193, 195
- Ratitae, 244
- Ratite, 244
- Recurvirostra novaehollandiae*, see avocet, Australian
- redpoll, 19
- Rhipidura fuliginosa*, see fantail
fuliginosa placabilis, see fantail, North Island
- rifleman, 71

- ROBERTSON, C.J.R.; HYVONEN, P.; FRASER, M.J.; PICKARD, C.R. Atlas of bird distribution in New Zealand, (Abstract), 245
- ROBERTSON, C.J.R., see NICHOLLS, D.G.; ROBERTSON, C.J.R. (2 papers)
- ROBERTSON, C.J.R., see NICHOLLS, D.G.; ROBERTSON, C.J.R.; MURRAY, M.D.
- ROBERTSON, C.J.R., see SÖHLE, I.S.; ROBERTSON, C.J.R.; NICHOLLS, D.G.; MOURITSEN, H.; FROST, B.; MOLLER, H.
- ROBERTSON, G., see SECO PON, J.P.; WEINECKE, B.; ROBERTSON, G.
- robin, black, 28
New Zealand, 65
South Island, 65-70
- ROWE, J., see CUMING, P.; FRIEND, B.; ROWE, S.; ROWE, J.
- ROWE, S., see CUMING, P.; FRIEND, B.; ROWE, S.; ROWE, J.
- ROWE, S.J.; BELL, Ben D. The influence of geographic variation in song dialect on post-translocation pair formation in North Island kokako (*Callaeas cinerea wilsoni*), 28-37
- RUSSELL, J.C., see MacKAY, J.W.B.; RUSSELL, J.C.; ANDERSON, S.H.
- saddleback, North Island, 61, 201-204, 206, 208, 209
South Island, 28, 61-64, 194, 201-213
- SAGAR, J.L., see SAGAR, P.M.; MISKELLY, C.M.; SCOFIELD, R.P.; SAGAR, J.L.
- SAGAR, P.M.; MISKELLY, C.M.; SCOFIELD, R.P.; SAGAR, J.L. Survival estimates of Antarctic terns (*Sterna vittata bethunei*) on the Snares Islands, New Zealand, 214-219
- saker, 25
- sandpiper, curlew, 86
sharp-tailed, 86
spp., 237
- SANTOS, M.M.; MONTALTI, D.; JUÁRES, M.; CORIA, N.R.; ARCHUBY, D. First record of the austral thrush (*Turdus falcklandii*) from the South Shetland Islands, Antarctica, 231-232
- scaup, New Zealand, 42, 191
Sceloglaux albifacies, see owl, laughing
- SCHUCKARD, R. Why a February wader count? (Abstract), 246
- SCHUCKARD, R.; BATTLE, P.; MELVILLE, D. Movement of arctic waders in New Zealand: what's out there after three years? (Abstract), 246
- SCOFIELD, R.P., see SAGAR, P.M.; MISKELLY, C.M.; SCOFIELD, R.P.; SAGAR, J.L.
- Scelopax gallinago*, 237-238
- seabird spp., 49-51, 54, 56-57, 121-136, 137-157, 158-167, 168-179, 214-219, 220-225, 229-230, 234-236, 239-240, 240-242
- SECO PON, J.P.; WEINECKE, B.; ROBERTSON, G. First record of Salvin's albatross (*Thalassarche salvini*) on the Patagonian Shelf, 49-51
- shag, black, 93-98
little, 191, 193, 195
pied, 94, 191, 192, 195
spp., 42, 118, 237
- shearwater, Cory's, 180
great, 50
little, 229
Manx, 241
short-tailed, 138, 142-145, 149, 177, 180, 187
sooty, 56, 123, 125, 127, 129, 130, 138, 142-145, 149, 180-188
spp., 122, 137, 145, 149, 155, 199
- shelduck, paradise, 59, 197, 199
- shorebird spp., 244, 246
- shoveler, Australasian, 58, 59, 246
- silveryeye, 79, 193, 195, 199, 246
- skua, brown, 215
- skylark, 193, 195
- SMITH, E., see BORKIN, K.M.; GOODMAN, A.J.; MAYHEW, K.; SMITH, E.
- snipe, common, 237
Japanese, 237
South Island, 237-238
- SÖHLE, I.S.; ROBERTSON, C.J.R.; NICHOLLS, D.G.; MOURITSEN, H.; FROST, B.; MOLLER, H. Satellite tracking of sooty shearwaters (*Puffinus griseus*) during their pre-laying exodus and incubation, 180-188
- songbird, oscine spp., 201
spp., 79
- sparrow, hedge, see dunnoek
house, 193, 195, 246
song, 35, 36
- Spheniscus humboldti*, see penguin, Humboldt
- SPITTLE, B.C. (Letter). Sir George Grey and moa sightings, 57
- spoonbill, royal, 80, 83, 87, 89-91, 118
- SPURR, E. New Zealand garden bird survey 2006, (Abstract), 246
- STANCLIFF, A. Monitoring population change in shoveler, (Abstract), 246
- starling, 246
- Sterna albifrons*, see tern, little
albostrata, see tern, black-fronted
antillarum, see tern, least
bergii, see tern, crested
caspia, see tern, Caspian
dougalli, see tern, roseate
fuscata, see tern, sooty
hirundo, see tern, common
nereis, see tern, fairy
nereis davisae, see tern, New Zealand fairy
spp., 229
striata, see tern, white-fronted
vittata bethunei, see tern, Antarctic
- stilt, Australasian, pied, 42, 83, 85, 87-90, 118, 191, 192, 195
black, 189, 191, 192
pied, see stilt, Australasian pied

- stint, red-necked, 86
 stitchbird, 52
 storm petrel, black-bellied, 229
 British, 240
 fork-tailed, 240
 Leach's, 241
 Madeiran, 241
 white-bellied, 229
 Wilson's, 50, 241
Strigops habroptilus, see kakapo
Sula dactylatra, see booby, masked
 personata, see *Sula dactylatra*
 swallow, barn, 231
 welcome, 12, 13, 79-81, 199
 swan, black, 42, 81, 83
Synoicus ypsilophorus, see quail, brown
Tachybaptus novaehollandiae, see grebe, Australasian
 little
 rufopectus, see dabchick, New Zealand
Tadorna variegata, see shelduck, paradise
 takahe, 73
 tattler, grey-tailed, 55
 wandering, 55
 TAYLOR, M. Banding studies of Caspian terns particularly in Auckland region, (Abstract), 247
 TAYLOR, G.A.; MISKELLY, C.M. Re-laying following egg failure by common diving petrels (*Pelecanoides urinatrix*), 240-242
 TAYLOR, G.A., see MISKELLY, C.M.; TAYLOR, G.A.
 TAYLOR, S.S.; JAMIESON, I.G. Determining sex of South Island saddlebacks (*Philesturnus carunculatus carunculatus*) using discriminant function analysis, 61-64
 teal, brown, 189, 192-195
 Campbell Island, 227
 tern, Antarctic, 214-219
 black-fronted, 189, 192, 195, 218
 Caspian, 191, 194, 218, 247
 common, 218
 crested, 55
 fairy, see tern, New Zealand fairy
 least, 218
 little, 218
 New Zealand fairy, 189, 191, 192, 195, 218
 roseate, 218
 sooty, 194, 218, 229
 spp., 118, 214
 white, 194
 white-fronted, 199, 218
 ternlet, grey, 229
Thalassarche bulleri, see mollymawk, Buller's
 chlororhynchos, see mollymawk, yellow-nosed
 eremita, see mollymawk, Chatham
 melanophrys, see mollymawk, black-browed
 salvini, see mollymawk, Salvin's
 spp., see mollymawk spp.
Thalassidroma melanogaster, see *Fregetta tropica* sp., see *Fregetta grallaria*
Thinornis novaeseelandiae, see plover, shore
 THOMAS, A. New Zealand falcon (*Falco novaeseelandiae*) breeding behaviour and development in a plantation pine forest, (Abstract), 247
 thornbill, yellow-rumped, 15
 THOROGOOD, R.; HENRY, T.; FORDHAM, S. North Island kokako (*Callaeas cinerea wilsoni*) feed on flax (*Phormium tenax*) nectar on Tiritiri Matangi Island, Hauraki Gulf, New Zealand, 52-54
 thrush, austral, 231-232
 song, 245
Thryothorus pleurostictus, see wren, banded
 TIBBITTS, T.L., see BATTLE, P.F.; GILL, R.E. Jr.; TIBBITTS, T.L.; WARNOCK, N.
Todiramphus sanctus, see kingfisher, New Zealand
 TOKUNAGA, C.; LAM, W-J.; FASTIER, D.; AIKMAN, H.; CHAN, C-H.; CHAMBERS, G.K. Morphological sexing of Forbes' parakeet (*Cyanoramphus forbesi*) validated by molecular data, 38-41
 tomtit, 193, 195
 North Island, 193, 195
Tringa brevipes, see tattler, grey-tailed
 incana, see tattler, wandering
 tropicbird, red-tailed, 229
 tui, 52, 191, 193, 195, 197-198, 199, 200, 229, 243
 turdid spp., 231
Turdus falcklandii magellanicus, see thrush, austral
 merula, see blackbird
 philomelos, see thrush, song
 turnstone, 86-89, 192, 195

Vanellus miles novaehollandiae, see plover, spur-winged
 VINTON, J. Urban flyers: an investigation of avian species abundance, richness and behaviours along a variably urbanised gradient, (Abstract), 247

 wader spp., 59, 79, 83-91, 118-119, 190, 244, 246
 palaeartic spp., 83-91, 246
 warbler, great reed, 34
 grey, 15-19, 199
 WARNOCK, N., see BATTLE, P.F.; GILL, R.E. Jr.; TIBBITTS, T.L.; WARNOCK, N.
 waterhen, 237
 WATLING, D., see DUTSON, G.; WATLING, D.
 wattletail, New Zealand, 28-37, 52-54, 61-64
 WEINECKE, B., see SECO PON, J.P.; WEINECKE, B.; ROBERTSON, G.
 weka, 56
 WESTBROOKE, I.M., see POWLESLAND, R.G.; MUNRO, A.R.; WESTBROOKE, I.M.
 WESTBROOKE, I., see HARTLEY, L.; GREENE, T.; PRYDE, M.; WESTBROOKE, I.
 whimbrel, Asiatic, 83, 86-90
 whitehead, 233, 245
 woodcock, 237

woodswallow, masked, 80
sp., 81
wren, banded, 209
New Zealand spp., 71-78
rock, 71-78

wrybill, 83, 86, 87, 89-91, 192, 195

Xenicus gilviventris, see wren, rock

Zosterops lateralis, see silvereye

Compiled by TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland 0627