


NOTORNIS

Ornithology of the Southern Pacific



Volume 55 2008

Journal of the Ornithological Society of New Zealand

Contents of Volume 55, 2008

Volume 55, Part 1, March 2008

CONTENTS

Papers

Hybridisation between mallard (<i>Anas platyrhynchos</i>) and grey duck (<i>A. superciliosa</i>) on Lord Howe Island and management options	Tracey, J.P.; Lukins, B.S.; Haselden, C.	1
The birds of Nauru	Buden, D.W.	8
The recovering population of the Chatham Island oystercatcher (<i>Haematopus chathamensis</i>)	Moore, P.J.	20
Application of the new names in the 1794 J.R. Forster footnote on Norfolk Island birds	Steinheimer, F.D.; Schodde, R.; Bock, W.J.	32

Short notes

Foot-trembling and beak probing by the shore plover (<i>Thinornis novaeseelandiae</i>) on sandy beaches	Armitage, I.	38
A new prey species for the New Zealand bush falcon (<i>Falco novaeseelandiae</i>)	Hyde, N.; Seaton, R.	40
Grey heron (<i>Ardea cinerea</i>) sightings in Fiji	Pratt, H.D.; Masibalavu, V.; Abbott, M.	42
First observation of siblicide in brown skua (<i>Catharacta lonnbergi</i>) at Harmony Point, Nelson Island, Antarctica	Machovsky Capuska, G.; Rosso, P.; Copello, S.; Casaux, R.	43
Recapture of bellbird likely 8+ years old	Spurr, E.B.; Crossland, A.C.; Sagar, P.M.	45
South Georgian diving petrel (<i>Pelecanoides georgicus</i>) bones from a Maori midden on Otago Peninsula, New Zealand	Wood, J.R.; Briden, S.	46
Unusual hunting strategy by a subantarctic skua at Heard Island	Wienecke, B.	48

Abstracts

Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 31 May 2008, Kaikoura, New Zealand	various	49
---	---------	----

Book review

The systematics and taxonomy of Australian birds	Scofield, R.P.	54
--	----------------	----

Volume 55, Part 2, June 2008

CONTENTS

Papers

- | | | |
|---|---|-----------|
| "Acoustic anchoring" and the successful translocation of North Island kokako (<i>Callaeas cinerea wilsoni</i>) to a New Zealand mainland management site within continuous forest | Molles, L.E.; Calcott, A.; Peters, D.; Delamare, G.; Hudson, J.; Innes, J.; Flux, I.; Waas, J. | 57 |
| Aspects of the breeding biology of the pied shag (<i>Phalacrocorax varius</i>) at Makara Beach, Wellington, New Zealand | Powlesland, R.G.; Sharp, S.E.; Smith, A.N.H. | 69 |
| Rediscovery of the New Zealand storm petrel (<i>Pealeornis maoriana</i> Mathews 1932): two sightings that revised our knowledge of storm petrels | Stephenson, B.M.; Flood, R.; Thomas, B.; Saville, S. | 77 |
| Population numbers of the Caspian tern (<i>Sterna caspia</i>) in New Zealand | Bell, M.; Bell, B.D. | 84 |
| Antipodean wandering albatross (<i>Diomedea antipodensis</i>) colonising the Chatham Islands | Miskelly, C.M.; McNally, N.; Seymour, R.; Gregory-Hunt, D.; Lanauze, J. | 89 |

Short notes

- | | | |
|---|---|------------|
| Successful fostering of a captive-reared New Zealand falcon (<i>Falco novaeseelandiae</i>) into a natural nest containing 3 fledglings | Seaton, R.; Stewart, D.; Hyde, N. | 96 |
| Notes on the breeding biology of kereru (New Zealand pigeon, <i>Hemiphaga novaeseelandiae</i>) on Banks Peninsula, South Island, New Zealand | Campbell, K.L.; Wilson, K.-J.; Ogilvie, S. | 98 |
| A brief survey of breeding seabirds on 4 islets off Banks Peninsula, South Island, New Zealand | Wilson, K.-J. | 101 |
| Tui (<i>Prosthemadera novaeseelandiae</i>) increase at Seatoun, Miramar Peninsula, Wellington, New Zealand during 1998-2006 | Bell, B.D. | 104 |
| Kermadec petrels (<i>Pterodroma neglecta</i>) off the Azores, North Atlantic Ocean | Imber, M.J. | 106 |
| The first record of the South Island fernbird (<i>Bowdleria p. punctata</i>) | Medway, D.G. | 109 |
| Marine and coastal bird survey of islands in the Southern Lagoon, New Caledonia | Baling, M.; Brunton, D.H.; Jeffries, D. | 111 |
| Female New Zealand falcon (<i>Falco novaeseelandiae</i>) breeds in its 1st year | Seaton, R.; Hyde, N. | 114 |

Book review

- | | | |
|--|-----------------------|------------|
| Feathered dinosaurs. The origin of birds | Clements, K.D. | 115 |
|--|-----------------------|------------|

Volume 55, Part 3, September 2008

CONTENTS

Papers

Conservation status of New Zealand birds, 2008	Miskelly, C.M.; Dowding, J.E.; Elliott, G.P.; Hitchmough, R.A.; Powlesland, R.G.; Robertson, H.A.; Sagar, P.M.; Scofield, R.P.; Taylor, G.A.	117
Relative abundance of Australasian harriers (<i>Circus approximans</i>) in New Zealand	Eakle, W.L.	136
Natal dispersal of New Zealand falcon (<i>Falco novaeseelandiae</i>) in plantation forests	Seaton, R.; Holland, J.D.; Minot, E.O.; Springett, B.P.	140
Breeding of variable oystercatchers (<i>Haematopus unicolor</i>) at Kaikoura Peninsula, South Island, New Zealand	Rowe, L.	146

Short notes

The proportion of white-backed and black-backed Australian magpies (<i>Gymnorhina tibicen</i>) in a Waikato population	Morgan, D.	155
Pukeko (<i>Porphyrio porphyrio</i>) predation of a house sparrow (<i>Passer domesticus</i>)	Wishart, M.L.	158
Post-fledging parental care of a juvenile New Zealand fairy tern (<i>Sterna nereis davisae</i>)	Preddey, J.M.	159
A further 1952 record of a <i>Coenocorypha</i> snipe on Campbell Island, New Zealand subantarctic	Miskelly, C.M.; Norton, B.	162
Sightings and capture of Kermadec storm petrels (<i>Pelagodroma marina albiclunis</i>), off Haszard Island and the Meyer Islets, Kermadec Islands, in 2004	Imber, M.J.; Stephenson, B.M.	166
Establishment and local extinction of fantails (<i>Rhipidura fuliginosa</i>) on the Snares Islands, New Zealand	Miskelly, C.M.; Sagar, P.M.	170

Book review

Oology and Ralph's talking eggs: Bird conservation comes out of its shell	Boulton, R.L.; Cassey, P.	172
---	---------------------------	-----

Volume 55, Part 4, December 2008

CONTENTS

Papers

- | | | |
|---|---|------------|
| Diet of kereru (<i>Hemiphaga novaeseelandiae</i>) in a rural-urban landscape, Banks Peninsula, New Zealand | Campbell, K.L.; Schotborgh, H.M.; Wilson, K.-J.; Ogilvie, S.C. | 173 |
| Monitoring grey-faced petrels (<i>Pterodroma macroptera gouldi</i>) in a restoration project on Motuora Island, Hauraki Gulf | Gardner-Gee, R.; Rayner, M.; Beggs, J.R.; | 184 |
| The New Zealand storm-petrel (<i>Pealeornis maoriana</i> Mathews, 1932): first live capture and species assessment of an enigmatic seabird | Stephenson, B.M.; Gaskin, C.P.; Griffiths, R.; Jamieson, H.; Baird, K.A.; Palma, R.L.; Imber, M.J. | 191 |

Short notes

- | | | |
|---|--|------------|
| Southern royal albatross (<i>Diomedea epomophora</i>) dies from ingesting a porcupine fish | Battley, P.F.; Moore, P.J.; Moore, S.J. | 207 |
| DNA sexing of the critically endangered New Zealand storm petrel (<i>Oceanites maorianus</i> , or <i>Pealeornis maoriana</i>) | Robertson, B.C.; Stephenson, B.M. | 209 |
| Aerial pursuit and predation of European goldfinch (<i>Carduelis carduelis</i>) by Australian magpie (<i>Gymnorhina tibicen</i>) | Crossland, A.C. | 212 |
| Use of wind farms by Australasian harrier (<i>Circus approximans</i>) | Stirnemann, I.; Kessels, G. | 214 |
| DNA sequencing detects an additional museum specimen of the Chatham Island taiko (<i>Pterodroma magentae</i>) | Lawrence, H.A.; Scofield, R.P.; Millar, C.D.; Lambert, D.M. | 216 |
| Observation of an attack on a mature song thrush (<i>Turdus philomelos</i>) by a black-backed gull (<i>Larus dominicanus</i>) | Seabrook-Davison, M.N.H.; Parker, K.A.; Brunton, D.H. | 219 |
| First observation of pre-copulatory behaviour and copulation in shining cuckoos (<i>Chrysococcyx l. lucidus</i>) in New Zealand | Seabrook-Davison, M.N.H.; Anderson, M.G.; Brunton, D.H. | 220 |
| Sightings of great shearwater (<i>Puffinus gravis</i>) near New Zealand in 2006 | Gaskin, C.; Shirihai, H.; Wood, S. | 222 |
| Mutualistic and opportunistic foraging by red-billed gull (<i>Larus novaehollandiae</i>) around Hooker's sea lion (<i>Phocarctos hookeri</i>) | Bell, B.D. | 224 |

Book review

- | | | |
|--|----------------------|------------|
| Migratory shorebirds of the east Asian-Australasian flyway: population estimates and internationally important sites | Schuckard, R. | 226 |
|--|----------------------|------------|

Letter

- | | | |
|--|--------------------|------------|
| Extinct birds of New Zealand spelling errors | Murdoch, C. | 228 |
|--|--------------------|------------|

INDEX OF AUTHORS AND SPECIES

Volume 55

- ABBOTT, M., see PRATT, H.D.; MASIBALAVU, V.; ABBOTT, M.
- Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 31 May 2008, Kaikoura, New Zealand, 49-53
- Acanthisitta chloris chloris*, see rifleman, South Island
- chloris granti*, see rifleman, North Island
- Acanthisittidae, 120, 124, 126, 128
- Acanthizidae, 128, 131
- Accipiter fasciatus*, see goshawk, brown
- gentiles*, see goshawk, northern
- hiogaster*, see goshawk, Indonesian variable
- nisus*, see sparrowhawk, European
- Accipitridae, 120, 131, 134
- Accipitriiformes, 55
- Acridotheres tristis*, see myna, common
- Acrocephalus australis*, see reed-warbler, Australian
- rehsei*, see reed-warbler, Nauru
- stentoreus*, see reed-warbler, clamorous
- ADAMS, J., see McLEOD, C.; ADAMS, J.; LYVER, P.
- Aegotheles novaeseelandiae*, see owl-nightjar, New Zealand
- Aegothelidae, 120, 124
- Aerodramus spodiopygius*, see swiftlet, white-rumped
- terraereginae*, see swiftlet, Australian
- Aldaia arvensis*, see skylark
- glareola*, see *Anthus novaeseelandiae*
- littorea*, see *Anthus novaeseelandiae*
- Alaudidae, 135
- Albatross, Amsterdam wandering, 93
- Antipodean wandering, 89-95, 130
- black-footed, 134
- Gibson's, 90, 123, 128
- Gibson's wandering, see albatross, Gibson's
- Laysan, 134
- light-mantled sooty, 128
- northern royal, 89, 90, 94, 130
- royal, 207-208
- shy, see mollymawk, shy
- snowy, see albatross, wandering
- southern royal, 93, 94, 130, 206-207
- Tristan wandering, 93
- wandering, 89-95, 132, 210
- white-capped, see mollymawk, white-capped
- Alcedinidae, 120
- Alectoris chukar*, see chukor
- Amauronis moluccana*, see bush-hen, pale-vented
- olivacea*, see bush-hen, Philippine
- Anarhynchus frontalis*, see wrybill
- Anas acuta*, see pintail, northern
- aucklandica*, see teal, Auckland Island
- castanea*, see teal, chestnut
- chlorotis*, see teal, brown
- chlorotis* "North Island", see teal, brown
- chlorotis* "South Island", see teal, brown
- clypeata*, see shoveler, northern
- eatoni*, see teal, Eaton's
- gracilis*, see teal, grey
- melleri*, see duck, Meller's
- nesiotis*, see teal, Campbell Island
- platyrhynchos*, see mallard
- platyrhynchos diazi*, see duck, Mexican
- rhynchotis variegata*, see shoveler, New Zealand
- rubripes*, see duck, American black
- superciliosa pelewensis*, see duck, grey
- superciliosa rogersi*, see duck, grey
- superciliosa superciliosa*, see duck, grey
- wyvilleana*, see duck, Hawaiian
- Anatidae, 120, 124, 126-135
- ANDERSON, M.G., see SEABROOK-DAVISON, M.N.H.; ANDERSON, M.G.; BRUNTON, D.H.
- Anhinga melanogaster*, see darter, old world spp.
- melanogaster novaehollandiae*, see darter, Australian
- rufa*, see darter, old world spp.
- Anhingidae, 133
- ANNUAL GENERAL MEETING. Abstracts of papers presented at the Ornithological Society of New Zealand Inc. AGM and Conference, 31 May 2008, Kaikoura, New Zealand, 49-53
- Anous minutus*, see noddy, black
- spp., see noddy spp.
- stolidus*, see noddy, brown
- tenuirostris minutus*, see noddy, white-capped
- Anser anser*, see goose, feral
- Anthochaera carunculata*, see wattletbird, red
- Anthornis melanoccephala*, see bellbird, Chatham Island
- melanura melanura*, see bellbird
- melanura obscura*, see bellbird, Three Kings
- melanura oneho*, see bellbird, Poor Knights
- Anthus australis*, see pipit, Australian
- correndera grayi*, see pipit, correndera
- novaeseelandiae*, see pipit, New Zealand
- novaeseelandiae aucklandicus*, see pipit, Auckland Island
- novaeseelandiae australis*, 56
- novaeseelandiae chathamensis*, see pipit, Chatham Island
- novaeseelandiae steindachneri*, see pipit, Antipodes Island

- Apodidae, 132
Aptenodytes forsteri, see penguin, emperor
patagonicus, see penguin, king
Apterygidae, 120, 124, 126, 127, 129
Apteryx australis, see tokoeka, Southern Fiordland
australis (Northern Fiordland), see tokoeka, Northern Fiordland
australis "Haast", see tokoeka, Haast
australis lawryi, see tokoeka, Stewart Island
haastii, see kiwi, great spotted
mantelli, see kiwi, North Island brown
owenii, see kiwi, little spotted
rowi, see rowi, or kiwi, Okarito brown
Aptornithidae, 120, 124
Apus pacificus pacificus, see swift, fork-tailed
Ardea cinerea, see heron, grey
intermedia, see egret, intermediate
novaehollandiae, see heron, white-faced
pacifica, see heron, white-necked
sumatrana, see heron, great-billed
Arenaria interpres, see turnstone
ARMITAGE, I. Foot trembling and beak probing by the shore plover (*Thinornis novaeseelandiae*) on sandy beaches, 38-39
Artamidae, 133, 135
Artamus personatus, see woodswallow, masked
superciliosus, see woodswallow, white-browed
Athene noctua, see owl, little
avocet, red-necked, 135
Aythya australis, see duck, Australian white-eyed
novaeseelandiae, see scaup, New Zealand

BAIRD, K.A., see STEPHENSON, B.M.; GASKIN, C.P.; GRIFFITHS, R.; JAMIESON, H.; BAIRD, K.A.; PALMA, R.L.; IMBER, M.J.
BALING, M.; BRUNTON, D.H.; JEFFRIES, D. Marine and coastal bird survey of islands in the Southern Lagoon, New Caledonia. 111-113
Bartramia longicauda, see sandpiper, upland
BATTLE, P.F.; MELVILLE, D.S.; GILL, R.E.; TIBITTS, L.; MULCAHY, D.; GARTELLE, B.; WARNOCK, N. Using satellite telemetry to track the movements of bar-tailed godwits in the Pacific region, (AGM Abstract), 49-50
BATTLE, P.F.; MOORE, P.J.; MOORE, S.J. Southern royal albatross (*Diomedea epomophora*) dies from injecting a porcupine fish, 207-208
BEGGS, J.R., see GARDNER-GEE, R.; RAYNER, M.; BEGGS, J.R.
BELL, B.D., see BELL, M.; BELL, B.D.
BELL, Ben D. Tui (*Prosthemadera novaeseelandiae*) increase at Seatoun, Miramar Peninsula, Wellington, New Zealand during 1998-2006, 104-106
Mutualistic and opportunistic foraging by red-billed gull (*Larus novaehollandiae*) around Hooker's sea lion (*Phocarcos hookeri*), 224-225

BELL, M. Results of breeding population census of shags in the Marlborough Sounds, (AGM Abstract), 51
BELL, M.; BELL, B.D. Population numbers of the Caspian tern (*Sterna caspia*) in New Zealand, 84-88
BELL, M., see GAZE, P.; BELL, M
bellbird, 45, 131, 182, 212
Chatham Island, 126
Poor Knights, 129
Three Kings, 129
bittern, Australian little, 55
Australasian, 127
little, 55, 134
New Zealand little, 126
blackbird, 4, 52, 135, 158, 212, 213, 219
Eurasian, see blackbird
BLYTH, R.; WILSON, K.-J.; HEBER, S.; CHAMBERS, H.; COTTON, J. Conservation of the blue penguin *Eudyptula minor* on the West Coast, South Island, New Zealand, (AGM Abstract), 52
BOCK, W.J., see STENHEIMER, F.D.; SCHODDE, R.; BOCK, W.J.
BOULTON, R.L.; CASSEY, P. (Review). Oology and Ralph's talking eggs: Bird conservation comes out of its shell. L. Carrol Henderson, 172
booby, brown, 11, 14, 17
masked (blue-faced), 127
red-footed, 11, 17, 111
Botaurus stellaris poiciloptilus, see bittern, Australasian
Bowdleria punctata caudata, see fernbird, Snares Island
punctata punctata, see fernbird, South Island
punctata stewartiana, see fernbird, Stewart Island
punctata vealeae, see fernbird, North Island
punctata wilsoni, see fernbird, Codfish Island
rufescens, see fernbird, Chatham Island
Branta canadensis, see goose, Canada
BRIDEN, S., see WOOD, J.R.; BRIDEN, S.
bronze-cuckoo, Gould's, 56
little, 56
BRUNTON, D.H., see BALING, M.; BRUNTON, D.H.; JEFFRIES, D.
BRUNTON, D.H., see SEABROOK-DAVISON, M.N.H.; PARKER, K.A.; BRUNTON, D.H.
BRUNTON, D.H., see SEABROOK-DAVISON, M.N.H.; ANDERSON, M.G.; BRUNTON, D.H.
Bubulcus ibis coromandus, see egret, cattle
BUDEN, D.W. The birds of Nauru, 8-19
budgerigar, 17
Bulweria bulwerii, see petrel Bulwer's
bunting, cirl, 135
Buphagus africanus, see oxpecker, yellow-billed
bush-hen, pale-vented, 55
Philippine, 55

Cabalus modestus, see rail, Chatham
Cacatua galerita, see cockatoo, sulphur-crested

- Cacatuidae, 135
Cacomantis flabelliformis, see cuckoo, fan-tailed
Calamoherde syrinx, see *Acrocephalus rehsei*
 CALCOTT, A., see MOLLES, L.E.; CALCOTT, A.;
 PETERS, G.; DELAMARE, G.; HUDSON, J.;
 INNES, J.; FLUX, I.; WAAS, J.
Calidris acuminata, see sandpiper, sharp-tailed
alba, see sanderling
alpina, see dunlin
bairdi, see sandpiper, Baird's
canutus, see knot, lesser
canutus piersmai, see knot, lesser
canutus rogersi, see knot
ferruginea, see sandpiper, curlew
fuscicollis, see sandpiper, white-rumped
himantopus, see sandpiper, stilt
mauri, see sandpiper, western
melanotos, see sandpiper, pectoral
minuta, see stint, little
ruficollis, see stint, red-necked
subminuta, see stint, long-toed
tenuirostris, see knot, great
Callaeas cinerea, see kokako, South Island
wilsoni, see kokako, North Island
 Callaeidae, 121, 126, 127, 129
Callipepla californica brunescens, see quail, California
Calonectris diomedea borealis, see shearwater, streaked
leucomelas, see shearwater, streaked
 CAMPBELL, K.L.; WILSON, K.-J.; OGILVIE, S. Notes
 on the breeding biology of kereru (New
 Zealand pigeon, *Hemiphaga novaeseelandiae*) on
 Banks Peninsula, South Island, New Zealand,
 98-100
 CAMPBELL, K.L.; SCHOTBORGH, H.M.;
 WILSON, K.-J.; OGILVIE, S.C. Diet of kereru
 (*Hemiphaga novaeseelandiae*) in a rural-urban
 landscape, Banks Peninsula, New Zealand,
 173-183
 Campephagidae, 134
 canary, 213
Carduelis carduelis, see goldfinch
chloris, see greenfinch
flammea, see redpoll
 CASAUX, R., see MACHOVSKY CAPUSKA, G.;
 ROSSO, P.; COPELLO, S.; CASAUX, R.
 CASSEY, P., see BOULTON, R.L.; CASSEY, P.
 (Review).
Catharacta antarctica lonnbergi, see skua, brown
maccormicki, see skua, South Polar
skua lonnbergi, see skua, brown
Cereopsis novaehollandiae, see goose, Cape Barren
 chaffinch, 135
Chalcites minutillus, see bronze-cuckoo, little
russatus, see bronze-cuckoo, Gould's
 CHAMBERS, H., see BLYTH, R.; WILSON, K.-J.;
 HEBER, S.; CHAMBERS, H.; COTTON, J.
 Charadriidae, 16, 120, 124, 126-128, 130-134
Charadrius alexandrinus, see plover, western snowy
 or plover, Kentish
bicinctus bicinctus, see dotterel, banded
bicinctus exilis, see dotterel, Auckland Island
 banded
dubius, see plover, little ringed
hiaticula, see plover, ringed
leschenaultii, see dotterel, large sand
melanops, see dotterel, black-fronted
mongolus, see dotterel, Mongolian
obscurus, see dotterel, New Zealand
obscurus aquilonius, see dotterel, northern
 New Zealand
obscurus obscurus, see dotterel, southern New
 Zealand
ruficapillus, see dotterel, red-capped
semipalmatus, see plover, semi-palmated
tricoloris, see plover, three-banded
veredus, see dotterel, oriental
Chenonetta jubata, see duck, Australian wood
Chlidonias albostratus, see tern, black-fronted
hybrida javanicus, see tern, whiskered
leucopterus, see tern, white-winged black
Chrysococcyx lucidus lucidus, see cuckoo, shining
lucidus plagiosus, see cuckoo, Australian
 shining-bronze
 chukor, 135
 Ciconiiformes, 55
Circus aeruginosus, see harrier, European marsh
approximans, see harrier, Australasian, or
 harrier, swamp
eylesi, see harrier, Eyles's
macroscelus, see harrier, Madagascar marsh
maillardi, see harrier, Reunion marsh
ranivorus, see harrier, African marsh
splinothotus, see harrier, eastern marsh
 CLEMENTS, K.D. (Review). Feathered dinosaurs. The
 origin of birds. J. Long; P. Schouten, 115-116
 cockatoo, sulphur-crested, 135
Coenocorypha aucklandica aucklandica, see snipe,
 Auckland Island
aucklandica campbelli, see snipe, Campbell
 Island
aucklandica huegeli, see snipe, Snares Island
aucklandica iredalei, see snipe, Stewart Island
aucklandica meinertzhagenae, see snipe,
 Antipodes Island
barriensis, see snipe, North Island
huegeli, see snipe, Snares Island
iredalei, see snipe, Stewart Island
pusilla, see snipe, Chatham Island
spp., see snipe, New Zealand spp.
Collocalia esculenta, see swiftlet, glossy
linchi, see swiftlet, Indonesian cave
Columba argetraea, see pigeon, Norfolk Island fruit
livia, see pigeon, rock
novaeseelandiae, see *Hemiphaga novaeseelandiae*
novae Seelandiae, see *Hemiphaga novaeseelandiae*

- Columbidae, 33, 120, 127, 131, 135
 coot, Australian, 131
 COPELLO, S., see MACHOVSKY CAPUSKA, G.;
 ROSSO, P.; COPELLO, S.; CASAUX, R.
 Coraciidae, 132
Coracina novaehollandiae, see cuckoo-shrike, black-faced
 cormorant, black, see shag, black
 little pied, see shag, little
 Coronaves, 55
 Corvidae, 121, 124, 135
Corvus frugilegus, see rook
Coturnix ypsilophora australis, see quail, brown
 crane, marsh, 129
 spotless, 129
 creeper, brown, 131
 CROSSLAND, A. Aerial pursuit and predation of
 European goldfinch (*Carduelis carduelis*) by
 Australian magpie (*Gymnorhina tibicen*), 212-213
 CROSSLAND, A., see SPURR, E.B.; CROSSLAND,
 A.C.; SAGAR, P.M.
 cuckoo, Australian shining bronze, 220
 Himalayan, see cuckoo, oriental
 fan-tailed, 133
 long-tailed, 15-17, 130, 220
 oriental, 56
 pallid, 134
 shining, 131, 220-221
 spp.,
 cuckoo-shrike, black-faced, 134
 Cuculidae, 120, 130, 131, 133-135, 220-221
Cuculus optatus, see cuckoo, oriental

saturatus, see cuckoo, oriental

 curlew, bristle-thighed, 12, 17, 134
 far-eastern, 132
 currawong, Lord Howe, 5
Cyanoramphus auriceps, see parakeet, yellow-crowned

cooki, see parakeet, Tasman

forbesi, see parakeet, Forbes'

hochstetteri, see parakeet, Reischek's

malherbi, see parakeet, orange-fronted

novaezelandiae, see parakeet, red-crowned

novaezelandiae chathamensis, see parakeet,

 Chatham Island red-crowned

novaezelandiae cyanurus, see parakeet,

 Kermadec red-crowned

novaezelandiae novaezelandiae, see parakeet,

 red-crowned

unicolor, see parakeet, Antipodes Island

Cygnus atratus, see swan, black
 olor, see swan, mute
Cymochorea leucorhoa leucorhoa, see storm petrel,
 Leach's
 dabchick, New Zealand, 128
Dacelo novaeguinae, see kookaburra, laughing
Daption capense australe, see pigeon, Snares cape

capense capense, see pigeon, cape

 darter, Australian, 55, 133
 old world spp., 55
 DELAMARE, G., see MOLLES, L.E.; CALCOTT, A.;
 PETERS, G.; DELAMARE, G.; HUDSON, J.;
 INNES, J.; FLUX, I.; WAAS, J.
Dendrocygna eytoni, see duck, grass whistling
 Dicruridae, 134
Dinornis giganteus, see moa

novaezelandiae, see moa, North Island giant

 Dinornithidae, 120, 124
 Dinornithiformes, 136
Diomedea amsterdamensis, see albatross, Amsterdam
 wandering

antipodensis antipodensis, see albatross,

 Antipodean wandering

antipodensis gibsoni, see albatross, Gibson's

 Wandering

dabbenena, see albatross, Tristan wandering

epomophora epomophora, see albatross,

 southern royal

epomophora sanfordi, see albatross, northern

 royal

exulans, see albatross, wandering, or

 albatross, snowy

gibsoni, see albatross, Gibson's wandering

 Diomedidae, 120, 124, 127-132, 134, 135
 dollarbird, 132
 dotterel, Auckland Island banded, 130
 banded, 123, 128
 black-fronted, 38, 131
 large sand, 12, 17, 132
 Mongolian, 12, 17, 132
 New Zealand, 38, 87
 northern New Zealand, 87, 128
 oriental, 132
 red-capped, 132
 red-kneed, 134
 southern New Zealand, 126
 dove, African collared, 135
 barbary, see dove, African collared
 spotted, 135
 DOWDING, J.E., see MISKELLY, C.M.; DOWDING,
 J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.;
 POWLESLAND, R.G.; ROBERTSON, H.A.;
 SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
 dowitcher, Asiatic, 134
Dryolimnas muelleri, see rail, Auckland Island
 duck, American black, 5
 Australian white-eyed, 133
 Australian wood, 134
 blue, 51
 grass whistling, 134
 grey, 1-7, 50, 125, 135, 158
 Hawaiian, 5
 hybrid grey/mallard, 1-7, 50
 mallard, 1-7, 50, 125, 135, 158
 Meller's, 5
 Mexican, 5

- pink-eared, 134
 spp., 52, 55
 white-eyed, see duck, Australian white-eyed
- Ducula oceanica*, see pigeon, Micronesian
oceanica monacha, see pigeon, Micronesian
oceanic oceanica, see pigeon, Micronesian
oceanica ratakensis, see pigeon, Micronesian
oceanica teraokai, see pigeon, Micronesian
oceanica townsendi, see pigeon, Micronesian
- dunlin, 133, 227
 dunnoek, 52, 135
- eagle, Haast's, 136
- EAKLE, W.L. Relative abundance of Australasian harriers (*Circus approximans*) in New Zealand, 136-139
- EDGE, K.-A., see WHITEHEAD, A.; EDGE, K.-A.; SMART, A.; WILLANS, M.
- egret, cattle, 130
 eastern great, 56
 great, 56, 172
 intermediate, 132
 little, 132
 snowy, 172
- Egretta alba*, see egret, great, or heron, white
garzetta, see egret, little
intermedia, see *Ardea intermedia*
modesta, see egret, eastern great
novaeollandiae, see *Ardea novaeollandiae*
sacra sacra, see heron, reef, or heron, Pacific reef
- ELLIOTT, G.P., see MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
- Emberiza cirrus*, see bunting, cirr
citrinella, see yellowhammer
- Emberizidae, 135
 Emeidae, 120, 124
- Eolophus roseicapillus*, see galah
- Erythronomys cinctus*, see dotterel, red-kneed
- Eudynamis orientalis*, see koel, eastern
scolopaceus, see koel, Asian
taitensis, see cuckoo, long-tailed
- Eudyptes chrysocome*, see penguin, western rockhopper
chrysolophus chrysolophus, see penguin, macaroni
chrysolophus schlegeli, see penguin, royal
filholi, see penguin, eastern rockhopper
moseleyi, see penguin, Moseley's rockhopper
pachyrhynchus, see penguin, Fiordland
robustus, see penguin, Snares
sclateri, see penguin, erect-crested
- Eudyptula iredalei*, see penguin, New Zealand little
minor, see penguin, fairy
minor albosignata, see penguin, white-flipped blue
minor chathamensis, see penguin, Chatham Island blue
minor iredalei, see penguin, northern blue
minor minor, see penguin, southern blue
- Eurystomus orientalis pacificus*, see dollarbird
- Falco cenchroides*, see kestrel, nankeen
novaeeseelandiae, see falcon, New Zealand
peregrinus, see falcon, peregrine
punctatus, see kestrel, Mauritius
subniger, see falcon, black
- falcon, black, 134, 136
 bush, 136, 138, 139
 eastern, 136, 138, 139
 New Zealand, 40-41, 96-97, 105, 114, 136, 138, 140-145
 New Zealand "southern", see falcon, southern
 peregrine, 96, 144
 southern, 127, 136, 138
 spp., 55
- Falconidae, 120, 127, 128, 132, 134
 Falconiformes, 55
- fantail, Arafura, 55
 Australian grey, 56
 Chatham Island, 130, 171
 New Zealand, 56, 212
 Norfolk Island grey, 32-37
 North Island, 131
 rufous, 55
 South Island, 34, 131, 170-171
- fernbird, Chatham Island, 126
 Codfish Island, 130
 North Island, 128
 Snares, 130
 South Island, 109-110, 128
 Stewart Island, 127
- figbird, Australasian, 55
 sp., 55
- finch, zebra, 16, 17
- flamingo spp., 55
- FLOOD, R., see STEPHENSON, B.M.; FLOOD, R.; THOMAS, B.; SAVILLE, S.
- FLUX, I., see MOLLES, L.E.; CALCOTT, A.; PETERS, G.; DELAMARE, G.; HUDSON, J.; INNES, J.; FLUX, I.; WAAS, J.
- flycatcher, fan-tailed, see fantail, Norfolk Island grey
 red-bellied, 33
 sp., 9, 16, 32, 33
- fowl, domestic, 11, 17, 213
 feral, 11, 17
- Fregata ariel*, see frigatebird, lesser
minor, see frigatebird, great
 spp., see frigatebird spp.
- Fregatidae, 16, 132, 134
- Fregetta grallaria grallaria*, see storm petrel, white-bellied
grallaria leucogaster, 195, 199
grallaria segethi, 193, 195, 199

- grallaria titan*, 195, 199, 201
lineata, 192
tropica, see storm petrel, black-bellied
 frigatebird, great, 11, 14, 17, 134
 lesser, 11, 14, 17, 132
Fringilla coelebs, see chaffinch
 Fringillidae, 135
Fulica atra australis, see coot, Australian
 fulmar, Antarctic, 132
Fulmarus glacialisoides, see fulmar, Antarctic

 galah, 135
 GALBRAITH, M. Avifauna of Motu Kaikoura, Great Barrier, (AGM Abstract), 53
 Galliformes, 55
Gallinago hardwickii, see snipe, Japanese
Gallirallus australis australis, see weka, western
 australis greyi, see weka, North Island
 australis hectori, see weka, buff
 australis scotti, see weka, Stewart Island
 dieffenbachi, see rail, Dieffenbach's
 philippensis, see rail, banded
 philippensis assimilis, see rail, banded
 sylvestris, see woodhen, Lord Howe
Gallinula tenebrosa, see moorhen, dusky
 ventralis, see native-hen, black-tailed
 Galloanseres, 55
Gallus gallus, see fowl, domestic or fowl, feral
 gannet, Australasian, 131
 Cape, 134
 GARDNER-GEE, R.; RAYNER, M.; BEGGS, J.R.
 Monitoring grey-faced petrels (*Pterodroma macroptera gouldi*) in a restoration project on Motuora Island, Hauraki Gulf, 184-190
Garrodia nereis, see *Oceanites nereis*
 GARTELLE, B., see BATTLE, P.F.; MELVILLE, D.S.; GILL, R.E.; TIBBITTS, L.; MULCAHY, D.; GARTELLE, B.; WARNOCK, N.
 GASKIN, C.P., see STEPHENSON, B.M.; GASKIN, C.P.; GRIFFITHS, R.; JAMIESON, H.; BAIRD, K.A.; PALMA, R.L.; IMBER, M.J.
 GASKIN, C.; SHIRIHAI, H.; WOOD, S. Sightings of great shearwater (*Puffinus gravis*) near New Zealand in 2006, 222-223
 GAZE, P.; BELL, M. Hutton's shearwater – how research affects management, (AGM Abstract), 50
Gelochelidon nilotica macrotarsa, see tern, gull-billed
Gerygone albofrontata, see warbler, Chatham Island
 igata, see warbler, grey
 GILL, R.E., see BATTLE, P.F.; MELVILLE, D.S.; GILL, R.E.; TIBBITTS, L.; MULCAHY, D.; GARTELLE, B.; WARNOCK, N.
Glareola maldivarum, see pratincole, oriental
 Glareolidae, 132
 godwit, Asiatic black-tailed, 133
 bar-tailed, see godwit, eastern bar-tailed
 eastern bar-tailed, 12, 17, 49-50, 112, 113, 132, 163, 227
 Hudsonian, 133
 goldfinch, 135, 212-213
 goose, Canada, 135
 Cape Barren, 135
 feral, 135
 greylag, see goose, feral
 goshawk, brown, 55
 Indonesian variable, 55
 spp., 143
Grallina cyanoleuca, see magpie-lark
 grasswren, dusky, 55
 Kalkadoon, 55
 short-tailed, 55
 striated, 55
 grebe, Australasian little, 131
 hoary-headed, 133
 southern crested, 123, 128
 spp., 55
 greenfinch, 52, 135
 greenshank, 133
 spotted, 226
 GREGORY-HUNT, D., see MISKELLY, C.M.; McNALLY, N.; SEYMOUR, R.; GREGORY-HUNT, D.; LANAUZE, J.
 GRIFFITHS, R., see STEPHENSON, B.M.; GASKIN, C.P.; GRIFFITHS, R.; JAMIESON, H.; BAIRD, K.A.; PALMA, R.L.; IMBER, M.J.
 guineafowl, helmeted, 135
 gull, black-backed, 29, 101, 102, 131, 147-149, 152, 184, 219
 black-billed, 123, 127
 Franklin's, 134
 red-billed, 29, 102, 123, 128, 147, 152, 224-225
 silver, 111-113
 spp., 52
Gygis alba, see tern, white
 alba royana, see tern, white
Gymnorhina tibicen, see magpie, Australian

 Haematopodidae, 120, 127-129
Haematopus chathamensis, see oystercatcher, Chatham Island
 finschi, see oystercatcher, New Zealand pied
 ostralegus finschi, see oystercatcher, South Island pied
 unicolor, see oystercatcher, variable
Halobaena caerulea, see petrel, blue
Harpagornis moorei, see eagle, Haast's
 harrier, African marsh, 138
 Australasian, 72, 75, 131, 136-139, 157, 212-215
 eastern marsh, 138
 European marsh, 138
 Eyles's, 136, 138
 Madagascar marsh, 138
 Reunion marsh, 138
 swamp, see harrier, Australasian
 western, see harrier, European marsh

- HASELDEN, C., see TRACEY, J.P.; LUKINS, B.S.;
HASELDEN, C.
- hawk spp., 55
- hawk-owl, Christmas Island, 55
Moluccan, 55
- HEBER, S., see BLYTH, R.; WILSON, K.-J.; HEBER,
S.; CHAMBERS, H.; COTTON, J.
- Hemiphaga chathamensis*, see pigeon, Chatham Island
- novaeseelandiae*, see pigeon, New Zealand
- novaeseelandiae spadicea*, see pigeon, Norfolk
Island fruit
- heron, great-billed, 42
grey, 42-43
nankeen night, 131
Pacific reef, 11, 16, 17, 42, 112, 113
reef, 128,
spp., 55
white, 126
white-faced, 42, 112, 113, 131
white-necked, 133
- Heteralocha acutirostris*, see huia
- Himantopus himantopus leucocephalus*, see stilt, pied
novaezelandiae, see stilt, black
- Hirundapus caudacutus caudacutus*, see needletail,
white-throated
- Hirundinidae, 121, 131-133
- Hirundo ariel*, see martin, fairy
tahitica neoxena, see swallow, welcome
- HITCHMOUGH, R.A., see MISKELLY, C.M.;
DOWDING, J.E.; ELLIOTT, G.P.;
HITCHMOUGH, R.A.; POWLESLAND,
R.G.; ROBERTSON, H.A.; SAGAR, P.M.;
SCOFIELD, R.P.; TAYLOR, G.A.
- HOLLAND, J.D., see SEATON, R.; HOLLAND, J.D.;
MINOT, E.O.; SPRINGETT, B.P.
- honeyeater, Kimberley, 55
sp., 9, 16, 66, 104-106
white-lined, 55
- HOPKINS, K., see WILSON, K.-J.; SCHOTBORGH,
M.; PRENDERGAST, T.A.; HOPKINS, K.;
OGILVIE, S.
- HUDSON, J., see MOLLES, L.E.; CALCOTT, A.;
PETERS, G.; DELAMARE, G.; HUDSON, J.;
INNES, J.; FLUX, I.; WAAS, J.
- huia, 126
- HYDE, N.; SEATON, R. A new prey species for the New
Zealand falcon (*Falco novaeseelandiae*), 40-41
- HYDE, N., see SEATON, R.; STEWART, D.; HYDE, N.
- HYDE, N., see SEATON, R.; HYDE, N.
- Hydrobates pelagicus*, see storm petrel, European
- Hydrobatidae, 120, 127-129, 131, 132, 134
- Hydroprogne caspia*, see tern, Caspian
- Hylochelidon nigricans*, see martin, Australian tree
- Hymenolaimus malacorrhynchos*, see duck, blue
- ibis, glossy, 133
- IMBER, M.J. Kermadec petrels (*Pterodroma neglecta*)
off the Azores, North Atlantic Ocean, 106-108
- IMBER, M.J.; STEPHENSON, B.M. Sightings
and capture of Kermadec storm petrels
(*Pelagodroma marina albiglunis*) off Haszard
Island and the Meyer Islets, Kermadec
Islands, in 2004, 166-170
- IMBER, M.J., see STEPHENSON, B.M.; GASKIN,
C.P.; GRIFFITHS, R.; JAMIESON, H.; BAIRD,
K.A.; PALMA, R.L.; IMBER, M.J.
- INNES, J., see MOLLES, L.E.; CALCOTT, A.;
PETERS, G.; DELAMARE, G.; HUDSON, J.;
INNES, J.; FLUX, I.; WAAS, J.
- Ixobrychus dubia*, see bittern, Australian little
minutus, see bittern, little
novaezelandiae, see bittern, New Zealand little
- jaegar, spp., 56
- JAMIESON, H., see STEPHENSON, B.M.; GASKIN,
C.P.; GRIFFITHS, R.; JAMIESON, H.; BAIRD,
K.A.; PALMA, R.L.; IMBER, M.J.
- JEFFRIES, D., see BALING, M.; BRUNTON, D.H.;
JEFFRIES, D.
- kaka, Norfolk Island, 32-37
North Island, 123, 128
South Island, 34, 127
- kakapo, 96, 127
- kea, 51-52, 130
- kereru, see pigeon, New Zealand
- KESSELS, G., see STIRNEMANN, I.; KESSELS, G.
- kestrel, nankeen, 132, 136
Mauritius, 96
- kingfisher, collared, 15, 17
New Zealand, 112, 113, 131
sacred, see kingfisher, New Zealand
sp., 16
- kite, black, 134
- kiwi, brown, 126, 127
great spotted, 127
little spotted, 123
North Island brown, 127
Okarito brown, 126
South Island brown, see tokoeka
Stewart Island brown, see tokoeka, Stewart
Island
- knot, great, 132
lesser, 45, 132, 227
red, see knot, lesser
- koel, Asian, 56
eastern, 56
long-tailed, see cuckoo, long-tailed
- kokako, North Island, 57-68, 123, 127
South Island, 126
- kookaburra, laughing, 17, 135
- Lalage tricolor*, see triller, white-winged
- LAMBERT, D.M., see LAWRENCE, H.A.;
SCOFIELD, R.P.; MILLER, C.D.; LAMBERT,
D.M.

- LANAUZE, J., see MISKELLY, C.M.; McNALLY, N.; SEYMOUR, R.; GREGORY-HUNT, D.; LANAUZE, J.
- landbird spp., 8
- lapwing, 38
- Laridae, 120, 127, 128, 131, 134
- Larus bulleri*, see gull, black-billed
dominicanus dominicanus, see gull, black-backed, or gull, kelp
novaehollandiae, see gull, silver
novaehollandiae scopulinus, see gull, red-billed
- LAWRENCE, H.A.; SCOFIELD, R.P.; MILLER, C.D.; LAMBERT, D.M. DNA sequencing detects an additional museum specimen of the Chatham Island taiko (*Pterodroma magentae*), 216-218
- LETTER: Murdoch, C. Extinct Birds of New Zealand spelling errors, 228
- Leucocarbo campbelli*, see shag, Campbell Island
carunculatus, see shag, New Zealand king
chalconotus, see shag, Stewart Island
colensoi, see shag, Auckland Island
onslowi, see shag, Chatham Island
ranfurlyi, see shag, Bounty Island
- Leucophaeus pipixcan*, see gull, Franklin's
- Limicola falcinellus*, see sandpiper, eastern broad-billed
- Limnodromus semipalmatus*, see dowitcher, Asiatic, 134
- Limosa haemastica*, see godwit, Hudsonian
lapponica baueri, see godwit, eastern bar-tailed
lapponica menzbieri, see godwit, bar-tailed
limosa melanuroides, see godwit, Asiatic black-tailed
- logrunner, Australian, 55
 New Guinean, 55
- lory, blue-crowned, 33
- Lugensa brevirostris*, see petrel, Kerguelen
- LUKINS, B.S., see TRACEY, J.P.; LUKINS, B.S.; HASELDEN, C.
- LYVER, P., see McLEOD, C.; ADAMS, J.; LYVER, P.
- MACHOVSKY CAPUSKA, G.; ROSSO, P.; COPELLO, S.; CASAUX, R. First observation of siblicide in brown skua (*Catharacta lonnbergi*) at Harmony Point, Nelson Island, Antarctica, 43-44
- McLEOD, C.; ADAMS, J.; LYVER, P. Temporal and spatial variation in grey-faced petrel *Pterodroma macroptera gouldi* distribution at sea during the breeding season, (AGM Abstract), 50
- Macronectes giganteus*, see petrel, southern giant
halli, see petrel, northern giant
 spp., see petrel, giant spp.
- magpie, Australian, 135, 155-157, 212-213, 219
- magpie-lark, 4
- Malacorhynchus membranaceus*, see duck, pink-eared
- mallard, see duck, mallard
- martin, tree, 133
- MASIBALAVU, V., see PRATT, H.D.; MASIBALAVU, V.; ABBOTT, M.
- MEDWAY, D.G. The first record of the South Island fernbird (*Bowdleria p. punctata*), 109-110
- Megadyptes antipodes*, see penguin, yellow-eyed
- Meliagris gallopavo*, see turkey, wild
- Meliphagidae, 104-106, 120, 126, 129, 131, 133
- Melopsittacus undulatus*, see budgerigar
- MELVILLE, D.S.; BATTLE, P.F.; MELVILLE, D.S.; GILL, R.E.; TIBITTS, L.; MULCAHY, D.; GARTELLE, B.; WARNOCK, N.
- MELVILLE, G. My 20 years off Kaikoura, (AGM Abstract), 49
- merganser, New Zealand, 126
- Mergus australis*, see merganser, New Zealand
- Metaves, 55
- MILLER, C.D., see LAWRENCE, H.A.; SCOFIELD, R.P.; MILLER, C.D.; LAMBERT, D.M.
- Milvus migrans affinis*, see kite, black
- MINOT, E.O., see SEATON, R.; HOLLAND, J.D.; MINOT, E.O.; SPRINGETT, B.P.
- MISKELLY, C.M. Impact of introduced mammals on the genetic diversity and conservation status of New Zealand snipe (*Coenocorypha* spp.), AGM Abstract, 53
- MISKELLY, C.M.; McNALLY, N.; SEYMOUR, R.; GREGORY-HUNT, D.; LANAUZE, J. Antipodean wandering albatross (*Diomedea antipodensis*) colonising the Chatham Islands, 89-95
- MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A. Conservation status of New Zealand birds, 2008, 117-135
- MISKELLY, C.M.; NORTON, B. A further 1952 record of a *Coenocorypha* snipe on Campbell Island, New Zealand subantarctic, 162-165
- MISKELLY, C.M.; SAGAR, P.M. Establishment and local extinction of fantails (*Rhipidura fuliginosa*) on the Snares Islands, New Zealand, 170-171
- moa, 124
 North Island giant, 228
 spp., 136
- Mohoua albicilla*, see whitehead
novaeseelandiae, see creeper, brown
ochrocephala, see yellowhead
- MOLLES, L.E.; CALCOTT, A.; PETERS, G.; DELAMARE, G.; HUDSON, J.; INNES, J.; FLUX, I.; WAAS, J. "Acoustic anchoring" and the successful translocation of North Island kokako (*Callaeas cinerea wilsoni*) to a New Zealand mainland management site within continuous forest, 57-68
- mollymawk, black-browed, 131
 Buller's, 89, see also mollymawk, Pacific
 Chatham Island, 89, 94, 123

- eastern yellow-nosed, 131
 grey-headed, 123, 127
 Indian yellow-nosed, 94
 New Zealand white-capped, 129
 northern Buller's, 130
 Pacific, 89, 94
 Salvin's, 95, 128
 shy, 49
 southern Buller's, 130
 white-capped, 49, 94, 123
 yellow-nosed, 94
 monarch, black-faced, 134
Monarcha melanopsis, see monarch, black-faced
 MOORE, P.J. The recovering population of the Chatham Island oystercatcher (*Haematopus chathamensis*), 20-21
 MOORE, P.J., see BATTLE, P.F.; MOORE, P.J.; MOORE, S.J.
 MOORE, S.J., see BATTLE, P.F.; MOORE, P.J.; MOORE, S.J.
 moorhen, dusky, 134
 morepork, 131, 136
 MORGAN, D. The proportion of white-backed and black-backed Australian magpies (*Gymnorhina tibicen*) in a Waikato population, 155-157
Morus capensis, see gannet, Cape
serrator, see gannet, Australasian
Mostacilla, see *Motacilla*
Motacilla alba, see wagtail, white
 lugens, see wagtail, black-backed
 taivana, see wagtail, green-headed yellow
 tschutschensis, see wagtail, yellow
 ventilabrum, see *Rhipidura fuliginosa*
 Motacillidae, 121, 128, 129
 MULCAHY, D., see BATTLE, P.F.; MELVILLE, D.S.; GILL, R.E.; TIBITTS, L.; MULCAHY, D.; GARTELLE, B.; WARNOCK, N.
 MULLER, W. When species merge – hybridisation between grey duck and mallard in New Zealand, (AGM Abstract), 50
 MURDOCH, C. (Letter), Extinct birds of New Zealand spelling errors, 228
Muscicapa dipapha, see *Petroica multicolour flabellifera*, see *Rhipidura flabellifera*
 ventilabrum, see *Muscicapa flabellifera*
 Muscicapidae, 135
 myna, common, 135, 224

 native-hen, black-tailed, 134
 needletail, white-throated, 132
 Neoaves, 55
 Neognathae, 55
Nesofregetta fuliginosa, see storm petrel, white-throated
Nestor meridionalis meridionalis, see kaka, South Island
 meridionalis septentrionalis, see kaka, North Island
 notabilis, see kea
 productus, see kaka, Norfolk Island
 nightjar spp., 55

Ninox novaeseelandiae novaeseelandiae, see morepork
 noddy, black, 8, 13, 14, 17, 111
 brown, 13, 14, 17, 131
 common, see noddy, brown
 spp., 8
 white-capped, 129
 NORTON, B., see MISKELLY, C.M.; NORTON, B.
 Notiomystidae, 121, 127
Notiomystis cincta, see stitchbird
Numenius madagascariensis, see curlew, eastern
 minutus, see whimbrel, little
 phaeopus hudsonicus, see whimbrel, American
 phaeopus variegatus, see whimbrel, Asiatic
 tahitiensis, see curlew, bristle-thighed
Numida meliagris, see guineafowl, helmeted
Nycticorax caledonicus, see heron, nankeen night

Oceanites castro, 201
 gracilis, see storm petrel, white-vented
 gracilis gracilis, 194
 gracilis galapogensis, 194
 lineata, see *Pealeornis maoriana*
 maorianus, see storm petrel, New Zealand
 nereis, see storm petrel, grey-backed
 oceanicus, see storm petrel, Wilson's
 oceanicus exasperatus, 193, 194
 oceanicus "Pelea" phase, 191-206
 Oceanitinae, 191-206
Oceanodroma leucorhoa, see storm petrel, Leach's
 OGILVIE, S., see WILSON, K.-J.; SCHOTBORGH, M.; PRENDERGAST, T.A.; HOPKINS, K.; OGILVIE, S.
 OGILVIE, S., see CAMPBELL, K.L.; WILSON, K.-J.; OGILVIE, S.
 OGILVIE, S.C., see CAMPBELL, K.L.; SCHOTBORGH, H.M.; WILSON, K.-J.; OGILVIE, S.C.
Onychoprion anaethetus anaethetus, see tern, bridled
 fuscata kermadecensis, see tern, New Zealand
 sooty
 fuscatus, see *Sterna fuscata*
 lunatus, see tern, grey-backed
 ORR-WALKER, T.; ROBERTS, L.G. Population estimates of wild kea (*Nestor notabilis*), (AGM Abstract), 51
Orthonyx novaeguineae, see logrunner, New Guinean
 temmincki, see logrunner, Australian
 Osprey, eastern, 55
 Eurasian, 55
 sp., 112, 113
 owl, African grass, 55
 barn, 136
 eastern barn, 56
 eastern grass, 55
 Eurasian barn, 56
 laughing, 136
 lesser sooty, 56
 little, 135, 136

- North Island laughing, 126
 sooty, 56
 South Island laughing, 126
 owl-nightjar, New Zealand, 228
 oxpecker, yellow-billed, 224
 oystercatcher, Chatham Island, 20-31, 124, 127
 New Zealand pied, see oystercatcher, South
 Island pied
 South Island pied, 28, 123
 variable, 49, 129, 146-154
- Pachycephala rufiventris*, see whistler, rufous
 Pachycephalidae, 121, 128, 131
Pachyornis elephantopus, see moa
Pachyptila belcheri, see prion, thin-billed, or prion
 narrow-billed
 crassirostris crassirostris, see prion, fulmar
 crassirostris flemingi, see prion, lesser fulmar
 crassirostris pyramidalis, see prion, Chatham
 fulmar
 desolata, see prion, Antarctic
 salvini, see prion, Salvin's
 turtur, see prion, fairy
 vittata, see prion, broad-billed
- PALMA, R.L., see STEPHENSON, B.M.; GASKIN,
 C.P.; GRIFFITHS, R.; JAMIESON, H.; BAIRD,
 K.A.; PALMA, R.L.; IMBER, M.J.
- Pandion cristatus*, see osprey, eastern
 haliaetus, see osprey, Eurasian
- parakeet, Antipodes Island, 130
 Chatham Island red-crowned, 130
 Forbes', 127
 Kermadec, 123, 129
 orange-fronted, 127
 red-crowned, 33, 56, 129
 Reischek's, 130
 Tasman, 56
 yellow-crowned, 131
- parea, see pigeon, Chatham Island
- PARKER, K.A., see SEABROOK-DAVISON, M.N.H.;
 PARKER, K.A.; BRUNTON, D.H.
- parrot, spp., 66
- Passer domesticus*, see sparrow, house
- Passeridae, 135
- Pavo cristatus*, see peafowl, Indian
- peafowl, Indian, 135
- Pealea lineata*, 192
- Pealeornis maoriana*, see storm petrel, New Zealand
- Pelagodroma albiclunis*, see storm petrel, Kermadec
 white-faced
 marina albiclunis, see storm petrel, Kermadec
 white-faced
 marina dulciae, see storm petrel, Australian
 white-faced
 marina eadesi, see storm petrel, Atlantic
 white-faced
 marina hypoleuca, see storm petrel, Atlantic
 white-faced
 marina maoriana, see storm petrel, New
 Zealand white-faced
- Pelecanidae, 16, 134
- Pelecaniformes, 55
- Pelecanoides georgicus*, see petrel, South Georgian
 diving
 georgicus "Codfish Island", see petrel,
 Codfish Island South Georgian diving
 urinatrix, see petrel, common diving
 urinatrix chathamensis, see petrel, southern
 diving
 urinatrix exsul, see petrel, subantarctic
 diving
 urinatrix urinatrix, see petrel, northern
 diving
- Pelecanus conspicillatus conspicillatus*, see pelican,
 Australian
 piscator, 32
- pelican, Australian, 8, 11, 17, 134
 brown, 172
 spp., 55
- penguin, Adelie, 48, 134
 blue, 49, 52, 56, 184
 Chatham island blue, 130
 chinstrap, 135
 eastern rockhopper, 123, 127
 emperor, 133
 erect-crested, 130
 fairy, 56
 Fiordland, see penguin, Fiordland crested
 Fiordland crested, 56, 128
 gentoo, 133
 king, 48, 132
 little, see penguin, blue
 macaroni, 134
 Magellanic, 135
 Moseley's rockhopper, 134
 New Zealand little, see penguin blue
 northern blue, 128
 rockhopper, 56
 royal, 132
 Snares, 56, 130
 southern blue, 128
 spp., 48, 65
 western rockhopper, 134
 white-flipped, 102, 128
 white-flipped blue, see penguin white-
 flipped
 yellow-eyed, 128
- petrel, Antarctic, 133
 Atlantic, 217
 Bermuda, 217
 black, 128
 black-capped, 217
 black-winged, 122, 131
 blue, 132
 Bulwer's, 133
 burrowing spp., 43, 101-103

- Chatham, 103, 123, 127, 128
 Codfish Island South Georgian diving, 127
 common diving, 46
 Cook's, 122, 123, 129
 diving spp., 46-47
 gadfly spp., 50, 106-108
 giant spp., 48, 94
 great-winged, 217
 grey, 129, 210
 grey-faced, 122, 131, 184-190, 217
 Herald, 107, 108
 Juan Fernandez, 134, 217
 Kerguelen, 132
 Kermadec, 106-108, 122, 129, 217
 Magenta, see taiko, Chatham Island
 mottled, 122, 123, 129, 217
 Murphy's, 217
 New Caledonian, 133
 northern diving, 122, 129
 northern giant, 94, 130
 Phoenix, 134, 217
 providence, 134, 217
 Parkinson's, see petrel, black
Pterodroma spp., 106-108
 Pycroft's, 123, 129
 soft-plumaged, 131, 217
 South Georgian diving, 46-47, 127
 southern diving, 122, 129
 southern giant, 132
 spp., 65, 201
 Stejneger's, 134
 subantarctic diving, 122, 131
 Tahiti, 111, 134, 216-218
 Trindade, 106-108, 217
 Vanuatu, 56
 Westland, 130
 white-chinned, 32, 123, 129
 white-headed, 122, 131, 217
 white-naped, 122, 129, 217, 222, 223
Petroica australis, see robin, New Zealand
australis australis, see robin, South Island
australis rakiura, see robin, Stewart Island
longipes, see robin, North Island
macrocephala, see tomtit, New Zealand
macrocephala chathamensis, see tomtit, Chatham Island
macrocephala dannefaerdi, see tomtit, Snares Island
macrocephala macrocephala, see tomtit, yellow-breasted or tomtit, South Island
macrocephala marrineri, see tomtit, Auckland Island
macrocephala toitoi, see tomtit, North Island
traversi, see robin, black
 Petroicidae, 121, 124, 127, 128, 130, 131
Phaethon lepturus, see tropicbird, white-tailed
rubricauda, see tropicbird, red-tailed
 Phaethoniformes, 55
 Phaethontidae, 16, 120, 127, 138
 Phalacrocoracidae, 74, 120, 124, 127, 128, 130, 131, 134
Phalacrocorax aristotelis, see shag, emperor
carbo, see shag, black
carbo novaehollandiae, see shag, black
melanoleucos, see shag, little
melanoleucos brevirostris, see shag, little
melanoleucos melanoleucos, see cormorant, little pied
neglectus, see cormorant, bank
 spp., see shag, spp.
sulcirostris, see shag, little black
varius hypoleucos, see shag, pied
varius varius, see shag, pied
 phalarope, grey, 134
 red-necked, 133
 Wilson's, 134
Phalaropus fulicarius, see phalarope, grey
lobatus, see phalarope, red-necked
tricolor, see phalarope, Wilson's
 Phasianidae, 120, 135
Phasianus colchicus, see pheasant, ring-necked
 pheasant, 40-41
 ring-necked, 213
Philesturnus carunculatus carunculatus, see saddleback, South Island
carunculatus rufusater, see saddleback, North Island
Philomachus pugnax, see ruff
Phoebastria immutabilis, see albatross, Laysan
nigripes, see albatross, black-footed
Phoebetria palpebrata, see albatross, light-mantled
 sooty
 Phoenicopteriformes, 55
 pigeon, cape, 132
 Chatham Island, 98, 127, 173, 181
 feral, see pigeon, rock
 fruit spp., 174
 Micronesian, 8, 15-18
 New Zealand, 32-37, 52-53, 98-100, 105, 123, 131, 173-183, 212
 New Zealand fruit, see pigeon, New Zealand
 rock, 15, 17, 52, 135, 213
 Snares Cape, 130
 spp., 55
 pintail, northern 133
 piopio, 124
 pipit, Antipodes Island, 129
 Australian, 56
 Australasian, 56
 Chathams, 129
 correndera, 109
 New Zealand, 56, 109, 123, 128, 212
 Pechura, 54
 Richard's, 56
 spp., 55
Platalea flavipes, see spoonbill, yellow-billed

- regia*, see spoonbill, royal
- Platycercus elegans*, see rosella, crimson
- eximius*, see rosella, eastern
- Plegadis falcinellus*, see ibis, glossy
- plover, American golden, 134
 - black-bellied, see plover, grey
 - black-fronted, 38
 - golden, 38
 - grey, 12, 17, 38, 133
 - hooded, 28
 - Kentish, 38
 - little ringed, 38
 - New Zealand shore, see plover, shore
 - Pacific golden, 11, 12, 17, 112, 113, 132
 - ringed, 38
 - semi-palmated, 134
 - shore, 38-39, 124
 - spur-winged, 38, 131
 - three-banded, 38
 - Western snowy, 28
- Pluvialis fulva*, see plover, Pacific golden
 - apricaria*, see plover, golden
 - dominica*, see plover, American golden
 - fulva*, see plover, Pacific golden
 - squatarola*, see plover, grey
- Podicipediformes, 55
- Podicipedidae, 120, 128, 131, 133
- Podiceps cristatus australis*, see grebe, southern crested
- Poliiocephalus poliocephalus*, see grebe, hoary-headed
 - rufopectus*, see dabchick, New Zealand
- Porphyrio hochstetteri*, see takahe
 - porphyrio*, see swamphen, purple
 - melanotus*, see pukeko
- Porzana pusilla affinis*, see crane, marsh
 - tabuensis plumbea*, see crane, spotless
- POWLESLAND, R.G.; SHARP, A.E.; SMITH, A.N.H.
Aspects of the breeding biology of the pied shag (*Phalacrocorax varius*) at Makara Beach, Wellington, New Zealand, 69-76
- POWLESLAND, R.G., see MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
- pratincole, oriental, 132, 226
- PRATT, H.D.; MASIBALAVU, V.; ABBOTT, M. Grey heron (*Ardea cinerea*) sightings in Fiji, 42-43
- PREDDEY, J.M. Post-fledging parental care of a juvenile New Zealand fairy tern (*Sterna nereis davisae*), 159-161
- PRENDERGAST, T.A., see WILSON, K.-J.; SCHOTBORGH, M.; PRENDERGAST, T.A.; HOPKINS, K.; OGILVIE, S.
- prion, Antarctic, 130
 - broad-billed, 103, 122, 123, 129
 - Chatham Island fulmar, 130
 - fairy, 101-103, 122, 129, 189
 - fulmar, 130
 - lesser fulmar, 130
 - narrow-billed, 132
 - Salvin's, 132
- Procellaria aequinoctialis*, see petrel, white-chinned
 - cinerea*, see petrel, grey
 - gavia*, see *Puffinus gavia*
 - parkinsoni*, see petrel, black
 - tridactyla*, 32
 - westlandica*, see petrel, Westland
- Procellariidae, 120, 124, 127-135, 184-190
- Procellariiformes, 210
- Procelsterna cerulea*, see ternlet, grey
- Prothemadera novaeseelandiae chathamensis*, see tui, Chatham Island
 - novaeseelandiae novaeseelandiae*, see tui
- Prunella modularis*, see dunnock
- Prunellidae, 135
- Pseudobulweria rostrata rostrata*, see petrel, Tahiti
- Psittacidae, 33, 120, 124, 127-131, 135
- Psittacus euchlorus*, 32
 - hypopolius*, see *Nestor productus*
 - meridonalis*, see *Nestor meridonalis*
- Pterodroma alba*, see petrel, Phoenix
 - arminjoniana*, see petrel, Trindade
 - axillaris*, see petrel, Chatham
 - cahow*, see petrel, Bermuda
 - cervicalis*, see petrel, white-naped
 - cookii*, see petrel, Cook's
 - externa*, see petrel, Juan Fernandez
 - feae*, 217
 - hasitata*, see petrel, black-capped
 - heraldica*, see petrel, Herald
 - incerta*, see petrel, Atlantic
 - inexpectata*, see petrel, mottled
 - lessonii*, see petrel, white-headed
 - leucoptera caledonica*, see petrel, New Caledonian
 - longirostris*, see petrel, Stejneger's
 - macroptera macroptera*, see petrel, great-winged
 - macroptera gouldi*, see petrel, grey-faced
 - madeira*, 217
 - magentae*, see taiko, Chatham Island
 - mollis*, see petrel, soft-plumaged
 - mollis dubia*, see petrel, soft-plumaged
 - mollis mollis*, see petrel, soft-plumaged
 - neglecta*, see petrel, Kermadec
 - nigripennis*, see petrel, black-winged
 - occulta*, see petrel, Vanuatu
 - pycrofti*, see petrel, Pycroft's
 - solandri*, see petrel providence
 - spp., see petrel, gadfly spp.
 - ultima*, see petrel, Murphy's
- puffin spp., 65
- Puffinus assimilis assimilis*, see shearwater, Norfolk Island little
 - assimilis elegans*, see shearwater, subantarctic
 - little

- assimilis haurakiensis*, see shearwater, North Island little
assimilis kermadecensis, see shearwater, Kermadec little
bulleri, see shearwater, Buller's
carneipes, see shearwater, flesh-footed
creatopus, see shearwater, pink-footed
elegans, see shearwater, subantarctic little
gavia, see shearwater, fluttering
gravis, see shearwater, great
griseus, see shearwater, sooty
huttoni, see shearwater, Hutton's
lherminieri dichrous, see shearwater, Audubon's
nativitatis, see shearwater, Christmas
newelli, see shearwater, Newell's
pacificus, see shearwater, wedge-tailed
pacificus chlororhynchus, see shearwater, wedge-tailed
puffinus, see shearwater, Manx
tenuirostris, see shearwater, short-tailed
pukeko, 4, 5, 131, 158-159
Pygoscelis adeliae, see penguin, Adelie
antarctica, see penguin, chinstrap
papua, see penguin, gentoo

quail, brown, 135
 California, 135

rail, Auckland Island, 130
 banded, 4, 130
 Chatham, 126
 Dieffenbach's, 126
 sp., 9, 16
Rallidae, 120, 124, 126-131, 134
raptor spp., 136-139, 140-145, 214-215
RAYNER, M., see GARDNER-GEE, R.; RAYNER, M.; BEGGS, J.R.
Recurvirostra novaehollandiae, see avocet, red-necked
Recurvirostridae, 120, 128, 135
redpoll, common, 135
reed-warbler, Australian 56, 133
 clamorous, 56
 Nauru, 8, 9, 16, 17
REVIEWS:
 SCOFIELD, R.P. The systematics and taxonomy of Australian birds. L. Christidis; W.E. Boles, 54-56
 CLEMENTS, K.D. Feathered dinosaurs. The origin of birds. J. Long; P. Schouten, 115-116
 BOULTON, R.L.; CASSEY, P. Oology and Ralph's talking eggs: Bird conservation comes out of its shell. L. Carrol Henderson, 172
 SCHUCKARD, R. Migratory shorebirds of the east Asian-Australasian flyway; population estimates and internationally important sites. M. Bamford; D. Watkins; W. Bancroft; G. Tischler; J. Wahl, 226-228

Rhipidura albiscapa, see fantail, Australian grey
 flabellifera, see *Rhipidura fuliginosa fuliginosa*, see fantail, New Zealand
 fuliginosa fuliginosa, see fantail, South Island
 fuliginosa pelzelni, see fantail, Norfolk Island grey
 fuliginosa penita, see fantail, Chatham Island
 fuliginosa placabilis, see fantail, North Island
 sp., see flycatcher sp.
 leucophrys, see wagtail, willie
Rhipiduridae, 33, 121, 135
rifleman, North Island, 128
 South Island, 128
ROBERTS, L.G., see ORR-WALKER, T.; ROBERTS, L.G.
ROBERTSON, B.C.; STEPHENSON, B.M. DNA sexing of the critically endangered New Zealand storm petrel (*Oceanites maorianus* or *Pealeornis maoriana*), 209-211
ROBERTSON, H.A., see MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
robin, black, 96, 127
 buff-sided, 55
 North Island, 131
 Pacific, 55
 scarlet, 32, 33, 55
 South Island, 131
 Stewart Island, 123, 128
 white-browed, 55
rook, 135
rosella, crimson, 135
 eastern, 135
ROSSO, P., see MACHOVSKY CAPUSKA, G.; ROSSO, P.; COPELLO, S.; CASAUX, R.
Rostratula australis, see snipe, Australian painted
 benghalensis, see snipe, Afro-Asian
Rostratulidae, 135
ROWE, L. A brief introduction to some bird studies at Kaikoura (AGM Abstract), 49
ROWE, L. Breeding of variable oystercatchers (*Haematopus unicolor*) at Kaikoura Peninsula, South Island, New Zealand, 146-154
rowi, see kiwi, Okarito brown
ruff, 134

saddleback, North Island, 123
 South Island, 123
SAGAR, P.M., see SPURR, E.B.; CROSSLAND, A.C.; SAGAR, P.M.
SAGAR, P.M., see MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
SAGAR, P.M., see MISKELLY, C.M.; SAGAR, P.M.
sand lark, see pipit, New Zealand
sanderling, 132

- sand plover, greater, see dotterel, large sand
 lesser, see dotterel, Mongolian
- sandpiper, Baird's, 133
 broad-billed, 133
 common, 133
 curlew, 132
 marsh, 133
 pectoral, 132
 sharp-tailed, 13, 17, 132
 stilt, 133
 terek, 133
 upland, 133
 western, 133
 white-rumped, 133
- SAVILLE, S., see STEPHENSON, B.M.; FLOOD, R.;
 THOMAS, B.; SAVILLE, S.
- scaup, New Zealand, 136
- Sceloglaux albigifacies albigifacies*, see owl, South Island
 laughing
albigifacies rufifacies, see owl, North Island
 laughing
- SCHODDE, R., see STENHEIMER, F.D.; SCHODDE,
 R.; BOCK, W.J.
- SCHOTBORGH, H.M., see CAMPBELL, K.L.;
 SCHOTBORGH, H.M.; WILSON, K.-J.;
 OGILVIE, S.C.
- SCHOTBORGH, M., see WILSON, K.-J.;
 SCHOTBORGH, M.; PRENDERGAST, T.A.;
 HOPKINS, K.; OGILVIE, S
- SCHUCKARD, R. (Review) Migratory shorebirds
 of the east Asian-Australasian flyway;
 population estimates and internationally
 important sites. M. Bamford; D. Watkins; W.
 Bancroft; G. Tischler; J. Wahl, 226-228
- SCOFIELD, P. Launch and demonstration of New
 Zealand eBird Monitoring System. (AGM
 Abstract), 53
- SCOFIELD, R.P. (Review) The systematics and
 taxonomy of Australian birds. L. Christidis;
 W.E. Boles, 54-56
- SCOFIELD, R.P., see MISKELLY, C.M.; DOWDING,
 J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.;
 POWLESLAND, R.G.; ROBERTSON, H.A.;
 SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
- SCOFIELD, R.P., see LAWRENCE, H.A.; SCOFIELD,
 R.P.; MILLER, C.D.; LAMBERT, D.M.
- Scolopacidae, 16, 120, 124, 126-128, 130-134
- Scythrops novaehollandiae*, see cuckoo, channel-billed
- seabird spp., 8-11, 13-16, 43-44, 46-49, 65, 69-76, 77-83,
 84-88, 89-95, 101-103, 106-108, 111-113, 184-
 190, 191-206, 207-208, 209-211, 216-218, 219,
 222-223, 224-225
 burrowing spp., 184-190
- SEABROOK-DAVISON, M.N.H.; PARKER, K.A.;
 BRUNTON, D.H. Observation of an attack on
 a mature song thrush (*Turdus philomelos*) by a
 black-backed gull (*Larus dominicanus*), 219
- SEABROOK-DAVISON, M.N.H.; ANDERSON,
 M.G.; BRUNTON, D.H. First observation of
 pre-copulatory behaviour and copulation in
 shining cuckoos (*Chrysococcyx l. lucidus*) in
 New Zealand, 220-221
- SEATON, R.; STEWART, D.; HYDE, N. Successful
 fostering of a captive-reared New Zealand
 falcon (*Falco novaeseelandiae*) into a natural
 nest containing 3 fledglings, 96-97
- SEATON, R.; HYDE, N. Female New Zealand falcon
 (*Falco novaeseelandiae*) breeds in its first year,
 114
- SEATON, R.; HOLLAND, J.D.; MINOT, E.O.;
 SPRINGETT, B.P. Natal dispersal of New
 Zealand falcon (*Falco novaeseelandiae*) in
 plantation forests, 140-145
- Serinus canaria*, see canary
- SEYMOUR, R., see MISKELLY, C.M.; McNALLY,
 N.; SEYMOUR, R.; GREGORY-HUNT, D.;
 LANAUZE, J.
- shag, Auckland Island, 128
 black, 70, 74, 75, 130, 212
 blue, 131
 Bounty Island, 127
 Campbell Island, 130
 Chatham Island, 127
 European, 74
 king, 51
 little, 51, 70, 74, 130, 134
 little black, 130
 pied, 51, 69-76, 128
 Pitt Island, 123, 127
 spotted, 51, 74, 101-103, 131
 spp., 55, 73
 Stewart Island, 74, 128
- SHARP, A.E., see POWLESLAND, R.G.; SHARP,
 A.E.; SMITH, A.N.H.
- shearwater, Audubon's, 9, 10, 17
 Buller's, 130, 222
 Christmas, 134
 Cory's, 133
 flesh-footed, 129
 fluttering, 122, 129
 great, 134, 222-223
 Hutton's, 50, 129
 Kermadec little, 122, 129
 Manx, 135
 little, 122, 123, 129, 130, 134
 Newell's, 134
 Norfolk Island little, 134
 North Island little, 123, 129
 pink-footed, 134
 short-tailed, 132
 sooty, 101-103, 129, 217
 spp., 65
 streaked, 132
 subantarctic little, 130
 wedge-tailed, 111, 122, 129, 134
- shelduck, chestnut-breasted, 132

- paradise, 131
 SHIRIHAI, H., see GASKIN, C.; SHIRIHAI, H.; WOOD, S.
 shorebird spp., 8, 9, 11-13, 28, 111-113, 226-228
 migratory spp., 226-228
 shoveler, New Zealand, 130
 northern, 133
 silvereye, 49, 52, 131, 212
 skua, Arctic, 132
 brown, 29, 43-44, 48, 56, 94, 130, 224, 225
 long-tailed, 132
 pomarine, 132
 South Polar, 43-44, 56, 132
 subantarctic, see skua, brown
 skylark, Eurasian, 135, 212, 213
 European, see skylark, Eurasian
 SMART, A., see WHITEHEAD, A.; EDGE, K.-A.; SMART, A.; WILLANS, M.
 SMITH, A.N.H., see POWLESLAND, R.G.; SHARP, A.E.; SMITH, A.N.H.
 snipe, Afro-Asian, 56
 Antipodes Island, 130
 Auckland Island, 53, 130, 162
 Australian painted, 56, 135
 Campbell Island, 53, 127, 162-165
 Chatham Island, 53, 128
 Japanese, 132
 New Zealand spp., 53, 162-165
 North Island, 126
 Snares Island, 130, 162
 Stewart Island, 126, 163
 songbird spp., 65, 66
 sparrow, hedge, see dunnoek
 house, 52, 135, 158-159, 213
 sparrowhawk, European, 144
Sphecotheres hypoleucus, see figbird
 vieilloti, see figbird, Australian
 viridis, see figbird sp.
 Spheniscidae, 120, 124, 127, 128, 130, 132-135
Spheniscus magellanicus, see penguin, Magellanic
 spoonbill, roseate, 172
 royal, 130
 yellow-billed, 134
 SPRINGETT, B.P., see SEATON, R.; HOLLAND, J.D.; MINOT, E.O.; SPRINGETT, B.P.
 SPURR, E. New Zealand garden bird survey 2007. (AGM Abstract), 52
 SPURR, E.B.; CROSSLAND, A.C.; SAGAR, P.M.
 Recapture of bellbird likely 8+ years old, 45
 starling, common, 52, 135
 STENHEIMER, F.D.; SCHODDE, R.; BOCK, W.J.
 Application of the new names in the 1794 J.R. Forster footnote on Norfolk Island birds, 32-37
 STEPHENSON, B.M.; FLOOD, R.; THOMAS, B.; SAVILLE, S. Rediscovery of the New Zealand storm petrel (*Pealeornis maoriana* Matthews, 1932): two sightings that revised our knowledge of storm petrels, 77-78
 STEPHENSON, B.M.; GASKIN, C.P.; GRIFFITHS, R.; JAMIESON, H.; BAIRD, K.A.; PALMA, R.L.; IMBER, M.J. The New Zealand storm petrel (*Pealeornis maoriana* Matthews, 1932): first live capture and species assessment of an enigmatic seabird, 191-206
 Stercorariidae, 120, 130, 132
Stercorarius, see jaegar sp.
 longicaudus, see skua, long-tailed
 parasiticus, see skua, Arctic
 pomarinus, see skua, pomarine
Sterna albifrons, see tern, eastern little, see also tern, Australian little
 albostrata, see *Chlidonias albostratus*
 anaethetus, see tern, bridled
 bengalensis, see tern, lesser crested
 bergii, see tern, crested
 caspia, see tern, Caspian
 dougalli, see tern, roseate
 fuscata, see tern, sooty
 hirundo longipennis, see tern, common
 media, see *Sterna bengalensis*
 nereis, see tern, fairy
 nereis davisae, see tern, New Zealand fairy
 nereis exsul, see tern, fairy
 paradisaea, see tern, Arctic
 spp., 10
 striata striata, see tern, white-fronted
 striata aucklandica, see tern, southern white-fronted
 sumatrana, see tern, black-naped
 vittata bethunei, see tern Antarctic
 Sternidae, 16, 120, 124, 127-135
Sternula albifrons sinensis, see tern, little
 STEWART, D., see SEATON, R.; STEWART, D.; HYDE, N.
Stictocarbo featherstoni, see shag, Pitt Island
 punctatus punctatus, see shag, spotted
 punctatus steadi, see shag, blue
 stilt, Australasian, pied, 123, 128
 black, 127
 pied, 123, 128
 stint, little, 133
 long-toed, 133
 red-necked, 227
 STIRNEMANN, I.; KESSELS, G. Use of wind farms by Australasian harrier (*Circus approximans*), 214-215
 stitchbird, 127
 storm petrel, Atlantic white-faced, 169, 196
 Australian white-faced, 134, 168, 196
 black-bellied, 78-82, 122, 131, 192, 193, 195-201, 204-206, 210
 European, 78, 201, 210
 grey-backed, 79, 80, 122, 129, 192, 193, 195, 196, 198-201
 Kermadec, 127, 166-170, 196
 Kermadec white-faced, see storm petrel,

- Kermadec
 Leach's, 108, 134
 New Zealand, 77-83, 122, 128, 191-206, 209-211
 New Zealand white-faced, see storm petrel, white-faced
 Peale's, 192
 spp., 32, 65, 77-83, 191-206, 209-211
 white-bellied, 79-81, 127, 167, 192, 193, 195-201, 204-206
 white-faced, 78, 122, 192, 193, 195, 196, 198-200
 white-throated, 192, 193, 195, 196, 198, 200
 white-vented, 192-194, 196-200
 Wilson's, 77-82, 132, 191-193, 196-201, 204-206
Strepera graculina, see currawong, Lord Howe
Streptopelia chinensis, see dove, spotted
 roseogrisea, see dove, barbary or dove African
 collared
 Strigidae, 120, 126, 131, 135
Strigops habroptilus, see kakapo
 Sturnidae, 135
Sturnus vulgaris, see starling, common
Sula dactylatra fullageri, see booby masked (blue-faced)
 leucogaster, see booby, brown
 sula, see booby, red-footed
 Sulidae, 16, 120, 127, 131, 133, 134
 swallow, welcome, 131, 171
 swampphen, see pukeko
 swan, black, 131
 mute, 135
 swift, fork-tailed, 132
 spine-tailed, see needletail, white-throated
 spp., 55
 swiftlet, Australian 55
 glossy, 55
 Indonesian cave, 55
 white-rumped, 55
 Sylviidae, 121, 126-128, 130, 133
Synallaxis punctata, see Bowdleria punctata
Synoicus ypsilophorus, see Coturnix ypsilophora australis

Tachybaptus novaehollandiae, see grebe, Australasian
 little
Tadorna tadornoides, see shelduck, chestnut-breasted
 variegata, see shelduck, paradise
Taeniopygia guttata, see finch, zebra
 taiko, Chatham Island, 29, 127, 210, 216-218
 takahe, 127
 tattler, grey-tailed, 9, 12, 17, 133
 Siberian, see tattler, grey-tailed
 wandering, 9, 12, 17, 112, 113, 133
 TAYLOR, G.A., see MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
 tchaik, see taiko, Chatham Island
 teal, Auckland Island, 127
 brown, 123, 129
 chestnut, 132
 Eaton's, 54
 grey, 130
 South Island brown, 126
 tern, Antarctic, 123, 129
 Arctic, 132
 Australian little, 160
 black-fronted, 127
 black-naped, 15, 17, 111-113
 bridled, 111, 134
 Caspian, 84-88, 128, 160
 common, 133
 crested, 111-113, 135
 fairy, 111-113, 159-161, see also tern, New Zealand fairy
 great crested, 15, 17
 grey-backed, 134
 gull-billed, 132
 lesser crested, 15
 little, 111, 132
 New Zealand fairy, 127, 159-161
 New Zealand sooty, 130
 roseate, 111
 sooty, 13, 14, 17, 123
 southern white-fronted, 128
 spp., 10
 whiskered, 134
 white, 13, 17, 127
 white-fronted, 49, 101, 129, 147, 150, 152, 161, 224-225
 white-winged, 8, 13, 15, 17, 132
 white-winged black, see tern, white-winged
 ternlet, grey, 130
Thalassarche bulleri bulleri, see mollymawk, southern
 Buller's
 bulleri subsp., see mollymawk, Pacific
 bulleri platei, see mollymawk, northern
 Buller's
 carteri, see mollymawk, eastern yellow-nosed, or mollymawk, Indian yellow-nosed
 cauta cauta, see mollymawk, Tasmanian
 cauta stadi, see mollymawk, white-capped
 chlororhychos, see mollymawk, Atlantic
 yellow-nosed
 chlororhychos carteri, see mollymawk, Indian
 yellow-nosed
 chysostoma, see mollymawk, grey-headed
 eremita, see mollymawk, Chatham Island
 impavida, see mollymawk, Campbell Island
 melanophrys, see mollymawk, black-browed
 salvini, see mollymawk, Salvin's
Thalasseus bergii cristatus, see *Sterna bergii*
Thalassidroma lineata, 192, 200
 lineata, 77
Thalassoica antarctica, see petrel, Antarctic
Thinornis novaeseelandiae, see plover, New Zealand
 shore
 rubricollis, see plover, hooded

- THOMAS, B., see STEPHENSON, B.M.; FLOOD, R.; THOMAS, B.; SAVILLE, S
- THOMPSON, D.; TORRES, L. Tracking breeding white-capped albatrosses using GPS technology (AGM Abstract), 49
- Threskiornithidae, 120, 130, 133, 134
- thrush, song, 52, 135, 212, 213, 219
- TIBITTS, L., see BATTLE, P.F.; MELVILLE, D.S.; GILL, R.E.; TIBITTS, L.; MULCAHY, D.; GARTELLE, B.; WARNOCK, N.
- Todiramphus chloris*, see kingfisher, collared
- sancta vagans*, see kingfisher, sacred
- tokoeke, see also kiwi
- Haast, 126
 - northern Fiordland, 127
 - southern Fiordland, 127
 - Stewart Island, 127
- TORRES, L., see THOMPSON, D.; TORRES, L.
- tomtit, Auckland Island, 130, 170
- black, 130
 - Chatham Island, 127
 - pied, 131
 - yellow-breasted, 131
- TRACEY, J.P.; LUKINS, B.S.; HASELDEN, C. Hybridisation between mallard (*Anas platyrhynchos*) and grey duck (*Anas superciliosa*) on Lord Howe Island and management options, 1-7
- Traversia lyalli*, see wren, Lyall's or wren, Stephen's Island
- triller, white-winged, 134
- Tringa brevipes*, see tattler, grey-tailed or tattler, Siberian
- flavipes*, see yellowlegs, lesser
 - guttifer*, see greenshank, spotted
 - hypoleucos*, see sandpiper, common
 - incana*, see tattler, wandering
 - nebularia*, see greenshank
 - stagnatilis*, see sandpiper, marsh
 - terek*, see sandpiper, terek
- tropicbird, red-tailed, 10, 17, 127
- spp., 55
 - white-tailed, 11, 17, 133
- tui, 104-106, 131, 182, 212
- Turdus merula*, see blackbird
- philomelos*, see thrush, song
- turkey, wild, 135
- Turnagra capensis capensis*, see piopio, South Island
- capensis minor*, see piopio, Stephen's Island
 - tanagra*, see piopio, North Island
- Turnagridae, 121, 124, 126
- turnstone, 12, 13, 17, 112, 113, 131
- ruddy, see turnstone
- Tyto alba*, see owl, Eurasian barn
- alba deliculata*, see owl, barn
 - capensis*, see owl, African grass
 - javanica*, see owl, eastern barn
 - longimembris*, see owl, eastern grass
 - multipunctata*, see owl, lesser sooty
 - tenebriosa*, see owl, sooty
- Tytonidae, 135
- Vanellus miles novaehollandiae*, see plover, spur-winged
- vanellus*, see lapwing
- Vini australis*, see lory, blue-crowned
- WAAS, J., see MOLLES, L.E.; CALCOTT, A.; PETERS, G.; DELAMARE, G.; HUDSON, J.; INNES, J.; FLUX, I.; WAAS, J.
- wagtail, black-backed, 155
- eastern yellow, 55
 - green-headed yellow, 55
 - white, 55
 - willie, 135
 - yellow, 55
- warbler, Chatham Island, 128, 220
- grey, 52, 131, 213, 220, 221
- WARNOCK, N., see BATTLE, P.F.; MELVILLE, D.S.; GILL, R.E.; TIBITTS, L.; MULCAHY, D.; GARTELLE, B.; WARNOCK, N.
- wattlebird, little, 55
- red, 133
 - western, 55
- weka, 28, 29, 30, 90, 93
- buff, 129
 - North Island, 128
 - Stewart Island, 128
 - western, 128
- whimbrel, Asiatic, 12, 17, 132
- whio, see duck, blue
- whistler, rufous, 112, 113
- whitehead, 131
- WHITEHEAD, A.; EDGE, K.-A.; SMART, A.; WILLANS, M. The future of whio in Fiordland National Park: Is linear stoat trapping sufficient to ensure persistence (AGM Abstract), 51
- WEINECKE, B. Unusual hunting strategy by a subantarctic skua at Heard Island, 48
- WILLANS, M., see WHITEHEAD, A.; EDGE, K.-A.; SMART, A.; WILLANS, M.
- WILSON, K.J. A brief survey of breeding seabirds on 4 islets off Banks Peninsula, South Island, New Zealand, 101-103
- WILSON, K.-J.; SCHOTBORGH, M.; PRENDERGAST, T.A.; HOPKINS, K.; OGILVIE, S. Kereru conservation in an urban/rural landscape on Banks Peninsula, 52-53
- WILSON, K.-J., see BLYTH, R.; WILSON, K.-J.; HEBER, S.; CHAMBERS, H.; COTTON, J.
- WILSON, K.-J., see CAMPBELL, K.L.; WILSON, K.-J.; OGILVIE, S.
- WILSON, K.-J., see CAMPBELL, K.L.; SCHOTBORGH, H.M.; WILSON, K.-J.; OGILVIE, S.C.

- WISHART, M.L. Pukeko (*Porphyrio porphyrio*)
 predation of a house sparrow (*Passer domesticus*), 158-159
- WOOD, J.R.; BRIDEN, S. South Georgian diving
 petrel (*Pelecanoides georgicus*) bones from
 a Maori midden on Otago Peninsula, New
 Zealand, 46-47
- WOOD, S., see GASKIN, C.; SHIRIHAI, H.; WOOD, S.
- woodhen, Lord Howe, 4
- woodswallow, masked, 133
 white-browed, 133
- wren, Lyall's, 126
 North Island bush, 126
 rock, 128
 South Island bush 126
 Stead's bush, 126
- Stephen's Island, 126
- wrybill, 127
- Xenicus gilviventris*, see wren, rock
 longipes longipes, see wren, South Island
 bush
 longipes stokesi, see wren, North Island bush
 longipes variabilis, see wren, Stead's bush
- yellowhammer, 135, 213
- yellowhead, 123, 128
- yellowlegs, lesser, 133
- Zosteropidae, 121, 131
Zosterops lateralis lateralis, see silvereye

Compiled by TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland 1309

