


NOTORNIS

Ornithology of the Southern Pacific



Volume 56 2009

Journal of the Ornithological Society of New Zealand

Contents of Volume 56, 2009

Volume 56, Part 1, March 2009

CONTENTS

Papers

- | | | |
|--|---|----|
| Spatial variation in burrow entrance density of the sooty shearwater (<i>Puffinus griseus</i>) | Charleton, K.; Bragg, C.; Knight, B.; Fletcher, D.; Moller, H.; Newman, J.; Scott, D. | 1 |
| Breeding biology of the New Zealand kaka (<i>Nestor meridionalis</i>) (Psittacidae, Nestorinae) | Powlesland, R.G.; Greene, T.C.; Dilks, P.J.; Moorhouse, R.J.; Moran, L.R.; Taylor, G.; Jones, A.; Wills, D.; August, C.K.; August, A.C.L. | 11 |
| Why did bellbirds (<i>Anthornis m. melanura</i>) return to New Plymouth, and why have they gone again? | Medway, D.G. | 34 |
| Use of song to monitor North Island tomtits (<i>Petroica macrocephala toitoi</i>) at Atuanui, Mount Auckland | Michaux, B. | 40 |

Short notes

- | | | |
|--|---|----|
| Observations of bellbird (<i>Anthornis melanura</i>) aggression toward North Island rifleman (<i>Acanthisitta chloris granti</i>) in a translocated population | Withers, S.J. | 44 |
| A very white-chinned petrel (<i>Procellaria aequinoctialis</i>) off Kaikoura | Miskelly, C.M. | 46 |
| Combining morphometric and molecular approaches improves accuracy of sexing in the kakerori (<i>Pomarea dimidiata</i>) on Rarotonga, Cook Islands | Zhao, Y.; Kong, X.; Robertson, H.A.; Saul, E.K.; Nia, L.V.; Chan, C.-H.; Chambers, G.K. | 49 |
| Survival of breeding seabirds into the historic period on Huahine, Society Islands | Medway, D.G. | 54 |

Book review

- | | | |
|-------------|----------------|----|
| Albatrosses | Scofield, R.P. | 56 |
|-------------|----------------|----|

Volume 56, Part 2, June 2009

CONTENTS

Papers

- | | | |
|--|--|-----------|
| Vanuatu petrel (<i>Pterodroma occulta</i>) discovered breeding on Vanua Lava, Banks Islands, Vanuatu | Totterman, S. | 57 |
| The native forest birds of Stewart Island/Rakiura: patterns of recent declines and extinctions | Harper, G.A. | 63 |
| Phylogenetic analysis of the 24 named albatross taxa based on full mitochondrial cytochrome <i>b</i> DNA sequences | Chambers, G.K.; Moeke, C.; Steel, R.; Trueman, J.W.H. | 82 |

Short notes

- | | | |
|--|-----------------------------|------------|
| Bird deaths on Riverside Drive between Whangarei and Onerahi, New Zealand | Beauchamp, A.J. | 95 |
| Westland petrels (<i>Procellaria westlandica</i>) off the coast of Chile | Fraser, P.A. | 98 |
| House sparrow (<i>Passer domesticus</i>) fails to develop claws | Magon, L.; Clark, J. | 100 |

Abstracts

- | | | |
|--|---------------------------|------------|
| Abstracts of papers presented at the Ornithological Society of New Zealand AGM and conference, 30 May 2009, Orewa, New Zealand | Parker, K.A. (Ed.) | 102 |
|--|---------------------------|------------|

Book reviews

- | | | |
|------------|---------------------------|------------|
| Bowerbirds | Hauber, M.E. | 108 |
| Cockatoos | Ortiz-Catedral, L. | 109 |

Letter to editor

- | | | |
|---|---|------------|
| Conservation status of New Zealand birds, 2008: science or assertion? | Williams, M. | 110 |
| Response to M. Williams | Miskelly, C.M.; Dowding, J.E.; Elliott, G.P.; Hitchmough, R.A.; Powlesland, R.G.; Robertson, H.A.; Sagar, P.M.; Scofield, R.P.; Taylor, G.A. | 112 |

Volume 56, Part 3, September 2009

CONTENTS

Papers

- | | | |
|--|--|-----|
| Description of a new subspecies of <i>Coenocorypha</i> snipe from subantarctic Campbell Island, New Zealand | Miskelly, C.M.; Baker, A.J. | 113 |
| Changes in the population size of North Island weka (<i>Gallirallus australis greyi</i>) during establishment on Pakatoa Island, Hauraki Gulf, New Zealand | Beauchamp, A.J.; Hanbury, J.; Hanbury, R. | 124 |
| Cigarette butts form a perceptually cryptic component of song thrush (<i>Turdus philomelos</i>) nests | Igic, B.; Cassey, P.; Samas, P.; Grim, T.; Hauber, M.E. | 134 |
| Footedness in North Island kākā (<i>Nestor meridionalis septentrionalis</i>) | McGavin, S. | 139 |
| Population trends, breeding success and predation rates of Hutton's shearwater (<i>Puffinus huttoni</i>): a 20 year assessment | Sommer, E.; Bell, M.; Bradfield, P.; Dunlop, K.; Gaze, P.; Harrow, G.; McGahan, P.; Morrissey, M.; Walford, D.; Cuthbert, R. | 144 |

Short notes

- | | | |
|--|--|-----|
| Two Late Quaternary avifaunal assemblages from the Dunback district, eastern Otago, South Island, New Zealand | Wood, J.R. | 154 |
| The presence of ultrasonic harmonics in the calls of the rifleman (<i>Acanthisitta chloris</i>) | Krull, C.R.; Parsons, S.; Hauber, M.E. | 158 |
| The cape petrel (<i>Daption capense</i>) around Mawson Station, East Antarctica: new breeding localities and population counts | Wilson, D. | 162 |
| Some observations on the behaviour of the critically endangered orange-fronted parakeet (<i>Cyanoramphus malherbi</i>) on Maud Island, New Zealand | Ortiz-Catedral, L. | 165 |
| Predation of lizards by black-fronted terns (<i>Sterna albobriata</i>) | O'Donnell, C.F.J.; Hoare, J.M. | 167 |

Book reviews

- | | | |
|----------------|----------|-----|
| Mound-builders | Cope, T. | 168 |
|----------------|----------|-----|

Volume 56, Part 4, December 2009

CONTENTS

Papers

First record of barn owls (<i>Tyto alba</i>) breeding in the wild in New Zealand	Hyde, N.H.S.; Matthews, K.; Thompson, M.; Gale, R.	169
Response of non-target native birds to mammalian pest control for kokako (<i>Callaeas cinerea</i>) in the Hunua Ranges, New Zealand	Baber, M.; Brejaart, R.; Babbitt, K.; Lovegrove, T.; Ussher, G.	176
Distribution and habitat use by New Zealand pipits (<i>Anthus n. novaeseelandiae</i>) on the Volcanic Plateau	Beauchamp, A.J.	183
The roles of predation, microclimate and cavity abundance in the evolution of New Zealand's tree-cavity nesting avifauna	Rhodes, B.K.; O'Donnell, C.F.J.; Jamieson, I.G.	190
Foraging behaviour and success of Australian white ibis (<i>Threskiornis molucca</i>) in an urban environment	Murray, N.J.; Shaw, P.P.	201
Density and pair fidelity in a translocated population of North Island robin (<i>Petroica longipes</i>)	McGavin, S.	206

Short notes

Canopy and above canopy movements of birds on Whatupuke Island, New Zealand	Beauchamp, A.J.; Hansen, K.; Pilon, G.	213
New Zealand falcon (<i>Falco novaeseelandiae</i>) distribution survey 2006-09	Bell, D.; Lawrence, S.	217
Grey-faced petrel (<i>Pterodroma macroptera gouldi</i>) breeding on Little Barrier Island, New Zealand	Rayner, M.J.; Dunphy, B.J.; Landers, T.J.	222
A Pycroft's petrel (<i>Pterodroma pycrofti</i>) in Papua New Guinea	Pierce, R.	223

INDEX OF AUTHORS AND SPECIES

Volume 56

- Abroscopus albogularis*, see warbler, rufous-faced
- Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 30 May 2009, Orewa, New Zealand, K.A. Parker (ed), 102-109
- Acanthisitta chloris chloris*, see rifleman, South Island
- chloris granti*, see rifleman, North Island
- Acanthisittidae, 192, 193, 195
- Acanthizidae, 192, 193
- Accipitridae, 192
- Acridotheres tristis*, see myna, common
- adzebill, North Island, 193
- South Island, 156, 193
- Aegotheles novaezealandiae*, see owlet-nightjar, New Zealand
- Aegothelidae, 192, 193
- Aepyodius* sp., 168
- Agaponis roseicollis*, see lovebird, peach-faced
- Alauda arvensis*, see skylark
- Albatross, Amsterdam, 84, 87, 89, 91
- Antipodean, 84, 86, 87, 89, 91, 152
- Atlantic yellow-nosed, see mollymawk,
- Atlantic yellow-nosed
- black-browed, see mollymawk, black-browed
- black-footed, 84, 86, 87, 89, 91, 92
- Buller's, see mollymawk, Buller's
- Campbell Island, see mollymawk, Campbell Island
- Chatham Island, see mollymawk, Chatham Island
- Gibson's, 84, 86, 87, 89, 91, 152
- grey-headed, see mollymawk, grey-headed
- Indian yellow-nosed, see mollymawk,
- Indian yellow-nosed
- Laysan, 84, 87, 89, 91
- light-mantled sooty, 83, 84, 87, 89-91
- New Zealand, 86
- Northern Hemisphere spp., 83
- northern royal, 84, 87, 89, 91
- Pacific, see mollymawk, Pacific
- royal spp., 91
- Salvin's, see mollymawk, Salvin's
- short-tailed, 84, 87, 89, 91
- shy, see mollymawk, shy
- snowy, 86
- sooty, 83, 84, 87, 89-91
- southern royal, 84, 87, 89, 91
- spp., 56, 82-94
- Tristan wandering, 84, 87, 89, 91
- wandering, 84, 87, 89, 91
- wandering spp., 83, 86, 91
- waved, 84, 87, 89, 91
- white-capped, see mollymawk, white-capped
- Alcedinidae, 192, 193
- Alectura lathamii*, see brush turkey, Australian
- sp., 168
- Anarhynchus frontalis*, see wrybill
- Anas aucklandica chlorotis*, see teal, brown
- gracilis*, see teal, grey
- nesiotis*, see teal, Campbell Island
- platyrhynchos*, see duck, mallard
- superciliosa*, see duck, grey
- Anatidae, 192, 193
- ANNUAL GENERAL MEETING. Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 30 May 2009, Orewa, New Zealand, K.A. Parker (ed), 102-109
- Anomalopteryx didiformis*, see moa, bush
- Anous* spp., see noddy, spp.
- stolidus*, see noddy, brown
- Anseriformes, 192, 193
- Anthornis melanura melanura*, see bellbird
- Anthus novaeseelandiae*, see pipit, New Zealand
- Aphelocoma coerulescens*, see scrub-jay, Florida
- Apterygidae, 192, 193
- Apterygiformes, 192, 193
- Apteryx australis*, see kiwi, brown
- australis lawryi*, see kiwi, Stewart Island
- brown, see also tokoeka, Stewart Island
- haastii*, see kiwi, great spotted
- mantelli*, see kiwi, North Island brown
- owenii*, see kiwi, little spotted
- Aptornis defossor*, see adzebill, South Island
- otidiformis*, see adzebill, North Island
- Aptornis, North Island, 193
- South Island, 193
- Aptornithidae, 192, 193
- Aratinga aurea*, see conure, peach-fronted
- pertinax*, see conure, brown-throated, see also parakeet, brown-throated
- Ardea novaehollandiae*, see heron, white-faced
- AUGUST, A.C.L., see POWLES LAND, R.G.; GREENE, T.C.; DILKS, P.J.; MOORHOUSE, R.J.; MORAN, L.R.; TAYLOR, G.; JONES, A.; WILLS, D.E.; AUGUST, C.K.; AUGUST, A.C.L.
- AUGUST, C.K., see POWLES LAND, R.G.; GREENE, T.C.; DILKS, P.J.; MOORHOUSE, R.J.; MORAN, L.R.; TAYLOR, G.; JONES, A.; WILLS, D.E.; AUGUST, C.K.; AUGUST, A.C.L.
- Aythya novaeseelandiae*, see scaup, New Zealand

- BABBITT, K., see BABER, M.; BREJAART, R.; BABBITT, K.; LOVEGROVE, T.; USSHER, G.
- BABER, M.; BREJAART, R.; BABBITT, K.; LOVEGROVE, T.; USSHER, G. Response of non-target native birds to mammalian pest control for kokako (*Callaeas cinerea*) in the Hunua Ranges, New Zealand, 176-182
- BAKER, A.J., see MISKELLY, C.M.; BAKER, A.J.
- BATTLE, P.F.; SCHUCKARD, R.; MELVILLE, D. Movements of bar-tailed godwits and red knots within New Zealand, (AGM Abstract), 102
- BEAUCHAMP, A.J. Bird deaths on Riverside Drive between Whangarei and Onerahi, New Zealand, 95-97
- Breeding and behaviour records of peafowl (*Pavo cristatus*) at Mansion House Historic Reserve, Kawau Is, New Zealand, 1992-2008, (AGM Abstract), 102
- Distribution and habitat use by New Zealand pipits (*Anthus n. novaeseelandiae*) on the Volcanic Plateau, 183-189
- BEAUCHAMP, A.J.; HANBURY, J.; HANBURY, R. Changes in the population size of North Island weka (*Gallirallus australis greyi*) during establishment on Pakatoa Island, Hauraki Gulf, New Zealand, 124-133
- BEAUCHAMP, A.J.; HANSEN, K.; PILON, G. Canopy and above canopy movements of birds on Whatupuke Island, New Zealand, 213-216
- BELL, D. New Zealand falcon distribution survey, (AGM Abstract), 102-103
- BELL, D.; LAWRENCE, S. New Zealand falcon (*Falco novaeseelandiae*) distribution survey, 2006-09, 217-221
- BELL, M., see SOMMER, E.; BELL, M.; BRADFIELD, P.; DUNLOP, K.; GAZE, P.; HARROW, G.; McGAHAN, P.; MORRISEY, M.; WALFORD, D.; CUTHBERT, R.
- bellbird, 34-39, 44-45, 74-75, 104, 177, 193, 195, 214-216
- bird, cavity-nesting spp., 190-200
- bittern, Australasian, 75
- blackbird, European, 95-97, 135-137, 214
- black-cockatoo, glossy, 28, 29, 141
- red-tailed, 26, 28, 29
- short-billed, 26, 28
- spp., 26, 28, 29
- yellow-tailed, 26, 28, 29
- BLOXHAM, M., see BOTHA, A.; BLOXHAM, M.; ELLIOTT, G.
- BLYTH, R.; WILSON, K-J.; WAUGH, S. A seabird colony database for New Zealand, (AGM Abstract), 103
- booby, spp., 55
- Botaurus poiciloptilus*, see bittern, Australasian
- BOTHA, A.; BLOXHAM, M.; ELLIOTT, G. Foraging patterns of banded rail (*Rallus philippensis*) within mangroves and over open mudflats, (AGM Abstract), 103
- Bowdleria punctata*, see fernbird
- punctata stewartiana*, see fernbird, Stewart Island
- punctata vealeae*, see fernbird, North Island
- punctata wilsoni*, see fernbird, Codfish Island
- rufescens*, see fernbird, Chatham Island
- bowerbird, satin, 108
- spp., 108
- BRADFIELD, P., see SOMMER, E.; BELL, M.; BRADFIELD, P.; DUNLOP, K.; GAZE, P.; HARROW, G.; McGAHAN, P.; MORRISEY, M.; WALFORD, D.; CUTHBERT, R.
- BRAGG, C., see CHARLETON, K.; BRAGG, C.; KNIGHT, B.; FLETCHER, D.; MOLLER, H.; NEWMAN, J.; SCOTT, D.
- BREJAART, R., see BABER, M.; BREJAART, R.; BABBITT, K.; LOVEGROVE, T.; USSHER, G.
- Brotogeris jugularis*, see parakeet, orange-chinned
- versicolorus*, see parakeet, canary-winged
- BRUNTON, D., see VAN RENSBERG, M.J.; BRUNTON, D.; GARTRELL, B.
- brush turkey, Australian, 168
- budgerigar, 26
- Cacatua galerita*, see cockatoo, sulphur-crested
- leadbeateri*, see cockatoo, Major Mitchell's
- Cacatuidae, 26-29
- Cacatuini, 12
- Calidris canutus rogersi*, see knot, lesser
- Callaeas cinerea*, see kokako
- cinerea cinerea*, see kokako South Island
- cinerea wilsoni*, see kokako, North Island
- Callaeidae, 192, 193, 195
- Calyptorhynchus banksii*, see black-cockatoo, red-tailed
- funereus*, see black-cockatoo, yellow-tailed
- lathamii*, see black-cockatoo, glossy
- latirostris*, see black-cockatoo, short-billed
- spp., 26, 28, 29
- Caprimulgiformes, 192, 193
- Carduelis carduelis*, see goldfinch
- chloris*, see greenfinch
- CASSEY, P., see IGIC, B.; CASSEY, P.; SAMAS, P.; GRIM, T.; HAUBER, M.E.
- chaffinch, 96
- CHAMBERS, G.K.; MOEKE, C.; STEEL, R.; TRUEMAN, J.W.H. Phylogenetic analysis of the 24 named albatross taxa based on full mitochondrial cytochrome b DNA sequences, 82-94
- CHAMBERS, G.K., see ZHAO, Y.; KONG, X.; ROBERTSON, H.A.; SAUL, E.K.; NIA, L.V.; CHAN, C.-H.; CHAMBERS, G.K.
- CHAN, C.-H., see CHAMBERS, G.K., see ZHAO, Y.; KONG, X.; ROBERTSON, H.A.; SAUL, E.K.; NIA, L.V.; CHAN, C.-H.; CHAMBERS, G.K.
- Charadriiformes, 114, 192, 193

- Charadrius bicinctus*, see dotterel, banded
obscurus obscurus, see dotterel, southern New Zealand
- CHARLETON, K.; BRAGG, C.; KNIGHT, B.; FLETCHER, D.; MOLLER, H.; NEWMAN, J.; SCOTT, D. Spatial variation in burrow entrance density of the sooty shearwater (*Puffinus griseus*), 1-10
- Chenonetta finschi*, see duck, Finsch's
- Chrysococcyx lucidus*, see cuckoo, shining
- Circus approximans*, see harrier, Australasian
eylesi, see harrier, extinct
- CLARK, J., see MAGON, L.; CLARK, J.
- cockatoo, Major Mitchell's, 26, 27, 29, 109
pink, see cockatoo, Major Mitchell's
spp., 12, 26, 109
sulphur-crested, 26, 29, 109
- Coenocorypha aucklandica*, see snipe, subantarctic, see also snipe, New Zealand
aucklandica aucklandica, see snipe, Auckland Island
aucklandica iredalei, see snipe, Stewart Island
aucklandica meinertzhagenae, see snipe, Antipodes Island
aucklandica perseverance, see snipe, Campbell Island
aucklandica undescribed subsp., see snipe, Campbell Island
barriensis, see snipe, North Island
chathamica, see snipe, extinct Chatham Island, or snipe, Forbes'
huegeli, see snipe, Snares Island
iredalei, see snipe, South Island
miratropica, see snipe, Fiji
pusilla, see snipe, Chatham Island
spp., 112-113
undescribed sp., see snipe, Norfolk Island
- Colluricincla boweri*, 194
harmonica, 194
megarhyncha, 194
woodwardi, 194
- Columbidae, 192, 193
Columbiformes, 192, 193
- conure, brown-throated, 26
peach-fronted, 141
- COPE, T. Mound-Builders. D. Jones & A. Goth, (Review), 168
- Coraciiformes, 192, 193
- Corvidae, 192, 103
- Corvus moneduloides*, see crow, New Caledonian
moriolum, see raven, New Zealand
- Coturnix novaezelandiae*, see quail, New Zealand
- crake, spotless, 75
- creeper, brown, 44, 66, 73, 77, 193, 194
- crow, Chatham Island, 193
New Caledonian, 139
New Zealand, 193
orange-wattled, see kokako, South Island
- cuckoo, long-tailed, 71-72, 77, 193, 196
shining, 71, 77, 193
- Cuculidae, 192, 193
- Cuculiformes, 192, 193
- CUTHBERT, R., see SOMMER, E.; BELL, M.; BRADFIELD, P.; DUNLOP, K.; GAZE, P.; HARROW, G.; McGAHAN, P.; MORRISEY, M.; WALFORD, D.; CUTHBERT, R.
- Cyanistes caeruleus*, see tit, blue
- Cyanoramphus auriceps auriceps*, see parakeet, yellow-crowned
malherbi, see parakeet, orange-fronted
novaezelandiae novaezelandiae, see parakeet, red-crowned
unicolor, see parakeet, Antipodes Island
- Cyclopsitta diophthalma*, see parrot, double-eyed fig
- Daption capense*, see pigeon, cape
- Dendroscansor decurvirostris*, see wren, long-billed
- DILKS, P.J., see POWLESLAND, R.G.; GREENE, T.C.; DILKS, P.J.; MOORHOUSE, R.J.; MORAN, L.R.; TAYLOR, G.; JONES, A.; WILLS, D.E.; AUGUST, C.K.; AUGUST, A.C.L.
- Dinornis giganteus*, see moa, giant
novaezealandiae, see moa, large bush
robustus, see moa, South Island giant
struthoides, see moa, slender bush
- Dinornithidae, 192, 193
- Dinornithiformes, 192, 193
- Diomedea amsterdamensis*, see albatross, Amsterdam
antipodensis antipodensis, see albatross, Antipodean
antipodensis gibsoni, see albatross, Gibson's
chionoptera, see albatross, snowy
dabbenaea, see albatross, Tristan wandering
epomophora, see albatross, southern royal
exulans, see albatross, wandering
sanfordi, see albatross, northern royal
- dotterel, banded, 107
New Zealand, 75, 76, 104
Northern New Zealand, 104
Southern New Zealand, 75, 76
- DOWDING, J.E., see MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
- duck, blue, 193
Finsch's, 156, 157
grey, 110, 193
mallard, 110
- DUNLOP, K., see SOMMER, E.; BELL, M.; BRADFIELD, P.; DUNLOP, K.; GAZE, P.; HARROW, G.; McGAHAN, P.; MORRISEY, M.; WALFORD, D.; CUTHBERT, R.
- DUNPHY, B.J., see RAYNER, M.J.; DUNPHY, B.J.; LANDERS, T.J.

- eagle, Haast's, 193
 ELLIOTT, G., see BOTHAS, A.; BLOXHAM, M.; ELLIOTT, G.
 ELLIOTT, G.P., see MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
Emberiza citrinella, see yellowhammer
 Emeidae, 192, 193
Emeus crassus, see moa, eastern
Enicognathus ferrugineus, see parakeet, austral
Eolophus roseicapillus, see galah
 Eopsaltriidae, 192, 193
Eudocimus albus, see ibis, American white
 ruber, see ibis, scarlet
Eudynamys taitensis, see cuckoo, long-tailed
Eudyptula minor, see penguin, blue
Euryapteryx curtus, see moa, North Island broad-billed
 geranoides, see moa, South Island broad-billed

Falco novaeseelandiae, see falcon, New Zealand
 peregrinus, see falcon, peregrine
 falcon, bush, see falcon, New Zealand
 eastern, see falcon, New Zealand
 New Zealand, 30, 63, 68, 76, 102-103, 188, 193, 196, 217-221
 peregrine, 61
 southern, see falcon, New Zealand
 Falconidae, 193
 Falconiformes, 192, 193
Falcunculus frontalis, 194
 fantail, 193
 North Island, 36, 95-97, 176-180, 214
 South Island, 73-74
 fernbird, 173, 193
 Chatham Island, 193
 Codfish Island, 73
 North Island, 173
 Stewart Island, 66, 72-73
 FLETCHER, D., see CHARLETON, K.; BRAGG, C.; KNIGHT, B.; FLETCHER, D.; MOLLER, H.; NEWMAN, J.; SCOTT, D.
 fowl, domestic, 139
 FRASER, P.A. Westland petrels (*Procellaria westlandica*) off the coast of Chile, 98-99
Fregata spp., see frigatebird spp.
 frigatebird spp., 55
Fringilla coelebs, see chaffinch
 FROST, P. Here today, gone tomorrow: transient waders and waterbirds on a small New Zealand estuary, (AGM Poster Presentation), 107
 fulmar, Antarctic, 98
Fulmarus glacialisoides, see fulmar, Antarctic

 galah, 26-29, 109
 GALE, R., see HYDE, N.H.S.; MATTHEWS, K.; THOMPSON, M.; GALE, R.

 Galliformes, 192, 193
Gallirallus australis, see weka
 australis greyi, see weka, North Island
 australis scotti, see weka, Stewart Island
 okinawae, see rail, Okinawa
 philippensis, see rail, banded
Gallus gallus domesticus, see fowl, feral
 gannet, Australasian, 104, 214
 GARTRELL, B., see VAN RENSBURG, M.J.; BRUNTON, D.; GARTRELL, B.
 GAZE, P., see SOMMER, E.; BELL, M.; BRADFIELD, P.; DUNLOP, K.; GAZE, P.; HARROW, G.; McGAHAN, P.; MORRISEY, M.; WALFORD, D.; CUTHBERT, R
Gerygone albofrontata, see warbler, Chatham Island
 igata, see warbler, grey
 GILL, B. The new checklist of New Zealand birds, (AGM Abstract), 103-104
 godwit, bar-tailed, 102, 107
 goldfinch, 96, 97
 GREENE, T.C., see POWLESLAND, R.G.; GREENE, T.C.; DILKS, P.J.; MOORHOUSE, R.J.; MORAN, L.R.; TAYLOR, G.; JONES, A.; WILLS, D.E.; AUGUST, C.K.; AUGUST, A.C.L.
 greenfinch, 96, 97, 172
 GRIM, T., see IGIC, B.; CASSEY, P.; SAMAS, P.; GRIM, T.; HAUBER, M.E.
 Gruiformes, 192, 193
 gull, black-backed, 96, 107, 214, 215
 red-billed, 96, 97, 107, 152
 spp., 55
Gygis alba, see tern, white
 sp., see tern, white
Gymnorhina tibicen, see magpie, Australian

Haematopus finschi, see oystercatcher, South Island
 pied
 hakawai, see snipe, Stewart Island
Halcyon sancta, see kingfisher, sacred or kingfisher, New Zealand
 HANBURY, J., see BEAUCHAMP, A.J.; HANBURY, J.; HANBURY, R.
 HANBURY, R., see BEAUCHAMP, A.J.; HANBURY, J.; HANBURY, R.
 HANSEN, K., see BEAUCHAMP, A.J.; HANSEN, K.; PILON, G.
Harpagornis moorei, see eagle, Haast's
 HARPER, G.A. The native forest birds of Stewart Island/Rakiura: patterns of recent declines and extinctions, 63-81
 harrier, Australasian, 30, 68, 130, 193, 214
 extinct, 193, 196
 HARROW, G., see SOMMER, E.; BELL, M.; BRADFIELD, P.; DUNLOP, K.; GAZE, P.; HARROW, G.; McGAHAN, P.; MORRISEY, M.; WALFORD, D.; CUTHBERT, R.
 HAUBER, M.E. Bowerbirds. P. Rowland, (Review), 108

- HAUBER, M.E., see IGIC, B.; CASSEY, P.; SAMAS, P.; GRIM, T.; HAUBER, M.E.
- HAUBER, M.E., see KRULL, C.R.; PARSONS, S.; HAUBER, M.E.
- Hemiphaga novaeseelandiae*, see pigeon, New Zealand
- heron, white-faced, 96
- Heteralocha acutirostris*, see huia
- hihi, see stitchbird
- Himantopus himantopus*, see stilt, pied
- Hirundinidae, 192, 193, 196
- Hirundo tahitica neoxena*, see swallow, welcome
- HITCHMOUGH, R.A., see MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
- HOARE, J.M., see O'DONNELL, C.F.J.; HOARE, J.M.
- honeyeater spp., 34-39
- huia, 193
- hummingbird, blue-throated, 158
- HYDE, N.H.S.; MATTHEWS, K.; THOMPSON, M.; GALE, R. First record of barn owls (*Tyto alba*) breeding in the wild in New Zealand, 169-175
- Hydroprogne caspia*, see tern, Caspian
- Hymenolaimus malacorhynchus*, see duck, blue
- ibis, American white, 201, 204
Australian white, 201-205
sacred, 202
scarlet, 201
spp., 201, 202
straw-necked, 202
- IGIC, B.; CASSEY, P.; SAMAS, P.; GRIM, T.; HAUBER, M.E. Cigarette butts form a perceptually cryptic component of song thrush (*Turdus philomelos*) nests, 134-138
- JAMIESON, I.G., see RHODES, B.K.; O'DONNELL, C.F.J.; JAMIESON, I.G.
- JONES, A., see POWLESLAND, R.G.; GREENE, T.C.; DILKS, P.J.; MOORHOUSE, R.J.; MORAN, L.R.; TAYLOR, G.; JONES, A.; WILLS, D.E.; AUGUST, C.K.; AUGUST, A.C.L.
- kahu, see harrier, Australasian
- kaka, 11-33, 176, 193
North Island, 11-33, 34, 104, 105, 139-143, 214-216
South Island, 11-33, 63, 70-71, 76-78
- kakapo, 12, 26-30, 63, 67, 70, 76, 154, 156, 193
- kakariki, see parakeet, red or yellow-crowned
- kakerori, 49-53
- karearea, see falcon, New Zealand
- kea, 12, 26, 28, 29, 104-105, 193
- kereru, see pigeon, New Zealand
- kingfisher, New Zealand, see kingfisher sacred
- sacred, 44, 72, 96, 97, 194, 214, 215
sp., 191
- kite, black, 174
- kiwi, brown, 157, 176, 193
great spotted, 157, 193
little spotted, 193
North Island brown, 95, 104
spp., 156
Stewart Island brown, 67-68, 76, 77, see also tokoeka, Stewart Island
- KNIGHT, B., see CHARLETON, K.; BRAGG, C.; KNIGHT, B.; FLETCHER, D.; MOLLER, H.; NEWMAN, J.; SCOTT, D.
- knot, lesser, 102
red, see knot, lesser
- kokako, 193
North Island, 30, 104, 176-181
South Island, 63, 67, 75-77
- KONG, X., see ZHAO, Y.; KONG, X.; ROBERTSON, H.A.; SAUL, E.K.; NIA, L.V.; CHAN, C.-H.; CHAMBERS, G.K.
- kotare, see kingfisher, New Zealand, or kingfisher, sacred
- KRULL, C.R.; PARSONS, S.; HAUBER, M.E. The presence of ultrasonic harmonics in the calls of the rifleman (*Acanthisitta chloris*), 158-161
- kukupu, see pigeon, New Zealand
- Lampornis clemenciae*, see hummingbird, blue-throated
- landbird, New Zealand spp., 190-200
- LANDERS, T.J., see RAYNER, M.J.; DUNPHY, B.J.; LANDERS, T.J.
- Larus dominicanus*, see gull, black-backed
- novaehollandiae scopulinus*, see gull, red-billed
sp., see gull sp.
- LAWRENCE, S., see BELL, D.; LAWRENCE, S.
- Leipoa ocellata*, see malleefowl
sp., 168
- LETTERS TO THE EDITOR:
WILLIAMS, M. Conservation status of New Zealand birds, 2008: Science or assertion? 110-111
MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A. Response to M. Williams, 112
- Limosa lapponica baueri*, see godwit, eastern bar-tailed
- Lophochroa leadbeateri*, see *Cacatua leadbeateri*
- lovebird, peach-faced, 26
- LOVEGROVE, T. Bird conservation projects in the Auckland Regional Parks, (AGM Abstract), 104
- LOVEGROVE, T., see BABER, M.; BREJAART, R.; BABBITT, K.; LOVEGROVE, T.; USSHER, G.
- Macrocephalon maleo*, see maleo

- Macronectes giganteus*, see petrel, giant
- MAGON, L.; CLARK, J. House sparrow (*Passer domesticus*) fails to develop claws, 100-101
- magpie, Australian, 174
- makomako, see bellbird
- maleo, 168
- mallard, see duck, mallard
- malleefowl, 168
- MATTHEWS, K., see HYDE, N.H.S.; MATTHEWS, K.; THOMPSON, M.; GALE, R.
- matuhi, see wren, bush
- matuku, see bittern
- McGAHAN, P., see SOMMER, E.; BELL, M.; BRADFIELD, P.; DUNLOP, K.; GAZE, P.; HARROW, G.; McGAHAN, P.; MORRISEY, M.; WALFORD, D.; CUTHBERT, R.
- McGAVIN, S. Footedness in North Island kaka (*Nestor meridionalis septentrionalis*), 139-143
Density and pair fidelity in a translocated population of North Island robin (*Petroica longipes*), 206-212
- MEDWAY, D.G. Why did bellbirds (*Anthornis m. melanura*) return to New Plymouth and why have they gone again? 34-39
Survival of breeding seabirds into the historic period on Huahine, Society Islands, 54-56
- Megaeotheles novaeseelandiae*, see owlet-nightjar, New Zealand
- Megalapteryx didinus*, see moa, upland
- megapode spp., 168
- Megapodiidae, 168
- Megapodius reinwardt*, see scrubfowl, orange-footed spp., 168
- Meliphagidae, 192, 193, 195
- Melopsittacus undulatus*, see budgerigar
- MELVILLE, D.S., see BATTLE, P.F.; SCHUCKARD, R.; MELVILLE, D.S.
- merganser, New Zealand, 67
- Mergus australis*, see merganser, New Zealand
- MICHAUX, B. Use of song to monitor North Island tomtits (*Petroica macrocephala toitoi*) at Atuanui, Mount Auckland, 40-43
- Milvus migrans*, see kite, black
- MISKELLY, C.M. A very white-chinned petrel (*Procellaria aequinoctialis*) off Kaikoura, 46-48
- MISKELLY, C.M.; BAKER, A.J. Description of a new subspecies of *Coenocorypha* snipe from subantarctic Campbell Island, New Zealand, 113-123
- MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A. Response to M. Williams, (Letter), 112
- moa, 154
bush, 193
crested, 193
eastern, 193
giant, 155, 193
heavy-footed, 193
large bush, 193
Mappin's, 193
North Island broad-billed, 193
slender bush, 67, 193
South Island broad-billed, 193
South Island giant, 156, 157
spp., 155
upland, 156, 157, 193
- MOEKE, C., see CHAMBERS, G.K.; MOEKE, C.; STEEL, R.; TRUEMAN, J.W.H.
- moho-pereru, see rail, banded
- Mohoua albicilla*, see whitehead
novaeseelandiae, see creeper, brown
ochrocephala, see yellowhead
- mohua, see yellowhead
- mokomoko, see bellbird
- MOLLER, H., see CHARLETON, K.; BRAGG, C.; KNIGHT, B.; FLETCHER, D.; MOLLER, H.; NEWMAN, J.; SCOTT, D.
- mollymawk, Atlantic yellow-nosed, 87, 89-91
black-browed, 83-87, 89-92, 99
Buller's, 84-87, 89-91
Campbell Island, 84, 87, 89-91
Chatham Island, 84, 87, 89, 90, 92
grey-headed, 84, 87, 89-91
Indian yellow-nosed, 84, 87, 89-91
northern Buller's, see mollymawk, Pacific
Pacific, 83-87, 89-91
Salvin's, 84, 87, 89, 90, 92, 98
shy, 83, 84, 86, 87, 89, 90, 92
spp., 82-94
white-capped, 83, 84, 86, 87, 89, 90, 92
- monarch, Rarotonga, 49-53
- Monarchidae, 192, 193
- MOORHOUSE, R.J., see POWLESLAND, R.G.; GREENE, T.C.; DILKS, P.J.; MOORHOUSE, R.J.; MORAN, L.R.; TAYLOR, G.; JONES, A.; WILLS, D.E.; AUGUST, C.K.; AUGUST, A.C.L.
- MORAN, L.R., see POWLESLAND, R.G.; GREENE, T.C.; DILKS, P.J.; MOORHOUSE, R.J.; MORAN, L.R.; TAYLOR, G.; JONES, A.; WILLS, D.E.; AUGUST, C.K.; AUGUST, A.C.L.
- morepork, 72, 95-97, 174, 193, 196
- MORRISEY, M., see SOMMER, E.; BELL, M.; BRADFIELD, P.; DUNLOP, K.; GAZE, P.; HARROW, G.; McGAHAN, P.; MORRISEY, M.; WALFORD, D.; CUTHBERT, R.
- Motacillidae, 192, 193
- mound builder, Australian spp., 168
spp., 168
- MURRAY, N.J.; SHAW, P.P. Foraging behaviour and success of Australian white ibis (*Threskiornis molucca*) in an urban environment, 201-205
- Myiopsitta monachus*, see parakeet, monk
- myna, common, 96, 97, 215

- Neophema splendida*, see parrot, scarlet-chested
Nestor meridionalis, see kaka
 meridionalis meridionalis, see kaka, South Island
 meridionalis septentrionalis, see kaka, North Island
 notabilis, see kea
 NEWMAN, J., see CHARLETON, K.; BRAGG, C.; KNIGHT, B.; FLETCHER, D.; MOLLER, H.; NEWMAN, J.; SCOTT, D.
 NIA, L.V., see ZHAO, Y.; KONG, X.; ROBERTSON, H.A.; SAUL, E.K.; NIA, L.V.; CHAN, C.-H.; CHAMBERS, G.K.
Ninox novaeseelandiae, see morepork
 noddy, spp., 55
 Notiomystidae, 192, 193, 195
Notiomystis cincta, see stitchbird

Oceanites oceanicus, see storm petrel, Wilson's
 O'DONNELL, C.F.J.; HOARE, J.M. Predation of lizards by black-fronted terns (*Sterna albobriata*), 167-168
 O'DONNELL, C.F.J., see RHODES, B.K.; O'DONNELL, C.F.J.; JAMIESON, I.G.
Oreoica gutturalis, 194
 ORR-WALKER, T. Kea (*Nestor notabilis*) research 2008-2009: Bird repellants to prevent injestion of 1080, population estimates of kea and nest monitoring, (AGM Abstract), 104-105
 ORTIZ-CATEDRAL, L. Cockatoos, M. Cameron, (Review), 109
 Some observations of the critically endangered orange-fronted parakeet (*Cyanoramphus malherbi*) on Maud Island, New Zealand, 165-166
 Oscine spp., 137
 owl, barn, 169-175
 laughing, 67, 156, 193, 196
 owlet-nightjar, New Zealand, 154, 156
 oystercatcher, New Zealand pied, see oystercatcher, South Island pied,
 South Island pied, 96, 107

Pachycephala inornata, 194
 lanoides, 194
 melanura, 194
 olivacea, 194
 pectoralis, 194
 rufiventris, 194
 rufogularis, 194
 simplex, 194
 Pachycephalidae, 192, 193, 195
Pachyornis australis, see moa, crested
 elephantopus, see moa, heavy-footed
 mappini, see moa, Mappin's
Pachyplichas yaldwyni, see wren, stout-legged
Palaeocorax antipodum, see crow, New Zealand
 moriolum, see crow, Chatham Island
 papango, see scaup, New Zealand

 Paradisaeidae, 192, 193
 parakeet, Antipodes Island, 193
 austral, 26
 brown-throated, 141
 canary-winged, 141
 Cyanoramphus spp., 166
 green-cheeked, 141
 monk, 141
 orange-chinned, 141
 orange-fronted, 165-166, 193
 red-crowned, 71, 76, 77, 104, 193, 214-216
 spp., 76
 yellow-crowned, 26, 31, 63, 71, 76, 77, 193
 PARKER, K.A. (ed). Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 30 May 2009, Orewa, New Zealand, 102-109
 parrot, spp., 11-33
 broad-tailed spp., 12
 double-eyed fig, 26
 golden shouldered, 26
 hooded, 26
 scarlet-chested, 26
 PARSONS, S., see KRULL, C.R.; PARSONS, S.; HAUBER, M.E.
Parus major, see tit, great
Passer domesticus, see sparrow, house
 Passeriformes, 192, 193
 passerine, introduced spp., 173
 native spp., 174
 pateke, see teal, brown
Pavo cristatus, see peafowl, feral
 peafowl, 102
Pelecanoides georgicus, see petrel, South Georgian diving
 magellani, see petrel, Magellanic diving
 penguin, Adelie, 162
 blue, 106
 little blue, see penguin, blue
 petrel, black-winged, 55
 burrowing spp., 1-10
 cape, see pigeon, cape
 collared, 61
 Cook's, 34
 diving spp., 65, 98
 giant, 84, 87, 89, 99
 Gould's, 61
 grey, 84, 87, 89
 grey-faced, 222-223
 Juan Fernandez, 57
 Magellanic diving, 98
 mottled, 224
 Pycroft's, 223-224
 South Georgian diving, 65
 spectacled, 46
 spp., 55, 76
 Vanuatu, 57-62
 Westland, 2, 98-99, 121
 white-chinned, 46-48, 98

- white-naped, 57, 61
- Petroica*, Australasian spp., 194, 195
- australis*, see robin, New Zealand
- australis longipes*, see robin, North Island
- australis rakiura*, see robin, Stewart Island
- goodenovii*, 194
- longipes*, see *Petroica australis longipes*
- macrocephala toitoi*, see tomtit, North Island
- multicolor*, 194
- phoenica*, 194
- rodinogaster*, 194
- rosea*, 194
- traversi*, see robin, black
- Phaethon lepturus*, see tropicbird, white-tailed
- sp., see tropicbird sp.
- Phalacrocorax melanoleucos*, see shag, little
- Phasianidae, 192, 193
- Philesturnus carunculatus*, see saddleback
- carunculatus carunculatus*, see saddleback, South Island
- carunculatus rufusater*, see saddleback, North Island
- PHILLIPS, S. Fast food for kaka (*Nestor meridionalis septentrionalis*) - kaka nutrition and movements in the Auckland region and beyond, (AGM Abstract), 105
- Phoebastria albatrus*, see albatross, short-tailed
- immutabilis*, see albatross, Laysan
- irrorata*, see albatross, waved
- nigripes*, see albatross, black-footed
- Phoebastria fusca*, see albatross, sooty
- palpebrata*, see albatross, light-mantled sooty
- PIERCE, R. A Pycroft's petrel (*Pterodroma pycrofti*) in Papua New Guinea, 223-224
- pigeon, cape, 98, 162-164
- New Zealand, 31, 36, 63, 69, 76-78, 96, 104, 154, 156, 176-180, 193, 213-216
- pihoihoi, see pipit
- PILON, G., see BEAUCHAMP, A.J.; HANSEN, K.; PILON, G.
- piopio, 67, 193
- pipipi, see creeper, brown
- pipit, 72
- New Zealand, 95, 183-189, 193
- piwakawaka, see fantail
- Platycercini, 12
- plover, spur-winged, 12
- Pomarea dimidiata*, see kakerori, or monarch, Rarotonga
- Porphyrio mantelli*, see takahe
- melanotus*, see pukeko
- Porzana tabuensis*, see crane, spotless
- POWLESLAND, R.G.; GREENE, T.C.; DILKS, P.J.; MOORHOUSE, R.J.; MORAN, L.R.; TAYLOR, G.; JONES, A.; WILLS, D.E.; AUGUST, C.K.; AUGUST, A.C.L. Breeding biology of the New Zealand kaka (*Nestor meridionalis*) (Psittacidae, Nestorinae), 11-33
- POWLESLAND, R.G., see MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
- Procellaria aequinoctialis*, see petrel, white-chinned
- aequinoctialis steadi*, see petrel, white-chinned
- cinerea*, see petrel, grey
- conspicillata*, see petrel, spectacled
- westlandica*, see petrel, Westland
- Procellariid spp., 55, 162-164
- Procellariidae, 1-10, 46-48, 57-62, 98-99, 144-153, 162-164, 222-223, 223-224
- Procellariiformes, 83
- Prothemadera novaeseelandiae novaeseelandiae*, see tui
- Psephotus chrysopterygius*, see parrot, golden-shouldered
- dissimilis*, see parrot, hooded
- Pseudobulweria*, sp., 55
- Psittacidae, 192, 193
- Psittaciformes, 192, 193, 196
- Pterodroma cervicalis*, see petrel, white-naped
- cookii*, see petrel, Cook's
- externa*, see petrel, Juan Fernandez
- inexpectata*, see petrel, mottled
- leucoptera*, see petrel, Gould's
- leucoptera brevipes*, see petrel, collared
- macroptera gouldi*, see petrel, grey-faced
- nigripennis*, see petrel, black-winged
- occulta*, see petrel, Vanuatu
- pycrofti*, see petrel, Pycroft's
- spp., see petrel spp.
- Ptilororhynchidae, 108
- Ptilororhynchus violaceus*, see bowerbird, satin
- Puffinus carneipes*, see shearwater, flesh-footed
- griseus*, see shearwater, sooty
- huttoni*, see shearwater, Hutton's
- lherminieri*, see shearwater, Audubon's
- lherminieri gunax*, see shearwater, Audubon's
- lherminieri nugax*, see shearwater, Audubon's
- puffinus*, see shearwater, Manx
- spp., see shearwater spp.
- tenuirostris*, see shearwater, short-tailed
- pukeko, 95-97
- puweto, see crane, spotless
- Pygoscelis adeliae*, see penguin, Adelie
- Pyrrhura molinae*, see parakeet, green-cheeked
- quail, New Zealand, 193
- rail, banded, 75, 95-97, 103
- Okinawa, 97
- sp., 69
- Rallidae, 192, 193
- Rallus philippensis assimilis*, see rail, banded
- raven, New Zealand, 67, 196, see also crow, New Zealand

- RAYNER, M.J.; DUNPHY, B.J.; LANDERS, T.J.
Grey-faced petrel (*Pterodroma macroptera gouldi*) breeding on Little Barrier Island, New Zealand, 222-223
- REVIEWS: SCOFIELD, R.P. Albatrosses. T. Lindsay, 56
HAUBER, M.E. Bowerbirds. P. Rowland, 108
ORTIZ-CATEDRAL, L. Cockatoos. M. Cameron, 109
COPE, T. Mound-Builders. D. Jones & A. Goth, 168
- Rhipidura fuliginosa fuliginosa*, see fantail, South Island
fuliginosa placabilis, see fantail, North Island
leucophrys, see wagtail, willie
- RHODES, B.K.; O'DONNELL, C.F.J.; JAMIESON, I.G. The roles of predation, microclimate and cavity abundance in the evolution of New Zealand's tree-cavity nesting avifauna, 190-200
- rifleman, 193
North Island, 44-45, 160
South Island, 44, 63, 72, 76, 77, 158-161
- RIMMER, A. Tiritiri Matangi: an update, (AGM Abstract), 105
- riroriro, see warbler, grey
- ROBERTSON, H.A., see ZHAO, Y.; KONG, X.; ROBERTSON, H.A.; SAUL, E.K.; NIA, L.V.; CHAN, C.-H.; CHAMBERS, G.K.
- ROBERTSON, H.A., see MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
- robin, black, 193, 194
New Zealand, 193, 194
North Island, 30, 34, 104, 206-212
South Island, 206
Stewart Island, 63, 66, 74, 76-78
- saddleback, 193
North Island, 34, 214
South Island, 66, 75, 76, 194
- SAGAR, P.M., see MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
- SAMAS, P., see IGIC, B.; CASSEY, P.; SAMAS, P.; GRIM, T.; HAUBER, M.E.
- SAUL, E.K., see ZHAO, Y.; KONG, X.; ROBERTSON, H.A.; SAUL, E.K.; NIA, L.V.; CHAN, C.-H.; CHAMBERS, G.K.
- scaup, New Zealand, 68
Sceloglaux albigacies, see owl, laughing
- SCHUCKARD, R., see BATTLE, P.F.; SCHUCKARD, R.; MELVILLE, D.
- SCOFIELD, R.P. Albatrosses. T. Lindsay, (Review), 56
- SCOTT, D., see CHARLETON, K.; BRAGG, C.; KNIGHT, B.; FLETCHER, D.; MOLLER, H.; NEWMAN, J.; SCOTT, D.
- scrubfowl, orange-footed, 168
- scrub-jay, Florida, 97
- seabird spp., 1-10, 46-48, 54-56, 57-62, 82-94, 98-99, 103, 124, 144-153, 222-223, 223-224
- shag, little, 96
pied, 214-216
- SHAW, P.P., see MURRAY, N.J.; SHAW, P.P.
- shearwater, Audubon's, 58, 60-62
flesh-footed, 6, 224
Hutton's, 144-153
Manx, 2
short-tailed, 6, 224
sooty, 1-10, 68, 98, 152, 224
spp., 55, 145, 151
- shelduck, paradise, 193
- silveryeye, 35, 36, 74, 96, 97, 192, 193
- skylark, 96
- snipe, Antipodes Island, 114, 116-121
Auckland Island, 114, 116-121
Austral spp., 122
Campbell Island, 113-123
Chatham Island, 113, 114, 193
extinct Chatham Island, 193
Fiji, 122
Forbes', 122
Norfolk Island, 122
North Island, 122
New Zealand, 193
Snares Island, 69, 113, 114, 117, 119
South Island, 122
Stewart Island, 66, 69, 76
Subantarctic, 113-123
- SOMMER, E.; BELL, M.; BRADFIELD, P.; DUNLOP, K.; GAZE, P.; HARROW, G.; McGAHAN, P.; MORRISEY, M.; WALFORD, D.; CUTHBERT, R. Population trends, breeding success and predation rates of Hutton's shearwater (*Puffinus huttoni*): a 20 year assessment, 144-153
- sparrow, house, 96, 97, 100-101, 173, 215
- starling, 96, 97, 173, 215
- STEEL, R., see CHAMBERS, G.K.; MOEKE, C.; STEEL, R.; TRUEMAN, J.W.H.
- STEER, J. Bioacoustic monitoring of New Zealand birds, (AGM Abstract), 105-106
- Sterna albobriata*, see tern, black-fronted
nereis davisae, see tern, New Zealand fairy

- stilt, pied, 96, 107
 stitchbird, 34, 104, 193
 storm petrel, Wilson's, 98
 Strigidae, 192, 193
 Strigiformes, 192, 193
 Strigopini, 12
Strigops habroptilus, see kakapo
Sturnus vulgaris, see starling
Sula spp., see booby spp.
 swallow, welcome, 96, 97, 192, 193, 214, 215
 Sylviidae, 192, 193

Tadorna variegata, see shelduck, paradise
 takahe, 165
Talegalla sp., 168
 tauhou, see silvereye
 TAYLOR, G., see POWLESLAND, R.G.; GREENE, T.C.; DILKS, P.J.; MOORHOUSE, R.J.; MORAN, L.R.; TAYLOR, G.; JONES, A.; WILLS, D.E.; AUGUST, C.K.; AUGUST, A.C.L.
 TAYLOR, G.A., see MISKELLY, C.M.; DOWDING, J.E.; ELLIOTT, G.P.; HITCHMOUGH, R.A.; POWLESLAND, R.G.; ROBERTSON, H.A.; SAGAR, P.M.; SCOFIELD, R.P.; TAYLOR, G.A.
 TAYLOR, M.J. Tara – Auckland Region's bulletin from 1976-1994, (AGM Poster Presentation), 107
 teal, brown, 63, 68, 76, 104
 Campbell Island, 68
 grey, 193
 tern, black-fronted, 167-168
 Caspian, 107
 New Zealand fairy, 106-107
 white, 55
Thalassarche bulleri bulleri, see mollymawk, Buller's
 bulleri platei, see mollymawk, Pacific
 carteri, see mollymawk, Indian yellow-nosed
 cauta, see mollymawk, shy
 chlororhynchos, see mollymawk, Atlantic yellow-nosed
 chrysostoma, see mollymawk, grey-headed
 eremita, see mollymawk, Chatham Island
 impavida, see mollymawk, Campbell Island
 melanophrys, see mollymawk, black-browed
 salvini, see mollymawk, Salvin's
 steadii, see mollymawk, white-capped
 sp. nov., see *Thalassarche bulleri platei*
 ssp. nov., see *Thalassarche bulleri platei*
 THOMPSON, M., see HYDE, N.H.S.; MATTHEWS, K.; THOMPSON, M.; GALE, R.
Threskiornis aethiopicus, see ibis, sacred
 molucca, see ibis, Australian white
 spinicollis, see ibis, straw-necked
 Threskiornithidae, 201-205
 thrush, song, 95-97, 134-138

 tieke, see saddleback
 tit, blue, 137
 great, 158
 titi, 55, 68
 titipounamu, see rifleman
 Tityrinae, 196
Todiramphus sancta, see kingfisher, sacred
 tokoeka, Stewart Island, 67-68, see also kiwi, Stewart Island brown
 tomtit, 44, 193, 194
 North Island, 40-43, 104, 176-180
 South Island, see tomtit, yellow-breasted yellow-breasted, 74
 TOTTERMAN, S. Vanuatu petrel (*Pterodroma occulta*) discovered breeding on Vanua Lava, Banks Islands, Vanuatu, 57-62
Traversia lyalli, see wren, Stephen's Island
 Trogoniformes, 196
 tropicbird, sp., 55
 white-tailed, 55
 TRUEMAN, J.W.H., see CHAMBERS, G.K.; MOEKE, C.; STEEL, R.; TRUEMAN, J.W.H.
 tui, 34-38, 75, 96, 104, 154, 156, 176-180, 193, 214-216
Turdus merula, see blackbird
 philomelos, see thrush, song
Turnagra capensis, see piopio
 tuturiwhatu, see dotterel, New Zealand

 USSHER, G., see BABER, M.; BREJAART, R.; BABBITT, K.; LOVEGROVE, T.; USSHER, G.

 VAN RENSBURG, M.J.; BRUNTON, D.; GARTRELL, B. Effects of ectoparasitism on the reproductive success of little blue penguins (*Eudyptula minor*) from Tiritiri Matangi Is, Auckland, New Zealand, (AGM Abstract), 106
Vanellus miles, see plover, spur-winged

 wader spp., 107
 WALFORD, D., see SOMMER, E.; BELL, M.; BRADFIELD, P.; DUNLOP, K.; GAZE, P.; HARROW, G.; MCGAHAN, P.; MORRISEY, M.; WALFORD, D.; CUTHBERT, R.
 warbler, Chatham Island, 193
 grey, 73, 95-97, 176-180, 193, 214
 rufous-faced, 161
 waterbird spp., 107, 201-205
 WAUGH, S. Important bird area analysis for New Zealand (AGM Abstract), 106
 WAUGH, S., see BLYTH, R.; WILSON, K.-J.; WAUGH, S.
 weka, 8, 156, 157, 193
 North Island, 95, 102, 124-133
 Stewart Island, 8, 63, 68-69, 76
 whitehead, 34, 104, 193, 194
 WILLIAMS, M. Conservation status of New Zealand birds, 2008: Science or assertion? (Letter), 110-111

- WILLS, D.E., see POWLESLAND, R.G.; GREENE, T.C.;
DILKS, P.J.; MOORHOUSE, R.J.; MORAN,
L.R.; TAYLOR, G.; JONES, A.; WILLS, D.E.;
AUGUST, C.K.; AUGUST, A.C.L.
- WILSON, D. The cape petrel (*Daption capense*)
around Mawson Station, East Antarctica:
new breeding colonies and population
counts, 162-164
- WILSON, D.S. Sightings of New Zealand fairy terns
in 2008 and an estimate of population size,
(AGM Abstract), 106-107
- WILSON, K-J., see BLYTH, R.; WILSON, K-J.;
WAUGH, S.
- WITHERS, S.J. Observations of bellbird (*Anthornis
melanura*) aggression toward North Island
rifleman (*Acanthisitta chloris granti*) in a
translocated population, 44-45
- WOOD, J. Two late Quaternary avifaunal
assemblages from the Dunback district,
eastern Otago, South Island, New Zealand,
154-157
- WOODLEY, K. Bar-tailed godwits *Limosa lapponica
baueri*; images from their annual cycle, (AGM
Abstract), 107
- wren, bush, 193
 long-billed, 193
 rock, 193
 Stead's bush, 66, 72
 Stephen's Island, 193
 stout-legged, 193
- wrybill, 107
- Xenicus gilviventris*, see wren, rock
 longipes, see wren, bush
 longipes variabilis, see wren, Stead's bush
- yellowhammer, 96, 97, 172
- yellowhead, 13, 26, 63, 73, 76, 77, 176, 192-195
- ZHAO, Y.; KONG, X.; ROBERTSON, H.A.; SAUL,
E.K.; NIA, L.V.; CHAN, C.-H.; CHAMBERS,
G.K. Combining morphometric and
molecular approaches improves accuracy of
sexing in the kakerori (*Pomarea dimidiata*) on
Rarotonga, Cook Islands, 49-53
- Zosteropidae, 192, 193
Zosterops lateralis, see silvereye

Compiled by TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland 0627