


NOTORNIS

Ornithology of the Southern Pacific



Volume 57 2010

Journal of the Ornithological Society of New Zealand

Contents of Volume 57, 2010

Volume 57, Part 1, March 2010

CONTENTS

Papers

Bird fauna of Motu Kaikoura, New Zealand	Galbraith, M.; Jones, G.	1
Former presence of a parakeet (<i>Cyanoramphus</i> sp.) on Campbell Island, New Zealand subantarctic, with notes on the island's fossil sites and fossil record	Holdaway, R.N.; Thorneycroft, J.M.; McClelland, P.; Bunce, M.	8
The diet of New Zealand falcons (<i>Falco novaeseelandiae</i>) on the Auckland Islands, New Zealand	Hyde, N.H.S.; Worthy, T.H.	19
Hybridisation by South Island pied oystercatcher (<i>Haematopus finschi</i>) and variable oystercatcher (<i>H. unicolor</i>) in Canterbury	Crocker, T.; Petch, S.; Sagar, P.	27
Numbers and distribution of New Zealand king shag (<i>Leucocarbo carunculatus</i>) colonies in the Marlborough Sounds, September - December 2006	Bell, M.	33

Short notes

"Fright moult" in kereru (<i>Hemiphaga novaeseelandiae</i>) during capture results in loss of tail feathers	Awasthy, M.	37
New records of broad-billed prions (<i>Pachyptila vittata</i>) in southern Peru	Hidalgo-Aranzamendi, N.; Alfaro-Shigueto, J.; Zavalaga, C.B.	39
Variation in house cat (<i>Felis catus</i>) predation sign at a black-fronted tern (<i>Sterna albobriata</i>) colony	O'Donnell, C.F.J.; Sedgeley, J.A.; van Hal, J.	43
Homing of a red-crowned parakeet (<i>Cyanoramphus novaezealandiae</i>) from Motuihe Island to Little Barrier Island, New Zealand	Ortiz-Catedral, L.	48
New petrel records on Île Saint-Paul, southern Indian Ocean	Thiebot, J.-B.; Barbraud, C.; Scofield, R.P.; Cherel, Y.; Bretagnolle, V.	50
Emending the species name for Loppdells' penguin	Tennyson, A.J.D.; Palma, R.L.; Scofield, R.P.; Worthy, T.H.	54
Corrected publication date for <i>Coenocorypha aucklandica perseverance</i>	Miskelly, C.M.; Baker, A.J.	56

Volume 57, Part 2, June 2010

CONTENTS

Papers

Seasonal variation in duck populations on the Waihopai River, Invercargill, New Zealand	Wood, J.R.; Garden, C.J.	57
Use of radio telemetry to determine home range and movements of the bellbird (<i>Anthornis melanura</i>) - a feasibility study	Spurr, E.B.; Borkin, K.M.; Rod, S.	63
The impact of electrocution on the New Zealand falcon (<i>Falco novaeseelandiae</i>)	Fox, N.C.; Wynn, C.	71
Bioacoustic monitoring of New Zealand birds	Steer, J.	75
No T-cell-mediated immune response detected in a red-fronted parakeet (<i>Cyanoramphus novaeseelandiae</i>) infected with the Beak and Feather Disease Virus (BFDV)	Ortiz-Catedral, L.	81
The birds of Washdyke Lagoon revisited	Benn, J.L.	85

Short notes

Frugivory and primary seed dispersal by a New Zealand falcon (<i>Falco novaeseelandiae</i>) at Red Tarns, Mt Sebastapol, New Zealand	Young, L.M.; Bell, R.J.H.	94
First documented record of watercock (<i>Gallicrex cinerea</i>) in Oceania	Buden, D.W.; McKinlay, G.	96
Scavenging behaviour of kea (<i>Nestor notabilis</i>)	Schwing, R.	98
Observation of an Australian magpie (<i>Gymnorhina tibicen</i>) depredating a ship rat (<i>Rattus rattus</i>)	Seabrook-Davison, M.	100
Weka (<i>Gallirallus australis</i>) predation of a house mouse (<i>Mus musculus</i>)	Ogilvie, S.	101

Abstracts

Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 2 June 2010, Nelson, New Zealand	Various authors	103
---	-----------------	-----

Book reviews

The History of Ornithology	Milton, K.	109
----------------------------	------------	-----

Letters to editor

Letter to editor	Holdaway, R.N.	110
Response to R. Holdaway	Rhodes, B.K.; O'Donnell, C.F.J.; Jamieson, I.G.	111

Volume 57, Part 3, September 2010

CONTENTS

Papers

A review of the seabirds of Phillip Island in the Norfolk Island Group	Priddel, D.; Carlile, N.; Evans, O.; Evans, B.; McCoy, H.	113
A review of the origin, European discovery, and first descriptions of the red shining-parrot (<i>Prosopeia t. tabuensis</i>) on 'Eua, Kingdom of Tonga	Medway, D.	128
Fledging behaviour of juvenile northern royal albatrosses (<i>Diomedea sanfordi</i>): a GPS tracking study	Thomas, B.; Minot, E.O.; Holland, J.D.	135
Diurnal pattern of mass in an urban Marlborough population of silvereyes (<i>Zosterops lateralis</i>)	Bell, M.; Bell, C.	148
A census of reef herons (<i>Ardea sacra</i>) in the Marlborough Sounds	Bell, M.	152

Short notes

Changes in abundance of parea (Chatham Islands pigeon, <i>Hemiphaga chathamensis</i>), 1994-2009	Dilks, P.J.; Powlesland, R.G.; Adams, L.K.; Flux, I.A.	156
Two voice system found in the Australasian gannet (<i>Morus serrator</i>)	Krull, C.R.; Hauber, M.E.	162
Acoustic attraction of grey-faced petrels (<i>Pterodroma macroptera gouldi</i>) and fluttering shearwaters (<i>Puffinus gavia</i>) to Young Nick's Head, New Zealand	Sawyer, S.L.; Fogle, S.R.	166

Volume 57, Part 4, December 2010

CONTENTS

Papers

- | | | |
|---|-----------------------------------|------------|
| A census of variable oystercatcher (<i>Haematopus unicolor</i>) in the Marlborough Sounds | Bell, M. | 169 |
| Why do birds stand on one leg? - A pilot study of exotic and native New Zealand birds | Harker, T.D.; Harker, F.R. | 173 |
| An introduction most determined: Mallard (<i>Anas platyrhynchos</i>) to New Zealand | Dyer, J.; Williams, M. | 178 |

Short notes

- | | | |
|--|--|------------|
| Trends in the size of the Caspian tern (<i>Hydroprogne caspia</i>) colony on Onoke Spit, Palliser Bay, New Zealand | Challies, C.N.; Scadden, C.E. | 196 |
| The Tongatapu rail <i>Gallirallus hypoleucus</i> (Finsch & Hartlaub, 1867) - an extinct species resurrected? | Medway, D.G. | 199 |
| Nest relocation by banded dotterel (<i>Charadrius bicinctus</i>) | Frost, P.G.H. | 204 |
| Sudden decline in numbers of starlings (<i>Sturnus vulgaris</i>) nesting at Belmont | Flux, J.E.C. | 207 |
| Evidence for a lack of egg recognition in the pukeko (<i>Porphyrio porphyrio melanotus</i> : Rallidae) | Dey, C.J.; O'Connor, C.M. | 209 |
| First record of streaked shearwater (<i>Calonectris leucomelas</i>) in New Zealand | Scofield, R.P.; Christie, D.; Palma, R.L.; Tennyson, J.D. | 212 |
| Persistence of the spotless crane (<i>Porzana tabuensis</i>) on Ta'u, American Samoa | Adler, G.H.; Lalogafu'afu'a, A.; Seamon, J.O.; West, R., Jr.; Fa'aumu, S.; Atkinson, C.T. | 216 |

Obituary

- | | | |
|-----------------------|------------------|------------|
| John Warham 1919-2010 | Sagar, P. | 218 |
|-----------------------|------------------|------------|

Reviews

- | | | |
|--|-------------------|------------|
| Field guide to the albatrosses, petrels and shearwaters of the world | Gaskin, C. | 223 |
|--|-------------------|------------|

INDEX OF AUTHORS AND SPECIES

Volume 57

- Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 2 June 2010, Nelson, New Zealand, 103-108
- Acanthisitta chloris*, see rifleman
- Accipiter fasciatus*, see goshawk, brown
- gentilis*, see goshawk, northern
- Accipitridae, 11
- Acridotheres tristis*, see myna, common
- ADAMS, L.K., see DILKS, P.J.; POWLESAND, R.G.; ADAMS, L.K.; FLUX, I.A.
- ADLER, G.H.; LALOGAFU'AFU'A, A.; SEAMON, J.O.; WEST, R. Jr.; FA'AUMU, S.; ATKINSON, C.T. Persistence of the spotless crane (*Porzana tabuensis*) on Ta'u, American Samoa, 216-217
- Alda arvensis*, see skylark
- albatross, Antipodean, 104, 136
- black-footed, 145
- Buller's, 218, 219
- Chatham, 40, 143
- Gibson's, 104
- Laysan, 104
- northern royal, 135-147
- royal spp., 224
- sooty, 104
- southern royal, 144
- spp., 104, 135, 144, 218, 223-224
- Tasmanian, 104
- wandering, 136, 143, 144
- wandering spp., 223
- waved, 145
- yellow-nosed, 52
- alcid spp., 25
- ALFARO-SHIGUETO, J., see HIDALGO-ARANZAMENDI, N.; ALFARO-SHIGUETO, J.; ZAVALAGA, C.B.
- Amaurornis phoenicurus*, see waterhen, white-breasted
- Anarhynchus frontalis*, see wrybill
- Anas acuta*, see pintail
- aucklandica aucklandica*, see teal, Auckland Island
- aucklandica chlorotis*, see teal, brown
- gracilis*, see teal, grey
- nesiotis*, see teal, Campbell Island
- penelope*, see wigeon
- platyrhynchos*, see mallard
- poecilorhyncha*, see duck, spot-billed
- rhynchotis variegata*, see shoveler, New Zealand
- rubripes*, see duck, American black
- superciliosa superciliosa*, see duck, grey
- variegata*, see shoveler, New Zealand
- Anatid spp., 210
- Anatiformes, 86, 87
- ANNUAL GENERAL MEETING: Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 2 June 2010, Nelson, New Zealand, 103-108
- Anous minutus*, see noddy, black
- stolidus*, see noddy, brown
- Anser anser*, see goose, feral
- Anthornis melanura*, see bellbird
- Anthus novaeseelandiae*, see pipit, New Zealand
- novaeseelandiae aucklandicus*, see pipit, Auckland Island
- spp., see pipit spp.
- Alisterus scapularis*, see parrot, king
- Aptenodytes forsteri*, see penguin, emperor
- patagonicus*, see penguin, king
- Apteryx* spp., see kiwi spp.
- Aptornis*, 110
- Archaeospheniscus lopdelli*, see penguin, Lopdell's
- lopdellorum*, see penguin, Lopdell's
- Ardea novaehollandiae*, see heron, white-faced
- sacra*, see heron, reef
- Arenaria interpres*, see turnstone
- ATKINSON, C.T., see ADLER, G.H.; LALOGAFU'AFU'A, A.; SEAMON, J.O.; WEST, R. Jr.; FA'AUMU, S.; ATKINSON, C.T.
- auk sp., 218
- AWASTHY, M. "Fright moult" in kereru (*Hemiphaga novaeseelandiae*) during capture results in loss of tail feathers, 37-38
- Aythya novaeseelandiae*, see scaup, New Zealand
- BAKER, A.J., see MISKELLY, C.M.; BAKER, A.J.
- baldcot, see coot sp.
- BARBRAUD, C., see THIEBOT, J. -B.; BARBRAUD, C.; SCOFIELD, R.P.; CHEREL, Y.; BRETAGNOLLE, V.
- BARRACLOUGH, J., see KINGSTON, H.; BARRACLOUGH, J.
- BATTLE, P.F., see CONKLIN, J.R.; BATTLE, P.F.; POTTER, M.A.; FOX, J.W.
- BELL, C., see BELL, M.; BELL, C.
- BELL, M. Numbers and distribution of New Zealand king shag (*Leucocarbo carunculatus*) colonies in the Marlborough Sounds, September-December 2006, 33-36

- Re-establishing tui back onto main Chatham,
AGM Abstract, 106
- A census of reef herons (*Ardea sacra*) in the
Marlborough Sounds, 152-155
- A census of variable oystercatchers
(*Haematopus unicolor*) in the Marlborough
Sounds, 169-172
- BELL, M.; BELL, C. Diurnal pattern of mass in an
urban Marlborough population of silvereyes
(*Zosterops lateralis*), 148-151
- BELL, R.J.H., see YOUNG, L.M.; BELL, R.J.H.
- bellbird, 5, 6, 15, 19, 22-25, 63-70, 108
- BENN, J.L. The birds of Washdyke Lagoon revisited,
85-93
- bird, cavity-nesting spp., 110-112
- land spp., 1, 5
- marsh spp., 75, 80
- migrant spp., 75
- wetland spp., 1, 5
- bittern, Australasian, 8, 7, 91
- blackbird, 4, 23, 24, 73, 79, 82, 100, 108, 116, 150
- Eurasian, see blackbird
- boobook, Norfolk Island, 116
- booby, brown, 40
- masked, 115, 116, 121, 122, 124
- BORKIN, K.M., see SPURR, E.B.; BORKIN, K.M.;
ROD, S.
- Botaurus poiciloptilus*, see bittern, Australasian
- bowerbird, 110
- BRADLEY, D.; MOLLES, L.; WAAS, J. Dual dialect
song playback and its effect on post-release
dispersal following translocation of North
Island kokako (*Callaeas cinerea wilsoni*), AGM
Abstract, 108
- Branta canadensis*, see goose, Canada
- BRETAGNOLLE, V., see THIEBOT, J. -B.;
BARBRAUD, C.; SCOFIELD, R.P.; CHEREL,
Y.; BRETAGNOLLE, V.
- Bubulcus ibis coromandus*, see egret, cattle
- BUDEN, D.W.; MCKINLAY, G. First documented
record of watercock (*Gallicrex cinerea*) in
Oceania, 96-97
- Bulweria bulwerii*, see petrel, Bulwer's
- BUNCE, M., see HOLDAWAY, R.N.; THORNEY-
CROFT, J.M.; MCCLELLAND, P.; BUNCE, M.
- Cacatua tenuirostris*, see corella, long-billed
- cahow, Bermuda, 224
- Calidris acuminata*, see sandpiper, sharp-tailed
- alba*, see sanderling
- canutus rogersi*, see knot, lesser
- ferruginea*, see sandpiper, curlew
- melanotos*, see sandpiper, pectoral
- ruficollis*, see stint, red-necked
- Callaeatidae, 110
- Calonectris borealis*, see shearwater, Mediterranean
- diomedea*, see shearwater, Cory's
- edwardsii*, see shearwater, Cape Verde
- leucomelas*, see shearwater, streaked
- caracara, crested, 94
- Caracaras plancus*, see caracara, crested
- Carduelis carduelis*, see goldfinch
- chloris*, see greenfinch
- flammea*, see redpoll
- CARLILE, N., see PRIDDEL, D.; CARLILE, N.;
EVANS, O.; EVANS, B.; MCCOY, H.
- Catharacta antarctica lonnbergi*, see skua,
subantarctic
- skua*, see skua, brown, see also skua,
subantarctic
- Cereopsis novaehollandiae*, see goose, Cape Barren
- Certhia carunculata*, see Foullehaio *carunculata*
chaffinch, 4, 79, 92
- CHALLIES, C.N.; SCADDEN, C.E. Trends in the
size of the Caspian tern (*Hydroprogne caspia*)
colony on Onoke Spit, Palliser Bay, New
Zealand, 196-198
- Charadriiformes, 86, 87, 89
- Charadrius binctus binctus*, see dotterel, banded
- bicinctus exilis*, see dotterel, Auckland Island
banded
- melanops*, see dotterel, black-fronted
- melodus*, see plover, piping
- pecuarius*, see plover Kittlitz's
- tricollaris*, see plover, three-banded
- Chenonetta jubata*, see duck, Australian wood
- CHEREL, Y., see THIEBOT, J. -B.; BARBRAUD,
C.; SCOFIELD, R.P.; CHEREL, Y.;
BRETAGNOLLE, V.
- chicken, domestic, 210
- Chlidonias albosriatus*, see tern, black-fronted
- leucopterus*, see tern, white-winged black
- CHRISTIE, D., see SCOFIELD, R.P.; CHRISTIE, D.;
PALMA, R.L.; TENNYSON, A.J.D.
- Chrysococcyx lucidus*, see cuckoo, shining
- Ciconiiformes, 87
- Circus approximans*, see harrier, Australasian
- cockatoo, spp., 81
- Coenocorypha aucklandica aucklandica*, see snipe,
Auckland Island
- aucklandica perseverance*, see snipe, Campbell
Island
- spp., see snipe, New Zealand spp.
- Columba globicera*, see *Ducula pacifica*
- livia*, see pigeon, rock
- Columbidae, 37-38
- CONKLIN, J.R.; BATTLE, P.F.; POTTER, M.A.;
FOX, J.W. Breeding latitude drives individual
migration schedules in New Zealand bar-
tailed godwits, AGM Abstract, 103
- coot, American, 209
- red-knobbed, 209
- spp., 185, 199
- corella, long-billed, 81
- cormorant, little pied, 104, see also shag, little
- Corvus antipodum*, see raven, New Zealand

- frugilegus*, see rook
Coturnix novaezelandiae, see quail, New Zealand
 crake, marsh, 75
 spotless, 75, 199-202, 216-217
 CROCKER, T.; PETCH, S.; SAGAR, P. Hybridisation by South Island pied oystercatcher (*Haematopus finschi*) and variable oystercatcher (*H. unicolor*) in Canterbury, 27-32
 cuckoo, long-tailed, 103, 112
 shining, 4
 spp., 80
 curlew, 187
Cyanoramphus erythrotis, see parakeet, Macquarie Island
 erythrotis hochstetteri, see parakeet, Reischek's
 forbesi, see parakeet, Forbes'
 novaezelandiae erythrotis, see parakeet, Macquarie Island
 novaezelandiae novaezelandiae, see parakeet, red-crowned
 spp., 8-18
 unicolor, see parakeet, Antipodes Island
Cygnus atratus, see swan, black
 olor, see swan, mute

Daption capense australe, see pigeon, Snares cape
 capense capense, see pigeon, cape
 DEY, C.J.; O'CONNOR, C.M. Evidence for a lack of egg recognition in the pukeko (*Porphyrio porphyrio melanotus*: Rallidae), 209-211
 DILKS, P.J.; POWLESAND, R.G.; ADAMS, L.K.; FLUX, I.A. Changes in abundance of parea (Chatham Islands pigeon, *Hemiphaga chathamensis*), 1994-2009, 156-161
Dinornis, see moa, giant
Dinornithiformes, 99, 110
Diomedea antipodensis antipodensis, see albatross, Antipodean
 antipodensis gibsoni, see albatross, Gibson's
 epomophora, see albatross, southern royal
 exulans, see albatross, wandering, or albatross, snowy
 nigripes, see albatross, black-footed
 sanfordi, see albatross, northern royal
 dotterel, Auckland Island banded, 15, 19, 22, 24
 banded, 15, 87, 91, 107, 204-206
 black-fronted, 91, 206
 spp., 87
 dove, spp., 199
 duck, black, 180, 188
 Campbell Island, 8
 extinct Amsterdam Island, 9
 extinct Macquarie Island, 8
 grey, 5, 31, 57-61, 86, 87, 91, 108, 182-184, 186, 189-194
 hybrid grey/mallard, 86, 191, 193, 194
 khaki Campbell, 190
 mallard, 31, 57-61, 78, 86, 91, 108, 173-176, 178-195, 210
 mallard x grey, see hybrid grey/mallard
 pintail, 188
 spot-billed, 188
 spp., 8
 wood, 188
Ducula pacifica, see pigeon, Pacific
 dunnoek, 4
 DYER, J.; WILLIAMS, M. An introduction most determined: Mallard (*Anas platyrhynchos*) to New Zealand, 178-195

 egret, cattle, 86, 91
Egretta alba modesta, see heron, white
Elanoides forficatus, see kite, swallow-tailed
Emberiza citrinella, see yellowhammer
Eudynamys taitensis, see cuckoo, long-tailed
Eudyptes sclateri, see penguin, erect-crested
Eudyptula minor, see penguin, blue
Eunymphicus cornutus uvaensis, see parakeet, Ouvea
 EVANS, B., see PRIDDEL, D.; CARLILE, N.; EVANS, O.; EVANS, B.; McCOY, H.
 EVANS, O., see PRIDDEL, D.; CARLILE, N.; EVANS, O.; EVANS, B.; McCOY, H.

 FA'AUMU, S., see ADLER, G.H.; LALO-GAFU'AFU'A, A.; SEAMON, J.O.; WEST, R. Jr.; FA'AUMU, S.; ATKINSON, C.T.
Falco cenchroides, see kestrel, nankeen
 eleanorae, see falcon, Eleanora's
 mexicanus, see falcon, prairie
 novaezeelandiae, see falcon, New Zealand
 peregrinus pealei, see falcon, peregrine
 subbuteo, see hobby
 tinnunculus, see kestrel, Eurasian
 falcon, bush, 26
 eastern, 25, 26
 Eleanora's, 25
 New Zealand, 14, 19-26, 38, 71-74, 94-95, 105-106, 111
 peregrine, 25, 71, 72
 prairie, 71, 72
 southern, 19-26
Falconiformes, 87
 fantail, 150
 North Island, 4, 79
 flamingo, 173-177
 FLUX, I.A., see DILKS, P.J.; POWLESAND, R.G.; ADAMS, L.K.; FLUX, I.A.
 FLUX, J.E.C. Sudden decline in numbers of starlings (*Sturnus vulgaris*) nesting at Belmont, 207-208
 FOGLE, S.R., see SAWYER, S.L.; FOGLE, S.R.
 FORDHAM, S. How to catch a rifleman, AGM Abstract, 106
 forest-falcon, barred, 94

- Foulehaio carunculata*, see honeyeater, wattled
 FOX, J.W., see CONKLIN, J.R.; BATTLE, P.F.; POTTER, M.A.; FOX, J.W.
 FOX, N.C.; WYNN, C. The impact of electrocution on the New Zealand falcon (*Falco novaeseelandiae*), 71-74
 FOX, N.C., see GAZE, P.; FOX, N.C.
Fregata minor palmerstoni, see frigatebird, great
Fregetta grallaria, see storm petrel, white-bellied
grallaria segethi, 223
 sp., see storm petrel, sp.
 frigatebird, great, 104
 greater, see frigatebird, great
 sp., 116
Fringilla coelebs, see chaffinch
 frogmouth, tawny, 123
 FROST, P.G.H. Nest relocation by a banded dotterel (*Charadrius bicinctus*), 204-208
Fulica americana, see coot, American
cristata, see coot, red-knobbed
porphyrio, see *Porphyrio porphyrio*

 GALBRAITH, M.; JONES, G. Bird fauna of Motu Kaikoura, New Zealand, 1-7
Gallicrex cinerea, see watercock
 Galliformes, 55, 178
Gallinago delicata, see snipe, Wilson's
Gallinula angulata, see moorhen, lesser
hodgenorum, see waterhen, Hodgen's
Gallirallus australis, see weka
australis hectori, see weka, buff
macquariensis, see rail, Macquarie Island
pacificus, see rail, Tahiti
philippensis ecaudatus, see rail, banded
 spp., 199-203
 gamebird, spp, 178-195
 gannet, Atlantic, 105, 163
 Australasian, 3, 104-105, 116, 121, 124, 162-165
 Cape, 40, 104
 GARDEN, C.J., see WOOD, J.R.; GARDEN, C.J.
Garrodia nereis, see storm petrel, grey-backed
 GASKIN, C. Field guide to the albatrosses, petrels and shearwaters of the world. D. Onley & P. Scofield, (Review), 223-224
 GAZE, P.; FOX, N.C. The electrocution of falcons in Marlborough and implications for birdlife elsewhere, AGM Abstract, 106
Gerygone igata, see warbler, grey
 GILL, B.J. Re-examination of the epic transoceanic migration of the long-tailed cuckoo *Eudynamis taitensis* (Aves: Cuculidae), AGM Abstract, 103
 godwit, eastern bar-tailed, 92, 103, 173, 174
 sp., 86
 goldfinch, 4, 79, 92, 100, 116
 European, see goldfinch
 goose, Canada, 91
 Cape Barren, 87, 91
 feral, 87, 91
 spp., 180
 goshawk, brown, 125
 northern, 71
 grebe, crested, 182
 greenfinch, 65, 92, 116
 European, see greenfinch
 greenshank, 92
 gull, black-backed, 4, 92, 107, 196
 black-billed, 87, 92, 107
 Franklin's, 104
 red-billed, 4, 87, 92
 spp., 86, 87, 89, 177
Gygis alba, see tern, white
Gymnorhina tibicen, see magpie, Australian

Haematopus ater, see oystercatcher, blackish
bachmani, see oystercatcher, black
chathamensis, see oystercatcher, Chatham Island
finschi, see oystercatcher, South Island pied
fuliginosus, see oystercatcher, sooty
leucopodus, see oystercatcher, Magellanic
longirostris, see oystercatcher, pied
ostralegus, see oystercatcher, pied
*palliatu*s, see oystercatcher, American
unicolor, see oystercatcher, variable
Halcyon sancta, see *Todiramphus sanctus*
 HARKER, F.R., see HARKER, T.D.; HARKER, F.R.
 HARKER, T.D.; HARKER, F.R. Why do birds stand on one leg? – A pilot study of exotic and native New Zealand birds, 173-177
 harrier, Australasian, 3, 14, 38, 43, 72, 77, 79, 91, 107, 124, 125
 swamp, see harrier, Australasian
 HAUBER, M.E., see KRULL, C.R.; HAUBER, M.E.
 hawk sp., 11
Hemiphaga chathamensis, see pigeon, Chatham Island
novaeseelandiae, see pigeon, New Zealand
 heron, reef, 3, 152-155
 spp., 177
 white, 87, 91
 white-faced, 3, 20, 91, 173-175
 HIDALGO-ARANZAMENDI, N.; ALFARO-SHIGUETO, J.; ZAVALAGA, C.B. New records of broad-billed prions (*Pachyptila vittata*) in southern Peru, 39-42
 hihi, see stitchbird
Himantopus himantopus leucocephalus, see stilt, pied
novaezelandiae, see stilt, black
Hirundo tahitica neoxena, see swallow, welcome
 hobby, 25
 HOLDAWAY, R.N.; THORNEYCROFT, J.M.; McCLELLAND, P.; BUNCE, M. Former presence of a parakeet (*Cyanoramphus* sp.) on Campbell Island, New Zealand subantarctic, with notes on the island's fossil sites and fossil record, 8-18

- HOLDAWAY, R.N. Speciation in pelagic seabirds: the power of place, AGM Abstract, 103-104
- HOLDAWAY, R.N. Letter to the editor, 110
- HOLLAND, J.D., see THOMAS, B.; MINOT, E.O.; HOLLAND, J.D.
- honeyeater, sp., 110
wattled, 130
- HUFFLET, C. When fishermen and seabirds meet, AGM Abstract, 105
- hummingbird spp., 107, 109, 173
- HYDE, N.W.S.; WORTHY, T.H. The diet of New Zealand falcons (*Falco novaeseelandiae*) on the Auckland Islands, New Zealand, 19-26
- Hydrobatidae, 166
- Hydroprogne caspia*, see tern, Caspian
- ibis, glossy, 86, 91
- JAMIESON, I.G., see RHODES, B.K.; O'DONNELL, C.F.J.; JAMIESON, I.G.
- JONES, G., see GALBRAITH, M.; JONES, G.
- kaka, 20
North Island, 4
- kakapo, 98, 110
- kalae, see swamphen, purple
- kea, 73
- kereru, see pigeon, New Zealand
- kestrel, 25
Eurasian, 94
nankeen, 116
- kingfisher, Norfolk Island, 116
sacred, 4, 79
- KINGSTON, H.; BARRACLOUGH, J. Tata Islands spotted shags – one year's observations, 2009-2010, AGM Abstract, 105
- kite, swallow-tailed, 94
- kiwi, spp., 110
- knot, lesser, 86, 92
- kokako, North Island, 107-108
- KROSS, S.M.; TYLIANAKIS, J.M.; NELSON, X.J. Reintroducing New Zealand falcons into vineyards reduces bird damage to wine grapes, AGM Abstract, 105-106
- KRULL, C.R.; HAUBER, M.E. Two voice system found in the Australasian gannet (*Morus serrator*), 162-165
- LALOGAFU'AFU'A, A., see ADLER, G.H.; LALOGAFU'AFU'A, A.; SEAMON, J.O.; WEST, R. Jr.; FA'AUMU, S.; ATKINSON, C.T.
- landbird spp., 6, 8-18, 22, 24, 110
- Larus bulleri*, see gull, black-billed
dominicanus, see gull, black-backed
novaeollandiae scopulinus, see gull, red-billed
pipixcan, see gull, Franklin's
- LETTERS TO THE EDITOR:
R. Holdaway, 110
Response to R. Holdaway, Rhodes, B.K.; O'Donnell, C.F.J.; Jamieson, I.G., 111-112
- Leucocarbo carunculatus*, see shag, New Zealand king
- Lewinia muelleri*, see rail, Auckland Island
- Limnolthypis swainsonii*, see warbler, Swainson's
- Limosa lapponica baueri*, see godwit, eastern bar-tailed
- lory, blue-crowned, 129
collared, 129, 201
- Macronectes giganteus*, see petrel, southern giant
halli, see petrel, northern giant
- magpie, Australian, 4, 73, 79, 100-101
- mallard, see duck, mallard
- McCLELLAND, P., see HOLDAWAY, R.N.; THORNEYCROFT, J.M.; McCLELLAND, P.; BUNCE, M.
- McCOY, H., see PRIDDEL, D.; CARLILE, N.; EVANS, O.; EVANS, B.; McCOY, H.
- McKINLAY, G., see BUDEN, D.W.; McKINLAY, G.
- MEDWAY, D.G. A review of the origin, European discovery and first descriptions of the red shining parrot (*Prosopeia t. tabuensis*) on 'Eua, Kingdom of Tonga, 128-134
- MEDWAY, D.G. The Tongatapu rail *Gallirallus hypoleucus* (Finsch & Hartlaub 1867) – an extinct species resurrected? 199-203
- Meliphagidae, 63-70
- Micraster ruficollis*, see forest-falcon, barred
- MILTON, K. The history of ornithology. V. Chansigaud, (Review), 109
- MINOT, E.O., see THOMAS, B.; MINOT, E.O.; HOLLAND, J.D.
- MISKELLY, C.M.; BAKER, A.J. Corrected publication date for *Coenocorypha aucklandica perseverance*, 56
- MISKELLY, C.M. First recorded breeding by white-winged black terns in New Zealand, AGM Abstract, 104
- moa, giant, 110
spp., 99, 110
- Mohoua ochrocephala*, see yellowhead
spp., 103
- MOLLES, L., see BRADLEY, D.; MOLLES, L.; WAAS, J.
- mollymawk, Buller's, 218
spp., 104, see also albatross spp.
- moorhen, lesser, 209
- morepork, 4, 77, 79, 112
- Morus capensis*, see gannet, Cape
serrator, see gannet, Australasian
- myna, common, 4, 79
Indian, see myna, common
- NELSON, X.J., see KROSS, S.M.; TYLIANAKIS, J.M.; NELSON, X.J.
- Nestor meridionalis septentrionalis*, see kaka, North Island
notabilis, see kea

- nightjar spp., 173
Ninox novaeseelandiae, see morepork
 noddy, black, 104, 116, 123, 124
 blue-grey, 116, 123-125
 brown, 116, 123, 124
 grey, 104
 white-capped, see noddy, black
 Notiomystidae, 110
Notiomystis cincta, see stitchbird
- OBITUARY: John Warham 1919-2010, P. Sagar, 218-222
Oceanites nereis, see storm petrel, grey-backed
 oceanicus, see storm petrel, Wilson's
 Oceanitidae, 166
Oceanodroma leucorhoa, see storm petrel, Leach's
 O'CONNOR, C.M., see DEY, C.J.; O'CONNOR, C.M.
 O'DONNELL, C.F.J.; SEDGELEY, J.A.; VAN HAL, J.
 Variation in house cat (*Felis catus*) predation
 sign at a black-fronted tern (*Sterna albobriata*)
 colony, 43-47
 O'DONNELL, C.F.J., see RHODES, B.K.;
 O'DONNELL, C.F.J.; JAMIESON, I.G.
 OGILVIE, S.C. Weka (*Gallirallus australis*) predation
 of a house mouse (*Mus musculus*), 101-102
Onychoprion fuscatus, see tern, sooty
 lunatus, see tern, grey-backed
 ORTIZ-CATEDRAL, L. Homing of a red-crowned
 parakeet (*Cyanoramphus novaezelandiae*) from
 Motuihe Island to Little Barrier Island, New
 Zealand, 48-49
 No T-cell-mediated immune response detected
 in a red-crowned parakeet (*Cyanoramphus*
 novaezelandiae) infected with the Beak and
 Feather Disease Virus (BFDV), 81-84
 oscine spp., 162
 owl, sp., 109
 oystercatcher, American, 30
 black, 30
 blackish, 30
 Chatham Island, 31
 Magellanic, 30
 New Zealand pied, see oystercatcher, South
 Island pied
 pied, 30
 sooty, 30
 South Island pied, 27-32, 70, 87, 91, 107, 169
 spp., 87
 variable, 3, 27-32, 87, 91, 169-172
- Pachycephalid spp., 110
 Pachycephalidae, 103
Pachyptila crassirostris flemingi, see prion, lesser
 fulmar
 desolata, see prion, Antarctic
 salvini macgillivrayi, see prion, medium-
 billed
 vittata, see prion, broad-billed
- PALMA, R.L., see TENNYSON, A.J.D.; PALMA,
 R.L.; SCOFIELD, R.P.; WORTHY, T.H.
 PALMA, R.L., see SCOFIELD, R.P.; CHRISTIE, D.;
 PALMA, R.L.; TENNYSON, A.J.D.
 Paradisaeidae, 110
 parakeet, Antipodes Island, 14
 Antipodes Island spp., 9, 12-14
 Cyanoramphus spp., 8-18
 extinct Campbell Island sp., 8-18
 Forbes', 82
 Hochstetter's, 12, 14
 Macquarie Island, 9, 13, 14
 New Zealand spp., 82
 Ouvea, 49
 red-crowned, 5, 9, 12, 13, 23, 24, 48-49, 81-84
 red-fronted, see parakeet, red-crowned
 Reischek's, 14
 spp., 8-18, 20, 22, 24, 199
 parrot, king, 132
 New Zealand spp., 81-84
 pompadour, see parrot, red shining
 red shining, 128-134, 201
 spp., 81, 107
 Tabuan, see parrot, red shining
Passer domesticus, see sparrow, house
 Passeridae, 78
 Passeriformes, 63, 87
 passerine, oscine spp., 107
 insectivorous spp., 150
 European spp., 151
 spp., 8, 15, 20, 22, 25, 63-70, 86, 87
Pealeornis lineata, 223
 maoriana, see storm petrel, New Zealand
Pelagodroma albiglunus, see storm petrel, Kermadec
 white-faced
 marina, see storm petrel, white-faced
 marina albiglunus, see storm petrel, Kermadec
 white-faced
 Pelecaniformes, 87
Pelecanoides urinatrix, see petrel, common diving
 urinatrix chathamensis, see petrel, southern diving
 urinatrix exsul, see petrel, subantarctic diving
 urinatrix urinatrix, see petrel, common diving
Pelecanus conspicillatus conspicillatus, see pelican,
 Australian
 pelican, Australian, 86, 91
 penguin, blue, 3, 104
 crested spp., 218, 219
 emperor, 162, 164
 erect-crested, 86, 87, 91, 218
 Fiordland crested, 28
 king, 162
 little, see penguin, blue
 Lopdell's, 54-55
 rockhopper, 218
 royal, 218
 Snarcs crested, 218
 spp., 104, 162

- PETCH, S., see CROCKER, T.; PETCH, S.; SAGAR, P.
 petrel, Amsterdam Island endemic spp., 50-51
 black, 6
 black-winged, 51-53, 116, 118-120, 124, 167
 Bonin, 51
 Bulwer's, 104
 burrow-nesting spp., 16, 166-168
 cape, 104, see also pigeon, cape
 Chatham Island, 51, 124
 collared, 223
 common diving, 11, 15, 167
 Cookilaria spp., 50-53
 Cook's, 2-3, 20, 25, 51, 224
 dark-rumped, 167
 De Filippi's, 51
 diving, 6, 11
 diving spp., 22, 24, 25
 gadfly spp., 104, 223
 giant, 224
 Gould's, 51
 great-winged, 50
 grey, 14
 grey-faced, 6, 166-168
 Kermadec, 113, 116-118, 124, 125
 mottled, 20, 51, 218, 224
 Murphy's, 224
 northern giant, 18, 40
 providence, 113, 116-117, 120, 124, 125, 224
 Pycroft's, 51, 116, 117
 soft-plumaged, 50-52
 southern diving, 11, 104
 southern giant, 91
 spp., 12, 15, 25, 50-53, 104, 166-168, 218, 219, 223-224
 subantarctic diving, 11, 12, 14-15, 19, 23-25
 Vanuatu, 223
 Westland, 40
 white-chinned, 14, 22, 24
 white-headed, 19, 21-25, 218
 white-naped, 113, 116, 118-119, 124, 125
- Petroica australis*, see robin, New Zealand
 australis longipes, see robin, North Island
 macrocephala dannefaerdi, see tomtit, Snares
 macrocephala marrineri, see tomtit, Auckland Island
 macrocephala toitoi, see tomtit, North Island
 traversi, see robin, black
- Phaethon rubricauda*, see tropicbird, red-tailed
Phalacrocorax carbo novaehollandiae, see shag, black
 melanoleucos brevirostris, see shag, little
 melanoleucos melanoleucos, see cormorant, little pied
 varius, see shag, pied
 phalarope, red-necked, 92
Phalaropus lobatus, see phalarope, red-necked
Phasianus colchicus, see pheasant, ring-necked
 pheasant, 182
 ring-necked, 3, 20, 182, 187, 191, 193
- Phigys solitarius*, see *Vini solitarius*
Phoebastria immutabilis, see albatross, Laysan
 irrorata, see albatross, waved
Phoebastria fusca, see albatross, sooty
Phoenicopterus roseus, see flamingo
 pigeon, cape, 85, 104
 Chatham Island, 156-161
 New Zealand, 4, 25, 37-38, 73, 108, 156
 Pacific, 130
 rock, 116
 spp., 37-38, 199
 pintail, 188
 piopio, 110
 pipit, Auckland Island, 8-9, 13, 15, 20, 22-24
 Campbell Island, see pipit, Auckland Island
 New Zealand, 5
Platalea regia, see spoonbill, royal
 spp., 8
Platycercus tabuensis, see *Prosopiea tabuensis*
Plegadis falcinellus, see ibis, glossy
 plover, *Charadrius* spp., 204-206
 golden, 187
 hooded, 205
 Kittlitz's, 205
 piping, 205
 shore, 110
 spp., 87
 spur-winged, 3-4, 79, 92
 three-banded, 205
- Porphyrio hochstetteri*, see takahe, South Island
 mantelli, see takahe, North Island
 porphyrio, see swamphen, purple
 porphyrio melanotus, see pukeko
Porzana pusilla, see crane, marsh
 tabuensis, see crane, spotless
- POTTER, M.A., see CONKLIN, J.R.; BATTLE, P.F.;
 POTTER, M.A.; FOX, J.W.
 POWLESAND, R.G., see DILKS, P.J.;
 POWLESAND, R.G.; ADAMS, L.K.; FLUX,
 I.A.
 PRIDDEL, D.; CARLILE, N.; EVANS, O.; EVANS,
 B.; MCCOY, H. A review of the seabirds of
 Philip Island in the Norfolk Island Group,
 113-127
- prion, Antarctic, 19, 20, 23-25
 broad-billed, 39-42, 124
 fulmar, 224
 spp., 15, 19, 22, 24, 25, 39-42, 223
- Procellaria aequinoctialis*, see petrel, white-chinned
 cinerea, see petrel, grey
 parkinsoni, see petrel, black
 westlandica, see petrel, Westland
- Procellariidae, 166
 Procellariiformes, 11, 87, 223-224
Procelsterna cerulea, see noddy, blue-grey, or ternlet,
 grey
Prosopiea tabuensis tabuensis, see parrot, red shining
Prothemadera novaeseelandiae, see tui

- Prunella modularis*, see dunnoek
Psittaciformes, 11, 98-99
Psittacus atropurpureus, see *Prosopeia tabuensis*
 euchlorus, see *Vini australis*
 hysginus, see *Prosopeia tabuensis*
 montanus, see *Prosopeia tabuensis*
 pipilans, see *Vini australis*
 tabuensis, see *Prosopeia tabuensis*
Pterodroma axillaris, see petrel, Chatham
 brevipes, see petrel, collared
 cahow, see cahow, Bermuda
 cervicalis, see petrel, white-naped
 cookii, see petrel, Cook's
 defilippiana, see petrel, De Filippi's
 hypoleuca, see petrel, Bonin
 inexpectata, see petrel, mottled
 lessonii, see petrel, white-headed
 leucoptera, see petrel, Gould's
 macroptera gouldi, see petrel, grey-faced
 macroptera macroptera, see petrel, great-winged
 mollis, see petrel, soft-plumaged
 neglecta, see petrel, Kermadec
 nigripennis, see petrel, black-winged
 occulta, see petrel, Vanuatu
 phaeopygia, see petrel, dark-rumped
 pycrofti, see petrel, Pycroft's
 solandri, see petrel, providence
 spp., 50-52
 ultima, see petrel, Murphy's
Puffinus assimilis, see shearwater, little
 assimilis assimilis, see shearwater, little
 bulleri, see shearwater, Buller's
 carneipes, see shearwater, flesh-footed
 elegans, see shearwater, subantarctic little
 gavia, see shearwater, fluttering
 gravis, see shearwater, great
 griseus, see shearwater, sooty
 huttoni, see shearwater, Hutton's
 newelli, see shearwater, Newell's
 pacificus, see shearwater, wedge-tailed
 pacificus chlororhychos, see shearwater,
 wedge-tailed (pale morph)
pukaki, see pukeko
pukeko, 5, 91, 116, 118, 123, 124, 209-211

quail, bobwhite, 188
 brown, 3
 New Zealand, 20

rail, Auckland Island, 19, 22, 24, 25
 banded, 3, 199-202
 Macquarie Island, 8
 spp., 8, 15, 80, 101-102
 Tahiti, 200
 Tongatapu, 199-203
Rallidae, 199-203, 209-211
Rallus forsteri, see *Gallirallus hypoleucos*
 histrionicus, see *Gallirallus philippensis*
 hypoleucus, see *Gallirallus hypoleucos*
 icteropus, see *Porzana tabuensis*
 pacificus, see *Gallirallus philippensis ecaudatus*
 pectoralis, 200
 philippensis, see rail, banded
 spectabilis, see *Gallirallus hypoleucos*
raptor spp., 14, 15, 94-95, 118
raven, New Zealand, 99
redpoll, common, 92
REVIEWS:
 MILTON, K. The history of ornithology. V. Chansigaud, 109
 GASKIN, C. Field guide to the albatrosses, petrels and shearwaters of the world. D. Onley & P. Scofield, 223-224
Rhipidura fuliginosa, see fantail
 fuliginosa placabilis, see fantail, North Island
RHODES, B.K.; O'DONNELL, C.F.J.; JAMIESON, I.G. Response to R. Holdaway, (Letter), 111-112
rifleman, 106
 North Island, 106
robin, black, 31
 New Zealand, 82
 North Island, 5, 6
ROD, S., see SPURR, E.B.; BORKIN, K.M.; ROD, S.
rook, 87, 92

SAGAR, P. John Warham 1919-1012, (Obituary), 218-222
SAGAR, P.M., see CROCKER, T.; PETCH, S.; SAGAR, P.
sanderling, 86, 92
sandpiper, pectoral, 92
 sharp-tailed, 92
SAWYER, S.L.; FOGLE, S.R. Acoustic attraction of grey-faced petrels (*Pterodroma macroptera gouldi*) and fluttering shearwaters (*Puffinus gavia*) to Young Nick's Head, New Zealand, 166-168
SCADDEN, C.E., see CHALLIES, C.N.; SCADDEN, C.E.
scaup, New Zealand, 57-59, 78, 79
SCHMECHEL, F. More than just water – some ECan bird related projects: a brief survey, AGM Abstract, 107
SCHUCKARD, R. Gannets at Farewell Spit, AGM Abstract, 104-105
SCHWING, R. Scavenging behaviour of the kea (*Nestor notabilis*), 98-99
SCOFIELD, R.P.; CHRISTIE, D.; PALMA, R.L.; TENNYSON, A.J.D. First record of streaked shearwater (*Calonectris leucomelas*), in New Zealand, 212-215
SCOFIELD, R.P., see THIEBOT, J. -B.; BARBRAUD, C.; SCOFIELD, R.P.; CHEREL, Y.; BRETAGNOLLE, V.
SCOFIELD, R.P., see TENNYSON, A.J.D.; PALMA, R.L.; SCOFIELD, R.P.; WORTHY, T.H.

- seabird spp., 1, 5, 8, 12, 15, 16, 22, 24, 25, 33-36, 75, 85, 101, 104, 105, 113-127, 135-147, 162-165, 166-168, 218-222, 223-224
 burrow-nesting spp., 12, 16, 50-53, 113-127
 Procellariiform spp., 19, 24
- SEABROOK-DAVISON, M. Observation of Australian magpie (*Gymnorhina tibicen*) depredating a ship rat (*Rattus rattus*), 100-101
- SEAMON, J.O., see ADLER, G.H.; LALOGAFU'AFU'A, A.; SEAMON, J.O.; WEST, R. Jr.; FA'AUMU, S.; ATKINSON, C.T.
- SEDGELEY, J.A., see O'DONNELL, C.F.J.; SEDGELEY, J.A.; VAN HAL, J.
- shag, black, 5, 87, 91
 king, 33-36
 little, 3, 87, 91, 104
 pied, 3
 spotted, 91, 105
 spp., 104
- shearwater, Audubon's, 223
 Buller's, 214
 Cape Verde, 214
 Cory's, 214
 flesh-footed, 50, 113, 116, 119-120, 124, 125
 fluttering, 6, 166-168
 great, 104, 224
 Hutton's, 20, 25, 98
 little, 50, 116, 117, 120, 124, 223
 Manx, 218, 223
 Manx-type, 223
 Mediterranean, 214
 Newell's, 104, 116
 sooty, 11, 12, 14, 21-24, 167, 218
 spp., 16, 104, 166, 223-224
 streaked, 104, 212-215
 subantarctic little, 223
 wedge-tailed, 116, 117, 119, 120, 124, 214
- shelduck, chestnut-breasted, 86, 91
 paradise, 57-59, 91, 178
- shorebird spp., 1, 5, 85, 169-172
- shoveler, New Zealand, 57-60, 91
- silveryeye, 4, 79, 105-106, 108, 116, 148-151
- skua, Arctic, 92
 brown, 9, 18, 104
 long-tailed, 87, 92
 subantarctic, see skua, brown
- skylark, Eurasian, 79, 92
- snipe, Auckland Island, 19, 22-25
 Campbell Island, 9, 13, 15, 56
 common, 187
 New Zealand spp., 9
 Wilson's, 188
- songbird spp., 162
- sparrow, house, 4, 24, 79, 108, 116
 spp., 78
- Sphenisciformes, 87
- spoonbill, royal, 86, 87, 91, 173, 174
- SPURR, E.; BORKIN, K.M.; ROD, S. Use of radio telemetry to determine home range and movements of the bellbird (*Anthornis melanura*) – a feasibility study, 63-70
- SPURR, E. Garden bird survey, AGM Abstract, 108
- starling, 73, 92, 108, 207-208
- STEER, J. Bioacoustic monitoring of New Zealand birds, 75-80
- STEFFENS, K. Identification of predators of black-fronted tern nests on the Wairau River: a video and predator DNA study, AGM Abstract, 106-107
- Stercorarius longicaudus*, see skua, long-tailed
parasiticus, see skua, Arctic
- Sterna albifrons sinensis*, see tern, little
albostrata, see tern, black-fronted
bergii cristatus, see tern, crested
caspia, see tern, Caspian
striata striata, see tern, white-fronted
- Stictocorbo punctatus punctatus*, see shag, spotted
- stilt, black, 31, 86, 87, 91, 174
 hybrid black/pied, 86
 pied, 31, 87, 91, 173-176
- stint, red-necked, 86, 92
- stitchbird, 110
- storm petrel, grey-backed, 22-25
 Kermadec, 116, 223
 Leach's, 167
 New Zealand, 104, 223, 224
 spp., 22, 24, 166, 224
 white-bellied, 223
 white-faced, 22, 167
 Wilson's, 104
- Strigops habroptilus*, see kakapo
- Sturnus vulgaris*, see starling, common
- Sula dactylatra*, see booby masked
leucogaster, see booby, brown
- swallow, welcome, 4, 92, 116, 150
- swamphen, Pacific, see pukeko
 purple, 199-202
- swan, black, 91, 173-175, 182
 mute, 87, 91
- Synoicus ypsilophorus*, see quail, brown
- Tadorna tadornoides*, see shelduck, chestnut-breasted
variegata, see shelduck, paradise
- taiko, Chatham Island, 160
- takahe, North Island, 110
 South Island, 110, 210
- tattler, Siberian, 86, 92
 sp., 86
- teal, Auckland Island, 19, 21-25
 brown, 3
 Campbell Island, 8-9, 13, 15
 English, 187
 grey, 57, 58, 91
 sp., 57

- TENNYSON, A.J.D.; PALMA, R.L.; SCOFIELD, R.P.; WORTHY, T.H. Emending the species name for Lopdell's penguin, 54-55
- TENNYSON, A.J.D. Seabirds in the 2010 New Zealand bird checklist, AGM Abstract, 104-105
- TENNYSON, A.J.D., see SCOFIELD, R.P.; CHRISTIE, D.; PALMA, R.L.; TENNYSON, A.J.D.
- tern, black-fronted, 43-47, 87, 92, 106-107
 Caspian, 4, 87, 92, 196-198
 crested, 86, 92
 grey-backed, 104
 little, 86, 92
 sooty, 116, 121, 123-125
 spp., 104
 white, 116
 white-fronted, 4, 87, 92
 white-winged black, 86, 92, 104
- ternlet, grey, see noddy, grey
- Thalassarche carteri*, see albatross, Indian yellow-nosed
cauta cauta, see albatross, Tasmanian
eremita, see albatross, Chatham Island
 spp., see mollymawk or albatross spp.
- THIEBOT, J. -B.; BARBRAUD, C.; SCOFIELD, R.P.; CHEREL, Y.; BRETAGNOLLE, V. New petrel records on Île Saint-Paul, southern Indian Ocean, 50-53
- Thinornis novaeseelandiae*, see plover, New Zealand shore
rubricollis, see plover, hooded
- THOMAS, B.; MINOT, E.O.; HOLLAND, J.D. Fledging behaviour of a juvenile royal albatross (*Diomedea sanfordi*): a GPS tracking study, 135-147
- THORNEYCROFT, J.M., see HOLDAWAY, R.N.; THORNEYCROFT, J.M.; MCCLELLAND, P.; BUNCE, M.
- thrush, song, 4, 22, 24, 82
 spp., 78
- Todiramphus sanctus*, see kingfisher, sacred, see also kingfisher, Norfolk Island
- tomtit, Auckland Island, 19, 22, 24
 North Island, 5
 Snares, 31
- Tringa brevipes*, see tattler, Siberian
flavipes, see yellowlegs, lesser
nebularia, see greenshank
- tropicbird, red-tailed, 113, 116, 120-121, 124
- tui, 4, 108
 Chatham Island, 106
- Turdidae, 78
- Turdus merula*, see blackbird
philomelos, see thrush, song
- Turnagra*, see piopio
- turnstone, 92
- TYLIANAKIS, J.M., see KROSS, S.M.; TYLIANAKIS, J.M.; NELSON, X.J.
- VALDERRAMA, S.V. The dialects of North Island kokako, AGM Abstract, 107-108
- VAN HAL, J., see O'DONNELL, C.F.J.; SEDGELEY, J.A.; VAN HAL, J.
- Vanellus miles novaehollandiae*, see plover, spur-winged
Vini australis, see lory, blue-crowned
solitarius, see lory, collared
- WAAS, J., see BRADLEY, D.; MOLLES, L.; WAAS, J.
- wader spp., 80, 86, 89, 173-177
- warbler, grey, 4, 79, 108
 spp., 78
 Swainson's, 68, 69
- watercock, 96-97
- waterfowl spp., 57-62, 80, 86, 173-177, 178-195
- waterhen, Hodgen's, 54
 white-breasted, 97
- weka, 14, 20, 101-102
 buff, 156, 157, 160
- WEST, R. Jr., see ADLER, G.H.; LALOGAFU'AFU'A, A.; SEAMON, J.O.; WEST, R. Jr.; FA'AUMU, S.; ATKINSON, C.T.
- wigeon, 182, 188
- WILLIAMS, M. With determination and consequence: the mallard into New Zealand, AGM Abstract, 108
- WILLIAMS, M., see DYER, J.; WILLIAMS, M.
- WOOD, J.R.; GARDEN, C.J. Seasonal variation in duck populations on the Waihopai River, Invercargill, New Zealand, 57-62
- woodcock, 187
- WORTHY, T.H., see HYDE, N.H.S.; WORTHY, T.H.
- WORTHY, T.H., see TENNYSON, A.J.D.; PALMA, R.L.; SCOFIELD, R.P.; WORTHY, T.H.
- wrybill, 87, 92, 107, 206
- WYNN, C., see FOX, N.C.; WYNN, C.
- yellowhammer, 4, 79, 92
- yellowhead, 103
- yellowlegs, lesser, 86, 92
- YOUNG, L.M.; BELL, R.J.H. Frugivory and primary seed dispersal by a New Zealand falcon (*Falco novaeseelandiae*) at Red Tarns, Mt Sebastopol, New Zealand, 94-95
- ZAVALAGA, C.B., see HIDALGO-ARANZAMENDI, N.; ALFARO-SHIGUETO, J.; ZAVALAGA, C.B.
- Zosterops lateralis lateralis*, see silvereye

