


NOTORNIS

Ornithology of the Southern Pacific



Volume 58 2011

Journal of the Ornithological Society of New Zealand

Contents of Volume 58, 2011

Volume 58, Part 1, March 2011

CONTENTS

Papers

- | | | |
|--|--|-----------|
| Identification of an optimal sampling position for stable isotopic analysis of bone collagen of extinct moa (Aves: Emeidae) | Holdaway, R.N.; Hawke, D.J.; Bunce, M.; Allentoft, M.E. | 1 |
| Sexual size dimorphism, within-pair comparisons and assortative mating in the short-tailed shearwater (<i>Puffinus tenuirostris</i>) | Carey, M.J. | 8 |
| Breeding success of northern New Zealand dotterels (<i>Charadrius obscurus aquilonius</i>) following mammal eradication on Motuihe Island, New Zealand | Neate, H.R.; Dowding, J.E.; Parker, K.A.; Hauber, M.E. | 17 |
| Summer home range size and population density of great spotted kiwi (<i>Apteryx haastii</i>) in the North Branch of the Hurunui River, New Zealand | Keye, C.; Roschak, C.; Ross, J. | 22 |

Short notes

- | | | |
|--|--|-----------|
| A paler shade of brown kiwi: hatchling <i>Apteryx mantelli</i> plumage fairness is correlated with geography in the central North Island | Gray, L.J. | 31 |
| Bird-damaged kauri snails (<i>Paryphanta b. busbyi</i>) and snail shell breakdown at Trounson Kauri Park, Northland, New Zealand | Beauchamp, A.J. | 35 |
| Introduced predators and seabird predation on Mo'orea, French Polynesia | Wilcox, R.; Spotswood, E. | 39 |
| Causes of breeding failure in banded dotterel (<i>Charadrius bicinctus</i>) breeding on Ashley Spit, North Canterbury, New Zealand | Kearvell, J.C. | 43 |
| Nectar feeding by rock wren (<i>Xenicus gilviventris</i>) | O'Donnell, C.F.J.; Reardon, J.T.; Hoare, J.M. | 46 |
| Scavenging behaviour of common starlings (<i>Sturnus vulgaris</i>) | Latham, A.D.M.; Latham, P.C.M. | 48 |
| Predation of a small pied stilt (<i>Himantopus himantopus</i>) colony by a swamp harrier (<i>Circus approximans</i>) | Stanes, A. | 51 |
| Productivity of North Island kaka (<i>Nestor meridionalis septentrionalis</i>) on Kapiti Island in the 2003-2004 breeding season | van Horik, J. | 53 |

Reviews

- | | | |
|---------------------------|-----------------------|-----------|
| Creative bird photography | Fitzgerald, N. | 56 |
|---------------------------|-----------------------|-----------|

Volume 58, Part 2, June 2011

CONTENTS

Papers

- | | | |
|---|--|-----------|
| Population size, breeding frequency and survival of Salvin's albatrosses (<i>Thalassarche salvini</i>) at the Western Chain, The Snares, New Zealand | Sagar, P.M.; Charteris, M.R.; Carroll, J.W.A.; Scofield, R.P. | 57 |
| Vagrant and extra-limital bird records accepted by the OSNZ Records Appraisal Committee 2008-2010 | Miskelly, C.M.; Scofield, R.P.; Sagar, P.M.; Tennyson, A.J.D.; Bell, B.D.; Bell, E.A. | 64 |
| Survival and age-at-first-return estimates for grey-faced petrels (<i>Pterodroma macroptera gouldi</i>) breeding on Mauao and Motuotau Island in the Bay of Plenty, New Zealand | Jones, C.J.; Clifford, H.; Fletcher, D.; Cuming, P.; Lyver, P.O'B. | 71 |
| Dynamics of behavioural rhythms in a colonial, nocturnal, burrowing seabird: a comparison across different temporal scales | Landers, T.J.; Bannock, C.A.; Hauber, M.E. | 81 |

Short notes

- | | | |
|--|--|------------|
| Plumage changes of young, intermediate phase, variable oystercatchers (<i>Haematopus unicolor</i>) at Kaikoura, South Island, New Zealand | Rowe, L. | 90 |
| Incubation length in Chatham Island snipe (<i>Coenocorypha pusilla</i>) | Miskelly, C.M.; Munn, A. | 93 |
| Interspecific feeding of South Island tomtit (<i>Petroica macrocephala macrocephala</i>) nestlings and fledglings by a male Stewart Island robin (<i>P. australis rakiura</i>) | Masuda, B.M. | 95 |
| Ground nesting of parea (Chatham Islands pigeon, <i>Hemiphaga chathamensis</i>) | Powlesland, R.G.; Dilks, P.J.; Flux, I.A.; Adams, L.K. | 98 |
| Distributional notes on the shy albatross (<i>Thalassarche cauta</i>): its presence off South America in the western Atlantic and eastern Pacific Oceans | Marin, M. | 101 |
| Does the New Zealand storm-petrel (<i>Pealeornis maoriana</i>) breed in northern New Zealand? | Gaskin, C.P.; Fitzgerald, N.; Cameron, E.K.; Heiss-Dunlop, S. | 104 |

Volume 58, Part 3 & 4, September & December 2011

CONTENTS

Papers

Radio-tracking small farmland passerines: trade-offs in study design	MacLeod, C.J.; Drew, K.W.; Coleman, M.	113
Relationship between mohua (<i>Mohoua ochrocephala</i>) breeding density and vegetation in a red beech (<i>Nothofagus fusca</i>) forest	Lawrence, B.L.; Elliott, G.P.; Westbrooke, I.	124
Changes in the observed bird abundance in a modified forest at Kowhai Bush, Kaikoura	Barnett, C.	131
Food preferences of the bellbird (<i>Anthornis melanura</i>) in native forest remnants on the Port Hills, Banks Peninsula, New Zealand	Spurr, E.B.; Rod, S.; Tranter, K.P.	139

Short notes

A 1-year study of forest birds at Kennedy's Bush, Canterbury	Mortimer, J.A.J.	158
Fiji's collared kingfishers (<i>Todiramphus chloris vitensis</i>) do hunt for fish in inland waters	Fitzsimons, J.A.; Thomas, J.L.	163
The broad-billed prion (<i>Pachyptila vittata</i>) nesting colonies recorded during Cook's visit to Dusky Sound in 1773	Medway, D.G.	165
"Ino" colour aberration in gentoo penguin (<i>Pygoscelis papua</i>) in Antarctica	Juárez, M.A.; Negrete, J.; Mennucci, J.A.; Longarzo, L.; Coria, N.R.	169
First record of whiskered tern (<i>Chlidonias hybridus</i>) for the South Island, New Zealand	Crossland, A.C.	173
The effect of earthquake aftershocks on the dawn chorus of an Eurasian blackbird (<i>Turdus merula</i>)	Briskie, J.V.	175

Abstracts

Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 2 June 2011, Wanganui, New Zealand	various	177
---	---------	-----

Review

Rescued from the brink of extinction: kakapo	Gsell, A.C.	188
--	-------------	-----

INDEX OF AUTHORS AND SPECIES

Volume 58

- Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 2 June 2011, Wanganui, New Zealand, 177-187
- Acanthisitta chloris*, see rifleman
chloris granti, see rifleman, North Island
- Accipitridae, 69
- Acridotheres cristatellus*, see myna, crested
javanicus, see myna, white-vented
tristis, see myna, Indian
- ADAMS, L.K., see POWLESLAND, R.G.; DILKS, P.J.; FLUX, I.A.; ADAMS, L.K.
- Alauda arvensis*, see skylark
- albatross, black-browed, 57
 Buller's, 58, 61, 62
 Campbell, 57, 58, 61
 Chatham, 58
 grey-headed, 57, 58, 61
 New Zealand white-capped, 101
 Salvin's, 67-73, 102
 shy, 101-103
 spp., 61, 184
 Tasmanian, 101
 wandering, 61, 62
 white-capped, 58
- Alca torda*, see razorbill
- ALDERSON, S., see CROMARTY, P.; ALDERSON, S.
- ALLENTOFT, M.E., see HOLDAWAY, R.N.; HAWKE, D.J.; BUNCE, M.; ALLENTOFT, M.E.
- Anas castanea*, see teal, chestnut
chlorotis, see teal, brown
gracilis, see teal, grey
platyrhynchos, see mallard
- Anatidae, 69
- ANDERSON, S.H. The Cinderella syndrome: recognising the fit between bird pollinators and flowers in New Zealand, AGM Abstract, 187
- ANDERSON, S.H., see KELLY, D.; LADLEY, J.J.; ROBERTSON, A.W.; ANDERSON, S.H.; WOTTON, D.M.; ILES, J.M.
- Anhinga melanogaster*, see darter
- Anhingidae, 69
- ANNUAL GENERAL MEETING. Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 2 June 2011, Wanganui, New Zealand, 177-187
- Anous minutus*, see noddy, black
stolidus, see noddy, brown
- Anthornis melanura*, see bellbird
- Apodidae, 69
- Apteryx australis lawryi*, see kiwi, Haast tokoeka
haastii, see kiwi, great spotted
mantelli, see kiwi, North Island brown
owenii, see kiwi, little spotted
rowi, see kiwi, rowi
- Aquila audax*, see eagle, wedge-tailed
- Ardea cinerea*, see heron, grey
- ARMSTRONG, D.P., see PARKER, K.A.; EWEN, J.G.; ARMSTRONG, D.P.
- ARNOULD, J., see WAUGH, S.; FILIPPI, D.; ARNOULD, J.
- BANNOCK, C.A., see LANDERS, T.J.; BANNOCK, C.A.; HAUBER, M.E.
- BARNETT, C. Changes in the observed bird abundance in a modified forest at Kowhai Bush, Kaikoura, 131-138
- BATTLE, P.F. Trans-hemispheric shorebird migration in the east Australasian flyway: an increasingly endangered phenomenon, AGM Abstract, 183
- BEAUCHAMP, A.J. Bird-damaged kauri snails (*Paryphanta b. busbyi*) and snail shell breakdown at Trounson Kauri Park, Northland, New Zealand, 35-38
 Bird disturbance by human and other factors during summer high tides at Ruakaka Estuary, Northland, New Zealand, AGM Abstract, 180
- BELL, B.D., see MISKELLY, C.M.; SCOFIELD, R.P.; SAGAR, P.M.; TENNYSON, A.J.D.; BELL, B.D.; BELL, E.A.
- BELL, E.A., see MISKELLY, C.M.; SCOFIELD, R.P.; SAGAR, P.M.; TENNYSON, A.J.D.; BELL, B.D.; BELL, E.A.
- BELL, M., see POWLESLAND, R.; BELL, M.; TUANUI, L.; TUANUI, B.
- bellbird, 68, 98, 99, 131, 133-136, 138, 139-157, 160, 162
- bird, forest spp., 180-181
 hole-nesting spp., 128
 insectivorous spp., 135-136
 introduced spp., 131-138
 native spp., 131-138
 pollinator spp., 184, 185, 187
 wetland spp., 69
- blackbird, 35, 37, 38, 131, 133-136, 138, 159, 160, 175-176, 184
 Eurasian, see blackbird

- booby, brown, 65
 BRAIDWOOD, J., see WILSON, K.-J.; LANE, R.;
 BRAIDWOOD, J.; COLUMBUS, A.; DAVIES,
 I.
 BRISKIE, J.V. The effect of earthquake aftershocks
 on the dawn chorus of an Eurasian blackbird
 (*Turdus merula*), 175-176
 brolga, 69
 bulbul, red-vented, 40, 41, 68
 BUNCE, M., see HOLDAWAY, R.N.; HAWKE, D.J.;
 BUNCE, M.; ALLENTOF, M.E.
 bunting, cirl, 68

Cacatua galerita, see cockatoo, sulphur-crested
Cacomantis flabelliformis, see cuckoo, fan-tailed
Calidris alpina, see dunlin
 canutus, see knot, lesser
 minuta, see stint, little
Callaeas cinerea, see kokako, South Island
Calonectris diomedea, see shearwater, Cory's
 leucomelas, see shearwater, streaked
 CAMERON, E.K., see GASKIN, C.P.; FITZGERALD,
 N.; CAMERON, E.K.; HEISS-DUNLOP, S.
Carduelis carduelis, see goldfinch
 chloris, see greenfinch
 flammea, see redpoll
 CAREY, M.J. Sexual size dimorphism, within-pair
 comparisons and assortative mating in the
 short-tailed shearwater (*Puffinus tenuirostris*),
 8-16
 CARROLL, J.W.A., see SAGAR, P.M.; CHARTERIS,
 M.R.; CARROLL, J.W.A.; SCOFIELD, R.P.
Catharacta maccormicki, see skua, South Polar
Cereopsis novaehollandiae, see goose, Cape Barren
 chaffinch, 131, 133-135, 138, 160, 161, 184
 Charadriidae, 69
Charadrius bicinctus bicinctus, see dotterel, banded
 leschenaultii, see plover, greater sand
 mongolus, see plover, lesser sand
 obscurus, see dotterel, New Zealand
 obscurus aquilonius, see dotterel, northern
 New Zealand
 semipalmatus, see plover, semi-palmated
 CHARTERIS, M.R., see SAGAR, P.M.; CHARTERIS,
 M.R.; CARROLL, J.W.A.; SCOFIELD, R.P.
Chenonetta jubata, see duck, Australian wood
Chlidonias albostratus, see tern, black-fronted
 hybridus, see tern, whiskered
 hybridus fluviatilis, see tern, whiskered
 hybridus javanicus, see tern, whiskered
Chrysococcyx lucidus, see cuckoo, shining
 Ciconiiformes, 69
Circus approximans, see harrier, swamp, or harrier,
 Australasian
 CLIFFORD, H., see JONES, C.J.; CLIFFORD, H.;
 FLETCHER, D.; CUMING, P.; LYVER, P. O'B.
 CLOUT, M.N., see GALBRAITH, J.A.; CLOUT, M.N.
 cockatiel, 68
 cockatoo, sulphur-crested, 68
 COCKBURN, S.; GRIFFITHS, J. The potential
 for automated acoustic recording as a
 monitoring technique, AGM Abstract, 186
 COCKBURN, S., see TAYLOR, G.; COCKBURN, S.;
 RAYNER, M.
Coenocorypha aucklandica aucklandica, see snipe,
 Auckland Island
 aucklandica meinertzhagenae, see snipe,
 Antipodes Island
 aucklandica perseverance, see snipe, Campbell
 Island
 huegeli, see snipe, Snares Island
 iredalei, see snipe, South Island
 pusilla, see snipe, Chatham Island
 COLEMAN, M., see MacLEOD, C.J.; DREW, K.W.;
 COLEMAN, M.
 COLUMBUS, A., see WILSON, K.-J.; LANE, R.;
 BRAIDWOOD, J.; COLUMBUS, A.; DAVIES,
 I.
Coprotheres pomarinus, see skua, pomarine
 Coraciidae, 69
 CORIA, N.R., see JUÁRES, M.A.; NEGRETE, J.;
 MENNUCCI, J.A.; LONGARZO, L.; CORIA,
 N.R.
Creatophora cinerea, see starling, wattled
 creeper, brown, 131-136, 138
 CROMARTY, P.; ALDERSON, S. Translocation
 statistics and the revised DoC translocation
 process, AGM Abstract, 182
 CROSSLAND, A.C. First record of whiskered tern
 (*Chlidonias hybridus*) for the South Island,
 New Zealand, 173-174
 cuckoo, fan-tailed, 67
 oriental, 64, 67
 shining, 133, 134, 138, 159, 162
 Cuculidae, 69
Cuculus optatus, see cuckoo, oriental
 CUMING, P., see JONES, C.J.; CLIFFORD, H.;
 FLETCHER, D.; CUMING, P.; LYVER, P.
 O'B.
Cyanoramphus novaezelandiae, see parakeet, red-
 crowned

 dabchick, New Zealand, 64, 68
Daption capense, see pigeon, Cape
 capense australe, see pigeon, Snares Cape
 darter, 69
 DAVIES, I., see WILSON, K.-J.; LANE, R.;
 BRAIDWOOD, J.; COLUMBUS, A.; DAVIES,
 I.
 DILKS, P.J., see POWLESLAND, R.G.; DILKS, P.J.;
 FLUX, I.A.; ADAMS, L.K.
Diomedea exulans, see albatross, wandering
 spp., see albatross, spp.
 dotterel, banded, 43-45
 large sand, see plover, greater sand
 Mongolian, see plover, lesser sand

- New Zealand, 17-21, 44, 45, 68, 186
 northern New Zealand, 17-21, 44, 45, 68, 186
 DOWDING, J.E. Costs and benefits to New Zealand
 dotterels of the use of brodifacoum, AGM
 Abstract, 186
 DOWDING, J.E.; O'CONNOR, S.M. Twenty years
 of shore plover recovery, 1990-2012, AGM
 Abstract, 185
 DOWDING, J.E., see NEATE, H.R.; DOWDING,
 J.E.; PARKER, K.A.; HAUBER, M.E.
 DREW, K.W., see MacLEOD, C.J.; DREW, K.W.;
 COLEMAN, M.
 duck, Australian wood, 65
 mallard, 177
 spp., 167
 dunlin, 66
 dunnoek, 133, 134, 136, 138, 160, 161
- eagle, Haast's, 34
 wedge-tailed, 69
Egretta sacra, see heron, reef
 ELLIOTT, G.P. Using 1080 poison to protect forest
 birds from rats, stoats and possums, AGM
 Abstract, 180-181
 ELLIOTT, G.P., see LAWRENCE, B.L.; ELLIOTT,
 G.P.; WESTBROOKE, I.
 ELLIS, S., see TOY, R.; ELLIS, S.; McARTHUR, N.;
 McLAUGHLIN, M.
Emberiza cirrus, see bunting, ciril
 citrinella, see yellowhammer
 Emeidae, 1-7
 EMPSON, R. Zealandia-Karori Sanctuary:
 translocations to an urban sanctuary – what
 have we learned? AGM Abstract, 185
Eudyptes pachyrhynchus, see penguin, Fiordland crested
 robustus, see penguin, Snares crested
Eudyptula minor, see penguin, blue
 minor albosignata, see penguin, white-
 flipped
Euryapteryx curtus, see moa
 EWEN, J.G., see PARKER, K.A.; EWEN, J.G.;
 ARMSTRONG, D.P.
- Falco cenchroides*, see kestrel, nankeen
 novaeeseelandiae, see falcon, New Zealand
 falcon, New Zealand, 98, 184
 Falconidae, 69
 fantail, 98, 133, 138, 160, 162
 FILIPPI, D., see WAUGH, S.; FILIPPI, D.;
 ARNOULD, J.
 FITZGERALD, N. (Review), Creative bird
 photography, B. Coster, 56
 FITZGERALD, N., see GASKIN, C.P.;
 FITZGERALD, N.; CAMERON, E.K.;
 HEISS-DUNLOP, S.
 FITZSIMONS, J.A.; THOMAS, J.L. Fiji's collared
 kingfishers (*Todiramphus chloris vitiensis*) do
 hunt for fish in inland waters, 163-164
- FLETCHER, D., see JONES, C.J.; CLIFFORD, H.;
 FLETCHER, D.; CUMING, P.; LYVER, P. O'B.
 FLUX, I.A., see POWLESLAND, R.G.; DILKS, P.J.;
 FLUX, I.A.; ADAMS, L.K.
 flycatcher, Vanikoro, 164
Fratercula arctica, see puffin, Atlantic
Fregata minor, see frigatebird, great
 Fregatidae, 69
Fregetta tropica, see storm petrel, black-bellied
 frigatebird, great, 65-66
Fringilla coelebs, see chaffinch
 fringillid spp., 136
 FROST, P.G.H. Wader and waterbird fluctuation
 on a small New Zealand estuary, AGM
 Abstract, 177
- GALBRAITH, J.A.; CLOUT, M.N. Nesting ecology
 of the eastern rosella, AGM Abstract, 177
 GALBRAITH, M.; JONES, G. Motu Kaikoura:
 aspects of quantitative bird surveys, 2006-
 2010, AGM Abstract, 181-182
Gallirallus australis, see weka
 gannet, spp., 82
Garrodia nereis, see storm petrel, grey-backed
 GARTRELL, B.D., see REID, C.; McINNES, K.;
 McLELLAND, J.M.; GARTRELL, B.D.
 GASKIN, C.P.; FITZGERALD, N.; CAMERON, E.K.;
 HEISS-DUNLOP, S. Does the New Zealand
 storm petrel (*Pealeornis maoriana*) breed in
 northern New Zealand? 104-112
Gelochelidon nilotica, see tern, gull-billed
Gerygone igata, see warbler, grey
 Glareolidae, 69
 godwit, bar-tailed, 177, 180, 183
 GOLDBERG, G., see TREWICK, S.; GOLDBERG,
 G.; POWLESLAND, R.
 goldfinch, European, 131, 133-135, 138
 goose, Cape Barren, 68
 GRAY, L.J. A paler shade of brown kiwi: hatchling
Apteryx mantelli plumage fairness is
 correlated with geography in the central
 North Island, 31-34
 greenfinch, European, 113-115, 118-120, 122, 133,
 134, 138, 160
 GRIFFITHS, J., see COCKBURN, S.; GRIFFITHS, J.
 Gruiformes, 69
Grus rubicundus, see brolga
 GSELL, A.C. (Review), Rescued from the brink of
 extinction: kakapo, A. Balance, 188
 gull, black-backed, 18-20, 49, 177
 black-billed, 178
 Franklin's, 64, 65, 67
 red-billed, 177
 ring-billed, 69
 southern black-backed, see gull, black-
 backed
 spp., 9, 82, 175, 184
Gymnorhina tibicen, see magpie, Australian

- Haematopus finschi*, see oystercatcher, South Island
 pied
unicolor, see oystercatcher, variable
- Harpagornis moorei*, see eagle, Haast's
- harrier, Australasian, 49, 51-52, 99, 160
 spp., 175
 swamp, 39, 40, 41
- HAUBER, M.E., see NEATE, H.R.; DOWDING, J.E.; PARKER, K.A.; HAUBER, M.E.
- HAUBER, M.E., see LANDERS, T.J.; BANNOCK, C.A.; HAUBER, M.E.
- HAWKE, D.J., see HOLDAWAY, R.N.; HAWKE, D.J.; BUNCE, M.; ALLENTOFT, M.E.
- HEISS-DUNLOP, S., see GASKIN, C.P.; FITZGERALD, N.; CAMERON, E.K.; HEISS-DUNLOP, S.
- Hemiphaga chathamensis*, see pigeon, Chatham Island
novaeseelandiae, see pigeon, New Zealand
spadicea, see pigeon, Norfolk Island
- heron, grey, 175
 nankeen night, 68
 reef, 184
- hihi, see stitchbird
- Himantopus himantopus leucocephalus*, see stilt, pied
- Hirundapus caudacutus*, see needletail, white-throated
- HOARE, J.M., see O'DONNELL, C.F.J.; REARDON, J.T.; HOARE, J.M.
- HOLDAWAY, R.N.; HAWKE, D.J.; BUNCE, M.; ALLENTOFT, M.E. Identification of an optimal sampling position for stable isotopic analysis of bone collagen of extinct moa (Aves: Emeidae), 1-7
- honeyeater spp., 139
- Hydrobates pelagicus*, see storm petrel, European
- ibis, glossy, 66
 straw-necked, 64, 66, 69
- ILES, J.M., see KELLY, D.; LADLEY, J.J.; ROBERTSON, A.W.; ANDERSON, S.H.; WOTTON, D.M.; ILES, J.M.
- JONES, C.J.; CLIFFORD, H.; FLETCHER, D.; CUMING, P.; LYVER, P. O'B. Survival and age-at-first-return estimates for grey-faced petrels (*Pterodroma macroptera gouldi*) breeding on Mauao and Motuotau Island in the Bay of Plenty, New Zealand, 71-80
- JONES, G., see GALBRAITH, M.; JONES, G.
- JUÁRES, M.A.; NEGRETE, J.; MENNUCCI, J.A.; LONGARZO, L.; CORIA, N.R. "Ino" colour aberration in gentoo penguin (*Pygoscelis papua*) in Antarctica, 169-172
- kaka, 98, North Island, 53-55
 South Island, 53, 181
- kakapo, 53, 188
- kakariki, red-crowned, see parakeet, red-crowned
 kea, 47, 98
- KEARVELL, J.C. Causes of breeding failure in banded dotterel (*Charadrius bicinctus*) breeding on Ashley Spit, North Canterbury, New Zealand, 43-45
- KELLY, D.; LADLEY, J.J.; ROBERTSON, A.W.; ANDERSON, S.H.; WOTTON, D.M.; ILES, J.M. Ecosystem services provided by birds, and cascading effects of bird reductions, AGM Abstract, 184-185
- kereru, see pigeon, New Zealand
- kestrel, nankeen, 66, 69
- KEYE, C.; ROSCHAK, C.; ROSS, J. Summer home range size and population density of great spotted kiwi (*Apteryx haastii*) in the North Branch of the Hurunui River, New Zealand, 22-30
- kingfisher, collared, 163-164
 Fiji collared, 163-164
 halcyon spp., 163
 sacred, 163
 spp., 175
 tree spp., 163
- kite, black, 64, 66
- kiwi, brown, 31-34
 great spotted, 22-30
 Haast tokoeka, 23, 31, 32
 little spotted, 185
 North Island brown, 31-34, 179, 180
 rowi, 23, 31, 32
 spp., 22-30, 31-34, 179
 tokoeka, see Haast tokoeka
- knot, lesser, 180
 red, see knot, lesser
- kokako, South Island, 69
- LADLEY, J.J., see KELLY, D.; LADLEY, J.J.; ROBERTSON, A.W.; ANDERSON, S.H.; WOTTON, D.M.; ILES, J.M.
- Lamprotornis chalcurus*, see starling, bronze-tailed
 glossy
- LANDERS, T.J.; BANNOCK, C.A.; HAUBER, M.E. Dynamics of behavioural rhythms in a colonial, nocturnal, burrowing seabird: a comparison across different temporal scales, 81-89
- land bird, non-passerine spp., 69
- LANE, R., see WILSON, K.-J.; LANE, R.; BRAIDWOOD, J.; COLUMBUS, A.; DAVIES, I.
- Laridae, 69
- Larus bulleri*, see gull, black-billed
delawarensis, see gull, ring-billed
dominicanus, see gull, black-backed
novaehollandiae, see gull, red-billed
pipixcan, see gull, Franklin's
 spp., see gull spp.

- LATHAM, A.D.M.; LATHAM, P.C.M. Scavenging behaviour of common starlings (*Sturnus vulgaris*), 48-50
- LATHAM, P.C.M., see LATHAM, A.D.M.; LATHAM, P.C.M.
- LAWRENCE, B.L.; ELLIOTT, G.P.; WESTBROOKE, I. Relationship between mohua (*Mohoua ochrocephala*) breeding density and vegetation in a red beech (*Nothofagus fusca*) forest, 124-130
- Leucocarbo carunculatus*, see shag, king
- chalconotus*, see shag, Stewart Island
- Limosa lapponica baueri*, see godwit, eastern bar-tailed
- LONGARZO, L., see JUÁRES, M.A.; NEGRETE, J.; MENNUCCI, J.A.; LONGARZO, L.; CORIA, N.R.
- LYVER, P. O'B., see JONES, C.J.; CLIFFORD, H.; FLETCHER, D.; CUMING, P.; LYVER, P. O'B.
- MacLEOD, C.J.; DREW, K.W.; COLEMAN, M. Radio-tracking small farmland passerines: trade-offs in study design, 113-123
- Macronectes halli*, see petrel, northern giant spp., see petrel, giant spp.
- magpie, Australian, 160
- mallard, see duck, mallard
- MARIN, M. Distributional notes on the shy albatross (*Thalassarche cauta*): its presence off South America in the western Atlantic and eastern Pacific Oceans, 101-103
- martin, fairy, 68
- MASUDA, B.M. Interspecific feeding of South Island tomtit (*Petroica macrocephala macrocephala*) nestlings and fledglings by a male Stewart Island robin (*Petroica australis rakiura*), 95-97
- McARTHUR, N., see TOY, R.; ELLIS, S.; McARTHUR, N.; McLAUGHLIN, M.
- McINNES, K. Disease risk management for translocations, AGM Abstract, 186
- McINNES, K., see REID, C.; McINNES, K.; McLELLAND, J.M.; GARTRELL, B.D.
- McKINLAY, B. Change in pattern of bird numbers and usage on Otago Harbour 1977-2010, AGM Abstract, 178
- McLAUGHLIN, M., see TOY, R.; ELLIS, S.; McARTHUR, N.; McLAUGHLIN, M.
- McLELLAND, J.M., see REID, C.; McINNES, K.; McLELLAND, J.M.; GARTRELL, B.D.
- MEDWAY, D.G. The broad-billed prion (*Pachyptila vittata*) nesting colonies recorded during Cook's visit to Dusky Sound in 1773, 165-168
- Meliphagidae, 139
- MENNUCCI, J.A., see JUÁRES, M.A.; NEGRETE, J.; MENNUCCI, J.A.; LONGARZO, L.; CORIA, N.R.
- Milvus migrans*, see kite, black
- MISKELLY, C.M. Successful translocation of Snares Island snipe *Coenocorypha huegeli* to replace the extinct South Island snipe, *C. iredalei*, AGM Abstract, 178
- MISKELLY, C.M.; SCOFIELD, R.P.; SAGAR, P.M.; TENNYSON, A.J.D.; BELL, B.D.; BELL, E.A. Vagrant and extra-limital bird records accepted by the OSNZ Records Appraisal Committee 2008-2010, 64-70
- MISKELLY, C.M.; MUNN, A. Incubation length in Chatham Island snipe (*Coenocorypha pusilla*), 93-94
- moa spp., 1-7
- Mohoua albicilla*, see whitehead
- novaeseelandiae*, see creeper, brown
- ochrocephala*, see yellowhead
- mohua, (see also yellowhead), 124-130
- mollymawk, black-browed, see albatross, black-browed
- Buller's, see albatross, Buller's
- Chatham Island, see albatross, Chatham
- grey-headed, see albatross, grey-headed
- New Zealand white-capped, see albatross, New Zealand white-capped
- Salvin's, see albatross, Salvin's
- shy, see albatross, shy
- spp., see albatross spp.
- white-capped, see albatross, white-capped
- Molpastes cafer*, see *Pycnonotus cafer*
- morepork, 98
- MORTIMER, J.A.J. A 1-year study of forest birds at Kennedy's Bush, Canterbury, 158-162
- MUNN, A., see MISKELLY, C.M.; MUNN, A.
- muttonbird spp., 178
- Myiagra vanikorensis*, see flycatcher, Vanikoro
- myna, common, 40, 41, 48, 49
- crested, 49
- white-vented, 49
- NEATE, H.R.; DOWDING, J.E.; PARKER, K.A.; HAUBER, M.E. Breeding success of northern New Zealand dotterels (*Charadrius obscurus aquilonius*) following mammal eradication on Motuihe Island, New Zealand, 17-21
- needletail, white-throated, 67, 69
- NEGRETE, J., see JUÁRES, M.A.; NEGRETE, J.; MENNUCCI, J.A.; LONGARZO, L.; CORIA, N.R.
- Nestor meridionalis*, see kaka
- meridionalis meridionalis*, see kaka, South Island
- meridionalis septentrionalis*, see kaka, North Island
- notabilis*, see kea
- Ninox novaeseelandiae*, see morepork
- noddy, black, 68
- brown, 9
- Notiomystis cincta*, see stitchbird

- Numenius minutus*, see whimbrel, little
Nycticorax caledonicus, see heron, nankeen night
Nymphicus hollandicus, see cockatiel
- Oceanites oceanicus*, see storm petrel, Wilson's
O'CONNOR, S.M., see DOWDING, J.E.;
O'CONNOR, S.M.
O'DONNELL, C.F.J.; REARDON, J.T.; HOARE,
J.M. Nectar feeding by rock wren (*Xenicus
gilviventris*), 46-47
Onychognathus morio, see starling, red-winged
Onychoprion fuscatus, see tern, sooty
owl, barn, 67
spp., 51
oystercatcher, South Island pied, 90, 92
variable, 18, 90-93, 178, 184
- Pachyornis elephantopus*, see moa
Pachyptila crassirostris, see prion, fulmar
turtur, see prion, fairy
vittata, see prion, broad-billed
Pagodroma nivea, see petrel, snow
parakeet, red-crowned, 177
parea, see pigeon, Chatham Islands
PARKER, K.A.; EWEN, J.G.; ARMSTRONG,
D.P. Post-release monitoring of bird
translocations: why is it important and how
do we do it? AGM Abstract, 183-184
PARKER, K.A., see NEATE, H.R.; DOWDING, J.E.;
PARKER, K.A.; HAUBER, M.E.
Passer domesticus, see sparrow, house
Passeriformes, 40, 42, 69
passerine spp., 96, 98, 99, 113-123, 129, 175
pateke, see teal, brown
Pealeornis maoriana, see storm petrel, New Zealand
Pelagodroma marina, see storm petrel, white-faced
Pelecanidae, 69
Pelecanoides urinatrix, see petrel, common diving
penguin, Adelie, 171
blue, 178-179
chinstrap, 171
Fiordland crested, 68
gentoo, 169-172
king, 171
macaroni, 171
pygoscelid spp., 169-172
rockhopper, 171
Snakes, see penguin, Snakes crested
Snakes crested, 58, 69
spp., 56, 82
white-flipped, 179
petrel, Antarctic, 13
Barau's, 87
"blue", see prion, broad-billed
Cape, see pigeon, Cape
Chatham Island, 99
collared, 179
common diving, 108
Cook's, 180
gadfly spp., 71-80
giant spp., 184
Gould's, 13
grey-faced, 71-80, 180
northern giant, 13, 14
providence, 65
snow, 77
spp., 8, 82, 179
Tahiti, 39, 41
Vanuatu, 179-180
Westland, 77, 81-89
Petrochelidon ariel, see martin, fairy
Petroica australis australis, see robin, South Island
australis longipes, see robin, North Island
australis rakiura, see robin, Stewart Island
macrocephala, see tomtit, New Zealand
macrocephala chathamensis, see tomtit,
Chatham Island
macrocephala macrocephala, see tomtit, South
Island
Phaethon rubricauda, see tropicbird, red-tailed
Phaethontidae, 69
Phalacrocorax carbo, see shag, black
melanoleucos, see shag, little
sulcirostris, see shag, little black
varius, see shag, pied
phalarope, red-necked, 67
Phalaropus lobatus, see phalarope, red-necked
Philesturnus carunculatus, see saddleback, South
Island
rufusater, see saddleback, North Island
Philomachus pugnax, see ruff
pigeon, Cape, 9, 58
Chatham Islands, 98-100, 183
Hemiphaga spp., 182-183
New Zealand, 99, 159-161, 182-183, 185
Norfolk Island, 183
spp., 183
Platalea regia, see spoonbill, royal
Platycercus eximius, see rosella, eastern
Plegadis falcinellus, see ibis, glossy
plover, greater sand, 67
lesser sand, 69
New Zealand shore, 185
semi-palmated, 64, 67
Podicipedidae, 69
Poliiocephalus rufopectus, see dabchick, New Zealand
Porphyrio hochstetteri, see takahe, South Island
porphyrio melanotus, see pukeko
POWLESLAND, R.G.; DILKS, P.J.; FLUX, I.A.;
ADAMS, L.K. Ground nesting of parea
(Chatham Islands pigeon, *Hemiphaga
chathamensis*), 98-100
POWLESLAND, R.; BELL, M.; TUANUI, L.;
TUANUI, B. Reintroduction of Chatham
Island tomtits to Awatotara Valley, Chatham
Island, AGM Abstract, 178

- POWLESLAND, R., see TREWICK, S.; GOLDBERG, G.; POWLESLAND, R.
- prion, broad-billed, 99, 165-168
 fairy, 87, 99
 fulmar, 58
- Procellaria vittata*, see *Pachyptila vittata*
 westlandica, see petrel, Westland
- Procellariidae, 40, 42, 71-80, 81-89
- Procellariiformes, 8-16, 69, 71-80, 81-89, 104-112
- Prosthemadera novaeseelandiae*, see tui
- Prunella modularis*, see dunnoek
- Pseudobulweria rostrata*, see petrel, Tahiti
- Pterodroma axillaris*, see petrel, Chatham
 barau, see petrel, Barau's
 brevipes brevipes, see petrel, collared
 brevipes magnificus, see petrel, collared
 cookii, see petrel, Cook's
 leucoptera, see petrel, Gould's
 macroptera gouldi, see petrel, grey-faced
 magentae, see taiko, Chatham Island
 occulta, see petrel, Vanuatu
 solandri, see petrel, providence
- puffin, Atlantic, 78
- Puffinus assimilis haurakiensis*, see shearwater, northern little
 creatopus, see shearwater, pink-footed
 gavia, see shearwater, fluttering
 gravis, see shearwater, great
 griseus, see shearwater, sooty
 huttoni, see shearwater, Hutton's
 lherminieri, see shearwater, Audubon's
 mauretanicus, see shearwater, Balearic
 puffinus, see shearwater, Manx
 tenuirostris, see shearwater, short-tailed
 yelkouan, see shearwater, Yelkouan
- pukeko, 19, 20, 51
- Pycnonotus cafer*, see bulbul, red-vented
- Pygoscelis papua*, see penguin, gentoo
- raptor spp., 40
- RAYNER, M., see TAYLOR, G.; COCKBURN, S.; RAYNER, M.
- razorbill, 9
- REARDON, J.T., see O'DONNELL, C.F.J.; REARDON, J.T.; HOARE, J.M.
- Recurvirostridae, 69
- redpoll, 131, 133-135, 138, 159, 160
- REID, C.; McINNES, K.; McLELLAND, J.M.; GARTRELL, B.D. A survey of anthropogenic lead (Pb) exposure in populations of a wild parrot (kea: *Nestor notabilis*), AGM Abstract, 181
- REVIEWS: FITZGERALD, N. Creative bird photography. B. Coster, 56
 GSELL, A.C. Rescued from the brink of extinction: kakapo. A. Balance, 188
- Rhipidura fuliginosa*, see fantail
- rifleman, 47, 132
- North Island, 180, 182
 South Island, 131, 133, 134-136, 138, 181
- ROBERTSON, A.W., see KELLY, D.; LADLEY, J.J.; ROBERTSON, A.W.; ANDERSON, S.H.; WOTTON, D.M.; ILES, J.M.
- ROBERTSON, H. Birds of Wellington Harbour and the South Coast: trends over the last 35 years, AGM Abstract, 184
- robin, New Zealand, 132
 North Island, 98, 180
 South Island, 131, 133-136, 138
 Stewart Island, 95-97
- ROD, S., see SPURR, E.B.; ROD, S.; TRANTER, K.P.
- ROSCHAK, C., see KEYE, C.; ROSCHAK, C.; ROSS, J.
- rosella, eastern, 68, 177
- ROSS, J., see KEYE, C.; ROSCHAK, C.; ROSS, J.
- Rostratulidae, 69
- ROWE, L. Plumage changes of young, intermediate phase, variable oystercatchers (*Haematopus unicolor*) at Kaikoura, South Island, New Zealand, 90-93
- rowi, see kiwi, rowi
- ruff, 66
- saddleback, 132
 North Island, 98, 185
 South Island, 98
- SAGAR, P.M.; CHARTERIS, M.R.; CARROLL, J.W.A.; SCOFIELD, R.P. Population size, breeding frequency and survival of Salvin's albatrosses (*Thalassarche salvini*) at the Western Chain, The Snares, New Zealand, 57-63
- SAGAR, P.M., see MISKELLY, C.M.; SCOFIELD, R.P.; SAGAR, P.M.; TENNYSON, A.J.D.; BELL, B.D.; BELL, E.A.
- sandpiper, common, 66
 marsh, 66, 69
- SCOFIELD, R.P., see SAGAR, P.M.; CHARTERIS, M.R.; CARROLL, J.W.A.; SCOFIELD, R.P.
- SCOFIELD, R.P., see MISKELLY, C.M.; SCOFIELD, R.P.; SAGAR, P.M.; TENNYSON, A.J.D.; BELL, B.D.; BELL, E.A.
- Scolopacidae, 69
- seabird spp., 8-16, 39-42, 69, 71-80, 81-89, 99, 104-112, 180, 181, 184
- shag, black, 177, 184
 king, 69
 little, 184
 little black, 184
 pied, 184
 spp., 68
 Stewart Island, 64, 68
- shearwater, Audubon's, 39, 41
 Balearic, 13, 76, 77
 Cory's, 13, 77
 fluttering, 108

- great, 64, 65
- Hutton's, 13, 77
- Manx, 13, 87, 166
- northern little, 108
- pink-footed, 13
- short-tailed, 8-16, 77
- sooty, 77, 99, 167
- spp., 8-16, 166
- streaked, 64, 65, 69
- Yelkouan, 87
- shelduck, chestnut-breasted, 65, 68
 - paradise, 68, 178
- shorebird, migratory spp., 183
 - spp., 185, 186
- silverye, 40, 41, 131, 133, 134, 136, 138, 159, 160, 161
- skua, pomarine, 67
 - South Polar, 9
- skylark, 133, 134, 138, 160
- snipe, Antipodes Island, 94
 - Auckland Island, 94
 - Campbell Island, 94
 - Chatham Island, 93-94
 - Snares Island, 93, 94, 178
 - South Island, 69, 93, 94, 178
- songbird spp., 39-42
- sparrow, house, 113-120, 123, 160
- Sphenisciformes, 69
- spoonbill, royal, 177, 178
- SPOTSWOOD, E., see WILCOX, R.; SPOTSWOOD, E.
- Spreo bicolor*, see starling, African pied
- SPURR, E.B.; ROD, S.; TRANTER, K.P. Food preferences of the bellbird (*Anthornis melanura*) in native forest remnants on the Port Hills, Banks Peninsula, New Zealand, 139-157
- STANES, A. Predation of a small pied stilt (*Himantopus himantopus*) colony by a swamp harrier (*Circus approximans*), 51-52
- starling, African pied, 49
 - bronze-tailed glossy, 49
 - common, 48-50, 68, 113, 114
 - red-winged, 49
 - wattled, 49
- Sterna caspia*, see tern, Caspian
- hirundo*, see tern, common
- paradisaea*, see tern, Arctic
- Sternidae, 69
- stilt, pied, 51-52, 177
- stint, little, 64
- stitchbird, 185
- storm petrel, black-bellied, 68
 - European, 76
 - grey-backed, 108
 - New Zealand, 104-112
 - spp., 108
 - white-faced, 99, 106, 108-110
 - Wilson's, 108
- Strigops habroptilus*, see kakapo
- Sturnidae, 48
- Sturnus* spp., 49
 - vulgaris*, see starling, common
- Sula leucogaster*, see booby, brown
- Sulidae, 69
- swallow, welcome, 160
- swift, spine-tailed, see needletail, white-throated
- Tadorna tadornoides*, see shelduck, chestnut-breasted
 - variegata*, see shelduck, paradise
- taiko, Chatham Island, 99, 181
- takahe, South Island, 185
- tattler, wandering, 66
- TAYLOR, G.; COCKBURN, S.; RAYNER, M. New technology reveals exciting insights into the biology of the Chatham Island taiko, AGM Abstract, 181
- teal, brown, 173, 180
 - chestnut, 65
 - grey, 178
- TENNYSON, A.J.D. Putting Vanuatu petrels on the map, AGM Abstract, 179-180
- TENNYSON, A.J.D., see MISKELLY, C.M.; SCOFIELD, R.P.; SAGAR, P.M.; TENNYSON, A.J.D.; BELL, B.D.; BELL, E.A.
- tern, Arctic, 14, 67, 69
 - black-fronted, 173, 174
 - Caspian, 18, 177
 - common, 14, 69
 - gull-billed, 69
 - sooty, 68
 - spp., 14, 177
 - whiskered, 67, 173-174
- Thalassarche bulleri*, see albatross, Buller's
 - cauta*, see albatross, shy
 - cauta cauta*, see albatross, Tasmanian
 - cauta steadi*, see albatross, New Zealand
 - white-capped
 - chrysostoma*, see albatross, grey-headed
 - eremita*, see albatross, Chatham Island
 - impavida*, see albatross, Campbell
 - melanophrys*, see albatross, black-browed
 - salvini*, see albatross, Salvin's
 - spp., 61
 - steadi*, see albatross, New Zealand white-capped
- Thalassoica antarctica*, see petrel, Antarctic
- Thinornis novaeseelandiae*, see plover, shore
- THOMAS, J.L., see FITZSIMONS, J.A.; THOMAS, J.L.
- Threskiornis spinicollis*, see ibis, straw-necked
- thrush, song, 35, 37, 38, 131, 133-135, 138, 160-162
- Todiramphus chloris vitiensis*, see kingfisher, collared
 - sanctus*, see kingfisher, sacred
- tokoea, Haast, see kiwi, Haast tokoea
- tomtit, 98
 - Chatham Island, 178
 - New Zealand, 135

- North Island, 180
 South Island, 95-97, 160, 161
 TOY, R.; ELLIS, S.; McARTHUR, N.; McLAUGHLIN, M. Establishing a North Island brown kiwi population in the Rimutaka Forest Park, AGM Abstract, 179
 TRANTER, K.P., see SPURR, E.B.; ROD, S.; TRANTER, K.P.
 TREWICK, S.; GOLDBERG, G.; POWLESLAND, R. Biogeography of *Hemiphaga* pigeons on islands in the New Zealand region, AGM Abstract, 182-183
Tringa flavipes, see yellowlegs, lesser
hypoleucos, see sandpiper, common
incana, see tattler, wandering
stagnatilis, see sandpiper, marsh
 tropicbird, red-tailed, 68
 TUANUI, B., see POWLESLAND, R.; BELL, M.; TUANUI, L.; TUANUI, B.
 TUANUI, L., see POWLESLAND, R.; BELL, M.; TUANUI, L.; TUANUI, B.
 tui, 133, 134, 138, 148, 149
 Chatham Island, 178
Turdus merula, see blackbird
philomelos, see thrush, song
Tyto alba, see owl, barn
 Tytonidae, 69
 VAN HORICK, J. Productivity of North Island kaka (*Nestor meridionalis septentrionalis*) on Kapiti Island during the 2003-2004 breeding season, 53-55
 wader, spp., 69, 177, 178, 180
 warbler, grey, 98, 133-136, 138, 160
 WARD-SMITH, T. Translocations to Cape Sanctuary: what has been learnt? AGM Abstract, 180
 waterbird spp., 177
 waterfowl spp., 69, 173, 178, 184
 WAUGH, S.; FILIPPI, D.; ARNOULD, J. Foraging movements of Westland petrels during pre-breeding periods, AGM Abstract, 184
 weka, 54, 96, 99, 167, 181
 western, 181
 WESTBROOKE, I., see LAWRENCE, B.L.; ELLIOTT, G.P.; WESTBROOKE, I.
 whimbrel, little, 66
 whitehead, 180
 WILCOX, R.; SPOTSWOOD, E. Introduced predators and seabird predation on Mo'orea, French Polynesia, 39-42
 WILSON, K-J.; LANE, R.; BRAIDWOOD, J.; COLUMBUS, A.; DAVIES, I. Predation by mustelids is not a significant cause of breeding failure of blue penguins on the West Coast, South Island, New Zealand, AGM Abstract, 178-179
 WITHERS, S.J. Interpopulation variation and sociality of the North Island rifleman (*Acanthisitta chloris granti*): implications for conservation management, AGM Abstract, 182
 wood-hen, 167, see also weka
 WOTTON, D.M., see KELLY, D.; LADLEY, J.J.; ROBERTSON, A.W.; ANDERSON, S.H.; WOTTON, D.M.; ILES, J.M.
 wren, bush, 69
 rock, 46-47, 68
Xenicus gilviventris, see wren, rock
longipes, see wren, bush
 yellowhammer, 133, 134, 138, 160
 yellowhead, (see also mohua), 98, 124-130
 yellowlegs, lesser, 66, 69
Zosterops lateralis, see silvereye

