


NOTORNIS

Ornithology of the Southern Pacific



Volume 59 2012

Journal of the Ornithological Society of New Zealand

Contents of Volume 59, 2012

Volume 59, Parts 1 & 2, March & June 2012

CONTENTS

Papers

Long term trends in Wellington City bird counts: 1969-2006	Brockie, R.E.; Duncan, C.	1
Bird names commemorating Edgar Stead	Miskelly, C.M.	7
Discovery and extinction of the South Island snipe (<i>Coenocorypha iredalei</i>) on islands around Stewart Island	Miskelly, C.M.	15
Successful translocation of Snares Island snipe (<i>Coenocorypha huegeli</i>) to replace the extinct South Island snipe (<i>C. iredalei</i>)	Miskelly, C.M.; Charteris, M.R.; Fraser, J.R.	32
Observations of collared petrels (<i>Pterodroma brevipes</i>) on Vanua Lava, Vanuatu, and a review of the species' breeding distribution	Tennyson, A.J.D.; Miskelly, C.M.; Totterman, S.L.	39
Phylogenetic affinities of the New Zealand blue duck (<i>Hymenolaimus malacorhynchos</i>)	Robertson, B.C.; Goldstien, S.J.	49
A breeding survey of three species of shags in the Marlborough Sounds	Bell, M.	60
Diet of the Australasian gannet (<i>Morus serrator</i>) at Farewell Spit, New Zealand	Schuckard, R.; Melville, D.S.; Cook, W.; Machovsky Capuska, G.E.	66

Short notes

A review of the current range of Stewart Island shag (<i>Leucocarbo chalconotus</i>) and two records from Lake Ellesmere, Canterbury	Crossland, A.C.	71
The scientific name, author, and date for the "Fuegian storm-petrel", a subspecies of <i>Oceanites oceanicus</i> from southern South America	Palma, R.L.; Tennyson, A.J.D.; Gaskin, C.P.; Jaramillo, A.	74
Discovery of previously unknown historical records on the introduction of dunnocks (<i>Prunella modularis</i>) into Otago, New Zealand during the 19th century	Santos, E.S.A.	79
A second albinistic spotted shag (<i>Stictocarbo punctatus</i>) in 116 years	Crossland, A.C.	82
Does hole-roosting behaviour of mohua (<i>Mohoua ochrocephala</i>) increase the risk of predation by introduced mammals?	Lawrence, B.L.; Low, M.	85
Abnormally long bill in a South Island saddleback (<i>Philesturnus carunculatus</i>)	Cash, W.; Briskie, J.V.	88

Obituary

Michael John Imber (1940-2011)	Robertson, C.J.R.	90
--------------------------------	--------------------------	-----------

Errata

Ornithological Society of New Zealand AGM & Conference	Editor	96
--	---------------	-----------

Volume 59, Part 3 & 4, September & December 2012

CONTENTS

Papers

Sexual differences in vocalisations and playback-response behaviour of the Vanuatu petrel (<i>Pterodroma occulta</i>)	Totterman, S.L.	97
New Zealand king shag (<i>Leucocarbo carunculatus</i>) foraging distribution and use of mussel farms in Admiralty Bay, Marlborough Sounds	Fisher, P.R.; Boren, L.J.	105
Discovery, rehabilitation, and post-release monitoring of a vagrant emperor penguin (<i>Aptenodytes forsteri</i>)	Miskelly, C.M.; Simpson, P.M.; Argilla, L.S.; Cockrem, J.F.	116
Results of a community-based acoustic survey of ruru (moreporks) in Hamilton city	Morgan, D.K.J.; Styche, A.	123
Prey of Auckland Island shags (<i>Leucocarbo colensoi</i>) in winter	Lalas, C.; McConnell, H.	130
Recent increase in population size of red-billed gulls (<i>Larus novaehollandiae scopulinus</i>) at Otago, southern New Zealand	Perriman, L.; Lalas, C.	138
Habitat use by the critically endangered orange-fronted parakeet (<i>Cyanoramphus malherbi</i>) on Maud Island: its relevance for future translocations	Ortiz-Catedral, L.	148
Birds of the Aleipata Islands, Samoa	Parrish, R.; Sherley, G.H.	153

Short notes

First record of a southern royal albatross (<i>Diomedea epomophora</i>) on the central Great Barrier Reef, Queensland, Australia	Jonker, M.J.	163
First breeding report of black-winged petrel (<i>Pterodroma nigripennis</i>) on Burgess Island, Mokohinau Group, Hauraki Gulf	Ismar, S.M.H.; Taylor, G.; Gaskin, C.P.; Rayner, M.	167
Tree damage in Wellington as a result of foraging for sap and bark-dwelling invertebrates by the North Island kaka (<i>Nestor meridionalis septentrionalis</i>)	Charles, K.E.	171
New plumage variant of the white-flipped penguin (<i>Eudyptula minor albosignata</i>)	Challies, C.N.	176
An observation of interspecific kleptoparasitism of North Island robins (<i>Petroica australis</i>) by hihi (<i>Notiomystis cincta</i>)	Barnett, C.	178
Targeted searches to identify nesting grounds of Beck's petrel (<i>Pseudobulweria becki</i>)	Bird, J.P.	180
A swimming North Island weka (<i>Gallirallus australis greyi</i>) in the Hauraki Gulf	Riddell, D.J.; Riddell, D.W.	185
A correction to Palma <i>et al.</i> (2012) on the nomenclature of the Fuegian storm-petrel, <i>Oceanites oceanicus chilensis</i>	Palma, R.L.; Tennyson, A.J.D.; Gaskin, C.P.; Jaramillo, A.	187

Abstracts

Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 2-3 June 2012, Tauranga, New Zealand	Various authors	189
---	-----------------	-----

Review

Shorebirds of Australia	Hammond, P.	198
-------------------------	-------------	-----

Errata

Observations of collared petrels (<i>Pterodroma brevipes</i>) on Vanua Lava, Vanuatu, and a review of the species' breeding range	Tennyson, A.J.D.; Miskelly, C.M.; Totterman, S.L.	200
---	---	-----

INDEX OF AUTHORS AND SPECIES

Volume 59

- Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 2-3 June 2012, Tauranga, New Zealand, 189-197
- Acanthisitta chloris*, see rifleman
- Acridotheres tristis*, see myna, common
- ADAMS, N., see GALBRAITH, M.; JONES, G.; ADAMS, N.; AGUILAR, G.
- Aerodramus spodiopygius*, see swiftlet, white-rumped
- AGUILAR, G., see GALBRAITH, M.; JONES, G.; ADAMS, N.; AGUILAR, G.
- Aix galericulata*, 51, 54, 56
- sponsa*, 51, 55, 58
- akiapola'au, 173
- Alauda arvensis*, see skylark
- albatross, Buller's, 192-193
- New Zealand white-capped, 7, 9, 11, 13
- northern royal, 144, 163, 165
- southern royal, 163-166
- wandering, 165
- aleva, see cuckoo, long-tailed
- Alopochen aegyptiacus*, 51, 54-56, 58
- Amazonetta brasiliensis*, 51, 55, 58
- Anarhynchus frontalis*, see wrybill
- Anas acuta*, 51, 54-56, 58
- americana*, 51, 55
- aucklandica*, 51, 55
- bahamensis*, 51, 54, 55
- bernieri*, 51, 55
- capensis*, 51, 55
- castanea*, 51, 55
- c. carolinensis*, 51, 55, 58
- c. crecca*, 51, 54-56
- c. cyanoptera*, 51, 55
- chlorotis*, 51, 55
- clypeata*, 51, 54, 55
- diazi*, 51, 55
- discors*, 51, 55
- erythrorhyncha*, 51, 55
- falcata*, 51, 55
- flavirostris flavirostris*, 51, 55
- f. oxyptera*, 51, 55
- formosa*, 51, 55
- fulvigula*, 51, 55
- georgica*, 51, 55
- g. spinicauda*, 51
- gracilis*, 51, 55
- hottentota*, 51, 55
- laysanensis*, 51, 55
- luzonica*, 51, 55
- melleri*, 51, 55
- penelope*, 51, 55
- platalea*, 51, 55
- platyrhynchos*, 51, 54, 55, see duck, mallard
- poecilorhyncha*, 51, 55
- puna*, 51, 55
- querquedula*, 51, 55
- r. rhynchotis*, 51, 55
- rubripes*, 51, 55
- sibilatrix*, 51, 54-56, 58
- smithii*, 51, 55
- sparsa*, 51, 55
- spp., 49-59
- superciliosa*, 55
- s. rogersi*, 52
- strepera*, 52, 54-56
- undulata*, 52, 55
- versicolor*, 52, 55
- Anatidae, 49-59
- Anatinae, 50, 53, 54
- Anatini, 49, 53-55, 57
- ANNUAL GENERAL MEETING. Abstracts of papers presented at the Ornithological Society of New Zealand Inc. AGM and Conference, 3 June 2012, Tauranga, New Zealand, 189-197
- Anous minutus*, see noddy, black
- stolidus*, see noddy, brown
- Anser albifrons*, 52, 54
- anser*, 52, 54
- caerulescens*, 52, 54
- canagicus*, 52, 54
- cygnoides*, see goose, domestic
- erythropus*, 52, 54
- indicus*, 52, 54
- rosii*, 52, 54
- Anseriformes, 49-59
- Anserinae, 54
- Anthornis melanura*, see bellbird
- Anthus novaeseelandiae*, see pipit, New Zealand
- Aplonus atrifusca*, see starling, Samoan
- tabuensis*, see starling, Polynesian
- Aptenodytes forsteri*, see penguin, emperor
- patagonicus*, see penguin, king
- ARGILLA, L.S., see MISKELLY, C.M.; SIMPSON, P.M.; ARGILLA, L.S.; COCKREM, J.F.
- Asarcornis scutulata*, 52, 55, 58
- atafa, see frigatebird spp.
- AWASTHY, M., see BELL, B.; AWASTHY, M.
- Aythya affinis*, 52, 55
- americana*, 52, 54

- australis*, 52, 55
ferina, 52, 55
fuligula, 52, 55
marila, 52, 54-56
nycora, 52, 54-56
 Aythyini, 53-55
- BARNETT, C. An observation of interspecific kleptoparasitism of North Island robins (*Petroica longipes*) by hihi (*Notiomystis cincta*), 178-179
- BARTLE, S., see BAYLIS, S.; MISKELLY, C.; TENNYSON, A.; WAUGH, S.; BARTLE, S.; HUNTER, S.; GARTRELL, B.; MORGAN, K.
- BARTLE, S., see TENNYSON, A.; HUNTER, S.; MISKELLY, C.; BAYLIS, S.; WAUGH, S.; BARTLE, S.; GARTRELL, B.; MORGAN, K.
- BAYLIS, S.; MISKELLY, C.; TENNYSON, A.; WAUGH, S.; BARTLE, S.; HUNTER, S.; GARTRELL, B.; MORGAN, K. Impacts of the Rena oil spill on New Zealand seabirds, OSNZ Conference Abstract, 189-190
- BAYLIS, S., see TENNYSON, A.; HUNTER, S.; MISKELLY, C.; BAYLIS, S.; WAUGH, S.; BARTLE, S.; GARTRELL, B.; MORGAN, K.
- BELL, B.; AWASTHY, M. Thirty years of the moult recording scheme in New Zealand: a review of progress and moult patterns in selected species, OSNZ Conference Abstract, 195
- BELL, M. A breeding survey of three species of shags in the Marlborough Sounds, 60-65
- BELL, M., see POWLESLAND, R.; ROBERTSON, H.; MCKINLAY, B.; BELL, M.; DEBSKI, J.
- bellbird, 1-3, 5, 23, 179, 197
- BIRD, J.P. Targeted searches to identify nesting grounds of Beck's petrels (*Pseudobulweria becki*), 184
- bird, granivorous spp., 5
 insectivorous spp., 2
 introduced spp., 2
 land spp., 153, 156
 migratory terrestrial spp., 4
 native spp., 2
 of prey spp., 178
- blackbird, 1, 3, 4
- booby, brown, 156, 160
 masked, 156, 182
 red-footed, 154, 156, 160, 181, 182
- BOREN, L.J., see FISHER, P.R.; BOREN, L.J.
- Bowdleria punctata*, see fernbird
- punctata insularis*, see *Bowdleria punctata stewartiana*
- punctata stewartiana*, see fernbird, Stewart Island
- punctata vealeae*, see fernbird, North Island
- punctata wilsoni*, see fernbird, Codfish Island
- Branta bernicla*, 52, 54-56
 canadensis, 52, 54, see goose, Canada
- leucopsis*, 52, 54
 ruficollis, 52, 54
- BRISKIE, J.V., see CASH, W.; BRISKIE, J.V.
- broadbill, Samoan, 160, 161
- BROCKIE, R.E.; DUNCAN, C. Long term trends in Wellington City bird counts: 1969-2006, 1-6
- Bucephala albeola*, 52, 55
 clangula, 52, 54-56, 58
 islandica, 52, 55
- bulbul, red-vented, 156, 160
- Cacatua galerita*, see cockatoo, sulphur-crested
- Cairina moschata*, 52, 54-56, 58, see duck, Muscovy
- Cairinini, 49, 54, 57
- Callonetta leucophrys*, 52, 54-56
- Caprimulgus macurus*, see nightjar, long-tailed
- Carbo carbo steadi*, see *Phalacrocorax carbo*
- Carduelis carduelis*, see goldfinch
- chloris*, see greenfinch
- flammea*, see redpoll
- CASH, W.; BRISKIE, J.V. Abnormally long bill in a South Island saddleback (*Philesturnus carunculatus*), 88-89
- CASTRO, I., see HISCOX, J.; CASTRO, I.; MIDWINTER, A.; FRENCH, N.
- Cereopsis novaehollandiae*, 52, 54
- chaffinch, 1, 3, 4
- CHALLIES, C.N. New plumage variant of the white-flipped penguin (*Eudyptula minor albosignata*), 176-177
- Charadrius obscurus aquilonius*, see dotterel, northern New Zealand
- spp., see plover spp.
- CHARLES, K.E. Tree damage in Wellington as a result of foraging for sap and bark-dwelling invertebrates by the North Island kaka (*Nestor meridionalis septentrionalis*), 171-175
- CHARTERIS, M.R., see MISKELLY, C.M.; CHARTERIS, M.R.; FRASER, J.R.
- Chauna torquata*, 52
- Chenonetta jubata*, 52, 54-58, see duck, Australian wood
- Chionis minor*, see sheathbill, lesser
- Chloephaga picta*, 52, 54-56, 58
- Chrysococcyx lucidus*, see cuckoo, shining
- Circus approximans*, see harrier, Australasian, or harrier, swamp
- Clangula hyemalis*, 52, 54-56
- cockatoo, sulphur-crested, 174
- COCKREM, J.F., see MISKELLY, C.M.; SIMPSON, P.M.; ARGILLA, L.S.; COCKREM, J.F.
- Coenocorypha aucklandica aucklandica*, see snipe, Auckland Island
- aucklandica iredalei*, see snipe, South Island
- aucklandica meinertzhagenae*, see snipe, Antipodes Island
- aucklandica perseverance*, see snipe, Campbell Island

- aucklandica tristrami*, see *Coenocorypha*
aucklandica meinertzhagenae
huegeli, see snipe, Snares Island
iredalei, see snipe, South Island
pusilla, see snipe, Chatham Island
Columba livia, see pigeon, rock
vitiensis, see pigeon, white-throated
 COOK, W., see SCHUCKARD, R.; MELVILLE, D.S.;
 COOK, W.; MACHOVSKY CAPUSKA, G.E.
 cormorant, black, see shag, black
 flightless, 135
 sp., see shag sp.
 corvid spp., 178
Corvus frugilegus, see rook
Coscoroba coscoroba, 52, 54
 crake, marsh, 20
 creeper, brown, 21
 CROSSLAND, A.C. A review of the current range of
 Stewart Island shag (*Leucocarbo chalconotus*)
 and two records from Lake Ellesmere,
 Canterbury, 71-73
 CROSSLAND, A.C. A second albinistic spotted shag
 (*Stictocarbo punctatus*) in 116 years, 82-84
 cuckoo, long-tailed, 21, 159
 shining, 2, 3
 curlew, bristle-thighed, 157
Cyanochen cyanopterus, 52, 55, 58
Cyanoramphus auriceps, see parakeet, yellow-
 crowned
 malherbi, see parakeet, orange-fronted
Cygnus atratus, 52, 54, see swan, black
 olor, 52, 58, see swan, mute

 DEBSKI, J., see POWLESLAND, R.; ROBERTSON,
 H.; MCKINLAY, B.; BELL, M.; DEBSKI, J.
Dendrocygna bicolor, 52, 54
 eytoni, 52, 54
Didunculus strigirostris, see pigeon, tooth-billed
Diomedea epomophora, see albatross, southern royal
 exulans, see albatross, wandering
 sanfordi, see albatross, northern royal
 dotterel, New Zealand, 189, 196-198
 dove, crimson-crowned fruit, 159, 161
 friendly ground, 153-156, 158-159, 161
 many-coloured fruit, 159, 161
 rock, 12
 spp., 159
 DOWDING, J. Management of New Zealand
 dotterels following the Rena oil spill: did
 we do the right thing? OSNZ Conference
 Abstract, 190
 duck, Australian wood, 50, 53, 57
 blue, 49-59
 dabbling spp., 49, 55
 knob-billed, 57
 mallard, 1, 3-5
 muscovy, 3, 52, 54-56, 58
 perching spp., 57
 riverine spp., 49, 50
 Salvadori's, 49, 50, 57
 South American genera, 50, 55, 57
 spp., 49-59, 178, 195
 steamer spp., 50, 53, 55, 57
 torrent, 49, 53, 57
 torrent spp., 55, 57
Ducula pacifica, see pigeon, Pacific
 DUNCAN, C., see BROCKIE, R.E.; DUNCAN, C.
 DUNN, R. Provisioning behaviour and chick
 development of the grey-faced petrel
 (*Pterodroma macroptera gouldi*), OSNZ
 Conference Abstract, 194
 dunnoek, 1-5, 79-81

Egretta sacra, see heron, eastern reef
Emberiza citrinella, see yellowhammer
 emu, 196
 ERRATA
 Ornithological Society of New Zealand
 AGM & Conference, 96
 Observations of collared petrels (*Pterodroma*
 brevipes) on Vanua Lava, Vanuatu, and
 a review of the species' breeding range,
 (Tennyson *et al.*), 200
Erythrura cyanovirens, see parrotfinch, Samoan
Esacus giganteus, see thick-knee, beach
Eudyptes robustus, see penguin, Snares crested
Eudyptula minor albosignata, see penguin, white-
 flipped
 minor, see penguin, little

Falco peregrinus, see falcon, peregrine
 falcon, peregrine, 46
 fantail, North Island, 1-3, 5
 Samoan, 160, 161
 fernbird, Codfish Island, 7, 11, 13, 34
 Stewart Island, 10-13, 16, 19, 21
 fiaui, see pigeon, white-throated
 FISHER, P.R.; BOREN, L.J. New Zealand king shag
 (*Leucocarbo carunculatus*) foraging distribution
 and use of mussel farms in Admiralty Bay,
 Marlborough Sounds, 105-115
 FITTER, J. Rena, the Maketu experience, OSNZ
 Conference Abstract, 190
 FLEMING, A. Save our Shorebirds/Bay of Plenty
 Shorebird Protection Programme, OSNZ
 Conference Poster paper, 196
Foulehaio carunculata, see honeyeater, wattled
 FRASER, J.R., see MISKELLY, C.M.; CHARTERIS,
 M.R.; FRASER, J.R.
Fregata ariel, see frigatebird, lesser
 minor, see frigatebird, greater
Fregetta sp., see storm petrel sp.
 FRENCH, N., see GRANGE, Z.; GARTRELL, B.;
 HOWE, L.; NELSON, N.; FRENCH, N.
 FRENCH, N., see HISCOX, J.; CASTRO, I.;
 MIDWINTER, A.; FRENCH, N.

- frigatebird, greater, 154, 156-157, 160
 lesser, 157, 181, 182
Fringilla coelebs, see chaffinch
fua'o, see booby spp.
fuia, see starling, Samoan
 fulmar, northern, 90
Fulmarus glacialis, see fulmar, northern
- GALBRAITH, M.; JONES, G.; ADAMS, N.; AGUILAR, G. Current status of the Hauraki Gulf population of the spotted shag (*Stictocarro punctatus*) – preliminary results, OSNZ Conference Poster paper, 197
- GALBRAITH, M., see KRZYZOSIAK, J.; GALBRAITH, M.
- GALBRAITH, M., see THOMAS, D.; GALBRAITH, M.
- Gallicolumba stairii*, see dove, friendly ground
- Gallinago aucklandica*, see *Coenocorypha aucklandica*
huegeli, see *Coenocorypha huegeli*
pusilla, see *Coenocorypha pusilla*
rusticola, see woodcock
tristrami, see *Coenocorypha aucklandica meinertzhagenae*
- Gallirallus australis*, see weka
australis australis, see weka, western
australis greyi, see weka, North Island
australis hectori, see weka, buff
philippensis, see rail, banded
- Gallus gallus*, see hen, domestic or junglefowl
- gannet, Australasian, 66-70, 190, 191
 Cape, 69
 northern, 181
- GARTRELL, B.; MCCONNELL, H.; MORGAN, K. C/V Rena oiled wildlife response, OSNZ Conference Abstract, 189
- GARTRELL, B., see BAYLIS, S.; MISKELLY, C.; TENNYSON, A.; WAUGH, S.; BARTLE, S.; HUNTER, S.; GARTRELL, B.; MORGAN, K.
- GARTRELL, B., see GRANGE, Z.; GARTRELL, B.; HOWE, L.; NELSON, N.; FRENCH, N.
- GARTRELL, B., see TENNYSON, A.; HUNTER, S.; MISKELLY, C.; BAYLIS, S.; WAUGH, S.; BARTLE, S.; GARTRELL, B.; MORGAN, K.
- GASKIN, C.P., see ISMAR, S.M.H.; TAYLOR, G.; GASKIN, C.P.; RAYNER, M.J.
- GASKIN, C.P., see PALMA, R.L.; TENNYSON, A.J.D.; GASKIN, C.P.; JARAMILLO, A. (2 papers)
- Gerygone igata*, see warbler, grey
- gogo, see noddy, brown
- gogo'uli, see noddy, black, and tern, bridled
- goldfinch, 1, 3, 5
- GOLDSTIEN, S.J., see ROBERTSON, B.C.; GOLDSTIEN, S.J.
- goose, Canada, 52, 54, 90
 domestic, 3, 52, 54
- GRANGE, Z.; GARTRELL, B.; HOWE, L.; NELSON, N.; FRENCH, N. Takahe translocation networking: A new tool for use in disease surveillance, OSNZ Conference Poster paper, 196
- greenfinch, 1, 3, 5, 197
- ground-dove, friendly, 153-156, 158-159, 161
- gull, black-backed, 1, 3, 5, 139, 144-146, 190, 194-195
 black-billed, 143
 red-billed, 131, 132, 135, 138-147, 190
 southern black-backed, see gull, black-backed
 spp., 69
- Gygis alba*, see tern, white
- Gymnomyza samoensis*, see ma'oma'o
- Gymnorhina tibicen*, see magpie, Australian
- Haematopus finschi*, see oystercatcher, South Island
 pied
unicolor, see oystercatcher, variable
- hakawai, 29, 33
- Halcyon sancta*, see kingfisher, sacred
- HAMMOND, P. (Review), Shorebirds of Australia. A. Gerring, L. Agnew, S. Harding (Eds), 198-199
- harrier, Australasian, 4, 169
 swamp, 46, 144, 145, see also harrier, Australasian
- HEAPHY, J. Tuhua (Mayor Island) restoration, OSNZ Conference Abstract, 192
- Hemignathus munroi*, see akiapola'au
- Hemiphaga novaeseelandiae*, see pigeon, New Zealand
- hen, domestic, 154
- heron, eastern reef, 157, 161
- hihi, see stitchbird
- Hirundo tahitica*, see swallow, welcome
- HISCOX, J.; CASTRO, I.; MIDWINTER, A.; FRENCH, N. Are microbes contributing to the decline of New Zealand's national icon, the kiwi? OSNZ Conference Poster paper, 196-197
- honeycreeper, Hawaiian, 173
- honeyeater, cardinal, 160
 wattled, 159-161
- HOWE, L., see GRANGE, Z.; GARTRELL, B.; HOWE, L.; NELSON, N.; FRENCH, N.
- HUNTER, S., see BAYLIS, S.; MISKELLY, C.; TENNYSON, A.; WAUGH, S.; BARTLE, S.; HUNTER, S.; GARTRELL, B.; MORGAN, K.
- HUNTER, S., see TENNYSON, A.; HUNTER, S.; MISKELLY, C.; BAYLIS, S.; WAUGH, S.; BARTLE, S.; GARTRELL, B.; MORGAN, K.
- Hydrobates*, see storm petrel sp.
- Hydrobatidae, 97
- Hymenolaimus malacorrhynchos*, see duck, blue
- ISMAR, S.M.H.; TAYLOR, G.; GASKIN, C.P.; RAYNER, M.J. First breeding report of black-winged petrel (*Pterodroma nigripennis*) on Burgess Island, Mokohinau Group, Hauraki Gulf, 167-170

- JARAMILLO, A., see PALMA, R.L.; TENNYSON, A.J.D.; GASKIN, C.P.; JARAMILLO, A. (2 papers)
- JONES, G., see GALBRAITH, M.; JONES, G.; ADAMS, N.; AGUILAR, G.
- JONKER, M.J. First record of a southern royal albatross (*Diomedea epomophora*) on the central Great Barrier Reef, Queensland, Australia, 163-166
- junglefowl, 154, 156, 157
- kaka, 5
North Island, 171-175
- kakapo, 148
- kereru, see pigeon, New Zealand
- KESSELS, G. Wind farms and birds. OSNZ Conference Abstract, 195
- kingfisher, flat-billed, 160, 161
sacred, 1-5
- kiwi, North Island brown, 192
spp., 192, 196-197
- kokako, South Island, 195
- KRZYZOSIAK, J.; GALBRAITH, M. Aspects of the ecology of the southern black-backed gull (*Larus dominicanus*) on Rangitoto Island, OSNZ Conference Abstract, 194-195
- Lalage maculosa*, see triller, Polynesian
harpei, see triller, Samoan
- LALAS, C.; McCONNELL, H. Prey of Auckland Island shags (*Leucocarbo colensoi*) in winter, 130-137
- LALAS, C., see PERRIMAN, L.; LALAS, C.
- lao, see honeyeater, wattled
- Larus bulleri*, see gull, black-billed
dominicanus, see gull, black-backed
novaehollandiae, see gull, red-billed
novaehollandiae scopulinus, see gull, red-billed
spp., see gull spp.
- LAWRENCE, B.L.; LOW, M. Does hole-roosting behaviour of mohua (*Mohoua ochrocephala*) increase the risk of predation by introduced mammals? 85-87
- Leucocarbo atriceps*, see shag, imperial
campbelli, see shag, Campbell Island
carunculatus, see shag, New Zealand king
chalconotus, see shag, Stewart Island
colensoi, see shag, Auckland Island
melanogenis, see shag, Crozet Island
nivalis, see shag, Heard Island
onslowi, see shag, Chatham Island
ranfurlyi, see shag, Bounty Island
- Lophodytes cucullatus*, 52, 55
- Lophonetta specularoides*, 52, 54-56, 58
- lory, blue-crowned, 158, 161
- LOW, M., see LAWRENCE, B.L.; LOW, M.
- lulu, see owl, barn
- lupe, see pigeon, Pacific
- MACHOVSKY CAPUSKA, G.E., see SCHUCKARD, R.; MELVILLE, D.S.; COOK, W.; MACHOVSKY CAPUSKA, G.E.
- magpie, Australian, 1, 3, 5
sp., 5
- maina fanua, see myna, common
- Malacorhynchus membranaceus*, 53, 55
- mallard, see duck, mallard
- manuma, see dove, many-coloured fruit
- manume'a, see pigeon, tooth-billed
- manu palagi, see bulbul, red-vented
- manusina, see tern, white
- manutagi, see dove, crimson-crowned fruit
- ma'oma'o, 161
- Marmaronetta angustirostris*, 53-56, 58
- matu'u, see heron, eastern reef
- McCONNELL, H., see GARTRELL, B.; McCONNELL, H.; MORGAN, K.
- McCONNELL, H., see LALAS, C.; McCONNELL, H.
- McKINLAY, B. eBirds as a tool to describe the pattern of birds at Bayfield Inlet, Dunedin, OSNZ Conference Abstract, 194
- McKINLAY, B., see POWLES LAND, R.; ROBERTSON, H.; McKINLAY, B.; BELL, M.; DEBSKI, J.
- Megadyptes antipodes*, see penguin, yellow-eyed
- Melanitta nigra*, 53-56, 58
perspicillata, 53, 55
- MELVILLE, D.S., see SCHUCKARD, R.; MELVILLE, D.S.; COOK, W.; MACHOVSKY CAPUSKA, G.E.
- Merganetta*, 50
armata, 53, 55, 58, see duck, torrent
- Merganettae*, 50
- Merganettini*, 49, 50, 53, 57
- Mergellus albellus*, 55
- Mergini*, 53-55
- Mergus albellus*, 53, 54, 56
cucullatus, 53, 54, 56
m. merganser, 53, 55
serrator, 53, 54, 56
- MIDWINTER, A., see HISCOX, J.; CASTRO, I.; MIDWINTER, A.; FRENCH, N.
- MILNE, A. Current distribution of South Island kokako, OSNZ Conference Abstract, 195
- mioweka, see rail, banded
- Miro australis steadi*, see *Petroica australis rakiura*
- MISKELLY, C.M. Bird names commemorating Edgar Stead, 7-14
- MISKELLY, C.M. Discovery and extinction of the South Island snipe (*Coenocorypha iredalei*) on islands around Stewart Island, 15-31
- MISKELLY, C.M.; CHARTERIS, M.R.; FRASER, J.R. Successful translocation of Snares Island snipe (*Coenocorypha huegeli*) to replace the extinct South Island snipe (*Coenocorypha iredalei*), 32-38
- MISKELLY, C.M.; SIMPSON, P.M.; ARGILLA, L.S.; COCKREM, J.F. Discovery, rehabilitation and post-release monitoring of a vagrant

- emperor penguin (*Aptenodytes forsteri*), 116-122
- MISKELLY, C.M. New Zealand birds online: Delivery of the perfect website for and by OSNZ members, OSNZ Conference Abstract, 191
- MISKELLY, C.M.; TENNYSON, A.; TAYLOR, G. The great prion wreck of 2011: causes and consequences of New Zealand's largest recorded seabird mortality event, OSNZ Conference Abstract, 193-194
- MISKELLY, C., see BAYLIS, S.; MISKELLY, C.; TENNYSON, A.; WAUGH, S.; BARTLE, S.; HUNTER, S.; GARTRELL, B.; MORGAN, K.
- MISKELLY, C., see TENNYSON, A.; HUNTER, S.; MISKELLY, C.; BAYLIS, S.; WAUGH, S.; BARTLE, S.; GARTRELL, B.; MORGAN, K.
- MISKELLY, C.M., see TENNYSON, A.J.D.; MISKELLY, C.M.; TOTTERMAN, S.L.
- miti, see triller, Polynesian
- miti (tai), see triller, Samoan
- miti vao, see starling, Polynesian
- moa'aivao, see junglefowl
- mockie, see bellbird
- mohua, 85-87, see also yellowhead
- Mohoua ochrocephala*, see yellowhead
- mollymawk, white-capped, see albatross, New Zealand white-capped
- morepork, 4, 123-129, 191-192
- MORGAN, D.K.J.; STYCHE, A. Results of a community-based acoustic survey of ruru (moreporks) in Hamilton City, 123-129
- MORGAN, D.K.J.; STYCHE, A. Results of a community-based morepork survey in Hamilton City, OSNZ Conference Abstract, 191-192
- MORGAN, K., see BAYLIS, S.; MISKELLY, C.; TENNYSON, A.; WAUGH, S.; BARTLE, S.; HUNTER, S.; GARTRELL, B.; MORGAN, K.
- MORGAN, K., see GARTRELL, B.; McCONNELL, H.; MORGAN, K.
- MORGAN, K., see TENNYSON, A.; HUNTER, S.; MISKELLY, C.; BAYLIS, S.; WAUGH, S.; BARTLE, S.; GARTRELL, B.; MORGAN, K.
- Morus bassanus*, see gannet, northern
- capensis*, see gannet, Cape
- serrator*, see gannet, Australasian
- Myiagra albiventris*, see broadbill, Samoan
- myna, common, 156, 160
- Myzomela cardinalis*, see honeyeater, cardinal
- NELSON, N., see GRANGE, Z.; GARTRELL, B.; HOWE, L.; NELSON, N.; FRENCH, N.
- Neochen jubata*, 53, 55, 58
- Nesofregatta fuliginosa*, see storm petrel, Polynesian
- Nestor meridionalis septentrionalis*, see kaka, North Island
- Netta peposaca*, 53, 55
- rufina*, 53, 54, 56
- nightjar, large-tailed, 182
- Ninox novaeseelandiae*, see morepork
- noddy, black, 157-158, 181, 182
- blue-grey, 154, 158
- brown, 154, 157, 160, 182
- common, see noddy, brown
- Notiomystis cincta*, see stitchbird
- Numenius phaeopus*, see whimbrel
- tahitiensis*, see curlew, bristle-thighed
- OBITUARY: Michael John Imber (1940-2011), Robertson, C.J.R., 90-95
- Oceanites oceanicus chilensis*, see storm petrel, Fuegian
- oceanicus exasperatus*, see storm petrel, Wilson's
- oceanicus magellanicus*, 76, 77, see also storm petrel, Fuegian
- oceanicus oceanicus*, see storm petrel, Wilson's
- oceanicus wollastoni*, 76, 77, see also storm petrel, Fuegian
- sp., see storm petrel sp.
- Oceanodroma homochroa*, see storm petrel, ashy
- sp., see storm petrel sp.
- Oestrelata*, see *Pterodroma* spp.
- Onychoprion anaethetus*, see tern, bridled
- ORTIZ-CATEDRAL, L. Habitat use by the critically endangered orange-fronted parakeet (*Cyanoramphus malherbi*) on Maud Island: its relevance for future translocations, 148-152
- Ortygometra affinis*, see *Porzana pusilla affinis*
- owl, barn, 160, 161
- oystercatcher, pied, 194, see also oystercatcher, South Island pied
- South Island pied, 195-196, 198
- spp., 196
- variable, 198
- Pachycephala flavifrons*, see whistler, Samoan
- Pachyptila crassirostris*, see prion, fulmar
- turtur*, see prion, fairy
- vittata*, see prion, broad-billed
- PALMA, R.L.; TENNYSON, A.J.D.; GASKIN, C.P.; JARAMILLO, A. The scientific name, author and date for the "Fuegian storm-petrel" a subspecies of *Oceanites oceanicus* from southern South America, 74-78
- PALMA, R.L.; TENNYSON, A.J.D.; GASKIN, C.P.; JARAMILLO, A. A correction to Palma *et al.* 2012 on the nomenclature of the Fuegian storm-petrel, *Oceanites oceanicus chilensis*, 187-188
- parakeet, orange-fronted, 148-152, 192
- sp., 5
- yellow-crowned, 17
- PARRISH, R.; SHERLEY, G.H. Birds of the Aleipata Islands, Samoa, 153-162

- parrotfinch, Samoan, 161
Passer domesticus, see sparrow, house
 Passeriformes, 178, 179
 passerine spp., 178
 pateke, see teal, brown
 pe'ape'a, see swiftlet, white-rumped
Pealeornis maoriana, see storm petrel, New Zealand
Pedionomus torquatus, see plains-wanderer
Pelagodroma marina maoriana, see storm petrel, white-faced
Pelecanoides urinatrix, see petrel, common diving
 Pelecanoididae, 97
 penguin, blue, see penguin, little emperor, 116-122
 king, 117
 little, 144, 145, 176-177, 189-191
 Snare's crested, 33
 white-flipped, 176-177
 yellow-eyed, 27, 134, 144
 PERRIMAN, L.; LALAS, C. Recent increase in population size of red-billed gulls (*Larus novaehollandiae scopulinus*) at Otago, southern New Zealand, 138-147
 petrel, Beck's, 180-184
 black, 90, 91
 black-winged, 103, 167-170
 blue, 191
 collared, 39-48, 98, 193
 common diving, 169, 189-191, 193
 Cook's, 90, 91, 181
 diving, see petrel, common diving
 gadfly spp., 97-104, 167-170
 Gould's, 40, 41, 103
 grey-faced, 90, 91, 102, 169, 190, 194
 Herald, 40
 Kermadec, 182
 Juan Fernandez, 98, 101
 magnificent, see petrel, collared
 mottled, 22
 New Caledonian, 40
 Pterodroma spp., 39-48, 91, 181, 183, 193
 Pycroft's, 91
 spp., 91, 97-104, 180-184
 Tahiti, 182, 183
 Vanuatu, 41, 97-104, 181, 193
 white-chinned, 7, 8, 13
 white-headed, 101
 white-naped, 101, 193
Petroica australis, see robin, New Zealand
 australis, see robin, South Island
 australis rakiura, see robin, Stewart Island
 longipes, see robin, North Island
 multicolor, see robin, scarlet
Phaethon lepturus, see tropicbird, white-tailed
Phalacrocorax carbo, see shag, black
 carbo novaehollandiae, see shag, black
 carbo steadi, see shag, black
 chalconotus, see *Leucocarbo chalconotus glaucus*, see *Leucocarbo chalconotus harrisi*, see cormorant, flightless
 melanoleucos, see shag, little
 oliveri, see *Stictocarbo punctatus oliveri* spp., see shag spp.
 sulcirostris, see shag, little black
 varius, see shag, pied
Philesturnus carunculatus, see saddleback
 carunculatus, see saddleback, South Island
 pigeon, New Zealand, 1-3, 5, 16, 17, 19, 25, 197
 Pacific, 156, 159, 161
 rock, 3, 4
 spp., 159
 tooth-billed, 159, 161
 white-throated, 158
 pipit, New Zealand, 4
 plains-wanderer, 198
Platycercus eximius, see rosella, eastern
 plover, hooded, 198
 Pacific golden, 157
 sand spp., 198
 shore, 25
 spp., 20, 21, 198
Pluvialis fulva, see plover, Pacific golden
Porphyrio mantelli, see takahe
Porzana pusilla affinis, see crane, marsh
 POWLESLAND, R.; ROBERTSON, H.; McKINLAY, B.; BELL, M.; DEBSKI, J. What trend information is available about New Zealand shag species, and is it sufficient to assess species conservation status? OSNZ Conference Abstract, 194
 prion, broad-billed, 193, 194
 fairy, 7, 9, 13, 194
 fulmar, 193
 spp., 91, 193-194
Procellaria aequinoctialis, see petrel, white-chinned
 aequinoctialis steadi, see petrel, white-chinned
 parkinsoni, see petrel, black
 torquata, see *Pterodroma brevipes*
 Procellariid spp., 156
 Procellariidae, 97, 193-194
 Procellariiformes, 39-48, 97-104, 167-170, 180-184, 187-188, 189-194, 197
Procelsterna cerulea, see noddy, blue-grey
Prothemadera novaeseelandiae, see tui
Prunella modularis, see dunnoek
Pseudobulweria becki, see petrel, Beck's
 rostrata, see petrel, Tahiti
Pseudoprion turtur steadi, see prion, fairy
Pterodroma brevipes, see petrel, collared
 brevipes magnificens, see petrel, collared
 cervicalis, see petrel, white-naped
 cookii, see petrel, Cook's
 externa, see petrel, Juan Fernandez
 heraldica, see petrel, Herald

- inexpectata*, see petrel, mottled
lessonii, see petrel, white-headed
leucoptera, see petrel, Gould's
leucoptera caledonica, see petrel, New Caledonian
macroptera, see petrel, grey-faced
macroptera gouldi, see petrel, grey-faced
magentae, see taiko, Chatham Island
neglecta, see petrel, Kermadec
nigripennis, see petrel, black-winged
occulta, see petrel, Vanuatu
pycrofti, see petrel, Pycroft's
Pteronetta hartlaubii, 53, 55, 58
Ptilinopus perousii, see dove, many-coloured fruit
porphyraceus, see dove, crimson-crowned fruit
Puffinus assimilis, see shearwater, little
assimilis haurakiensis, see shearwater, North Island little
bulleri, see shearwater, Buller's
carneipes, see shearwater, flesh-footed
gavia, see shearwater, fluttering
griseus, see shearwater, sooty
lherminieri, see shearwater, Audubon's
pacificus, see shearwater, wedge-tailed
spp., see shearwater spp.
Pycnonotus cafer, see bulbul, red-vented

rail, banded, 10, 20, 28, 157
sp., 20, 21
RAYNER, M.J., see ISMAR, S.M.H.; TAYLOR, G.; GASKIN, C.P.; RAYNER, M.J.
redpoll, 3
REVIEWS: HAMMOND, P. Shorebirds of Australia. A. Gerring, L. Agnew, S. Harding (Eds), 198-199
REYNOLDS, S. An 'enigmatic' gland with promising traits: the uropygial gland of hihi (*Notiomystis cincta*) and kiwi (*Apteryx* spp.), OSNZ Conference Abstract, 192
Rhipidura fuliginosa, see fantail
nebulosa, see fantail, Samoan
RIDDELL, D.J.; RIDDELL, D.W. A swimming North Island weka (*Gallirallus australis greyi*) in the Hauraki Gulf, 185-186
RIDDELL, D.W., see RIDDELL, D.J.; RIDDELL, D.W.
rifleman, 86,
South Island, 86
ROBERTSON, B.C.; GOLDSTIEN, S.J. Phylogenetic affinities of the New Zealand blue duck, 49-59
ROBERTSON, C.J.R. (Obituary), Michael John Imber (1940-2011), 90-95
ROBERTSON, H., see POWLESLAND, R.; ROBERTSON, H.; MCKINLAY, B.; BELL, M.; DEBSKI, J.
robin, New Zealand spp., 148
North Island, 178-179, 192
scarlet, 161
South Island, 178
Stewart Island, 7, 9, 12, 13, 23, 34
rook, 90
rosella, eastern, 3

saddleback, 148
South Island, 23, 34, 88-89
SAGAR, P.M. Long-term research into Buller's albatrosses at The Snares – 65 years and no sign of retirement, OSNZ Conference Abstract, 192
Salvadorina waigiuiensis, see duck, Salvadori's
SANTOS, E.S.A. Discovery of previously unknown historical records on the introduction of dunnocks (*Prunella modularis*) into Otago, New Zealand during the 19th century, 79-81
Sarkidiornis melanotos, 50, 53, 55, 57, 58, see duck, knob-billed
SAUNDERS, G. Water off a duck's back: super hydrophobicity from feathers? OSNZ Conference Abstract, 195
SCHUCKARD, R.; MELVILLE, D.S.; COOK, W.; MACHOVSKY CAPUSKA, G.E. Diet of the Australasian gannet (*Morus serrator*) at Farewell Spit, New Zealand, 66-70
Scolopacinae, 25
seabird spp., 33, 37, 66-70, 90-95, 97-104, 105-115, 116-122, 130-137, 138-147, 153, 156, 167-170, 178, 180-184, 187-188, 189-190, 191, 192, 193, 194, 197
burrow-nesting spp., 37, 97-104
segasega mau'u, see honeyeater, cardinal
segaula, see parrotfinch, Samoan
segavao, see lory, blue-crowned
se'u, see fantail, Samoan
shag, Auckland Island, 130-137
black, 7, 8, 13, 60, 72, 82
blue, 7, 8, 11, 13
blue-eyed spp., 105-115, 130-137
Bounty Island, 130
Campbell Island, 130
Chatham Island, 113, 130
Crozet Island, 131
Heard Island, 135
Imperial, 131
king, see shag, New Zealand king
little, 60-65, 72, 83, 190
little black, 3, 4, 60
New Zealand king, 60, 72, 105-115, 130, 131
Phalacrocorax spp., 131
pied, 60-65, 72, 83, 190
Pitt Island, 8
spotted, 7, 8, 60-65, 72, 82-84, 197
spp., 69, 105-115, 130-137, 194
Stewart Island, 24, 71-73, 113, 130, 131, 134
shearwater, Audubon's, 156
Buller's, 190, 191

- flesh-footed, 190, 191
 fluttering, 169, 190, 191
 little, 169, 190, 191
 sooty, 20, 33, 34, 169, 190, 191
 spp., 69, 91, 103
 wedge-tailed, 156
 sheathbill, lesser, 131
 shelduck, spp., 49, 50, 55, 57
 SHERLEY, G.H., see PARRISH, R.; SHERLEY, G.H.
 shorebird spp., 153, 156, 196
 silvereye, 1-5, 195, 197
 SIMPSON, P.M., see MISKELLY, C.M.; SIMPSON, P.M.; ARGILLA, L.S.; COCKREM, J.F.
 skylark, 4
 SMITH, K. Lessons from the Rena volunteers, OSNZ Conference Abstract, 190
 snipe, Antipodes Island, 25, 26, 28, 29
 Auckland Island, 20, 25, 26, 28, 29
 Campbell Island, 28, 33
 Chatham Island, 16, 17, 20, 25, 26, 28, 29
 island spp., 20, 21
 Snares Island, 15, 20, 25, 26, 28, 29, 32-38
 South Island, 15-31, 32-38
 Stewart Island, 11, 15-31
Somateria mollissima, 53-56, 58
 spectabilis, 53, 55
 sparrow, house, 1, 3, 4, 5, 195, 197
 sparrowhawk, 5
Speculanus specularis, 53, 55, 58
 spoonbill, royal, 194
 SPURR, E. New Zealand Garden Bird Survey- the first 5 years, OSNZ Conference Poster paper, 197
 starling, 1, 3, 4, 5
 Polynesian, 160
 Samoan, 156, 160, 161
 steamer duck spp., 50, 53, 55, 57
Sterna albifrons, see tern, little
 anaethetus, see tern, bridled
 bergii, see tern, crested
 fuscata, see tern, sooty
 hirundo, see tern, common
 nereis, see tern, fairy
 spp., see tern spp.
 striata, see tern, white-fronted
 sumatrana, see tern, black-naped
Stictocarbo featherstoni, see shag, Pitt Island
 punctatus, see shag, spotted
 punctatus oliveri, see shag, blue
 steadii, see *Stictocarbo punctatus oliveri*
 stitchbird, 178-179, 192
 storm petrel, ashy, 180
 Fuegian, 74-78, 187-188
 New Zealand, 90, 91, 180
 Polynesian, 46
 spp., 46, 91, 103, 187-188
 white-faced, 10, 169, 190, 191
 Wilson's, 74-78
Strigops habroptilus, see kakapo
Sturnus vulgaris, see starling
 STYCHE, A., see MORGAN, D.K.J.; STYCHE, A. (2 papers)
Sula dactylatra, see booby, masked
 leucogaster, see booby, brown
 sula, see booby, red-footed
 swallow, welcome, 4
 swan, mute, 3
 swiftlet, white-rumped, 156, 160, 161

Tachyeres, 50, see steamer-duck spp.
 brachypterus, 53, 55, 58
 leucocephalus, 53, 55, 58
 peneres, 53, 55, 58
Todiramphus recurvirostris, see kingfisher, flat-billed
Tadorna cana, 53, 55
 ferruginea, 53, 55
 radjah, 53, 55
 tadorna, 53-56, 58
 tadornoides, 53-56
 Tadorini, 53-55, see shelduck spp.
 taiko, Chatham Island, 91
 taio, see shearwater spp.
 takahe, 149, 196
 tattler, wandering, 157
 tava'e, see tropicbird, white-tailed
 TAYLOR, G., see ISMAR, S.M.H.; TAYLOR, G.; GASKIN, C.P.; RAYNER, M.J.
 TAYLOR, G., see MISKELLY, C.M.; TENNYSON, A.; TAYLOR, G.
 teal, brown, 192
 TENNYSON, A. An update on Vanuatu's *Pterodroma* petrels, OSNZ Conference Abstract, 193
 TENNYSON, A.J.D.; MISKELLY, C.M.; TOTTERMAN, S.L. Observations of collared petrels (*Pterodroma brevipes*) on Vanua Lava, Vanuatu, and a review of the species' breeding distribution, 39-48
 TENNYSON, A.J.D.; MISKELLY, C.M.; TOTTERMAN, S.L. (Errata) Observations of collared petrels (*Pterodroma brevipes*) on Vanua Lava, Vanuatu, and a review of the species' breeding range, 200
 TENNYSON, A.; HUNTER, S.; MISKELLY, C.; BAYLIS, S.; WAUGH, S.; BARTLE, S.; GARTRELL, B.; MORGAN, K. Causes of seabird mortality in the Bay of Plenty, Oct-Nov 2011, OSNZ Conference Abstract, 191
 TENNYSON, A., see BAYLIS, S.; MISKELLY, C.; TENNYSON, A.; WAUGH, S.; BARTLE, S.; HUNTER, S.; GARTRELL, B.; MORGAN, K.
 TENNYSON, A., see MISKELLY, C.M.; TENNYSON, A.; TAYLOR, G.
 TENNYSON, A.J.D., see PALMA, R.L.; TENNYSON, A.J.D.; GASKIN, C.P.; JARAMILLO, A. (2 papers)
 tern, black-naped, 182

- bridled, 158, 182
- common, 182
- crested, 182
- fairy, 198
- little, 198
- sooty, 181, 182
- spp., 69
- white, 158, 160, 161
- white-fronted, 190, 194, 196
- Thalassarche cauta steadi*, see albatross, New Zealand
- white-capped
- steadi*, see *Thalassarche cauta steadi*
- thick-knee, beach, 182
- Thinornis novaeseelandiae*, see plover, shore
- rubricollis*, see plover, hooded
- THOMAS, D.; GALBRAITH, M. Population and flight paths of South Island pied oystercatchers at Auckland Airport, OSNZ Conference Poster paper, 199-200
- thrush, island, 161
- song, 1, 3
- ti'otala, see kingfisher, flat-billed
- tolaifatu (ula), see broadbill, Samoan
- tolaiula, see robin, scarlet
- TOTTERMAN, S.L. Sexual differences in vocalisations and playback - response behaviour of the Vanuatu petrel (*Pterodroma occulta*), 97-104
- TOTTERMAN, S.L., see TENNYSON, A.J.D.; MISKELLY, C.M.; TOTTERMAN, S.L.
- triller, Polynesian, 160, 161
- Samoan, 160, 161
- Tringa incana*, see tattler, wandering
- tropicbird, white-tailed, 156, 160, 161, 181
- tu'aimeo, see dove, friendly ground
- tui, 1-3, 5, 125, 179, 197
- tuli, see plover, Pacific golden, and tattler, wandering
- tuli'alomalala, see turnstone, ruddy
- tuli'olovalu, see curlew, bristle-thighed
- Turdus merula*, see blackbird
- philomelos*, see thrush, song
- poliocephalus*, see thrush, island
- turnstone, ruddy, 157
- tutulili, see thrush, island
- tutukiwi, 21, 29, 33
- tutuweka, 21
- Tyto alba*, see owl, barn
- vasavasa, see whistler, Samoan
- ve'a, see rail, banded
- Vini australis*, see lory, blue-crowned
- warbler, grey, 1-3, 5, 86
- WAUGH, S., see BAYLIS, S.; MISKELLY, C.; TENNYSON, A.; WAUGH, S.; BARTLE, S.; HUNTER, S.; GARTRELL, B.; MORGAN, K.
- WAUGH, S., see TENNYSON, A.; HUNTER, S.; MISKELLY, C.; BAYLIS, S.; WAUGH, S.; BARTLE, S.; GARTRELL, B.; MORGAN, K.
- weka, 10, 11, 15, 16, 20, 21, 23, 28, 29, 33, 91
- buff, 186
- North Island, 185-186
- western, 186
- whimbrel, 198
- whistler, Samoan, 160, 161
- woodcock, 23
- wren, bush, 23
- South Island bush, 9, 23
- Stead's bush, 7, 9, 12, 13, 23
- wrybill, 198
- Xenicus longipes*, see wren, bush
- longipes variabilis*, see wren, Stead's bush
- yellowhammer, 3
- yellowhead, 85-87
- Zosterops lateralis*, see silvereye

