

NOTORNIS

Bulletin of the Ornithological Society of New Zealand.

Vol. 5
1952-1954

INDEX TO VOLUME 5.

(The Editor is indebted to Miss Noeline Macdonald for the compilation of this index.)

x Denotes illustration.

- Acanthisitta chloris*. See Rifleman
Acridotheres tristis. See Myna.
Alauda arvensis. See Skylark.
Albatross—Light-mantled Sooty, 20, 22, 133, 140; Northern Royal, 20, 126, 127, 138, 140, 213; Reactions of *Dio-medea exulans* to Other Bird Species, 132; Wandering, 20, 138, 213.
Alderman Islands—Sugarloaf Rocks, 39, 45, 58x, 61.
Alectoris graeca chukar. See Chukar.
Anarhynchus frontalis. See Wrybill.
Anas—*castanea chlorotis*. See Teal, brown.
gibberifrons. See Teal, Grey.
platyrhynchos. See Duck, Mallard.
rhynchotis variegata. See Shoveler, N.Z.
Annual Meeting (1952), 2, 133, 241.
Anthornis melanura. See Bell-bird.
Anthus novaeseelandiae. See Pipit.
Apteryx australis. See Kiwi, N. and S. Island.
,, *haasti*. See Kiwi, Great Spotted.
Apus pacificus pacificus. See Swift, fork-tailed.
Aramoana—Bird Observations (Walker), 126
Ardea pacifica. See Heron, white-necked.
Ardmore 120, 200
Arenaria interpres. See Turnstone.
Athene noctua. See Owl, Little.
Avocet, Probable Australian A., at Catlins River, 239.
Axbey, H. W., Notes on Black Teal Nests, 105
Aythya novaeseelandiae. See Teal, Black
Back Numbers 143
Barrier, Great 39, 44, 54, 58x; Plates 12-13.
Beach Patrol 80, 120
Bellbird, 102, 113, 126, 197, 239, 252.
253. Notes on Occurrence of B. in North Auckland (Turbott), 175.
Bittern 90, 124, 125, 219
Blackbird, 20, 22, 25, 103, 114, 125, 126, 138, 140, 235. Observations on a Marked Population at Upper Hutt (Bull), 149. Winter Food in N.Z. (McCann), 198. Blackbird Behaviour (Shanks), 202.
Booby, Brown, 28. In Hauraki Gulf (Stein), 165.
Botaurus poiciloptilus. See Bittern
Boult, A. A., Bellbirds in Wellington City, 239.
Bowdleria punctata vealeae. See Fernbird, N. Island.
Branta canadensis. See Goose, Canada.
Brathwaite, D. H.—Occurrence of Little Egret in Hawke's Bay, 78; White Heron Inquiry, 109; Wader seen at Napier, 117; Little Whimbrel at Napier, 181.
Bull, P. C.—Observations on a Marked Population of Blackbirds at Lower Hutt, 148.
Bunting, Cirl 103
Calidris acuminata. See Sandpiper, Siberian pectoral.
canutus rogersi. See Knot.
ferruginea. See Sandpiper, Curlew
melanotos. See Sandpiper, American pectoral.
ruficollis ruficollis. See Stint, red-necked.
Callaeas cinerea wilsoni. See Kokako.
Carduelis carduelis britannica. See Goldfinch.
Carduelis flammea cabaret. See Redpoll, Lesser.
Cartwright, O. R.—Silver-eyes as Flesh-eaters, 240.
Cavalli Islands 110
Chaetura caudacuta caudacuta. See Swift, spine-tailed.
Chaffinch 20, 22, 24, 102, 114, 138, 237
Chalcites lucidus lucidus. See Cuckoo, Shining.
Charadrius bicinctus. See Dotterel, banded.
,, *dominicus fulvus*. See Plover, Pacific golden.
,, *leschenaulti*. See Dotterel, Large Sand.
,, *obscurus*. See Dotterel, N.Z.
Checklist 3, 5, 164
Chlidonias hybrida albobristatus. See Tern, black-fronted.
,, *leucopterus*. See Tern, White-winged Black.
Chloris chloris. See Greenfinch.
Chukar 91
Circus approximans gouldi. See Harrier, Australasian.
Classified Notes 38, 85, 128, 173, 211
Colinus virginianus. See Quail, Virgin.
Columba livia. See Pigeon, Rock.
Colville, 39, 45, 55, 58x; Double Island, 39, 45, 55; Bush Island, 39, 45, 56, 58x, plates 14-16; Motutakapu, 39, 45, 58x, plate 17.
Congress, the Eleventh International Ornithological, 156.
Coot, Australian 222
Correction 80
Correspondence — Irruptions of Birds, 240. Nesting of Quail, 256.
Corvus frugilegus. See Rook.
Cover Design 1
Crake, Marsh, 222. Spotless, 222
Creepers, Brown 101, 235
Cuckoo, Long-tailed, 99, 138, 232.
Oriental in Northland (Watt), 196.
Shining, 26, 99, 184; 207, 232, 253.
Dates of Arrival of S. Cuckoo in N.Z., 1952 (Cunningham), 192.
Cumming, W. A.—Notornis Reported seen in 1910, 128.
Cunningham, J. M.—Ringing Operations, 20. Notes on Immature Plumage of *Larus bulleri* and *L. novaehollandiae*, 166. Dates of Arrival of Shining Cuckoo in N.Z., 1952, 192.
Further Notes on Distribution of Myna, 210. Reviews, 203. Birds Singing at Night, 252.

- Curlew, long-billed . . . 95, 195, 226
Cyanoramphus auriceps auriceps. See Parakeet, yellow-fronted.
 „ **novaezeelandiae novaezeelandiae.** See Parakeet, N.Z.
 Cyclostyled Issues Reprint . . . 165
Cygnus atratus. See Swan, Black.
 „ **olor.** See Swan, Mute.
 Dabchick, N.Z., 31, 80, 86, 124, 125, 212.
Dacelo novaeguineae novaeguineae. See Kookaburra.
Daption capensis capensis. See Pigeon, cape.
 Dawson, E. W.—Breeding Age of Black-billed Gull: Results of Ringing, 209
Diomedea bulleri. See Mollymawk, Buller's.
 „ **cauta cauta.** See Mollymawk white-capped.
 „ **cauta salvini.** See Mollymawk, Salvini's.
 „ **chrysostoma.** See Mollymawk, grey-headed.
 „ **epomophora sanfordi.** See Albatross, Northern Royal.
 „ **exulans exulans.** See Albatross, Wandering.
 „ **melanophris impavida.** See Mollymawk, N.Z. black-browed.
 Donations . . . 37, 133
 Dotterel, Banded—20, 80, 93, 126, 127, 138, 224. Distraction Display (Rumsey), 116. Wintering near Dunedin (Marples), 249. Large, 225. Further Notes on **C. leschenaulti** (Sibson), 179. New Zealand, 15, 20, 94, 112, 121, 138, 225. Nesting, 1951 (McKenzie), 121.
 Dove, Crimson-crowned fruit, 29. Samoan fruit, 29; Samoan ground, 29
 Downes, M. C.—Ringed Giant Petrels, 184.
 Duck—Blue, 90, 220; Brown, 90; Grey, 20, 28, 90, 124, 125, 126, 138, 159, 220; Mallard, 90, 124, 125, 159, 220; Paradise, 20, 90, 124, 125, 138, 220; Shoveler, 90, 124, 125, 220.
 Dunedin, Meeting of Members . . 108
 Dunedin Naturalists' Field Club—Excursion to Hermitage, 32.
 Dunnock, 114. (See also Hedgesparrow)
 Editorial Consultative Committee . . 5
 Egret, Little—Occurrence in Hawke's Bay, 78.
Egretta alba modesta. See, Heron, white
 „ **garzetta.** See Egret, little.
 „ **sacra sacra.** See Heron, blue or reef.
Emberiza cirius. See Bunting, Cirl.
 „ **citrinella citrinella.** See Yellowhammer.
 Emmens, Mrs. C.—Birds on Mokohinau Island, 253.
Eudynamis taitensis. See Cuckoo Long-tailed.
Eudyptes albosignata. See Penguin, white-flipped.
 „ **pachyrhynchus pachyrhynchus.** See Penguin, N.Z. crested.
 „ **pachyrhynchus sclateri.** See Penguin, erected-crested.
Eudyptula minor novaezeelandiae. See Penguin, Northern blue.
Falco novaezeelandiae. See Falcon, N.Z.
 Falcon, N.Z. 221
 Falla, R. A.—Description of a New Form of N.Z. Wren, 142.
 Fantail, 20, 26, 101, 113, 138, 234. Samoan, 20
 Fernbird 101
Finschia novaezeelandiae. See Creeper, Brown.
 Fleming, C. A.—A Census of the Gannet in N.Z. (with K. A. Wodzicki), 39
 A Fourth Record of Antarctic Skua in N.Z., 182. Reviews, 129, 170, 171, 254, 255.
 Foveaux Strait, 39, 45, 58x, 72. Little Solander Islands, 39, 45, 58x, plate 33, 72.
 Fowl, Bush 28
Fregata ariel ariel. See Frigate Bird, lesser.
 Frigate Bird, lesser 217
Fulica atra australis. See Coot, Aust.
Gallirallus australis greyi. See Weka, N. Island.
 Gannet, 19, 20, 22, 88, 112, 138, 140, 197, 216. Census of G. in N.Z., 39x. The Mahuki Colony, 242.
 Gardiner, Miss J.—Courtship Display of Mallard, 34.
Gerygone igata. See Warbler, Grey.
 Gill, M. B.—Notes on Shearwaters (with G. E. Thomas), 14.
 Godwit, Eastern bar-tailed—20, 80, 95, 127, 138, 226, 249. Hudsonian, 227. Another Record (Sibson), 125.
 Goldfinch 103, 114, 126, 237
 Goose, Canada 91, 219
 Grant, R. L.—Breeding of Grey Warbler, 31.
 Grebe, Southern crested, 212. Little, see Dabchick.
 Greenfinch . . . 20, 102, 114, 138, 237
 Greenshank—In N.Z. (Stidolph) . . 123
 Gull, Black-backed, 20, 22, 97, 113, 124, 125, 126, 127, 138, 140, 229. Breeding at High Altitude, 82.
 „ Black-billed, 20, 22, 97, 126, 138, 140, 166, 229. Breeding Age at Nelson (Gurr), 185. Breeding Age, 209.
 „ Red-billed, 20, 22, 27, 97, 113, 124, 125, 126, 139, 140, 166, 197, 229, 253. Insect Food, 208.
 „ Small 97
 Gurr, L.—A recent Attempt to Introduce Virginian Quail into N.Z., 164. Notes on Breeding of Black-billed Gulls at Nelson, 185. Some Insect Food of Nesting Red-billed Gulls, 208.
Gymnorhina hypoleuca. See Magpie, white-backed.
 „ **tibicen.** See Magpie, black-backed.
Haematopus ostralegus finschi. See Oystercatcher, S.I., pied.
 „ **unicolor reischekii.** See Oystercatcher, Northern.
 „ **unicolor unicolor.** See Oystercatcher, Black.
Halycon sanctus vagans. See Kingfisher, N.Z.
Halobaena caerulea. See Petrel, Blue.
 Harrier, 21, 23, 26, 91, 112, 126, 127, 139, 141, 221.
 Hawk, Bush 91

- Hawke's Bay, 39, 45, 58x, 67. Black Reef, 39, 45, 58x, plate 27, 67. Cape Kidnappers, 39, 45, 58x, plates 28-31, 68. Kidnapper's Plateau, 39, 45, 70.
- Hedgesparrow, 21, 23, 104, 114, 126, 139, 141, 236. See also Duncock.
- Hemiphaga novaeseelandiae novaeseelandiae*. See Pigeon, N.Z.
- Hermitage, The 32
- Heron, Blue or Reef, 18, 28, 89, 112, 218. White, 19, 89, 107; Inquiry 109; 124, 125, 210, 217. White-faced, 18x, 89, 201, 218. White-necked, 38, 122. Occurrence of "Red-legged" Herons in N.Z. (Walker), 116.
- Heteroscelus incanus brevipes*. See Tattler, grey-tailed.
- Himantopus himantopus leucocephalus*. See Stilt, pied.
,, *novaeseelandiae*. See Stilt, black.
- Hirundo neoxena*. See Swallow, welcome.
- Hydroprogne caspia*. See Tern, Casp.
- Hymenotaimus malacorhynchus*. See Duck, Blue.
- Illustrations—Plate 1, White-faced heron, 18. Plates 2-33, Gannet Breeding and Roosting Stations, 58: Plate 34, map, Fiordland Wren area 188. Plate 35, Scrub, Reischek Range, 188. Plate 36, Fiordland Wren, 188. Plate 37, Redpoll, 189. Plate 38, Nest of Spur-winged Plover, 206.
- Inquiries—Fairy Tern, 1, 84; White Heron, 109.
- Investigations on Predatory Birds . . 5
- Johnson, J.—Wet Weather and Stilts, 240.
- Johnson, Magnus—Wekas in Gisborne District, 248. Land Birds at Sea, 248.
- Kaka 23, 98, 197, 231, 253
- Kakapo 14
- Kawhia—Gannet Island (Karewa), 39; 45, 58x(Plate 26, 66.
- Kea 21, 98, 139, 231
- Kingfisher, N.Z., 26, 100, 113, 125, 233
- Western Samoan, 29.
- Kiwi—Great Spotted, 212; North Island 211; Small Brown, 85; Sp., 212.
- Knot 94, 227
- Kokako, North Island, 21, 139, 174, 239 252.
- Kookaburra 100
- Larus bulleri*. See Gull, Black-billed.
- ,, *dominicanus*. See Gull, Black-bckd.
- ,, *novaehollandiae scopulinus*. See Gull, red-biled.
- Library, 4. Fund established, 141. Donations to, 239.
- Limosa lapponica baueri*. See Godwit, Eastern bar-tailed.
- ,, *limosa haemastica*. See Godwit, Hudsonian.
- Linnet 252
- Lobibyx novaehollandiae*. See Plover, Spur-winged.
- Lophortyx californica brunnescens*. See Quail, Californian.
- Lory, Samoan blue 29
- McCann, C.—The Tui and its Food Plants 6. Winter Food of Black-bird in N.Z., 198.
- Macdonald, Noelle—Inquiry into Status of Fairy Tern in N.Z., 84. Silver-eye's Song, 127. Privet Berries as Bird Food, 195. Curlew at Miranda, 195. Birds Preening on Wing, 251. Bellbirds at Kawau Island, 252. Linnets in South Canterbury, 252.
- McKenzie, H. R.—Nesting of N.Z. Dotterel, 15. Nesting of N.Z. Dotterel, 1951, 121. Virginian Quail in Wairoa, H.B. District, 123. Kokako Nest, 1952, 174.
- Macronectes giganteus*. See Petrel, Gnt.
- Magpie, Black-backed, 105, 238, 244. Sp., 139, 141, 243. White-backed, 21, 25, 195, 139, 238.
- Mallard 34
- Marples, B. J.—Banded Dotterel and Other Waders Wintering near Dunedin, 249.
- Megadyptes antipodes*. See Penguin, yellow-eyed.
- Members' Addresses 128
- Mercury Islands—The Sisters 39, 44, 55
- Mohoua ochrocephala albicilla*. See Whitehead.
- ,, *ochrocephala ochrocephala*. See Yellowhead.
- Mokohinau Island, 39, 44, 53, 197, 253.
- Proper Rock, 39, 44, 53. Cathedral Rocks, 39, 44, 53.
- Mollymawk, Black-browed, 88, 198, 213
- Buller's, 88, 127, 213. Grey-headed, 88, 213. Light-mantled sooty, 88. Salvin's, 213. White-capped, 88, 126, 213.
- Moore, May E.—Probable Australian Avocet at Catlins, 239.
- Morepork, 99, 113, 126, 197, 233, 253
- Muriwai, Oaia Island, 39, 45, 58x, 60
- Myna, 80, 104, 238, 253. Further Notes on Distribution (Cunningham), 210.
- Nest Records Investigation . . 80, 128
- Nestor meridionalis septentrionalis*. See Kaka, N. Island.
- ,, *notabilis*. See Kea.
- New Members, 36, 108, 128, 156, 204, 256.
- New Secretary 173
- New Treasurer 128
- Ninox novaeseelandiae novaeseelandiae*. See Morepork.
- North Auckland, 39, 44, 50. Matapia Islet, 39, 44, 40. Karikari Stacks, 39, 44, 50. Bird Rock, Bay of Islands, 39, 44, 50.
- Notiomystis cincta*. See Stitch Bird.
- Notophox novaehollandiae*. See Heron, White-faced.
- Notornis, 92, 128. Reported Seen in 1910, 83. Notes on N., 1951-1952, 144.
- Numenius madagascariensis*. See Curlew long-billed.
- ,, *minutus*. See Whimbrel, little.
- ,, *phaeopus variegatus*. See Whimbrel, Asiatic.
- Oceanites oceanicus exasperatus*. See Petrel, Wilson's Storm.
- Officers, 1954-55 241
- Oliver, W. R. B.—Black-backed Gull Breeding at High Altitudes, 82.

- Ornithological Congress 241
- Otago, 39, 45, 58x, 72. The Nuggets, 39, 45, 58x; Plate 32, 72.
- Owl—Barn, 29. Little 100, 233
- Oystercatcher—Black, 92, 201, 223, 249. Pied, 139. North Island Pied, 92, 223. S. Island Pied, 5, 92, 126, 127, 222, 249. Sp., 92.
- Pachyptila belcheri*. See Prion, narrow-billed.
- „ *desolata*. See Prion, Dove.
- „ *salvini salvini*. See Prion, lesser-broad-billed.
- „ *turtur*. See Prion, Fairy.
- „ *vittata vittata*. See Prion, broad-billed.
- Parakeet, N.Z. . . 98, 197, 232, 253; Yellow-fronted, 98, 232.
- Parkin, Charles—Three Shining Cuckoo Fed by one Grey Warbler, 207.
- Passer domesticus. See Sparrow, house.
- Pelagodroma marina maoriana*. See Petrel, white-faced storm.
- Pelecanoides urinatrix urinatrix*. See Petrel, Northern diving.
- Penguin—Crested, 85, 212; Erect-crested, 213; Little Blue, 27, 86, 111, 212; White-flipped, 139, 141, 212; Yellow-eyed, 86, 212.
- Petrel—Blue, 86, 213; Black, 215; Black-bellied storm, 86; Cook's, 26, 215; Diving, 21, 23, 27, 86, 111, 139, 141, 198, 216; Dove, 26; Giant, 21, 23, 86, 112, 139, 198, 213; Grey-faced, 21, 112, 139, 215; Mottled, 88, 215; Pycroft's, 215; White-faced storm, 21, 86, 112, 139; White-chinned, 87; White-headed, 87, 215; Wilson's storm, 216.
- Petroica australis longipes*. See Robin, North Island.
- „ *macrocephala macrocephala*. See Tit, yellow-breasted.
- „ *macrocephala toitoi*. See Tit, pied.
- Phaethon rubricauda roseotincta*. See Tropic Bird, red-tailed.
- Phalacrocorax carbo novaehollandiae*. See Shag, Black.
- „ *carunculatus carunculatus*. See Shag, N.Z. King.
- „ *carunculatus chalconotus*. See Shag, Stewart Island.
- „ *melanoleucos brevirostris*. See Shag, White-throated.
- „ *varius varius*. See Shag, Pied.
- Phasianus colchicus*. See Pheasant.
- Pheasant, 21, 91, 139, 221. Banding in N.Z., 1948-51 (Westerskov), 157.
- Phoebastria palpebrata*. See Albatross, Light-mantled Sooty.
- Pigeon, Cape, 86, 213. New Zealand, 98, 197, 230. Pacific, 29. Rock, 98. Samoan tooth-billed, 29. White-throated, 29.
- Pipit, N.Z., 25, 100, 113, 236, 248. Bird Pox in a N.Z. P. (Westerskov), 163
- Platalea leucorodia regia*. See Spoon-bill, Royal.
- Plover, Geoffrey's Sand, 94. Pacific Golden, 93, 224. Spur-winged, 94, 206x, 207, 224.
- Podiceps cristatus australis*. See Grebe, Southern Crested.
- „ *rufopectus*. See Dabchick, N.Z.
- Poor Knights, 39, 44, 51, 58x. Gannet Stack, 39, 44, 51, 58x, Plate 10. Sugar Loaf, 39, 44, 51, 58x, Plate 11.
- Porphyrio porphyrio melanotus*. See Pukeko.
- Porzana pusilla affinis*. See Crake, Marsh.
- „ *tabuensis plumbea*. See Crake, Spotless.
- Prion, Broad-billed, 86, 213. Dove, 86, 213. Fairy, 21, 86, 112, 139, 214. Lesser broad-billed, 86, 112, 213. Narrow-billed, 214. South Georgian 214. Spp., 214.
- Privet Berries as Bird Food 195
- Procellaria aequinoctialis steadyi*. See Petrel, white-chinned.
- „ *cinerea*. See Petrel, Grey.
- „ *parkinsoni*. See Petrel, Black.
- Prothemadera novaeseelandiae novae-seelandia*. See Tui.
- Prunella modularis occidentalis*. See Dun-nook or Hedgesparrow.
- Pterodroma cooki cooki*. See Petrel, Cook's.
- „ *inexpectata*. See Petrel, Mottled.
- „ *longirostris pycrofti*. See Petrel Pycroft's.
- „ *lessoni*. See Petrel, White-headed.
- „ *macroptera*. See Petrel, Grey-faced.
- Publications 191
- Puffinus assimilis*. See S'water, Allied.
- „ *bulleri*. See Shearwater, Buller's.
- „ *carneipes*. See S'water, Flesh-footed.
- „ *gavia gavia*. See S'water, Fluttering.
- „ *g. huttoni*. See S'water, Hutton's.
- „ *griseus*. See Shearwater, Sooty.
- „ *tenuirostris*. See S'water short-tail.
- Pukeko . . 21, 91, 124, 125, 139, 222
- Quail, Brown, 91, 112, 221. Californian, 21, 91, 139, 221. Virginian, 221. In Wairoa, H.B. District (McKenzie), 123. A Recent Attempt to Introduce V.Q. into N.Z. (Gurr), 164.
- Rail, Banded, 21, 29, 91, 124, 125, 139, 221.
- Rallus philippensis assimilis*. See Rail, Banded.
- Recurvirostra novaehollandiae*. See Avocet, Australian.
- Redpoll, Lesser, 103, 237. Posturing, 107. Mating of R. (Secker), 148. Relations with Other Animals, 184. Taxonomic Status in N.Z. (Westerskov), 189, Plate 37.
- Regional Organisers, 116, 196, 239, 251
- Reports and Bulletins 201
- Requests for Information 201
- Reviews: Group Adherence in the Common Tern (Austin), 35. On the Concept of "Incubation Period" (Swanberg), 35. Distraction Display in Kentish Plover (Simmons), 35. Antarctic Isle (Rankin), 35. Bird Recognition, 2 (Fisher), 36. Nestboxes (Cohen & Campbell), 36. Proceedings of the Xth International Ornithological Congress, Upsala, 129. British Trust for Ornithology, 18th Annual Report, 1951, 130. Bird Watching (Atkinson), 131. N.Z. Birds from Lino-cuts (Eggers), 131. Bird Secrets (Buddle), 131. Field Guide to Waders (Condon & McGill), 131. Stomach Contents of N.Z. Inland Shags (Dickinson), 170. A Review of the Frigate Petrels

- (Murphy & Irving), 170. Populations of the Wedge-tailed Shearwater (Murphy), 171. Larger Petrels of the Genus *Pterodroma* (Murphy & Pennoyer), 171. The Manx Shearwater (Murphy), 171. The "Pealea" Phenomenon and Other Notes on Storm Petrels (Murphy & Snyder), 171. Rare and Extinct Birds of Britain (Whitlock) 172. Fair Isle Observatory Bulletin, 172. Secondary Song (Lister), 203. On the Hour of Laying and Hatching Eggs (Skutch), 203. The Antarctic Today (Simpson), 203. On the Pelagic Distribution of some Procellariiformes in Atlantic and Southern Oceans (van Oordt & Kruijt), 254. The question of Ten-day Incubation Periods (Nice), 255. How to Choose Field-glasses (Hebditch), 256. British Trust for Ornithology Bulletins, Nos. 50 and 51. 256.
- Rhipidura fuliginosa placabilis*. See Fantail, North Island.
- Rifleman 100, 233
- Riney, Thane—Notes on Habitat and Behaviour of Rock Wren sub-species *X. g. rineyi*, 186.
- Ringed Operations, 3, 20, 79, 115, 136. Grant for Ringing Scheme, 128. Summary for year ended March 31, 1953, 138. Ringed Giant Petrels, 184.
- Roberts, T. M.—Notes on the Gannet, 19.
- Roberts, R. V.—The Mahuki Gannet Colony, 242.
- Robin, N. Island, 101, 234.
- Rook 238
- Rosella, Eastern 98, 231
- Rumsey, S. A.—Banded Dotterel Distraction Display, 116.
- Samoa Birds 28
- Sandpiper, American pectoral, 94, 228. Curlew, 94, 228. Least, New Wader for N.Z. List (Stidolph), 115. Sharp-tailed, 94, 228. Terek (In N.Z. in Winter), 106, 227.
- Sansom, Olga—Welcome Swallow at Stewart Island, 205. Spur-winged Plover in N.Z., 207.
- Scaup, N.Z. 221
- Scientific Names 34, 132
- Secker, H. L.—Random Jottings on the Hedgesparrow, 24. Posturing of Lesser Redpoll, 107. Reactions of *Diomedea exulans* to other Bird Species, 132. Mating of Lesser Redpoll, 143. Relations of Redpoll with other Animals, 184.
- Sedgwick, Eric H.—Dispersal Movement of White-necked Heron, 122.
- Shag, Black, 112, 124, 125, 216. Blue, 88, 217. Little black, 88, 216. Little pied, 124, 125. N.Z. King, 217. Pied, 88, 112, 124, 125, 197, 210, 216. Spotted, 88, 126, 217. Stewart Is., 126, 127, 217. White-throated, 88, 112, 126, 217.
- Shanks, Miss Rae—Blackbird Behaviour, 202.
- Shearwater, Allied, 87, 112, 215. Bulwer's, 87, 112, 215. Flesh-footed, 87, 112, 198, 214. Fluttering, 19, 21, 87, 112, 139, 198, 214. Hutton's, 87, 215. Short-tailed, 14, 87, 214. Sooty, 14, 21, 87, 139, 197, 214.
- Sibson, R. B.—A Note on Fluttering Shearwater, 19. Survey of Dabchick, 31. Terek Sandpiper in N.Z., 105. A Visit to the Cavalli Islands, 110. Another Record of Hudsonian Godwit, 125. Further Notes on *Ch. leschenaulti*, 179.
- Silver-eye, 14, 21, 23, 26, 101, 113, 125, 126, 127, 139, 195, 236. As Flesh-eaters (Cartwright), 240.
- Skua, Arctic, 97, 229. Southern, 21, 98, 139, 228. Sp., 229. Further N.Z. Record of Antarctic Skua (Fleming) 182.
- Skylark 104, 114, 125, 126, 234
- Sladden, B.—Black-fronted Tern in Bay of Plenty, 118.
- Society's Activities 79
- Sparrow, House, 21, 26, 103, 114, 125, 126, 139, 238. Hedge, See under H.
- Special General Meeting 128
- Spoonbill, Royal 90, 219
- Starling, 21, 104, 114, 125, 126, 139, 197, 238. Samoan, 30.
- Stein, P. A. S.—Brown Booby in the Hauraki Gulf, 165.
- Stercorarius parasiticus*. See Skua, Arctic.
- „ *skua lonnbergi*. See Skua, Southern
- „ *s. macromicki*. See Skua, Antarctic.
- Sterna nereis*. See Tern, Fairy.
- „ *striata*. See Tern, White-fronted.
- Stidolph, R. H. D.—White-faced Heron in N.Z., 18. Occurrence of White-necked Heron in N.Z., 38. New Wader for N.Z. List, Least Sandpiper, 115. Greenshank in N.Z., 123. Reviews, 131, 132, 172, 236.
- Stilt, Black, 96. Pied, 21, 95, 120, 124, 125, 126, 139, 141, 228, 249. Stoat and Stilts (Tily), 143. Nesting at Ardmore (Stokes), 200. Wet Weather and Stilts (Johnson) 240.
- Stint, Red-necked 228
- Stitchbird 102
- Stoat and Stilts (Tily) 143
- Stokes, A. F.—Stilts Nesting at Ardmore, 120. Stilts Nesting at Ardmore, 1952-53, 200.
- Strigops habroptilus. See Kakapo.
- Sturnus vulgaris*. See Starling.
- Sula bassana serrator*. See Gannet, Australian.
- „ *leucogaster plotus*. See Booby, brn.
- Sutherland, J. H.—Birds at the Brothers, 26.
- Swallow, Welcome, at Stewart Island (Sansom), 205.
- Swamp Hen 29
- Swan, Black, 91, 124, 125, 219. Mute (white), 91, 129.
- Swift, Fork-tailed 233
- Swiftlet 29
- Syncoicus ypsilophorus*. See Quail, Brn.
- Tadorna variegata*. See Duck, Paradise.
- Tattler, Grey-tailed 227
- Taylor, Haddon—Black-backed Gull Colony on Wairuna Peak, 127.
- Teal, Brown, 90, 220. Black, 90, Nests 105. Grey, 90, 220.

- Tern, Arctic, 230. Black-fronted, 96; In Bay of Plenty (Sladden), 118, 229. Caspian, 21, 96, 113, 126, 139, 230. Fairy, 1, 29; Inquiry, 37; Interim Report, 84, 96, 230. White-fronted, 21, 23, 27, 96, 113, 126, 127, 141, 197, 230, 253. White-winged black, 230.
- Thomas, G. E.—Notes on Shearwaters (with M. B. Gill), 14.
- Three Kings, 39, 44, 46, 58x. S.W. Is., 39, 44, 47, 58x, Plate 2. Princes Island, 39, 44, 48, 58x, Plates 4-9.
- Thrush, Song, 21, 23, 103, 114, 125, 126, 139, 141, 235, 248.
- Tily, Mrs I.—Unusual Plumaged Oystercatcher (with Mrs. L. E. Walker), 5. Stoats and Skits, 143. N.Z. Wrens, 196.
- Tit, N. Island, Pied, 101. In North Auckland, 108, 197, 234. Yellow-breasted, 101, 234.
- Tropic Bird, Red-tailed, 28, 88. White-tailed, 28.
- Tringa nebularia. See Greenshank.
- Tui 6, 102, 113, 236, 252, 253
- Turdus ericetorum. See Thrush, Song.
- „ merula. See Blackbird.
- Turbott, E. G.—Kakas in Settled Country, 23. Pied Tit in North Auckland, 108. Notes on Occurrence of Bellbird in North Auckland, 175. Record of Black-faced Cuckoo Shrike, 253.
- Turnstone 93
- Waiheke, 39, 45, 58x, 59. Horuhoru, 39, 45, 58x, Plate 18, 59.
- Walker, Mrs. L. E.—Unusual Plumaged Oystercatcher (with Mrs. I. Tily), 5; Occurrence of "Reg-legged" Heron in N.Z., 116; Bird Observations at Aramoana, 126.
- Warburton, H. G.—White Heron Feeding Habits, 106.
- Warbler, Grey, 21, 31, 113, 126, 139, 207, 235.
- Wasp, European 23
- Watson, J. S.—The Myna in the Rotorua-Taupo District (with K. Wodzicki), 253.
- Watt, A. H.—Oriental Cuckoo in Northland, 196.
- Weka, 80, 222; North Island, 248; South Island, 91.
- Westerskov, K. E.—Introduction into N.Z. of Australian Blue Wren in 1923, 106. Autumn Bird Count in Matata Bird Sanctuary, 124. Pheasant Banding in N.Z., 1948-1951, 157. Bird Fox in a N.Z. Pipit, 168. Taxonomic Status of Redpoll in N.Z., 189. Spread of the Australian Magpie in the Rotorua Acclimatisation District, 248.
- Whimbrel, Asiatic, 95, 226; Little, 117; at Napier (Brathwaite), 181; Subsp., 226.
- White-eye. See Silvereye
- White Island, 39, 45, 58x, Plates 22-25, 61. West Point, 39, 45, Plate 23, 62, 66. Rocky Point, 39, 45, Plate 24, 63, 66. Gannet Point, 39, 45, Plate 25, 63, 66. Dam Site, 39, 45, 65, 66. Club Rock, 39, 45, 65, 66.
- Whitehead 101, 235
- Whittaker, Mrs. B.—White Heron Robbing Pied Shag, 210.
- Williams, G. R.—Irruptions of Birds, 240. Nesting of Quail, 256.
- Wodzicki, K. A.—A Census of the Gannet in N.Z. (with C. A. Fleming), 39. The Myna in the Rotorua-Taupo District (with J. S. Watson), 253.
- Wren, Australian Blue: Introduction in 1923, 106. Bush, 142, 233. Rock, 100, 142, 233. New Form (Falla), 142. Habitat and Behaviour of Rock Wren Subspecies, *X. g. rineyi*, 186. Plate 37. N.Z. Wrens, 196.
- Wrybill 94, 179, 225
- Xenicus gilviventris*. See Wren, rock.
- „ *longipes longipes*. See Wren, bush.
- Xenus cinereus*. See Sandpiper, Terek.
- Yaldwyn, J. C.—Notes on the Present Status of Samoan Birds, 28.
- Yellowhammer 21, 103, 139, 237
- Yellowhead 101, 235
- Zosterops lateralis*. See Silver-eye.