


NOTORNIS

Ornithology of the Southern Pacific



Volume 60 2013

Journal of the Ornithological Society of New Zealand

Contents of Volume 60, 2013

Volume 60, Part 1, March 2013

CONTENTS

Introduction to special issue

Restoring Richard Henry's dream: the evolution of translocation in New Zealand conservation	Parker, K.A.	1
---	--------------	---

Papers

Conservation translocations of New Zealand birds, 1863-2012	Miskelly, C.M.; Powlesland, R.G.	3
Attempts to anchor pelagic fairy prions (<i>Pachyptila turtur</i>) to their release site on Mana Island	Miskelly, C.M.; Gummer, H.	29
Translocation of juvenile Chatham Islands tomtits (<i>Petroica macrocephala chathamensis</i>) from Rangatira and Pitt Islands to Chatham Island	Powlesland, R.G.; Bell, M.; Tuanui, E.A.; Tuanui, B.M.; Monks, J.M.	41
Returning Chatham Islands tui (<i>Prothemadera novaeseelandiae chathamensis</i>) to Chatham Island	Bell, M.; Tuanui, E.A.; Tuanui, B.M.	49
Translocation statistics (2002-2010), and the revised Department of Conservation translocation process	Cromarty, P.L.; Alderson, S.L.	55
Translocations of North Island tomtits (<i>Petroica macrocephala toitoi</i>) and North Island robins (<i>P. longipes</i>) to Zealandia-Karori Sanctuary, an urban sanctuary. What have we learned?	Empson, R.; Fastier, D.	63
Reducing the risk of extinction of a globally threatened shorebird: translocations of the shore plover (<i>Thinornis novaeseelandiae</i>), 1990-2012	Dowding, J.E.; O'Connor, S.M.	70
Post-release monitoring of bird translocations: why is it important and how do we do it?	Parker, K.A.; Ewen, J.G.; Seddon, P.J.; Armstrong, D.P.	85
Reconstructing avian biodiversity on Maungatautari	Smuts-Kennedy, C.; Parker, K.A.	93
Translocations of North Island kokako, 1981-2011	Innes, J.; Molles, L.E.; Speed, H.	107

Short notes

Use of trail cameras to monitor Chatham petrels (<i>Pterodroma axillaris</i>) returning to Chatham Island following translocation	Bell, M.; Tuanui, L.; Gummer, H.	115
Survival of South Island robins (<i>Petroica australis</i>) after a reciprocal translocation to reduce inbreeding depression	Heber, S.; Briskie, J.V.	117

Review

Reintroduction biology: Integrating science and management	Powlesland, R.	120
--	----------------	-----

Obituary

Donald Vincent Merton	Saunders, A.	122
-----------------------	--------------	-----

Volume 60, Part 2, June 2013

CONTENTS

Papers

New Zealand pipit (<i>Anthus novaeseelandiae</i>) presence and breeding status using car and walk surveys near Whangarei, New Zealand	Beauchamp, A.J.	125
Dispersal of southern black-backed gulls (<i>Larus dominicanus dominicanus</i>) banded in Canterbury, New Zealand, 1959-1993	Rowe, L.K.	134
Differences between the songs of rural and urban Australian magpies (<i>Gymnorhina tibicen</i>) and the potential consequences for territorial interactions	McCarthy, A.H.; Potvin, D.A.; Aslam, T.; Bartlett, R.; Beebe, S.; Bennett, J.; Hitchcock, D.J.; Tee, M.	143
Wetland bird monitoring at the Avon-Heathcote Estuary and Bromley Oxidation Ponds, Christchurch: August 2009 to July 2010	Crossland, A.C.	151
Distribution and age-specific plumage states of the long-tailed cuckoo (<i>Eudynamys taitensis</i>)	Gill, B.J.; Hauber, M.E.	158

Short notes

Population trends in black-fronted terns (<i>Chlidonias albobristatus</i>) on the Ashley River, North Canterbury	Monks, J.M.; O'Donnell, C.F.J.; Spurr, E.B.	171
A comparison of bird counting techniques in an urban environment	Mortimer, J.A.J.; Clark, D.	173
Breeding records for variable oystercatchers (<i>Haematopus unicolor</i>) at Long Bay Regional Park and Okura Estuary, Auckland	Michaux, B.	178
Establishment of a new breeding colony of Australasian gannets (<i>Morus serrator</i>) at Young Nick's Head Peninsula	Sawyer, S.L.; Fogle, S.R.	180
Sightings of New Zealand fairy tern (<i>Sternula nereis davisae</i>) in the Kaipara Harbour following nest failure	Baird, K.; Ismar, S.M.H.; Wilson, D.; Plowman, S.; Zimmerman, R.; Bellingham, M.	183
Anecdotal evidence of interspecific parental care: feeding and brooding of robin (<i>Petroica australis</i>) nestlings by a female bellbird (<i>Anthornis melanura</i>)	Heber, S.	186
Interspecific competition for nest sites between common starlings (<i>Sturnus vulgaris</i>) and orange-fronted parakeets (<i>Cyanoramphus malherbi</i>) in the Poulter Valley	Kearvell, J.C.	188
First record of little black cormorant (<i>Phalacrocorax sulcirostris</i>) nesting in Canterbury and presumed first breeding for the South Island	Crossland, A.C.	191

Reviews

Moa: the life and death of New Zealand's legendary bird	Wood, J.; Scofield, R.P.	194
The owl that fell from the sky: stories of a museum curator	Wells, T.	196

Volume 60, Part 3, September 2013

CONTENTS

Papers

Our evolving view of the kakapo (<i>Strigops habroptilus</i>) and its allies	Chambers, G.K.; Worthy, T.H.	197
Home range sharing in family units of great spotted kiwi (<i>Apteryx haastii</i>) at Nelson Lakes National Park	Jahn, P.; Harper, G.A.; Gilchrist, J.	201
Population estimates and conservation of the New Zealand dotterel (<i>Charadrius obscurus</i>) on Great Barrier Island, New Zealand	Ogden, J.; Dowding, J.E.	210
Breeding and behaviour records of peafowl (<i>Pavo cristatus</i>) at Mansion House Historic Reserve, Kawau Island, New Zealand, 1992-2010	Beauchamp, A.J.	224
A comparison of the pre-human and present isotopic niches of brown teal (<i>Anas chlorotis</i>): implications for conservation	Holdaway, R.N.; Williams, M.; Hawke, D.J.	233

Short notes

High altitude New Zealand record for a long-tailed skua (<i>Stercorarius longicaudus</i>)	Galbraith, M.; Tennyson, A.; Shepherd, L.; Robinson, P.; Fraser, D.	245
Observation of food presentation behaviour between individual shining cuckoos (<i>Chrysococcyx lucidus</i>) in New Zealand	Seabrook-Davison, M.N.H.; Anderson, M.G.	249
Mutual feeding by the shining cuckoo (<i>Chrysococcyx lucidus layardi</i>) in New Caledonia	Okahisa, Y.; Sato, N.	252
Can gannets (<i>Morus serrator</i>) select their diving profile prior to submergence?	Machovsky-Capuska, G.E.; Vaughn-Hirshorn, R.L.; Würsig, B.; Raubenheimer, D.	255
A mass mortality event of sooty shearwaters (<i>Puffinus griseus</i>) on the central coast of Peru	Ayala, L.; Paz-Soldan, L.; Garate, P.	258
Microgeographic variation in song phrases of tui (<i>Prosthemadera novaeseelandiae</i>)	Hill, S.D.; Ji, W.	262
Unusual vocalisations from a male kakapo (<i>Strigops habroptilus</i>) imprinted on humans	Bell, B.D.; Carpenter, J.K.; Dewhurst, P.L.; Karst, T.M.; Browning, S.	265

Volume 60, Part 4, December 2013

CONTENTS

Papers

- | | | |
|--|--|-----|
| Notes on the distribution, behaviour and status of grey petrel (<i>Procellaria cinerea</i>) on Antipodes Island, New Zealand | Bell, E.A.; Bell, B.D.; Sim, J.L.; Imber, M.J. | 269 |
| Close approaches and acoustic triangulation: techniques for mapping the distribution of booming Australasian bittern (<i>Botaurus poiciloptilus</i>) on small wetlands | O'Donnell, C.F.J.; Williams, E.M.; Cheyne, J. | 279 |
| Numbers of spotted shags (<i>Stictocarbo punctatus</i>) at breeding sites in Wellington Harbour, 2002-2012 | Waugh, S.; Tennyson, A.; Orange, R.; Sharp, S.; Cotter, R.; Batcheler, R.; Batcheler, D. | 285 |
| A hybrid gadfly petrel suggests that soft-plumaged petrels (<i>Pterodroma mollis</i>) had colonised the Antipodes Islands by the 1920s | Tennyson, A.J.D.; Lawrence, H.A.; Taylor, G.A.; Imber, M.J. | 290 |
| Vagrant and extra-limital bird records accepted by the OSNZ Records Appraisal Committee 2011-2012 | Miskelly, C.M.; Crossland, A.C.; Sagar, P.M.; Saville, I.; Tennyson, A.J.D.; Bell, E.A. | 296 |

Short notes

- | | | |
|--|--|-----|
| Giant petrel (<i>Macronectes halli</i>) predation on red-billed gulls (<i>Larus novaehollandiae</i>) and white-fronted terns (<i>Sterna striata</i>) at Kaikoura | Mills, J.A.; Rowe, L.K.; Robertson, C.J.R.; Morrissey, M.; Mills, D.A. | 307 |
| Variable (<i>Haematopus unicolor</i>) and pied oystercatchers (<i>H. finschi</i>) feeding on lion's mane jellyfish (<i>Cyanea</i> sp.) | Melville, D.S. | 309 |
| Observation of a male tui (<i>Prosthemadera novaeseelandiae</i>) attacking a neighbouring male blackbird (<i>Turdus merula</i>) following playback of tui song | Hill, S.D.; Ji, W. | 311 |
| First record of Salvin's albatross (<i>Thalassarche salvini</i>) in Uruguayan waters | Jiménez, S. | 313 |
| Correction and identification of louse-flies (Diptera: Hippoboscidae) collected from a North Island robin (<i>Petroica longipes</i>) on Tiritiri Matangi Island | Amiot, C.; Palma, R.L. | 315 |
| Regurgitation of seeds from a native plant by the introduced common starling (<i>Sturnus vulgaris</i>) | MacFarlane, A.E.T. | 317 |
| Alternative methods for detection of the South Island rifleman (<i>Acanthisitta chloris chloris</i>) | Mortimer, J.A.J. | 319 |
| First recent recorded breeding of the New Zealand dabchick (<i>Poliocephalus rufopectus</i>) in the South Island | Petyt, C. | 322 |
| Observation of displaying behaviour between two immature southern black-backed gulls (<i>Larus dominicanus</i>) | Seabrook-Davison, M. | 324 |
| New Zealand pigeons (<i>Hemiphaga novaeseelandiae</i>) feeding on <i>Korthalsella</i> plants | Baker, A. | 326 |

Reviews

- | | | |
|--|-------------|-----|
| A life of ospreys | Asquith, P. | 327 |
| A photographic guide to the birds of New Zealand | Shanks, B. | 327 |

Errata

- | | | |
|---|---|-----|
| High altitude New Zealand record for a long-tailed skua (<i>Stercorarius longicaudus</i>) | Galbraith, M.; Tennyson, A.; Shepherd, L.; Robinson, P.; Fraser, D. | 328 |
|---|---|-----|

INDEX OF AUTHORS AND SPECIES

Volume 60

- Acanthisitta chloris chloris*, see rifleman, South Island
chloris granti, see rifleman, North Island
Acanthisittidae, 8, 25
Aegotheles novaeseelandiae, see owl-nightjar, New Zealand
Alauda arvensis, see skylark
 albatross, black-browed, 294, 314
 Campbell Island black-browed, 294
 Chatham Island, 294
 northern royal, 294
 Salvin's, 294, 313
 sooty, 296, 297
 southern royal, 294, 314
 spp., 9, 29, 180, 259, 260
 white-capped, 313
Alca torda, see razorbill
 Alcidae, 30, 180
 ALDERSON, S.L., see CROMARTY, P.L.; ALDERSON, S.L.
Alectoris rufa, see partridge, red-legged
 AMIOT, C.; PALMA, R.L. Correction and identification of louse-flies (Diptera: Hippoboscidae) collected from a North Island robin (*Petroica longipes*) on Tiritiri Matangi Island, 315-316
Amphispiza belli, see sparrow, sage
Anarhynchus frontalis, see wrybill
Anas aucklandica, see teal, Auckland Island
 castanea, see teal, chestnut
 chlorotis, see teal, brown
 gracilis, see teal, grey
 laysanensis, see teal, Laysan
 nesiotis, see teal, Campbell Island
 platyrhynchos, see mallard
 rhynchotis variegata, see shoveler, New Zealand
 sp., 14
 superciliosa, see duck, grey
 Anatidae, 8, 22
 ANDERSON, M.G., see SEABROOK-DAVISON, M.N.H.; ANDERSON, M.G.
Anomalopteryx didiformis, see moa, little bush
Anthornis melanocephala, see bellbird, Chatham Island
 melanura, see bellbird
 melanura obscura, see bellbird, Three Kings
 melanura oneho, see bellbird, Poor Knights
Anthus novaeseelandiae aucklandicus, see pipit, Auckland Island
 novaeseelandiae chathamensis, see pipit, Chatham Island
 novaeseelandiae novaeseelandiae, see pipit, New Zealand
 novaeseelandiae steindachneri, see pipit, Antipodes Island
 pratensis, see pipit, meadow
 rubescens, see pipit, American
 spinoletta, see pipit, rock
 trivalis, see pipit, tree
Aptenodytes forsteri, see penguin, emperor
 patagonicus, see penguin, king
 Apterygidae, 8, 22
Apteryx australis australis, see kiwi, South Island
 brown
 australis indet., see tokoeka, Haast
 australis lawryi, see kiwi, Stewart Island
 brown
 haastii, see kiwi, great spotted
 mantelli, see kiwi, North Island brown
 owenii, see kiwi, little spotted
 owenii/rowi, see kiwi, little spotted/rowi hybrid
 rowi, see kiwi, Okarito brown or rowi
Ardea intermedia, see egret, plumed
 modesta, see heron, white
 novaehollandiae, see heron, white-faced
Arenaria interpres, see turnstone, ruddy
 ARMSTRONG, D.P., see PARKER, K.A.; EWEN, J.G.; SEDDON, P.J.; ARMSTRONG, D.P.
 ASLAM, T., see McCARTHY, A.H.; POTVIN, D.A.; ASLAM, T.; BARTLETT, R.; BEEBE, S.; BENNETT, J.; HITCHCOCK, D.J.; TEE, M.
 ASQUITH, P. (Review). A life of Ospreys, R. Dennis, 327
Atrichornis clamosus, see scrub bird, noisy
 auk spp., 30
 AYALA, L.; PAZ-SOLDAN, L.; GARATE, P. A mass mortality event of sooty shearwaters (*Puffinus griseus*) on the central coast of Peru, 258-261
Aythya australis, see duck, Australian white-eyed
 novaeseelandiae, see scaup, New Zealand
 BAIRD, K.; ISMAR, S.M.H.; WILSON, D.; PLOWMAN, S.; ZIMMERMAN, R.; BELLINGHAM, M. Sightings of New Zealand fairy tern (*Sternula nereis davisae*) in the Kaipara Harbour following nest failure, 183-185
 BAKER, A. New Zealand pigeons (*Hemiphaga novaeseelandiae*) feeding on *Korthalsella* plants, 326

- BARTLETT, R., see MCCARTHY, A.H.; POTVIN, D.A.; ASLAM, T.; BARTLETT, R.; BEEBE, S.; BENNETT, J.; HITCHCOCK, D.J.; TEE, M.
- BATCHELER, D., see WAUGH, S.; TENNYSON, A.; ORANGE, R.; SHARP, S.; COTTER, R.; BATCHELER, R.; BATCHELER, D.
- BATCHELER, R., see WAUGH, S.; TENNYSON, A.; ORANGE, R.; SHARP, S.; COTTER, R.; BATCHELER, R.; BATCHELER, D.
- BEAUCHAMP, A.J. New Zealand pipit (*Anthus novaeseelandiae*) presence and breeding status using car and walk surveys near Whangarei, New Zealand, 125-133
- BEAUCHAMP, A.J. Breeding and behaviour records of peafowl (*Pavo cristatus*) at Mansion House Historic Reserve, Kawau Island, New Zealand, 1992-2010, 224-232
- BEEBE, S., see MCCARTHY, A.H.; POTVIN, D.A.; ASLAM, T.; BARTLETT, R.; BEEBE, S.; BENNETT, J.; HITCHCOCK, D.J.; TEE, M.
- BELL, B.D., see BELL, E.A.; BELL, B.D.; SIM, J.L.; IMBER, M.J.
- BELL, Ben D.; CARPENTER, J.K.; DEWHURST, P.L.; KARST, T.M.; BROWNING, S. unusual vocalisations from a male kakapo (*Strigops habroptilus*) imprinted on humans, 265-268
- BELL, E.A.; BELL, B.D.; SIM, J.L.; IMBER, M.J. Notes on the distribution, behaviour and status of grey petrel (*Procellaria cinerea*) on Antipodes Island, New Zealand, 269-278
- BELL, E.A., see MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A.
- BELL, M.; TUANUI, E.A.; TUANUI, B.M. Returning Chatham Islands tui (*Prothemadera novaeseelandiae chathamensis*) to Chatham Island, 49-54
- BELL, M.; TUANUI, L.; GUMMER, H. Use of trail cameras to monitor Chatham petrels (*Pterodroma axillaris*) returning to Chatham Island following translocation, 115-116
- BELL, M., see POWLESLAND, R.G.; BELL, M.; TUANUI, E.A.; TUANUI, B.M.; MONKS, J.M.
- bellbird, 8, 9, 10, 14, 15, 26, 88, 100, 102, 104, 175, 186-187, 317
Chatham Island, 14, 49
Poor Knights, 28
Three Kings, 28
- BELLINGHAM, M., see BAIRD, K.; ISMAR, S.M.H.; WILSON, D.; PLOWMAN, S.; ZIMMERMAN, R.; BELLINGHAM, M.
- BENNETT, J., see MCCARTHY, A.H.; POTVIN, D.A.; ASLAM, T.; BARTLETT, R.; BEEBE, S.; BENNETT, J.; HITCHCOCK, D.J.; TEE, M.
- bird, bush spp., 327
coastal spp., 327
forest spp., 29, 327
frugivorous spp., 317
game spp., 314
land spp., 29, 129
of prey spp., 152, 327
open country spp., 327
wetland spp., 151-157, 327
- bittern, American, 280, 283
Australasian, 279-284, 302
Eurasian, 280, 283, 284
little, 302
yellow, 302
- blackbird, 102, 103
Eurasian, see blackbird, European
European, 144, 311-312, 328
- boobook, Norfolk Island, 9, 13, 25
- booby, Abbott's, 123
blue-footed, 258
brown, 298
masked, 180
Peruvian, 258
- Botaurus lentiginosus*, see bittern, American
poiciloptilus, see bittern, Australasian
stellaris, see bittern, Eurasian
- Bowdleria punctata*, see fernbird
punctata caudata, see fernbird, Snares Island
punctata punctata, see fernbird, South Island
punctata stewartiana, see fernbird, Stewart Island
punctata vealeae, see fernbird, North Island
punctata wilsoni, see fernbird, Codfish Island
- brant, black, 139
- Branta bernicula nigricans*, see brant, black
canadensis, see goose, Canada
sandvicensis, see goose, Hawaiian
- BRISKIE, J.V., see HEBER, S.; BRISKIE, J.V.
- broilga, 302-303
- BROWNING, S., see BELL, Ben D.; CARPENTER, J.K.; DEWHURST, P.L.; KARST, T.M.; BROWNING, S.
- Cacatua galerita*, see cockatoo, sulphur-crested
- Cacatuidae, 199
- Cacomantis flabelliformis*, see cuckoo, fan-tailed
- Calidris alba*, see sanderling
canutus rogersi, see knot, red
ferruginea, see sandpiper, curlew
melanotos, see sandpiper, pectoral
tenuirostris, see knot, great
- Callaeas cinerea*, see kokako, South Island
wilsoni, see kokako, North Island
- Callaeidae, 7, 8, 25, 107
- Carduelis carduelis*, see goldfinch
chloris, see greenfinch
flammea, see redpoll
- CARPENTER, J.K., see BELL, Ben D.; CARPENTER, J.K.; DEWHURST, P.L.; KARST, T.M.; BROWNING, S.
- Catharacta antarctica*, see skua, southern

- antarctica lonnbergi*, see skua, subantarctic
maccormicki, see skua, South Polar
Cereopsis novaehollandiae, see goose, Cape Barren
 chaffinch, 175, 328
Chalcites lucidus, see *Chrysococcyx lucidus*
 CHAMBERS, G.K.; WORTHY, T.H. Our evolving
 view of the kakapo (*Strigops habroptilus*) and
 its allies, 197-200
 Charadriidae, 8, 24
Charadrius bicinctus bicinctus, see dotterel, banded
bicinctus exilis, see dotterel, Auckland Island
 banded
leschenaultii, see dotterel, large sand or
 plover, large sand
mongolus, see plover, lesser sand
obscurus aquilonius, see dotterel, northern
 New Zealand
obscurus obscurus, see dotterel, southern New
 Zealand
semipalmatus, see plover, semipalmated
Chenonetta finschi, see duck, Finsch's
jubata, see duck, Australian wood
 CHEYNE, J., see O'DONNELL, C.F.J.; WILLIAMS,
 E.M.; CHEYNE, J.
 chickadee, black-capped, 262
Chlidonias albostratus, see tern, black-fronted
leucopterus, see tern, white-winged black
Chrysococcyx caprius, see cuckoo, diderik
lucidus, see cuckoo, shining
lucidus layardi, see cuckoo, New Caledonian
 shining
Circus approximans, see harrier, swamp or harrier,
 Australasian
 CLARK, D., see MORTIMER, J.A.J.; CLARK, D.
 cockatoo, spp., 198, 199
 sulphur-crested, 302
Coenocorypha aucklandica aucklandica, see snipe,
 Auckland Island
aucklandica meinertzhagenae, see snipe,
 Antipodes Island
aucklandica perseverance, see snipe, Campbell
 Island
barriensis, see snipe, North Island
huegeli, see snipe, Snares Island
iredalei, see snipe, South Island
pusilla, see snipe, Chatham Island
Colluricincla harmonica, see shrike-thrush, grey
Columba livia, see pigeon, rock
 Columbidae, 8, 24
 coot, Australian, 152-155, 296, 302
Coprotheres pomarinus, see skua, pomarine
Copsychus sechellarum, see magpie robin, Seychelles
Coracina novaehollandiae, see cuckoo-shrike, black-
 faced
 Coracopseinae, 199
 cormorant, black, see shag, black
 Guanay, 258
 little, see shag, little
 little black, see shag, little black
 pied, see shag, pied
 red-legged, 258
 spp., 29, see also shag spp.
Corvus coronoides, see raven, Australian
frugilegus, see rook
 COTTER, R., see WAUGH, S.; TENNYSON, A.;
 ORANGE, R.; SHARP, S.; COTTER, R.;
 BATCHELER, R.; BATCHELER, D.
 cowbird, brown-headed, 312
 spp., 250
 crane, marsh, 28
 spotless, 101, 102
 crane, sarus, 302, 303
 sp., 296
 whooping, 123
 creeper, brown, 7-8, 26, 170
 CROMARTY, P.L.; ALDERSON, S.L. Translocation
 statistics (2002-2012), and the revised
 Department of Conservation translocation
 process, 55-62
 CROSSLAND, A. Wetland bird monitoring at
 the Avon-Heathcote Estuary and Bromley
 Oxidation Ponds, Christchurch: August 2009
 to July 2010, 151-157
 CROSSLAND, A. First record of a little black
 cormorant (*Phalacrocorax sulcirostris*) nesting
 in Canterbury and presumed first breeding
 for the South Island, 191-193
 CROSSLAND, A.C., see MISKELLY, C.M.;
 CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE,
 I.; TENNYSON, A.J.D.; BELL, E.A.
 cuckoo, diderik, 250
 fan-tailed, 167, 250
 great spotted, 250
 long-tailed, 28, 88, 95, 101, 102, 158-170
 New Caledonian shining, 252-254
 oriental, 300, 303
 shining, 102, 249-251, 252-254
 shining subspp., 253
 spp., 9, 167
 cuckoo-shrike, black-faced, 300
Cuculus optatus, see cuckoo, oriental
pyrrhophanus, see cuckoo, fan-tailed
taitensis, see *Eudynamys taitensis*
 curlew, eastern, 305
Cyanoramphus auriceps, see parakeet, yellow-
 crowned
hochstetteri, see parakeet, Reischek's
malherbi, see parakeet, orange-fronted
novaezelandiae chathamensis, see parakeet,
 Chatham Island red-crowned
novaezelandiae cyanurus, see parakeet,
 Kermadec
novaezelandiae novaezelandiae, see parakeet,
 red-crowned
unicolor, see parakeet, Antipodes
Cygnus atratus, see swan, black

- dabchick, New Zealand, 11, 28, 296, 301, 302, 322-323
- Dacelo novaeguineae*, see kookaburra, laughing
- Daption capense*, see petrel, cape
- Dendrocygna eytoni*, see duck, plumed whistling
- DEWHURST, P.L., see BELL, Ben D.; CARPENTER, J.K.; DEWHURST, P.L.; KARST, T.M.; BROWNING, S.
- Dinornis maximus*, 194
- robustus*, 194
- Diomedea epomophora*, see albatross, southern royal
- sanfordi*, see albatross, northern royal
- Diomededidae, 180
- dotterel, Auckland Island banded, 28
- banded, 28, 154, 155, 217
- large sand, see plover, greater sand
- northern New Zealand, 11, 28, 78, 201-223
- southern New Zealand, 11, 28
- dove, barbary, 175, 302
- DOWDING, J.E.; O'CONNOR, S.M. Reducing the risk of extinction of a globally threatened shorebird: translocations of the shore plover (*Thinornis novaeseelandiae*), 1990-2012, 70-84
- DOWDING, J.E., see OGDEN, J.; DOWDING, J.E.
- dowitcher, Asiatic, 299
- duck, Australian white-eyed, 297
- Australian wood, 235, 297
- blue, 4, 10, 11, 12, 22, 60, 101, 301, 302, 327
- Finsch's, 235-237, 239, 240
- mallard, 175, 302
- mallard/brown teal hybrid, 302
- mallard/grey hybrid, 153, 154, 228
- plumed whistling, 296, 297, 304, 305
- spp., 7-9, 238
- dunnock, 175
- egret, little, 298
- plumed, 298, 302
- Egretta garzetta*, see egret, little
- novaehollandiae*, see heron, white-faced
- Emberiza citrinella*, see yellowhammer
- EMPSON, R.; FASTIER, D. Translocations of North Island tomtits (*Petroica macrocephala toitoi*) and North Island robins (*Petroica longipes*) to Zealandia-Karori Sanctuary, an urban sanctuary. What have we learned? 63-69
- Erithacus rubecula*, see robin, European
- ERRATA: GALBRAITH, M.; TENNYSON, A.; SHEPHERD, L.; ROBINSON, P.; FRASER, D. High altitude New Zealand record for a long-tailed skua (*Stercorarius longicaudus*), 328
- Eudynamis taitensis*, see *Eudynamis taitensis*
- Eudynamis cuneicauda*, see *Eudynamis taitensis*
- scolopacea*, see koel, common
- taitensis*, see cuckoo, long-tailed
- Eudyptes chrysolophus*, see penguin, macaroni
- pachyrhynchus*, see penguin, Fiordland
- crested
- robustus*, see penguin, Snares crested
- schlegeli*, see penguin, royal
- sclateri*, see penguin, erect-crested
- Eudyptula minor*, see penguin, little, see also penguin, white-flippered
- Euryapteryx curtus*, see moa, coastal
- EWEN, J.G., see PARKER, K.A.; EWEN, J.G.; SEDDON, P.J.; ARMSTRONG, D.P.
- Falco cenchroides*, see kestrel, nankeen
- novaeseelandiae*, see falcon, New Zealand
- peregrinus*, see falcon, peregrine
- falcon, New Zealand, 4, 8, 9, 10, 12, 23, 77, 95, 96, 102, 104, 237
- peregrine, 123
- Falconidae, 8, 23
- fantail, black, 303
- Chatham Island, 28
- New Zealand, 303
- North Island, 28, 102, 103
- South Island, 28
- FASTIER, D., see EMPSON, R.; FASTIER, D.
- fernbird, 8
- Chatham Island, 11
- Codfish Island, 12, 13, 27
- North Island, 27, 101, 102
- Snares Island, 11, 28
- South Island, 11, 28
- Stewart Island, 27
- subsp., 13, 102
- Ficedula narcissina*, see flycatcher, narcissus
- finch, introduced spp., 188
- flycatcher, narcissus, 253
- FOGLE, S.R., see SAWYER, S.L.; FOGLE, S.R.
- FRASER, D., see GALBRAITH, M.; TENNYSON, A.; SHEPHERD, L.; ROBINSON, P.; FRASER, D.
- Fregata ariel*, see frigatebird, lesser
- Fregetta* sp., see storm petrel sp.
- frigatebird, lesser, 298, 302
- Fulica atra australis*, see coot, Australian
- GALBRAITH, M.; TENNYSON, A.; SHEPHERD, L.; ROBINSON, P.; FRASER, D. High altitude New Zealand record for a long-tailed skua (*Stercorarius longicaudus*), 245-248
- GALBRAITH, M.; TENNYSON, A.; SHEPHERD, L.; ROBINSON, P.; FRASER, D. High altitude New Zealand record for a long-tailed skua (*Stercorarius longicaudus*), (Errata), 328
- Gallinula ventralis*, see native-hen, black-tailed
- Gallirallus australis australis*, see weka, western
- australis greyi*, see weka, North Island
- australis hectori*, see weka, buff
- australis indet*, see weka, hybrid
- australis scotti*, see weka, Stewart Island
- philippensis assimilis*, see rail, banded
- game bird spp., 134

- gannet, Australasian, 180-182, 255-257
 Cape, 181
 northern, 181
- GARATE, P., see AYALA, L.; PAZ-SOLDAN, L.; GARATE, P.
- Gelochelidon nilotica*, see tern, gull-billed
nilotica macrotarsa, see tern, gull-billed
- Geopsittacus occidentalis*, see *Pezoporus occidentalis*
- Gerygone albofrontata*, see warbler, Chatham Island
flavolateralis, see gerygone, fan-tailed
igata, see warbler, grey
- gerygone, fan-tailed, 252, 253
- GILCHRIST, J., see JAHN, P.; HARPER, G.A.; GILCHRIST, J.
- GILL, B.J.; HAUBER, M.E. Distribution and age-specific plumage states of the long-tailed cuckoo (*Eudynamys taitensis*), 158-170
- Glareola maldivarum*, see pratincole, oriental
- godwit, eastern bar-tailed, 151, 153-156
- goldfinch, 175
- goose, Canada, 153-155
 Cape Barren, 302
 greylag (feral), 154
 Hawaiian, 123
- grebe, Australasian little, 301, 323
 hoary-headed, 297, 323
 spp., 9
- greenfinch, 103, 175
- greenshank, common, 299, 305
- Grus americana*, see crane, whooping
antigone, see crane, sarus
rubicundus, see brolga
 sp., see crane sp.
- gull, black-backed, 77, 134-142, 153, 154, 175, 179, 211, 215, 223, 324-325
 black-billed, 153, 154, 156, 175
 Franklin's, 258
 grey, 258
 herring, 324
 Pacific, 296, 299, 304
 red-billed, 77, 79, 134, 139, 151, 153, 154, 175, 245, 307-308
 southern black-backed, see gull, black-backed
 spp., 9, 152, 153, 155, 324-325
- GUMMER, H., see MISKELLY, C.M.; GUMMER, H.
- GUMMER, H., see BELL, M.; TUANUI, L.; GUMMER, H.
- Gymnorhina tibicen*, see magpie, Australian
- Haematopus bachmani*, see oystercatcher, American
 black
chathamensis, see oystercatcher, Chatham Island
finschi, see oystercatcher, South Island
leucopodius, see oystercatcher, Magellanic
*palliatu*s, see oystercatcher, American
 sp., see oystercatcher sp.
unicolor, see oystercatcher, variable
- Halcyon sancta*, see kingfisher, New Zealand
- Halobaena caerulea*, see petrel, blue
- HARPER, G.A., see JAHN, P.; HARPER, G.A.; GILCHRIST, J.
- harrier, 153
 Australasian, see harrier, swamp
 extinct sp., 237
 swamp, 73, 77, 154, 179, 211, 215, 216, 225
- HAUBER, M.E., see GILL, B.J.; HAUBER, M.E.
- HAWKE, D.J., see HOLDAWAY, R.N.; WILLIAMS, M.; HAWKE, D.J.
- HEBER, S. Anecdotal evidence of interspecific parental care: feeding and brooding of robin (*Petroica australis*) nestlings by a female bellbird (*Anthornis melanura*), 186-187
- HEBER, S.; BRISKIE, J.V. Survival of South Island robins (*Petroica australis*) after a reciprocal translocation to reduce inbreeding depression, 117-119
- Hemiphaga chathamensis*, see pigeon, Chatham Island
novaeseelandiae, see pigeon, New Zealand
- heron, nankeen night, 302
 spp., 152, 153
 white, 156, 302
 white-faced, 154, 155, 175, 296, 302
- Heteralocha acutirostris*, see huia
- hihi, see stitchbird
- HILL, S.D.; JI, W. Microgeographic variation in song phrases of tui (*Prosthemadera novaeseelandiae*), 262-264
- HILL, S.D.; JI, W. Observations of a male tui (*Prosthemadera novaeseelandiae*) attacking a neighbouring male blackbird (*Turdus merula*) following playback of tui song, 311-312
- Himantopus himantopus leucocephalus*, see stilt, pied
novaezelandiae, see stilt, black
- Hirundo tahitica*, see swallow, welcome
- HITCHCOCK, D.J., see MCCARTHY, A.H.; POTVIN, D.A.; ASLAM, T.; BARTLETT, R.; BEEBE, S.; BENNETT, J.; HITCHCOCK, D.J.; TEE, M.
- HOLDAWAY, R.N.; WILLIAMS, M.; HAWKE, D.J. A comparison of the pre-human and present isotopic niches of brown teal (*Anas chlorotis*): implications for conservation, 233-244
- huia, 1
- Hydroprogne caspia*, see tern, Caspian
- Hymenolaimus malacorhynchos*, see duck, blue
- ibis, 153
 glossy, 154, 155, 298-299
- IMBER, M.J., see BELL, E.A.; BELL, B.D.; SIM, J.L.; IMBER, M.J.
- IMBER, M.J., see TENNYSON, A.J.D.; LAWRENCE, H.A.; TAYLOR, G.A.; IMBER, M.J.
- INNES, J.; MOLLES, L.E.; SPEED, H. Translocations of North Island kokako, 1981-2011, 107-114
- ISMAR, S.M.H., see BAIRD, K.; ISMAR, S.M.H.;

- WILSON, D.; PLOWMAN, S.; ZIMMERMAN, R.; BELLINGHAM, M.
Ixobrychus minutus, see bittern, little
sinensis, see bittern, yellow
- JAHN, P.; HARPER, G.A.; GILCHRIST, J. Home range sharing in family units of great spotted kiwi (*Apteryx haastii*) at Nelson Lakes National Park, 201-209
- JL, W., see HILL, S.D.; JL, W. (2 papers)
- JIMÉNEZ, S. First record of Salvin's albatross (*Thalassarche salvini*) in Uruguayan waters, 313-314
- kaka, 8, 197, 199, 303
 North Island, 10, 12, 25, 95, 97, 99-100, 102, 104
 South Island, 10, 12, 25, 109
- kakapo, 1, 3, 4-6, 8-12, 14, 24-25, 86, 93, 95, 97, 101, 102, 104, 120, 122-124, 197-200, 265-268, 327
- KARST, T.M., see BELL, Ben D.; CARPENTER, J.K.; DEWHURST, P.L.; KARST, T.M.; BROWNING, S.
- kea, 28, 197, 199
- KEARVELL, J.C. Interspecific competition for nest sites between common starlings (*Sturnus vulgaris*) and orange-fronted parakeets (*Cyanoramphus malherbi*) in the Poulter Valley, 188-190
- kereru, see pigeon, New Zealand
- kestrel, nankeen, 299
- kingfisher, New Zealand, 28, 103, 153, 175
 sp., 9
- kite, black, 299
- kiwi, brown, 5
 brown spp., 11, 13
 great spotted, 22, 60, 201-209
 Haast tokoeka, 22
 little spotted, 3, 5, 6, 9-12, 14, 22, 60, 64, 95, 101, 208
 little spotted/rowi hybrid, 22
 North Island brown, 5-7, 9, 10, 12, 14, 22, 60, 95, 97, 104, 201, 208
 Okarito brown, 5, 10, 12, 22
 rowi, 5, 22 (see also kiwi, Okarito brown)
 South Island brown, 3, 6, 9, 10, 22, 29, 201, 208
 spp., 1, 4, 7-9, 11, 12, 22, 55, 58, 60, 86, 89, 93, 102, 104
 Stewart Island brown, 22, 208
- knot, great, 303
 red, 154, 155
- koel, common, 165, 167
- kokako, North Island, 4, 7-10, 13-15, 22, 25, 55, 58, 60, 95, 101, 102, 107-114, 234, 301, 303, 304
 South Island, 9, 14, 296, 300, 303, 304
- kookaburra, laughing, 303
- kukupu, see pigeon, New Zealand
- landbird spp., 3, 9, 11
- Laridae, 55, 58, 325
- Larosterna inca*, see tern, inca
- Larus argentatus*, see gull, herring
bulleri, see gull, black-billed
dominicanus, see gull, black-backed
dominicanus dominicanus, see gull, southern black-backed
modestus, see gull, grey
novaehollandiae scopulinus, see gull, red-billed
pacificus, see gull, Pacific
pipixcen, see gull, Franklin's
scopulinus, see gull, red-billed
- LAWRENCE, H.A., see TENNYSON, A.J.D.; LAWRENCE, H.A.; TAYLOR, G.A.; IMBER, M.J.
- Lewinia muelleri*, see rail, Auckland Island
- Limnodromus semipalmatus*, see dowitcher, Asiatic
- Limosa lapponica baueri*, see godwit, eastern bar-tailed
- MacFARLANE, A.E.T. Regurgitation of seeds from a native plant by the introduced common starling (*Sturnus vulgaris*), 317-318
- MACHOVSKY-CAPUSKA, G.E.; VAUGHN-HIRSHORN, R.L.; WÜRSIG, B.; RAUBENHEIMER, D. Can gannets (*Morus serrator*) select their diving profile prior to submergence? 255-257
- Macronectes giganteus*, see petrel, southern giant
halli, see petrel, northern giant
- magpie, 103
 Australian, 143-150, 175
- magpie robin, Seychelles, 123
- mallard, see duck, mallard
- Manorina melanophrys*, see miner, bell
- martin, tree, 303
- matuku, see bittern, Australasian
- McCARTHY, A.H.; POTVIN, D.A.; ASLAM, T.; BARTLETT, R.; BEEBE, S.; BENNETT, J.; HITCHCOCK, D.J.; TEE, M. Differences between the songs of rural and urban Australian magpies (*Gymnorhina tibicen*) and the potential consequences for territorial interactions, 143-150
- Megadyptes antipodes*, see penguin, yellow-eyed
- Megaluridae, 8
- Meliagris gallopavo*, see turkey, feral
- Meliphagidae, 8, 26
- MELVILLE, D.S. Variable (*Haematopus unicolor*) and pied oystercatchers (*H. finschi*) feeding on lion's mane jellyfish (*Cyanea* sp.), 309-310
- MICHAUX, B. Breeding records for variable oystercatchers (*Haematopus unicolor*) at Long Bay Regional Park and Okura Estuary, Auckland, 178-179
- MILLS, D.A., see MILLS, J.A.; ROWE, L.K.; ROBERTSON, C.J.R.; MORRISSEY, M.; MILLS, D.A.

- MILLS, J.A.; ROWE, L.K.; ROBERTSON, C.J.R.; MORRISSEY, M.; MILLS, D.A. Giant petrel (*Macronectes halli*) predation on red-billed gulls (*Larus novaehollandiae*) and white-fronted terns (*Sterna striata*) at Kaikoura, 307-308
- Milvus migrans*, see kite, black
- miner, bell, 253
- MISKELLY, C.M.; POWLESLAND, R.G. Conservation translocations of New Zealand birds, 1863-2012, 3-28
- MISKELLY, C.M.; GUMMER, H. Attempts to anchor pelagic fairy prions (*Pachyptila turtur*) to their release site on Mana Island, 29-40
- MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A. Vagrant and extra-limital bird records accepted by the OSNZ Records Appraisal Committee 2011-2012, 296-306
- moa, coastal, 194
- heavy-footed, 194
- little bush, 194
- spp., 194-195
- moho, see takahe, North Island
- Mohoua albicilla*, see whitehead
- novaeseelandiae*, see creeper, brown
- ochrocephala*, see yellowhead
- spp., 158
- mohua, see yellowhead
- MOLLES, L.E., see INNES, J.; MOLLES, L.E.; SPEED, H.
- mollymawk spp., see albatross spp.
- Molothrus ater*, see cowbird, brown-headed
- spp., see cowbird spp.
- MONKS, J.M., see POWLESLAND, R.G.; BELL, M.; TUANUI, E.A.; TUANUI, B.M.; MONKS, J.M.
- MONKS, J.M.; O'DONNELL, C.F.J.; SPURR, E.B. Population trends in black-fronted terns (*Chlidonias albobristatus*) on the Ashley River, North Canterbury, 171-172
- morepork, 8, 9, 13, 25, 73, 78, 81, 227
- MORRISSEY, M., see MILLS, J.A.; ROWE, L.K.; ROBERTSON, C.J.R.; MORRISSEY, M.; MILLS, D.A.
- MORTIMER, J.A.J. Alternative methods for detection of the South Island rifleman (*Acanthisitta chloris chloris*), 319-321
- MORTIMER, J.A.J.; CLARK, D. A comparison of bird counting techniques in an urban environment, 173-177
- Morus bassanus*, see gannet, northern
- capensis*, see gannet, Cape
- serrator*, see gannet, Australasian
- Motacilla tschutschensis*, see wagtail, yellow
- murre, common, 180
- myna, common, 328
- native-hen, black-tailed, 299
- Nestor meridionalis meridionalis*, see kaka, South Island
- meridionalis septentrionalis*, see kaka, North Island
- notabilis*, see kea
- spp., 197-200
- Nestoridae, 199
- Nestorinae, 199
- Ninox novaeseelandiae novaeseelandiae*, see morepork
- novaeseelandiae undulatus*, see boobook, Norfolk Island
- Notiomystidae, 8, 26
- Notiomystis cincta*, see stitchbird
- Numenius madagascariensis*, see curlew, eastern
- minutus*, see whimbrel, little
- phaeopus variegatus*, see whimbrel, Asiatic
- nuthatch, Eurasian, 253
- red-breasted, 253
- Nycticorax caledonicus*, see heron, nankeen night
- OBITUARY: SAUNDERS, A. Donald Vincent Merton QSM, Hon D.Sc, FOSNZ (1939-2011), 122-124
- Oceanites* sp., see storm petrel sp.
- O'CONNOR, S.M., see DOWDING, J.E.; O'CONNOR, S.M.
- Ocyphaps lophotes*, see pigeon, crested
- O'DONNELL, C.F.J.; WILLIAMS, E.M.; CHEYNE, J. Close approaches and acoustic triangulation: techniques for mapping the distribution of booming Australasian bittern (*Botaurus poiciloptilus*) on small wetlands, 279-284
- O'DONNELL, C.F.J., see MONKS, J.M.; O'DONNELL, C.F.J.; SPURR, E.B.
- Oenanthe leucura*, see wheatear, black
- OGDEN, J.; DOWDING, J.E. Population estimates and conservation of the New Zealand dotterel (*Charadrius obscurus*) on Great Barrier Island, New Zealand, 210-223
- OKAHISA, Y.; SATO, N. Mutual feeding by the shining cuckoo (*Chrysococcyx lucidus layardi*) in New Caledonia, 252-254
- ORANGE, R., see WAUGH, S.; TENNYSON, A.; ORANGE, R.; SHARP, S.; COTTER, R.; BATCHELER, R.; BATCHELER, D.
- osprey, 327
- owl, laughing, 237
- sp., 9, 196
- owlet-nightjar, New Zealand, 235-237, 239, 240
- spp., 235
- oystercatcher, American, 309, 310
- American black, 310
- Chatham Island, 11, 28, 79
- Magellanic, 309
- pie, see South Island pie
- South Island pie, 28, 151, 153-156, 309-310

- spp., 9, 175, 309-310
 variable, 28, 77, 151-156, 175, 178-179, 219, 309-310
- Pachycephalidae, 7, 8, 26, 158
Pachyornis elephantopus, see moa, heavy-footed
Pachyptila spp., see prion, spp.
 turtur, see prion, fairy
- PALMA, R.L., see AMIOT, C.; PALMA, R.L.
Papasula abbotti, see booby, Abbott's
- parakeet, Antipodes Island, 9-12, 14, 25
 Chatham Island red-crowned, 28
 Cyanoramphus spp., 11
 Forbes', 11, 28
 Kermadec, 28
 Mauritius, 123
 orange-fronted, 7, 10, 12, 25, 101, 188-190
 Psittacula spp., 198
 red-crowned, 9, 10, 12, 25, 101
 Reischek's, 11, 14, 28
 spp., 8, 104
 yellow-crowned, 10, 12, 25, 97, 100, 102, 104-105, 188, 189
- parea, see pigeon, Chatham Island
- PARKER, K.A. Restoring Richard Henry's dream: the evolution of translocation in New Zealand conservation, 1-2
- PARKER, K.A.; EWEN, J.G.; SEDDON, P.J.; ARMSTRONG, D.P. Post-release monitoring of bird translocations: why is it important and how do we do it? 85-92
- PARKER, K.A., see SMUTS-KENNEDY, C.; PARKER, K.A.
- parrot, African spp., 199
 Australian nocturnal spp., 197-200
 ground, 197, 198
 Madagascan spp., 199
 neotropical spp., 198, 199
 night, 197, 198
 South American spp., 199
 spp., 8, 9, 89, 124, 197-200, 267
- partridge, red-legged, 302
- Parus atricapillus*, see chickadee, black-capped
 major, see tit, great
- Passer domesticus*, see sparrow, house
- passerine, forest spp., 86
 spp., 42, 47, 89, 128, 144
- Pavo cristatus*, see peafowl, Indian
- PAZ-SOLDAN, L., see AYALA, L.; PAZ-SOLDAN, L.; GARATE, P.
- peafowl, Indian, 224-232
- Pelecanoides garnotii*, see petrel, Peruvian diving
 magellanicus, see petrel, Magellanic diving
 urinatrix urinatrix, see petrel, common diving
- Pelecanoididae, 8, 23
- Pelecanus conspicillatus*, see pelican, Australian
 thagus, see pelican, Peruvian
- pelican, Australian, 296, 298, 304, 305
 brown, 260
 Peruvian, 258
- penguin, blue, see penguin, little
 emperor, 296, 297, 304
 erect-crested, 301
 Fiordland crested, 301
 gentoo, 256, 297
 Humboldt, 258
 king, 297
 little, 23, 60
 macaroni, 298
 Magellanic, 314
 royal, 298
 Snarres crested, 296, 301
 spp., 8, 9, 29, 30, 256, 307
 white-flippered, 8, 23, 60
 yellow-eyed, 301
- petrel, Atlantic, 293, 314
 Bermuda, 34-37, 293
 black, 4, 7, 8, 22, 23, 30, 34-36, 101, 241, 275
 blue, 298
 burrow-nesting spp., 7, 29, 307
 cape, 314
 Chatham, 12, 23, 60, 115-116
 common diving, 23, 30, 31, 33, 35-38, 60, 302
 Cook's, 10, 23, 60, 101, 294
 dark-rumped, 180
 diving, see petrel, common diving
 diving spp., 8
 extinct Chatham Island *Pterodroma* sp., 291, 294
 gadfly spp., 290-295
 giant, 307-308
 Gould's, 33, 34, 36, 38, 298
 grey, 268-278
 grey-faced, 10, 23, 60, 180
 hybrid soft-plumaged/white-headed, 290-295
 hybrid taiko/white-headed, 291
 Juan Fernandez, 293, 298, 304
 Magellanic diving, 302
 northern giant, 307
 Peruvian diving, 258
 pink-footed, see shearwater, pink-footed
 Pycroft's, 23, 60, 294
 soft-plumaged, 290-295
 southern giant, 314
 spp., 8, 9, 29-31, 37, 259, 260
 Westland, 275
 white-chinned, 273-275, 314
 white-headed, 273, 274, 290-294, 298
 white-naped, 293, 301
- Petrochelidon nigricans*, see martin, tree
- Petroica australis australis*, see robin, South Island
 australis rakiura, see robin, Stewart Island
 longipes, see robin, North Island
 macrocephala chathamensis, see tomtit,

- Chatham Island
macrocephala dannefaerdi, see tomtit, Snares Island
 Island
macrocephala macrocephala, see tomtit, South Island
 Island
macrocephala marrineri, see tomtit, Auckland Island
macrocephala toitoi, see tomtit, North Island
 spp., 47
traversi, see robin, black
- Petroicidae, 8, 26
- PETYT, C. First recent recorded breeding of the New Zealand dabchick (*Poliiocephalus rufopectus*) in the South Island, 322-323
- Pezopora, 199
- Pezoporus occidentalis*, see parrot, night
 spp., 197-200
wallicus, see parrot, ground
- Phaethon lepturus*, see tropicbird, white-tailed
- Phalacrocorax bougainvillii*, see cormorant, Guanay
carbo novaehollandiae, see shag, black
gaimardi, see cormorant, red-legged
melanoleucos, see shag, little
sulcirostris, see shag, little black
sulcirostris purpuragula, see shag, little black
sulcirostris sulcirostris, see shag, little black
sulcirostris territorii, see shag, little black
varius, see shag, pied
- phalarope, grey, 299
- Phalaropus fulicaria*, see phalarope, grey
- Philesturnus carunculatus*, see saddleback, South Island
rufusater, see saddleback, North Island
- Phoebastria fusca*, see albatross, sooty
- pigeon, cape, see petrel, cape
 Chatham Island, 9, 10, 24
 crested, 302
 New Zealand, 9, 24, 102, 103, 303, 326
 rock, 175
 spp., 8, 9
- piopio, 1
- pipit, American, 126
 Antipodes Island, 28
 Auckland Island, 28
 Chatham Island, 28
 meadow, 125, 311
 New Zealand, 28, 125-133
 rock, 126
 tree, 126, 311
- Platalea regia*, see spoonbill, royal
- Platycercus eximius*, see rosella, eastern
- Plegadis falcinellus*, see ibis, glossy
- plover, greater sand, 217, 303, 305
 grey, 299, 305, 310
 hooded, 79
 lesser sand, 299, 305
 ringed, 303
 semipalmated, 299
 shore, 8, 10, 12, 24, 70-84
 spp., 9
 spur-winged, 77, 153-155, 175
- PLOWMAN, S., see BAIRD, K.; ISMAR, S.M.H.; WILSON, D.; PLOWMAN, S.; ZIMMERMAN, R.; BELLINGHAM, M.
- Pluvialis squatarola*, see plover, grey
- Poliiocephalus poliiocephalus*, see grebe, hoary-headed
rufopectus, see dabchick, New Zealand
- Porphyrio hochstetteri*, see takahe, South Island
mantelli, see takahe, North Island
melanotus, see pukeko
- Porzana pusilla affinis*, see crane, marsh
- POTVIN, D.A., see MCCARTHY, A.H.; POTVIN, D.A.; ASLAM, T.; BARTLETT, R.; BEEBE, S.; BENNETT, J.; HITCHCOCK, D.J.; TEE, M.
- POWLESLAND, R.G.; BELL, M.; TUANUI, E.A.; TUANUI, B.M.; MONKS, J.M. Translocation of juvenile Chatham Island tomtits (*Petroica macrocephala chathamensis*) from Rangatira and Pitt Islands to Chatham Island, 44-48
- POWLESLAND, R.G. (Review). Reintroduction biology: Integrating science and management. J.G. Ewen; D.P. Armstrong; K.A. Parker; P.J. Seddon (eds), 120-121
- POWLESLAND, R.G., see MISKELLY, C.M.; POWLESLAND, R.G.
- pratincole, oriental, 303
- prion, fairy, 10, 23, 29-40, 60
 spp., 30
- Procellaria aequinoctialis steadi*, see petrel, white-chinned
cinerea, see petrel, grey
parkinsoni, see petrel, black
westlandica, see petrel, Westland
- Procellariidae, 7, 8, 23
- Procellariiformes, 30, 38, 55, 58, 276
- Prothemadera novaeseelandiae chathamensis*, see tui, Chatham Island
novaeseelandiae novaeseelandiae, see tui
- Psittacella, 199
- Psittacellinae, 199
- Psittacid spp., 267
- Psittacidae, 8, 25, 198
- Psittacula eques echo*, see parakeet, Mauritius
- Pterodroma alba*, 293
arminjoniana, 293
axillaris, see petrel, Chatham
cahow, see petrel, Bermuda
cervicalis, see petrel, white-naped
cookii, see petrel, Cook's
externa, see petrel, Juan Fernandez
 extinct Chatham Island sp., 291
feae, 293
hasitata, 293
incerta, see petrel, Atlantic
inexpectata, 293
lessonii, see petrel, white-headed

- leucoptera*, see petrel, Gould's
macroptera gouldi, see petrel, grey-faced
macroptera macroptera, 293
madeira, 293
magentae, see taiko, Chatham Island
mollis, see petrel, soft-plumaged
mollis dubia, see petrel, soft-plumaged
mollis mollis, see petrel, soft-plumaged
neglecta, 293
phaeopygia, 293
pycrofti, see petrel, Pycroft's
solandri, 293
ultima, 293
Puffinus bulleri, see shearwater, Buller's
creatopus, see shearwater, pink-footed
gavia, see shearwater, fluttering
gravis, see shearwater, great
griseus, see shearwater, sooty
huttoni, see shearwater, Hutton's
pacificus, see shearwater, wedge-tailed
puffinus, see shearwater, Manx
tenuirostris, see shearwater, short-tailed
 pukeko, 77, 103, 152-155, 175
Pygoscelis papua, see penguin, gentoo

 rail, Auckland Island, 11, 28
 banded, 5, 8, 10, 12, 13, 101, 102
 spp., 7-9, 89, 102, 152, 153
 Rallidae, 8, 23
 raptor, 153
 RAUBENHEIMER, D., see MACHOVSKY-
 CAPUSKA, G.E.; VAUGHN-HIRSHORN,
 R.L.; WÜRSIG, B.; RAUBENHEIMER, D.
 raven, Australian, 145
 razorbill, 247
 Recurvirostridae, 7, 24
 redpoll, 175
 common, 303
 REVIEWS:
 POWLESLAND, R.G. Reintroduction
 biology: Integrating science and manage-
 ment. J.G. Ewen; D.P. Armstrong; K.A.
 Parker; P.J. Seddon (eds), 120-121
 WOOD, J.; SCOFIELD, R.P. Moa: the life and
 death of New Zealand's legendary bird. Q.
 Berentson, 194-195
 WELLS, T. The owl that fell from the sky:
 stories of a museum curator. B. Gill, 196
 ASQUITH, P. A life of Ospreys. R. Dennis,
 327
 SHANKS, B. A photographic guide to the
 birds of New Zealand. R. Suisted; A. Dench,
 327-328
Rhipidura fuliginosa fuliginosa, see fantail, South
 Island
 fuliginosa penita, see fantail, Chatham Island
 fuliginosa placabilis, see fantail, North Island
 rifleman, North Island, 25, 101
 South Island, 25, 319-321
 subsp., 7, 8
 roa, see kiwi, great spotted
 ROBERTSON, C.J.R., see MILLS, J.A.; ROWE, L.K.;
 ROBERTSON, C.J.R.; MORRISSEY, M.;
 MILLS, D.A.
 robin, black, 1, 3, 6, 11, 12, 14, 27, 86, 120, 122-124, 189
 Chatham Island black, see robin, black
 European, 144
 New Zealand spp., 8
 North Island, 6, 7, 9, 10, 26-27, 59, 60, 63-69,
 97, 100-102, 104, 118, 315, 316
 South Island, 7, 9, 10, 27, 59, 60, 117-119, 186-
 187
 spp., 7, 8, 55, 58, 60, 87, 197
 Stewart Island, 27, 60, 186
 ROBINSON, P., see GALBRAITH, M.; TENNYSON,
 A.; SHEPHERD, L.; ROBINSON, P.; FRASER,
 D.
 rook, 303
 roroa, see kiwi, great spotted
 rosella, eastern, 103
 ROWE, L.K. Dispersal of southern black-backed
 gulls (*Larus dominicanus dominicanus*)
 banded in Canterbury, New Zealand, 1959-
 1993, 134-142
 ROWE, L.K., see MILLS, J.A.; ROWE, L.K.;
 ROBERTSON, C.J.R.; MORRISSEY, M.;
 MILLS, D.A.
 rowi, 5, 12, 22, see also kiwi, Okarito brown

 saddleback, 60, 120
 North Island, 6, 8, 9, 10, 12, 14, 25, 60, 86-88,
 90, 101, 102, 104, 303
 South Island, 1, 3, 6, 7-12, 14, 26, 60, 86, 122
 SAGAR, P.M., see MISKELLY, C.M.; CROSSLAND,
 A.C.; SAGAR, P.M.; SAVILLE, I.; TENNY-
 SON, A.J.D.; BELL, E.A.
 sanderling, 310
 sandpiper, buff-breasted, 303
 common, 296, 299
 curlew, 305
 pectoral, 299
 terek, 305
 SATO, N., see OKAHISA, Y.; SATO, N.
 SAUNDERS, A. (Obituary). Donald Vincent Merton
 QSM, Hon D.Sc. FOSNZ (1939-2011), 122-124
 SAVILLE, I., see MISKELLY, C.M.; CROSSLAND,
 A.C.; SAGAR, P.M.; SAVILLE, I.; TENNY-
 SON, A.J.D.; BELL, E.A.
 SAWYER, S.L.; FOGLE, S.R. Establishment of a new
 breeding colony of Australasian gannets
 (*Morus serrator*) at Young Nick's Head
 Peninsula, 180-182
 scaup, New Zealand, 10, 12, 22, 151-156, 175
Sceloglaux albifacies, see owl, laughing
 SCOFIELD, R.P., see WOOD, J.; SCOFIELD, R.P.
 Scolopacidae, 8, 24

- scrub bird, noisy, 123
 seabird spp., 9, 12, 29-40, 46, 55, 58, 60, 115-116, 180-182, 246, 255-257, 258-261, 304, 307-308, 310, 327
 burrowing spp., 89, 115
 SEABROOK-DAVISON, M.N.H.; ANDERSON, M.G. Observation of food presentation behaviour between individual shining cuckoos (*Chrysococcyx lucidus*) in New Zealand, 249-251
 SEABROOK-DAVISON, M. Observation of displaying behaviour between two immature southern black-backed gulls (*Larus dominicanus*), 324-325
 SEDDON, P.J., see PARKER, K.A.; EWEN, J.G.; SEDDON, P.J.; ARMSTRONG, D.P.
 shag, black, 154-156, 175, 192
 little, 153, 154, 191, 192
 little black, 154, 191-193
 pied, 151-154, 156, 175, 192
 spotted, 154, 285-289
 spp., 9, 29, 152, 153, 155, 191-193
 SHANKS, B. (Review). A photographic guide to the birds of New Zealand. R. Suisted; A. Dench, 327-328
 SHARP, S., see WAUGH, S.; TENNYSON, A.; ORANGE, R.; SHARP, S.; COTTER, R.; BATCHELER, R.; BATCHELER, D.
 shearwater, Buller's, 294
 fluttering, 23, 30, 34, 35, 37, 60
 great, 296, 298, 302, 304, 305
 Hutton's, 10, 23, 60
 Manx, 30
 pink-footed, 258
 short-tailed, 30, 35, 36
 sooty, 258-261, 273, 275, 293, 294
 wedge-tailed, 301-302
 shelduck, Chatham Island, 14
 chestnut-breasted, 297
 paradise, 6, 14, 22, 151-156, 175, 228
 SHEPHERD, L., see GALBRAITH, M.; TENNYSON, A.; SHEPHERD, L.; ROBINSON, P.; FRASER, D.
 shorebird spp., 3, 9, 11, 29, 178-179
 shoveler, New Zealand, 151, 153, 154, 156
 shrike-thrush, grey, 144
 silveryeye, 102, 103, 144, 175, 317
 SIM, J.L., see BELL, E.A.; BELL, B.D.; SIM, J.L.; IMBER, M.J.
Sitta canadensis, see nuthatch, red-breasted
 europaea, see nuthatch, European
 skua, Arctic, 154, 155, 245, 247, 302
 long-tailed, 245-248, 299, 328
 pomarine, 245, 247, 303, 328
 South Polar, 247, 303
 southern, 328
 spp., 153, 246
 subantarctic, 79, 247, 291, 293, 302
 skylark, 11, 175, 262, 328
 SMUTS-KENNEDY, C.; PARKER, K.A. Reconstructing avian diversity on Maungatautari, 93-106
 snipe, Antipodes Island, 28
 Auckland Island, 28
 Campbell Island, 28
 Chatam Island, 12, 14, 24, 96, 101
 North Island, 14, 96
 Snares Island, 12-14, 24
 South Island, 10, 14, 122, 304
 spp., 8, 9, 102
 songbird spp., 9, 143-150, 311
 sparrow, 197
 house, 175, 228, 328
 sage, 262
 SPEED, H., see INNES, J.; MOLLES, L.E.; SPEED, H.
 Spheniscidae, 8, 23, 30, 55, 58
Spheniscus humboldti, see penguin, Humboldt
 magellanicus, see penguin, Magellanic
 spoonbill, 152, 153
 royal, 152, 154, 155
 SPURR, E.B., see MONKS, J.M.; O'DONNELL, C.F.J.; SPURR, E.B.
 starling, 11, 175, 188-190, 317-318, 328
 common, see starling
 Stercorariidae, 245
Stercorarius antarcticus, 247
 longicaudus, see skua, long-tailed
 parasiticus, see skua, Arctic
Sterna bergii, see tern, crested
 hirundinacea, see tern, South American
 hirundo, see tern, common
 neris davisae, see *Sternula neris davisae*
 paradisaea, see tern, Arctic
 sp., see tern, sp.
 striata, see tern, white-fronted
Sternula neris davisae, see tern, New Zealand fairy
Stictocarro punctatus, see shag, spotted
 stilt, 9
 black, 4, 7, 11, 12, 14, 22, 24, 28
 pied, 153-155, 175
 stitchbird, 8-10, 12, 14, 26, 60, 64, 97, 100, 102, 104
 storm petrel, grey-backed, 303
 sp., 273, 274
 Wilson's, 314
Streptopelia risoria, see dove, barbery
 roseogrisea, see *Streptopelia risoria*
 Strigidae, 8, 25
 Strigopidae, 8, 24, 198, 199
 Strigopinae, 198
 Strigopoidea, 198, 199
Strigops habroptilus, see kakapo
Sturnus vulgaris, see starling
Sula dactylatra, see booby, masked
 leucogaster, see booby, brown
 neboxii, see booby, blue-footed
 variegata, see booby, Peruvian

- Sulidae, 180
 swallow, 152, 153
 welcome, 154, 156, 175, 328
 swan, black, 4, 5, 11, 22, 153-155, 175
 spp., 7, 8
- Tachybaptus novaehollandiae*, see grebe, Australasian little
Tadorna sp., 14
 tadornoides, see shelduck, chestnut-breasted
 variegata, see shelduck, paradise
 taiko, Chatham Island, 10, 23, 60, 115, 291-294
 takahe, 4, 5, 9-13, 24, 64, 81, 95-97, 99, 104, 234, 241, 328
 North Island, 64, 96
 South Island, see takahe
 tattler, grey-tailed, 299
 wandering, 299
- TAYLOR, G.A., see TENNYSON, A.J.D.; LAWRENCE, H.A.; TAYLOR, G.A.; IMBER, M.J.
 teal, Auckland Island, 9, 11, 23
 brown, 6, 7, 9, 10, 12, 14, 22-23, 60, 101, 216, 233-244, 301, 302
 brown/mallard hybrid, 302
 Campbell Island, 10, 12-14, 23
 chestnut, 154, 155
 grey, 151-154, 156, 175
 Laysan, 81
 Macquarie Island, 14
- TEE, M., see McCARTHY, A.H.; POTVIN, D.A.; ASLAM, T.; BARTLETT, R.; BEEBE, S.; BENNETT, J.; HITCHCOCK, D.J.; TEE, M.
 TENNYSON, A.J.D.; LAWRENCE, H.A.; TAYLOR, G.A.; IMBER, M.J. A hybrid gadfly petrel suggests that soft-plumaged petrels (*Pterodroma mollis*) had colonised the Antipodes Islands by the 1920s, 290-295
 TENNYSON, A., see GALBRAITH, M.; TENNYSON, A.; SHEPHERD, L.; ROBINSON, P.; FRASER, D.
 TENNYSON, A., see WAUGH, S.; TENNYSON, A.; ORANGE, R.; SHARP, S.; COTTER, R.; BATCHELER, R.; BATCHELER, D.
 TENNYSON, A.J.D., see MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A.
- tern, Arctic, 180, 247, 296, 300, 303, 305
 black-fronted, 154, 156, 171-172
 Caspian, 151, 152, 154, 156, 180, 300
 crested, 300
 gull-billed, 296, 299-300, 304, 305
 Inca, 258
 New Zealand fairy, 60, 180, 183-185
 South American, 303
 sp., 175
 spp., 9, 152, 153, 155, 246
 white-fronted, 153-156, 185, 300, 307-308
 white-winged black, 300
- Thalassarche eremita*, see albatross, Chatham Island
 impavida, see albatross, Campbell black-browed
 melanophrys, see albatross, black-browed
 salvini, see albatross, Salvin's
 steadi, see albatross, white-capped
Thinornis novaeseelandiae, see plover, shore
 rubricollis, see plover, hooded
 thrush, song, 175, 328
 tieke, see saddleback
 tit, great, 144, 148
Todiramphus sanctus vagans, see kingfisher, New Zealand
 tokoeka, see also kiwi, South Island brown
 Haast, 10, 12, 13, 22
 southern, 201, 208
 Stewart Island, 208
 tomtit, Auckland Island, 28
 Chatham Island, 26, 41-48, 64
 North Island, 26, 42, 47, 63-69, 102
 Snares, 28
 South Island, 9, 42, 186
 spp., 7-9, 15
- Tringa brevipes*, see tattler, grey-tailed
 cinerea, see sandpiper, terek
 hypoleucos, see sandpiper, common
 incana, see tattler, wandering
 nebularia, see greenshank
 tropicbird, white-tailed, 298
Tryngites subruficollis, see sandpiper, buff-breasted
 TUANUI, B.M., see POWLESLAND, R.G.; BELL, M.; TUANUI, E.A.; TUANUI, B.M.; MONKS, J.M.
 TUANUI, B.M., see BELL, M.; TUANUI, E.A.; TUANUI, B.M.
 TUANUI, E.A., see POWLESLAND, R.G.; BELL, M.; TUANUI, E.A.; TUANUI, B.M.; MONKS, J.M.
 TUANUI, E.A., see BELL, M.; TUANUI, E.A.; TUANUI, B.M.
 TUANUI, L., see BELL, M.; TUANUI, L.; GUMMER, H.
- tui, 8, 10, 26, 49, 64, 100, 104, 227, 262-264, 311-312
 Chatham Island, 26, 42, 49-54
 subspp., 7
- Turdus merula*, see blackbird, or blackbird, European
 philomelos, see thrush, song
 turkey, feral, 103
Turnagra sp., see piopio
 turnstone, ruddy, 154, 155
- Uria aalge*, see murre, common
Urodynamis taitensis belli, see *Eudynamis taitensis*
 taitensis pheletes, see *Eudynamis taitensis*
- Vanellus miles novaehollandiae*, see plover, spur-winged

- VAUGHN-HIRSHORN, R.L., see MACHOVSKY-CAPUSKA, G.E.; VAUGHN-HIRSHORN, R.L.; WÜRSIG, B.; RAUBENHEIMER, D.
- wader, spp., 89, 152, 153, 155, 246, 305, 310
- wagtail, yellow, 303
- warbler, Chatham Island, 28, 249
grey, 28, 103, 175, 249
- waterfowl, New Zealand spp., 239
spp., 3, 9, 11, 29, 89, 152, 153, 155
- wattlebird spp., 7, 8
- WAUGH, S.; TENNYSON, A.; ORANGE, R.; SHARP, S.; COTTER, R.; BATCHELER, R.; BATCHELER, D. Numbers of spotted shags (*Stictocarbo punctatus*) at breeding sites in Wellington Harbour, 2002-2012, 285-289
- weka, 4
buff, 3-5, 9-11, 13, 14, 24, 41, 42, 60
hybrid, 24
North Island, 6, 7, 9, 10, 12, 14, 23-24, 60, 95, 101, 224, 228, 230, 231
Stewart Island, 24, 60
subspp., 11-13, 60
western, 24, 60
- WELLS, T. (Review). The owl that fell from the sky: stories of a museum curator. B. Gill, 196
- wheatear, black, 311
- whimbrel, Asiatic, 154, 155
little, 299
- whitehead, 7, 9, 10, 26, 60, 88, 95, 97, 100, 102, 104, 166, 170
- WILLIAMS, E.M., see O'DONNELL, C.F.J.; WILLIAMS, E.M.; CHEYNE, J.
- WILLIAMS, M., see HOLDAWAY, R.N.; WILLIAMS, M.; HAWKE, D.J.
- WILSON, D., see BAIRD, K.; ISMAR, S.M.H.; WILSON, D.; PLOWMAN, S.; ZIMMERMAN, R.; BELLINGHAM, M.
- WOOD, J.; SCOFIELD, R.P. (Review). Moa: the life and death of New Zealand's legendary bird. Q. Berentson, 194-195
- WORTHY, T.H., see CHAMBERS, G.K.; WORTHY, T.H.
- wren, bush, 1, 8, 304
North Island bush, 101
rock, 7, 25, 101, 234
Stead's bush, 9, 10, 25, 122
- wrybill, 28, 155
- WÜRSIG, B., see MACHOVSKY-CAPUSKA, G.E.; VAUGHN-HIRSHORN, R.L.; WÜRSIG, B.; RAUBENHEIMER, D.
- Xenicus gilviventris*, see wren, rock
longipes, see wren, bush
longipes variabilis, see wren, Stead's bush
- yellowhammer, 175, 328
- yellowhead, 4, 5, 7-10, 14, 22, 26, 190
- ZIMMERMAN, R., see BAIRD, K.; ISMAR, S.M.H.; WILSON, D.; PLOWMAN, S.; ZIMMERMAN, R.; BELLINGHAM, M.
- Zosterops lateralis*, see silvereye