


NOTORNIS

Ornithology of the Southern Pacific



Volume 61 2014

Journal of the Ornithological Society of New Zealand

Contents of Volume 61, 2014

Volume 61, Part 1, March 2014

CONTENTS

Papers

Additional notes on the birds and vegetation of the southern Kermadec Islands, 2002 and 2006	Greene, T.C.; Scofield, R.P.; Dilks, P.J.; Griffiths, R.; Barkla, J.W.	1
Breeding ecology of brown booby (<i>Sula leucogaster</i>) in Gorgona Island, eastern tropical Pacific Ocean	Ospina-Alvarez, A.	10
Field weights and measurements of Australasian shoveler (<i>Anas rhynchos</i>) in New Zealand	Williams, M.	19
Calling and display by peacocks (<i>Pavo cristatus</i>) at Mansion House Historic Reserve, Kawau Island, New Zealand	Beauchamp, A.J.	27
Foraging behaviour and habitat partitioning in sympatric invasive birds in French Polynesia	Bates, J.H.; Spotswood, E.N.; Russell, J.C.	35

Short notes

Range expansion of the spur-winged plover (<i>Vanellus miles novaehollandiae</i>) in New Zealand	Fraser, D.; Galbraith, M.; Adams, N.; Blanchon, D.	43
Seabird predation by vagrant leopard seals (<i>Hydrurga leptonyx</i>) at Otago, New Zealand	McKinlay, B.; Heseltine, S.; Loh, G.	48
Observation of a female mallard (<i>Anas platyrhynchos</i>) with 29 ducklings	Seabrook-Davison, M.	51
Categorisation of common syllable types in the complex vocalisations of tui (<i>Prothemadera novaeseelandiae</i>)	Hill, S.D.; Ji, W.	54
First complete post-breeding survey of the Bounty Island shag (<i>Leucocarbo ranfurlyi</i>)	Hiscock, J.A.; McClland, P.J.; Chilvers, B.L.	57

Announcement

New branding for the OSNZ	Lawrie, D.	60
---------------------------	-------------------	-----------

Volume 61, Part 2, June 2014

CONTENTS

Papers

Developing a broadcast system to attract New Zealand falcons (<i>Falco novaseelandiae</i>)	Holland, J.; Minot, E.; McBride, N.; Teng, J.; Langshaw Power, B.	61
Increased abundance of the bellbird (<i>Anthornis melanura</i>) in Christchurch, New Zealand	Spurr, E.B.; Crossland, A.C.; Sagar, P.M.	67
Changes in passerine populations during ongoing predator control at a community-based conservation project: a case study to evaluate presence-absence surveys	Masuda, B.M.; McLean, M.; Gaze, P.	75
Post-translocation movements of pre-fledging Hutton's shearwaters (<i>Puffinus huttoni</i>) within a newly established colony (Te Rae o Atui) on the Kaikoura Peninsula	Rowe, L.	84
Survival and sex ratio in a mainland population of bellbirds (<i>Anthornis melanura</i>)	Sagar, P.M.; Scofield, R.P.	91
At-sea observations of Heinroth's shearwater (<i>Puffinus heinrothi</i>)	Harrison, P.	97

Short notes

Changes in annual counts of yellow-eyed penguins (<i>Megadyptes antipodes</i>) at Sandy Bay, Enderby Island, 2001-2012	Chilvers, B.L.	103
Southern extensions for Holocene records of Australian pelican (<i>Pelecanus conspicillatus</i>) and New Zealand musk duck (<i>Biziura delautouri</i>) in New Zealand	Lalas, C.; Hamel, J.; Tennyson, A.J.D.; Worthy, T.H.	106
First record of interbreeding between a Snares crested (<i>Eudyptes robustus</i>) and erect-crested penguin (<i>E. sclateri</i>)	Morrison, K.W.; Sagar, P.M.	109
A first documented record of black-naped tern (<i>Sterna sumatrana</i>) for Tutuila Island, American Samoa	Jones, S.E.I.	113

Review

Birds of New Zealand: a photographic guide	Miskelly, C.	116
--	--------------	-----

Obituary

David George Medway	McKinlay, B.; Lawrie, D.	118
---------------------	--------------------------	-----

Volume 61, Part 3, September 2014

CONTENTS

Papers

Sexual and individual differences in wedge-tailed shearwater (<i>Puffinus pacificus</i>) burrow calls and vocal recognition	Totterman, S.L.	121
Haematologic reference ranges of two remnant populations of the red-crowned parakeet (<i>Cyanoramphus novaezelandiae</i>) in New Zealand	Ortiz-Catedral, L.; Hauber, M.E.; Brunton, D.H.	131
Evidence for the continued existence of the South Island kokako (<i>Callaeas cinerea</i>) drawn from reports collected between January 1990 and June 2012	Milne, A.; Stocker, R.	137
Recovery and other observations of sooty shearwaters (<i>Puffinus griseus</i>), New Zealand white-faced storm petrels (<i>Pelagodroma marina maoriana</i>), and fairy prions (<i>Pachyptila turtur</i>) banded at Motunau Island, New Zealand 1960-1999	Rowe, L.	144
Assessing minimum population size of Kermadec parakeets (<i>Cyanoramphus novaezelandiae cyanurus</i>) on Macauley Island, Kermadec Islands	Greene, T.C.; Westbrooke, I.M.; Brown, D.; Dilks, P.J.; Barkla, J.W.; Griffiths, R.	154

Short notes

Distribution and abundance of shags in Abel Tasman National Park	Chilvers, B.L.	162
Ultrasonic harmonics in the calls of rock wren (<i>Xenicus gilviventris</i>)	Lloyd-Jones, D.J.	165
Bird electrocutions in New Zealand	Kross, S.M.	170
Kea (<i>Nestor notabilis</i>) – another North Island human-caused extinction	Tennyson, A.J.D.; Easton, L.J.; Wood, J.R.	174

Volume 61, Part 4, December 2014

CONTENTS

Papers

- | | | |
|---|---|-----|
| Seasonal movements and survival of royal spoonbill (<i>Platalea regia</i>) breeding in New Zealand | Schweigman, P.; Cash, W.F.; Thompson, M.P. | 177 |
| A case of natural recovery after the removal of invasive predators – community assemblage changes in the avifauna of Burgess Island | Ismar, S.M.H.; Baird, K.A.; Gaskin, C.P.; Taylor, G.A.; Tennyson, A.J.D.; Rayner, M.J.; Bettesworth, D.; Fitzgerald, N.; Landers, T.J.; Imber, M.J. | 188 |
| Breeding season diet of the Floreana mockingbird (<i>Mimus trifasciatus</i>), a micro-endemic species from the Galápagos Islands, Ecuador | Ortiz-Catedral, L. | 196 |
| Field identification of the orange-fronted parakeet (<i>Cyanoramphus malherbi</i>): pitfalls for the unwary | Kearvell, J.C.; Connor, C.; Farley, M. | 200 |

Short notes

- | | | |
|---|--|-----|
| Do flesh-footed shearwaters (<i>Puffinus carneipes</i>) use leaves as "home insulation"? | Waugh, S.M.; Hutzler, I.; Crotty, E.; Blyth, R. | 205 |
| Monitoring of an Australasian bittern (<i>Botaurus poiciloptilus</i>) following release into the wild | Williams, E.M.; Brady, M.W. | 208 |
| A novel foraging method by gull-billed terns (<i>Gelochelidon nilotica</i>) | Crocker, T. | 213 |
| Unusual bird records from the Antarctic Peninsula | Marin, M. | 215 |
| New records for passerine introductions to the Otago Acclimatisation Region in New Zealand | Moulton, M.P.; Santos, E.S.A.; Cropper, W.P., Jr.; Lim, J.N. | 219 |

Abstracts

- | | | |
|--|-----------------|-----|
| Abstracts of papers presented at the Ornithological Society of New Zealand AGM and conference, 31 May – 1 June 2014, Palmerston North, New Zealand | Various authors | 223 |
|--|-----------------|-----|

INDEX OF AUTHORS AND SPECIES

Volume 61

- Abroscopus albogularis*, see warbler, rufous-faced
- Abstracts of papers presented at the Ornithological Society of New Zealand AGM and conference, 31 May-1 June 2014, Palmerston North, New Zealand. Compiled by P. Battley & S. Jamieson, 223-232
- Acanthis flammea*, see redpoll
- Acanthisitta chloris*, see rifleman, South Island
- Acanthisitta*, 166
- Acanthisittidae*, 166
- Acridotheres tristis*, see myna, common
- ADAMS, N., see FRASER, D.; GALBRAITH, M.; ADAMS, N.; BLANCHON, D.
- ADAMS, N.J., see NICHOLSON, J.H.; GALLAGHER, R.; GALBRAITH, M.; ADAMS, N.J.
- adzebill, South Island, 106
- Aerodramus* spp., see swiftlet spp.
- AGNEW, P., see COCKREM, J.F.; BARRETT, D.P.; CANDY, E.J.; AGNEW, P.; POTTER, M.A.
- AGUILAR, G., see GRAHAM, M.; VEITCH, D.; AGUILAR, D.; GALBRAITH, M.
- Alauda arvensis*, see skylark
- albatross, black-browed, 117
- Buller's, 48
- Chatham Island, 117
- northern royal, 117
- Salvin's, 48, 117
- southern royal, 48
- waved, 198
- white-capped, 48, 116-117
- ALLEY, M., see GARTRELL, B.; HOWE, L.; ALLEY, M.; HA, H.
- Anarhynchus frontalis*, see wrybill
- Anas acuta*, see pintail, northern
- clypeata*, see shoveler, northern
- platelea*, see shoveler, red
- platyrhynchos*, see mallard
- rhynchotis*, see shoveler, Australasian
- smithii*, see shoveler, Cape
- spp., 232
- supercilliosa*, see duck, grey
- ANNOUNCEMENT. New branding for the OSNZ, 60
- ANNUAL GENERAL MEETING. Abstracts of papers presented at the Ornithological Society of New Zealand AGM and conference, 31 May-1 June 2014, Palmerston North, New Zealand. Compiled by P. Battley & S. Jamieson, 223-232
- Anous minutus minutus*, see noddy, black
- stolidus pileatus*, see noddy, brown
- Anseriformes, 52
- Anthochaera carunculata*, see wattlebird, red
- chrysoptera*, see wattlebird, little
- Anthornis melanura*, see bellbird
- Anthus novaeseelandiae*, see pipit, New Zealand
- Aptenodytes* spp., 110
- Aptornis defossor*, see adzebill, South Island
- Aquila moorei*, see eagle, Haast's
- Ardea intermedia*, see egret, intermediate
- modesta*, see heron, white
- pacifica*, see heron, pacific
- Arenaria interpres*, see turnstone
- ARMITAGE, I. Some results of the Pauatahanui Inlet bird survey, 1982/84-2012/14, AGM and Conference Abstract, 224
- ARMSTRONG, D., see WILLIAMS, E.; O'DONNELL, C.F.J.; CHEYNE, J.; ARMSTRONG, D.
- Aythya australis*, see duck, white-eyed
- BAIRD, K.A., see ISMAR, S.M.H.; BAIRD, K.A.; GASKIN, C.P.; TAYLOR, G.A.; TENNYSON, A.J.D.; RAYNER, M.J.; BETTESWORTH, D.; FITZGERALD, N.; LANDERS, T.J.; IMBER, M.J.
- BARKLA, J.W., see GREENE, T.C.; SCOFIELD, R.P.; DILKS, P.J.; GRIFFITHS, R.; BARKLA, J.W.
- BARKLA, J.W., see GREENE, T.C.; WESTBROOKE, I.M.; BROWN, D.; DILKS, P.J.; BARKLA, J.W.; GRIFFITHS, R.
- BARRETT, D.P., see COCKREM, J.F.; BARRETT, D.P.; CANDY, E.J.; AGNEW, P.; POTTER, M.A.
- BATES, J.H.; SPOTSWOOD, E.N.; RUSSELL, J.C. Foraging behaviour and habitat partitioning in sympatric invasive birds in French Polynesia, 35-42
- BATTLE, P. The rise and fall of the Manawatu Estuary's shorebirds, AGM and Conference Abstract, 224
- BATTLE, P. Tracking the migrations of New Zealand-wintering red knots, AGM and Conference Abstract, 224-225
- BATTLE, P.; JAMIESON, S. Abstracts of papers presented at the Ornithological Society of New Zealand AGM and conference, 31 May-1 June 2014, Palmerston North, New Zealand, 223-232
- BATTLE, P.F., see SIEVWRIGHT, K.A.; BATTLE, P.F.; MORGAN, K.J.; MCCONNELL, H.
- BEAUCHAMP, A.J. Calling and display by peacocks (*Pavo cristatus*) at Mansion House Historic Reserve, Kawau Island, New Zealand, 27-34

- bellbird, 67-73, 75, 77-79, 91-96, 188, 190-194, 224, 226
- BEMELMANS, E., see FROST, P.G.H.; SMITH, C.; BEMELMANS, E.
- BETTESWORTH, D., see ISMAR, S.M.H.; BAIRD, K.A.; GASKIN, C.P.; TAYLOR, G.A.; TENNYSON, A.J.D.; RAYNER, M.J.; BETTESWORTH, D.; FITZGERALD, N.; LANDERS, T.J.; IMBER, M.J.
- bird, frugivorous spp., 193
introduced spp., 35-42, 46
invasive spp., 35-42, 43
land spp., 191
New Zealand forest spp., 143
pollen-feeding spp., 193
- BISHOP, C., see SINCLAIR, S.; LOVEGROVE, T.; SENIOR, B.; BISHOP, C.; LANDERS, T.
- bittern, Australasian, 142, 208-212, 231-232
Eurasian, 211
spp., 211
- Biziura delautouri*, see duck, New Zealand musk
lobata, see duck, Australian musk
- blackbird, 7, 92, 140, 192, 220, 221, 230
Eurasian, see blackbird
- BLANCHON, D., see FRASER, D.; GALBRAITH, M.; ADAMS, N.; BLANCHON, D.
- BLYTH, R., see WAUGH, S.M.; HUTZLER, I.; CROTTY, E.; BLYTH, R.
- booby, blue-faced, see booby, masked
blue-footed, 11, 13, 15, 198
brown, 10-18
masked, 5, 8, 116
red-footed, 15
- Botaurus poiciloptilus*, see bittern, Australasian
stellaris, see bittern, Eurasian
- BRADY, M.W., see WILLIAMS, E.M.; BRADY, M.W.
- Branta canadensis*, see goose, Canada
- BROWN, D., see GREENE, T.C.; WESTBROOKE, I.M.; BROWN, D.; DILKS, P.J.; BARKLA, J.W.; GRIFFITHS, R.
- BRUNTON, D.H., see ORTIZ-CATEDRAL, L.; HAUBER, M.E.; BRUNTON, D.H.
- Bubulcus ibis*, see egret, cattle
- budgerigar, 134
- bulbul, red-vented, 35-42
- bunting, ciril, 220, 221
- BUTLER, S., see GORMLEY, A.; WOOD, J.; TOMPKINS, D.; BUTLER, S.; MACLEOD, C.
- Callaeas cinerea*, see kokako, South Island
wilsoni, see kokako, North Island
- Callaeidae, 137-143
- CANDY, E.J., see COCKREM, J.F.; BARRETT, D.P.; CANDY, E.J.; AGNEW, P.; POTTER, M.A.
- Carduelis carduelis*, see goldfinch
chloris, see greenfinch
flammea, see redpoll
- CASH, W.F., see SCHWEIGMAN, P.; CASH, W.F.; THOMPSON, M.P.
- CASTRO, I., see HISCOX, J.; CASTRO, I.; MIDWINTER, A.; JAMIESON, S.
- CASTRO, I., see SCHÖNER, E.; CASTRO, I.; HOWE, L.; PARKER, K.; TOMPKINS, D.
- Catharacta antarctica*, see skua, southern
- chaffinch, 92, 192, 220, 221
- Chalcites lucidus*, see *Chrysococcyx lucidus*
- Charadrius alexandrinus*, see plover, least
bicinctus, see dotterel, banded
veredus, see dotterel, oriental
vociferus, see killdeer
- CHEYNE, J., see WILLIAMS, E.; O'DONNELL, C.F.J.; CHEYNE, J.; ARMSTRONG, D.
- CHILVERS, B.L. Changes in annual counts of yellow-eyed penguins (*Megadyptes antipodes*) at Sandy Bay, Enderby Island, 2001-2012, 103-105
- CHILVERS, B.L. Distribution and abundance of shags in Abel Tasman National Park, 162-164
- CHILVERS, B.L., see HISCOCK, J.A.; MCCCELLAND, P.J.; CHILVERS, B.L.
- Chlidonias leucopterus*, see tern, white-winged black
- Chrysococcyx lucidus*, see cuckoo, shining
- Circus approximans*, see harrier, swamp
- cockatiel, 134
- COCKREM, J.F.; BARRETT, D.P.; CANDY, E.J.; AGNEW, P.; POTTER, M.A. Corticosterone responses and the measurement of stress in penguins, AGM and Conference Abstract, 225
- Coenocorypha aucklandica meinertzhagenae*, see snipe, Antipodes Island
huegeli, see snipe, Snares Island
spp., see snipe spp.
- Collocalia* spp., see swiftlet spp.
- Columba livia*, see pigeon, rock
- CONNOR, C., see KEARVELL, J.C.; CONNOR, C.; FARLEY, M.
- coot, Australian, 228
- Coracina novaehollandiae*, see cuckoo-shrike, black-faced
- Corvus splendens*, see crow, house
- creeper, brown, 52
- CROCKER, T. A novel foraging method by gull-billed terns (*Gelochelidon nilotica*), 213-214
- CROPPER, W.P., Jr., see MOULTON, M.P.; SANTOS, E.S.A.; CROPPER, W.P., Jr.; LIM, J.N.
- CROSSLAND, A.C., see SPURR, E.B.; CROSSLAND, A.C.; SAGAR, P.M.
- CROTTY, E., see WAUGH, S.M.; HUTZLER, I.; CROTTY, E.; BLYTH, R.
- crow, house, 43, 46
- cuckoo, long-tailed, 52, 117, 191, 193
shining, 52, 117, 192, 193
- cuckoo-shrike, black-faced, 138, 228

- curlew, eastern, 228
Cyanoramphus auriceps, see parakeet, yellow-crowned
 forbesi, see parakeet, Forbes'
 malherbi, see parakeet, orange-fronted
 novaezelandiae, see parakeet, red-crowned
 novaezelandiae cyanurus, see parakeet, Kermadec red-crowned
 spp., see parakeet, spp.
Cygnus atratus, see swan, black
- Daption capense*, see pigeon, cape
 DILKS, P.J., see GREENE, T.C.; SCOFIELD, R.P.; DILKS, P.J.; GRIFFITHS, R.; BARKLA, J.W.
 DILKS, P.J., see GREENE, T.C.; WESTBROOKE, I.M.; BROWN, D.; DILKS, P.J.; BARKLA, J.W.; GRIFFITHS, R.
 Dinornithiformes, 106
Diomedea epomophora, see albatross, southern royal
 sanfordi, see albatross, northern royal
 dotterel,
 banded, 117, 224
 oriental, 228
 dove, Eurasian collared, 43
 Galapagos, 198
 duck, Australian musk, 107
 blue, 76, 79, 80
 extinct Chatham Island, 232
 grey, 52
 hybrid mallard/grey, 52
 mallard, 51-53, 229, 232
 New Zealand musk, 106-108
 spotbill, 232
 spp., 52
 white-eyed, 228
 dunnoek, 92, 192, 220, 221, 227
- eagle, Haast's, 175
 North Island Haast's, 175
 EASTON, L.J., see TENNYSON, A.J.D.; EASTON, L.J.; WOOD, J.R.
 egret, cattle, 217
 great, see heron, white
 intermediate, 116
 plumed, see egret, intermediate
Egretta sacra, see heron, reef
Emberiza cirrus, see bunting, ciril
 citrinella, see yellowhammer
Eudynamis taitensis, see cuckoo, long-tailed
Eudyptes chrysocome, see penguin, western rockhopper
 chrysolophus, see penguin, macaroni
 filholi, see penguin, eastern rockhopper
 moseleyi, see penguin, northern rockhopper
 pachyrhynchus, see penguin, Fiordland crested
 robustus, see penguin, Snares crested
 schlegeli, see penguin, royal
 sclateri, see penguin, erect-crested
 spp., 109-112
Eudyptula albosignata, see penguin, white-flipped
 minor, see penguin, little
 minor albosignata, see penguin, white-flipped
- Falco novaezeelandiae*, see falcon, New Zealand
 falcon, bush, 61, 229
 eastern, 61, 229
 New Zealand, 61-66, 80, 170-172, 229
 southern, 61, 229
 fantail, 92
 New Zealand, 117, 192
 FARLEY, M., see KEARVELL, J.C.; CONNOR, C.; FARLEY, M.
 finch, Galapagos spp., 198
 spp., 7
 FITZGERALD, N., see ISMAR, S.M.H.; BAIRD, K.A.; GASKIN, C.P.; TAYLOR, G.A.; TENNYSON, A.J.D.; RAYNER, M.J.; BETTESWORTH, D.; FITZGERALD, N.; LANDERS, T.J.; IMBER, M.J.
 fowl, feral, 139
 FRASER, D.; GALBRAITH, M.; ADAMS, N.; BLANCHON, D. Range expansion of the spur-winged plover in New Zealand, 43-47
Fregata ariel, see frigatebird, lesser
 magnificens, see frigatebird, magnificent
 minor, see frigatebird, great
Fregetta grallaria, see storm petrel, white-bellied
 maoriana, see storm petrel, New Zealand
 tropica, see storm petrel, black-bellied
 frigatebird, great, 15
 lesser, 15
 magnificent, 11, 15
Fringilla coelebs, see chaffinch
 FROST, P.G.H.; SMITH, C.; BEMELMANS, E. Reintroduction of hihi to Bushy Park, a mainland sanctuary, AGM and Conference Abstract, 225
Fulica atra australis, see coot, Australian
- GALBRAITH, M., see FRASER, D.; GALBRAITH, M.; ADAMS, N.; BLANCHON, D.
 GALBRAITH, M., see GRAHAM, M.; VEITCH, D.; AGUILAR, D.; GALBRAITH, M.
 GALBRAITH, M., see NICHOLSON, J.H.; GALLAGHER, R.; GALBRAITH, M.; ADAMS, N.J.
 GALLAGHER, R., see NICHOLSON, J.H.; GALLAGHER, R.; GALBRAITH, M.; ADAMS, N.J.
 Galliformes spp., 139
Gallirallus australis, see weka
 gamebird spp., 19
 gannet, Australasian, 192

- GARTRELL, B.; HOWE, L.; ALLEY, M.; HA, H.
A speculative history of avipox virus in
New Zealand birds, AGM and Conference
Abstract, 225-226
- GARTRELL, B., see SIJBRANDA, D.; GARTRELL,
B.; HOWE, L.
- GASKIN, C.P., see ISMAR, S.M.H.; BAIRD, K.A.;
GASKIN, C.P.; TAYLOR, G.A.; TENNYSON,
A.J.D.; RAYNER, M.J.; BETTESWORTH, D.;
FITZGERALD, N.; LANDERS, T.J.; IMBER,
M.J.
- GAZE, P., see MASUDA, B.M.; MCLEAN, M.;
GAZE, P.
- Gelochelidon nilotica*, see tern, gull-billed
nilotica microtarsa, see tern, gull-billed
- Gerygone albofrontata*, see warbler, Chatham Island
igata, see warbler, grey
- godwit, bar-tailed, 193, 224
- goldfinch, 92, 192, 214, 220, 221
European, see goldfinch
- goose, Canada, 171
spp., 52
- GORMLEY, A.; WOOD, J.; TOMPKINS, D.;
BUTLER, S.; MACLEOD, C. Increasing
woody vegetation in farmland – how
would bird communities change? AGM and
Conference Abstract, 232
- GRAHAM, M.; VEITCH, D.; AGUILAR, D.;
GALBRAITH, M. Monitoring terrestrial
bird populations on Tiritiri Matangi Island,
Hauraki Gulf, New Zealand: a 24 year
study between 1987 and 2010, AGM and
Conference Abstract, 226
- GREENE, T.C.; SCOFIELD, R.P.; DILKS, P.J.;
GRIFFITHS, R.; BARKLA, J.W. Additional
notes on the birds and vegetation of the
Southern Kermadec Islands, 2002 and 2006,
1-9
- GREENE, T.C.; WESTBROOKE, I.M.; BROWN, D.;
DILKS, P.J.; BARKLA, J.W.; GRIFFITHS,
R. Assessing minimum population size
of Kermadec parakeets (*Cyanoramphus
novaezelandiae cyanurus*) on Macauley Island,
Kermadec Islands, 154-161
- greenfinch, 92, 214, 220, 221
European, see greenfinch
- greenshank, 228
- GRIFFITHS, R., see GREENE, T.C.; SCOFIELD, R.P.;
DILKS, P.J.; GRIFFITHS, R.; BARKLA, J.W.
- GRIFFITHS, R., see GREENE, T.C.; WESTBROOKE,
I.M.; BROWN, D.; DILKS, P.J.; BARKLA,
J.W.; GRIFFITHS, R.
- GROSSER, S.; ROBERTSON, B.C.; WATERS, J.M.
Two fairy penguins go into a bar, AGM and
Conference Abstract, 226
- gull, black-backed, 145, 192
Franklin's, 228
red-billed, 117, 145, 190-194, 224
southern black-backed, see gull, black-
backed
spp., 49
Gymnomyza samoensis, see ma'o
Gymnorhina tibicen, see magpie, Australian
- HA, H., see GARTRELL, B.; HOWE, L.; ALLEY, M.;
HA, H.
- HAMEL, J., see LALAS, C.; HAMEL, J.; TENNYSON,
A.J.D.; WORTHY, T.H.
- harrier, Australasian, see harrier, swamp
swamp, 5, 32, 171, 192, 193
- HARRISON, P. At-sea observations of Heinroth's
shearwater (*Puffinus heinrothi*), 97-102
- HAUBER, M.E., see ORTIZ-CATEDRAL, L.;
HAUBER, M.E.; BRUNTON, D.H.
- Hemiphaga novaeseelandiae*, see pigeon, New
Zealand
- heron, nankeen night, 228
Pacific, 228
reef, 191-193
white, 116, 224, 228
- HESELTINE, S., see MCKINLAY, B.; HESELTINE,
S.; LOH, G.
- Heteralocha acutirostris*, see huia
- hihi, see stitchbird
- HILL, S.D.; JI, W. Categorisation of common syllable
types in the complex vocalisations of tui
(*Prosthemadera novaeseelandiae*), 54-56
- Himantopus himantopus*, see stilt, pied
mexicanus, see stilt, black-necked
- Hirundo neoxena*, see swallow, welcome
rustica, see swallow, barn
tahitica, see swallow, Pacific
- HISCOCK, J.A.; MCCCELLAND, P.J.; CHILVERS,
B.L. First complete post-breeding survey of
the Bounty Island shag (*Leucocarbo ranfurlyi*),
57-59
- HISCOX, J.; CASTRO, I.; MIDWINTER, A.;
JAMIESON, S. Could microbes be
contributing to the decline of the North
Island brown kiwi? AGM and Conference
Abstract 226-227
- HOLLAND, J.; MINOT, E.; MCBRIDE, N.; TENG,
J.; LANGSHAW POWER, B. Developing a
broadcast system to attract New Zealand
falcons (*Falco novaeseelandiae*), 61-66
- honeyeater, New Holland, 55
Samoan, see ma'o
spp., 67-73, 193
- HOLTMANN, B.; NAKAGAWA, S. The personality
of dunnocks: consequences of consistent
individual behaviour, AGM and Conference
Abstract, 227
- HOWE, L., see GARTRELL, B.; HOWE, L.; ALLEY,
M.; HA, H.
- HOWE, L., see SCHÖNER, E.; CASTRO, I.; HOWE,
L.; PARKER, K.; TOMPKINS, D.

- HOWE, L., see SIJBRANDA, D.; GARTRELL, B.;
 HOWE, L.
 huia, 137, 138
 hummingbird, blue-throated, 165, 169
 HUTZLER, I., see WAUGH, S.M.; HUTZLER, I.;
 CROTTY, E.; BLYTH, R.
 Hydrobatidae, 121
Hydroprogne caspia, see tern, Caspian
Hymenolaimus malacorhynchos, see duck, blue
- IMBER, M.J., see ISMAR, S.M.H.; BAIRD, K.A.;
 GASKIN, C.P.; TAYLOR, G.A.; TENNYSON,
 A.J.D.; RAYNER, M.J.; BETTESWORTH, D.;
 FITZGERALD, N.; LANDERS, T.J.; IMBER,
 M.J.
 ISMAR, S.M.H.; BAIRD, K.A.; GASKIN, C.P.;
 TAYLOR, G.A.; TENNYSON, A.J.D.; RAYNER,
 M.J.; BETTESWORTH, D.; FITZGERALD,
 N.; LANDERS, T.J.; IMBER, M.J. A case of
 natural recovery after the removal of invasive
 predators – community assemblage changes
 in the avifauna of Burgess Island, 188-195
- JAMIESON, S., see BATTLE, P.; JAMIESON, S.
 JAMIESON, S., see HISCOX, J.; CASTRO, I.;
 MIDWINTER, A.; JAMIESON, S.
 JI, W., see HILL, S.D.; JI, W.
 JONES, S.E.I. A first documented record of black-
 naped tern (*Sterna sumatrana*) for Tutuila
 Island, American Samoa, 113-115
 junco, dark-eyed, 40
 Oregon, 54, 55
Junco hyemalis, see junco, dark-eyed
hyemalis oreganus, see junco, Oregon
- kaka, 80, 171, 172, 174-176, 191, 192, 231
 Chatham Island, 231
 Norfolk Island, 231
 North Island, 231
 South Island, 231
 kakapo, 134, 175, 231
 kakariki, see parakeet spp.
 kea, 171, 172, 174-176, 231
 KEARVELL, J.C.; CONNOR, C.; FARLEY, M. Field
 identification of the orange-fronted parakeet
 (*Cyanoramphus malherbi*): pitfalls for the
 unwary, 200-204
 kereru, see pigeon, New Zealand
 kingfisher, New Zealand, 6, 7, 192
 kiwi, 226-228
 great spotted, 229
 North Island brown, 227
 knot, red, 224
 kokako, 137-143, 230
 North Island, 137-139, 141, 143, 227
 South Island, 137-143, 227
 KROSS, S.M. Bird electrocutions in New Zealand,
 170-173
- LALAS, C.; HAMEL, J.; TENNYSON, A.J.D.;
 WORTHY, T.H. Southern extensions for
 Holocene records of Australian pelican
 (*Pelecanus conspicillatus*) and New Zealand
 musk duck (*Biziura delautori*) in New
 Zealand, 106-108
Lampornis clemenciae, see hummingbird, blue-
 throated
 landbird spp., 7, 191
 LANDERS, T.J., see ISMAR, S.M.H.; BAIRD, K.A.;
 GASKIN, C.P.; TAYLOR, G.A.; TENNYSON,
 A.J.D.; RAYNER, M.J.; BETTESWORTH, D.;
 FITZGERALD, N.; LANDERS, T.J.; IMBER,
 M.J.
 LANDERS, T., see SINCLAIR, S.; LOVEGROVE, T.;
 SENIOR, B.; BISHOP, C.; LANDERS, T.
 LANGSHAW POWER, B., see HOLLAND, J.;
 MINOT, E.; MCBRIDE, N.; TENG, J.;
 LANGSHAW POWER, B.
 lapwing, Australian masked, see plover, spur-
 winged
Larus dominicanus dominicanus, see gull, southern
 black-backed
novaehollandiae, see gull, red-billed
pipixcan, see gull, Franklin's
 sp., see gull sp.
 LAWRIE, D. Announcement. New branding for the
 OSNZ, 60
 LAWRIE, D., see MCKINLAY, B.; LAWRIE, D.
Lessonia rufa, see negrito, austral
Leucocarbo chalconotus, see shag, Stewart Island
ranfurlyi, see shag, Bounty Island
 LIM, J.N., see MOULTON, M.P.; SANTOS, E.S.A.;
 CROPPER, W.P., Jr.; LIM, J.N.
Limosa lapponica, see godwit, eastern bar-tailed
 LLOYD-JONES, D.J. Ultrasonic harmonics in the calls
 of rock wren (*Xenicus gilviventris*), 165-169
 LOH, G., see MCKINLAY, B.; HESELTINE, S.; LOH, G.
 LOVEGROVE, T., see SINCLAIR, S.; LOVEGROVE,
 T.; SENIOR, B.; BISHOP, C.; LANDERS, T.
- MACLEOD, C., see GORMLEY, A.; WOOD, J.;
 TOMPKINS, D.; BUTLER, S.; MACLEOD,
 C.
Macronectes giganteus, see petrel, southern giant
halli, see petrel, northern giant
 magpie, Australian, 89, 171, 220
 mainah, Australian, see miner, noisy
 mallard, see duck, mallard
Manorina melanocephala, see miner, noisy
 ma'o, 231
 MARIN, M. Unusual bird records from the Antarctic
 Peninsula, 215-218
 MASUDA, B.M.; MCLEAN, M.; GAZE, P. Changes
 in passerine populations during ongoing
 predator control at a community-based
 conservation project: a case study to evaluate
 presence-absence surveys, 75-83

- matuku, see bittern, Australasian
- MCBRIDE, N., see HOLLAND, J.; MINOT, E.; MCBRIDE, N.; TENG, J.; LANGSHAW POWER, B.
- MCCELLAND, P.J., see HISCOCK, J.A.; MCCELLAND, P.J.; CHILVERS, B.L.
- MCCONNELL, H., see SIEVWRIGHT, K.A.; BATTLE, P.F.; MORGAN, K.J.; MCCONNELL, H.
- MCKINLAY, B.; HESELTINE, S.; LOH, G. Seabird predation by vagrant leopard seals (*Hydrurga leptonyx*) at Otago, New Zealand, 48-50
- MCKINLAY, B.; LAWRIE, D. (Obituary). David George Medway (1939-2013), 118-120
- MCLEAN, M., see MASUDA, B.M.; MCLEAN, M.; GAZE, P.
- Megadyptes antipodes*, see penguin, yellow-eyed
- Meliphagidae, 55, 67
- Melopsittacus undulatus*, see budgerigar
- MIDWINTER, A., see HISCOX, J.; CASTRO, I.; MIDWINTER, A.; JAMIESON, S.
- MILNE, A.; STOCKER, R. Evidence for the continued existence of the South Island kokako (*Callaeas cinerea*) drawn from reports collected between January 1990 and June 2012, 137-143
- MILNE, A.; STOCKER, R. Evidence supporting the continued existence of populations of South Island kokako and their indicative distribution, AGM and Conference Abstract, 227
- Mimus gilvus*, see mockingbird, tropical
- macdonaldi*, see mockingbird, Española
- melanotis*, see mockingbird, San Cristobal
- parvulus*, see mockingbird, Galápagos
- trifasciatus*, see mockingbird, Floreana
- minah, Australian, 220, 221
- miner, noisy, 55, 220
- MINOT, E., see HOLLAND, J.; MINOT, E.; MCBRIDE, N.; TENG, J.; LANGSHAW POWER, B.
- MINOT, E., see OLLEY, L.; TREWICK, S.; MINOT, E.
- MINOT, E., see STIRNEMANN, R.L.; POTTER, M.; MINOT, E.
- MISKELLY, C.M. (Review). Birds of New Zealand, a photographic guide. P. Scofield and B. Stephenson, 116-117
- MISKELLY, C.M. New Zealand wildlife protection myths, AGM and Conference Abstract, 227-228
- MISKELLY, C.M. Records Appraisal Committee – processes, and recent decisions and highlights, AGM and Conference Abstract, 228
- moa spp., 106
- mockingbird, Española, 196, 198
- Floreana, 196-199
- Galápagos, 197, 198
- San Cristobal, 196
- tropical 54, 55
- Mohoua albicilla*, see whitehead
- novaeseelandiae*, see creeper, brown
- ochrocephala*, see yellowhead
- spp., 117
- mohua, see yellowhead
- mollymawk, black-browed, see albatross, black-browed
- Chatham Island, see albatross, Chatham Island
- Salvin's, see albatross, Salvin's
- white-capped, see albatross, white-capped
- morepork, 191, 192
- MORGAN, K.J. Wildbase - the past, present and future, AGM and Conference Keynote Address Abstract, 223
- MORGAN, K.J., see SIEVWRIGHT, K.A.; BATTLE, P.F.; MORGAN, K.J.; MCCONNELL, H.
- MORRISON, K.W.; SAGAR, P.M. First record of interbreeding between a Snares crested (*Eudyptes robustus*) and erect-crested penguin (*E. sclateri*), 109-112
- Morus serator*, see gannet, Australasian
- MOULTON, M.P.; SANTOS, E.S.A.; CROPPER, W.P., Jr.; LIM, J.N. New records for passerine introductions to the Otago Acclimatisation Region in New Zealand, 219-222
- muttonbird sp., 84
- myna, common, 35-46, 192, 220
- Myzantha garrula*, see *Manorina melanocephala*
- NAKAGAWA, S., see HOLTSMANN, B.; NAKAGAWA, S.
- negreto, austral, 218
- Neophema chrysogaster*, see parrot, orange-bellied
- Nestor meridionalis*, see kaka
- meridionalis meridionalis*, see kaka, South Island
- meridionalis septentrionalis*, see kaka, North Island
- notabilis*, see kea
- nsp., see kaka, extinct Chatham Island
- productus*, see kaka, Norfolk Island
- spp., 174-176
- NICHOLSON, J.H.; GALLAGHER, R.; GALBRAITH, M.; ADAMS, N.J. Wetland bird communities in the Waiatarua Reserve, AGM and Conference Abstract, 228-229
- Ninox novaeseelandiae*, see morepork
- noddy, black, 5, 97-99, 102
- brown, 5, 7
- grey, 5
- spp., 8
- Notiomystis cincta*, see stitchbird
- Numenius madagascariensis*, see curlew, eastern
- Nycticorax caledonicus*, see heron, nankeen night
- Nymphicus hollandicus*, see cockatiel

- OBITUARY: David George Medway (1939-2013), MCKINLAY, B.; LAWRIE, D., 118-120
- O'DONNELL, C.F.J., see WILLIAMS, E.; O'DONNELL, C.F.J.; CHEYNE, J.; ARMSTRONG, D.
- oilbird, 165
- OLLEY, L.; TREWICK, S.; MINOT, E. Population genetics of the New Zealand falcon, AGM and Conference Abstract, 229
- Onychoprion fuscatus serratus*, see tern, sooty
- ORTIZ-CATEDRAL, L. Breeding season diet of the Floreana mockingbird (*Mimus trifasciatus*), a micro-endemic species from the Galápagos Islands, Ecuador, 196-199
- ORTIZ-CATEDRAL, L.; HAUBER, M.E.; BRUNTON, D.H. Haematologic reference ranges of two remnant populations of the red-crowned parakeet (*Cyanoramphus novaezelandiae*) in New Zealand, 131-136
- oscine spp., 55
- OSPINA-ALVAREZ, A. Breeding ecology of brown booby (*Sula leucogaster*) in Gorgona Island, eastern tropical Pacific Ocean, 10-18
- oystercatcher, pied, 224
variable, 224
- Pachyanas chathamica*, see duck, extinct Chatham Island
- Pachyptila turtur*, see prion, fairy
- parakeet, Forbes', 132
Kermadec, see Kermadec red-crowned
Kermadec red-crowned, 1, 6, 7, 8, 154-161
orange-crowned, 116, 200-204
red-crowned, 131-136, 188, 190-192, 194
spp., 5, 80, 160
yellow-crowned, 200-204
- PARKER, K., see SCHÖNER, E.; CASTRO, I.; HOWE, L.; PARKER, K.; TOMPKINS, D.
- parrot, orange-bellied, 134
spp., 43, 131-136, 231
- Parus major*, see tit, great
- Passer domesticus*, see sparrow, house
- passerine, farmland spp., 95
New Zealand forest spp., 75-83, 93, 95, 139
spp., 92, 95, 172, 213, 220, 221
- Pavo cristatus*, see peafowl
- peafowl, 27-34
- Peleornis maoriana*, see *Fregetta maoriana*
- Pelagodroma albiclunis*, see storm petrel, Kermadec
marina maoriana, see storm petrel, white-faced
- Pelecanoides georgicus*, see petrel, South Georgian diving
magellani, see petrel, Magellan diving
sp., see petrel, diving
urinatrix, see petrel, common diving
Pelecanoididae, 121
- Pelecanus conspicillatus*, see pelican, Australian
occidentalis, see pelican, brown
- pelican, Australian, 106-108, 116
brown, 11, 15
- penguin, Adelie, 225
blue, see penguin, little
chinstrap, 215, 216
crested spp., 110
eastern rockhopper, 109, 111
emperor, 225
erect-crested, 109-112, 117
fairy, see penguin, little
Fiordland crested, 110, 111, 116
gentoo, 48
little, 191-193, 205, 225, 226, 229-230
little blue, see penguin, little
macaroni, 48, 111, 216
northern rockhopper, 111
rockhopper, 215-216
rockhopper spp., 111
royal, 109, 111
Snarcs crested, 109-112, 116
southern rockhopper, see penguin, western rockhopper
spp., 48, 103
western rockhopper, 109, 111
white-flipped, 145, 226
yellow-eyed, 103-105, 229
- petrel, black, 116, 193
black-winged, 4, 7, 8, 122, 191, 192
cape, 48, 49
common diving, 191-193, 216-217
Cook's, 171, 191-193
diving, 48
grey-faced, 101, 191-193
Juan Fernandez, 228
Kermadec, 3-4, 8
Magellan diving, 217
northern giant, 3, 215
providence, 3, 7, 228
Pycroft's, 191
South Georgian diving, 217
southern giant, 215
spp., 2, 5, 121-130, 223
Westland, 117
white-chinned, 117
white-headed, 117
white-naped, 4, 7, 8
- Petroica australis*, see robin, New Zealand
australis australis, see robin, South Island
longipes, see robin, North Island
macrocephala, see tomtit, New Zealand
- Phaethon rubricauda*, see tropicbird, red-tailed
- Phalacrocoracidae, 57
- Phalacrocorax melanoleucos*, see shag, little
ulcirostris, see shag, little black
varius, see shag, pied
- Phylidonyris novaehollandiae*, see honeyeater, New Holland

- Philesturnus carunculatus*, see saddleback, South Island
rufusater, see saddleback, North Island
Phoebastria irrorata, see albatross, waved
 pigeon, cape, see petrel, cape
 New Zealand, 139, 171, 172, 192, 228
 rock, 191, 193
 pintail, northern, 116
 pipit, New Zealand, 7, 191, 193
 piwauwau, see wren, rock
Platalea leucorodia, see spoonbill, Eurasian
 minor, see spoonbill, black-faced
 regia, see spoonbill, royal
Platycercus eximius, see rosella, eastern
Plegadis falcinellus, see ibis, glossy
 plover, African spur-winged, 117
 American golden, 228
 golden, 193, 224
 grey, 116
 Pacific golden, 5
 shore, 224, 226
 snowy, 213
 spur-winged, 43-47, 139
Pluvialis dominica, see plover, American golden
 fulva, see plover, Pacific golden
 squatarola, see plover, grey
Porphyrio melanotus, see pukeko
 POTTER, M.A., see COCKREM, J.F.; BARRETT, D.P.; CANDY, E.J.; AGNEW, P.; POTTER, M.A.
 POTTER, M., see STIRNEMANN, R.L.; POTTER, M.; MINOT, E.
 poultry, domestic, 225-226
 feral, see fowl, feral
 prion, fairy, 48, 144-153, 191, 193
Procellaria aequinoctialis, see petrel, white-chinned
 parkinsoni, see petrel, black
 westlandica, see petrel, Westland
 Procellariidae, 121
 Procellariiform spp., 4
 Procellariiformes, 191, 215
Procelsterna cerulea albivitta, see noddy, grey
Prothemadera novaeseelandiae, see tui
Prunella modularis, see dunnoek
 Psittacine spp., 134, 172
Pterodroma cervicalis, see petrel, white-naped
 cookii, see petrel, Cook's
 externa, see petrel, Juan Fernandez
 lessonii, see petrel, white-headed
 macroptera gouldi, see petrel, grey-faced
 magentae, see taiko, Chatham Island
 neglecta, see petrel, Kermadec
 nigripennis, see petrel, black-winged
 pycrofti, see petrel, Pycroft's
 solandri, see petrel, providence
Puffinus assimilis, see shearwater, little
 assimilis kermadecensis, see shearwater, Kermadec little
 bulleri, see shearwater, Buller's
 carneipes, see shearwater, flesh-footed
 gavia, see shearwater, fluttering
 gravis, see shearwater, great
 griseus, see shearwater, sooty
 heinrothi, see shearwater, Heinroth's
 huttoni, see shearwater, Hutton's
 lherminieri, see shearwater, Audubon's
 pacificus, see shearwater, wedge-tailed
 puffinus, see shearwater, Manx
 spp., see shearwater spp.
 tenuirostris, see shearwater, short-tailed
 yelkouan, see shearwater, Yelkouan
 pukeko, 51, 232
Pycnonotus cafer, see bulbul, red-vented
Pygoscelis antarcticus, see penguin, chinstrap
 papua, see penguin, gentoo
 spp., 110
 quail, California, 224
 raptor, spp., 61-66, 170-173
 ratite spp., 116
 RAYNER, M.J., see ISMAR, S.M.H.; BAIRD, K.A.; GASKIN, C.P.; TAYLOR, G.A.; TENNYSON, A.J.D.; RAYNER, M.J.; BETTESWORTH, D.; FITZGERALD, N.; LANDERS, T.J.; IMBER, M.J.
 redpoll, 92, 214, 220
 REVIEWS: MISKELLY, C.M. Birds of New Zealand, a photographic guide. P. Scofield and B. Stephenson, 116-117
Rhipidura fuliginosa, see fantail
 rifleman, 75, 77-79, 117, 165-168
 New Zealand, see rifleman
 South Island, 75, 77-79
 ROBERTSON, B.C., see GROSSER, S.; ROBERTSON, B.C.; WATERS, J.M.
 robin, New Zealand, 132, 230
 North Island, 230
 South Island, 75, 77, 78, 80
 rosella, eastern, 171
 ROWE, L. Post-translocation movements of pre-fledging Hutton's shearwaters (*Puffinus huttoni*) within a newly established colony (Te Rae o Atiu) on the Kaikoura Peninsula, 84-90
 ROWE, L. Recovery and other observations of sooty shearwaters (*Puffinus griseus*), New Zealand white-faced storm petrels (*Pelagodroma marina maoriana*), and fairy prions (*Pachyptila turtur*) banded at Motunau Island, New Zealand 1960-1999, 144-153
 RUSSELL, J.C., see BATES, J.H.; SPOTSWOOD, E.N.; RUSSELL, J.C.
 saddleback, 138
 New Zealand, 229

- North Island, 137, 229
 South Island, 137, 139, 229
- SAGAR, P.M.; SCOFIELD, R.P. Survival and sex ratio in a mainland population of bellbirds (*Anthornis melanura*), 91-96
- SAGAR, P.M., see SPURR, E.B.; CROSSLAND, A.C.; SAGAR, P.M.
- SAGAR, P.M., see MORRISON, K.W.; SAGAR, P.M.
- sandpiper, buff-breasted, 228
 sharp-tailed, 224
- SANTOS, E.S.A., see MOULTON, M.P.; SANTOS, E.S.A.; CROPPER, W.P., Jr.; LIM, J.N.
- SCHÖNER, E.; CASTRO, I.; HOWE, L.; PARKER, K.; TOMPKINS, D. Avian malaria in New Zealand, AGM and Conference Abstract, 229
- SCHWEIGMAN, P.; CASH, W.F.; THOMPSON, M.P. Seasonal movements and survival of royal spoonbill (*Platalea regia*) breeding in New Zealand, 177-187
- SCOFIELD, R.P., see GREENE, T.C.; SCOFIELD, R.P.; DILKS, P.J.; GRIFFITHS, R.; BARKLA, J.W.
- SCOFIELD, R.P., see SAGAR, P.M.; SCOFIELD, R.P.
- SCOFIELD, R.P., see TENNYSON, A.J.D.; WOOD, J.R.; WORTHY, T.H.; SCOFIELD, R.P.
- seabird spp., 1-5, 7, 8, 48-50, 97-102, 175, 188, 190-193, 198, 205-207, 215, 223-224
- SEABROOK-DAVISON, M. Observation of a female mallard (*Anas platyrhynchos*) with 29 ducklings, 51-53
- seed-snipe, least, 217
- SENIOR, B., see SINCLAIR, S.; LOVEGROVE, T.; SENIOR, B.; BISHOP, C.; LANDERS, T.
- shag, black, 224, 229
 Bounty Island, 57-59
 bronze Stewart Island, 49
 little, 116, 192, 224
 little black, 116, 228
 pied, 162-164, 192, 224
 pied Stewart Island, 49
 spotted, 162-164
 spp., 162-164
 Stewart Island, 49, 50
- shearwater, Audubon's, 97, 101, 122, 126, 129
 Buller's, 191, 193
 flesh-footed, 191, 192, 205-207
 fluttering, 99, 191, 192
 great, 126, 127, 228
 Heinroth's, 97-102
 Hutton's, 84-90
 Kermadec little, 4, 8
 little, 97, 126, 191, 192
 Manx, 126, 127
 short-tailed, 122, 128, 129
 sooty, 48-50, 144-153, 191, 192
 spp., 5, 89, 121, 205, 223
 wedge-tailed, 4, 8, 121-130, 205
 Yelkouan, 126, 127
- shelduck, paradise, 52, 192, 224
- shorebird spp., 1-5, 7, 224
- shoveler, Australasian, 19-26, 52
 Cape, 24, 25
 northern, 20, 23-25
 red, 25
- SIEVWRIGHT, K.A.; BATTLE, P.F.; MORGAN, K.J.; MCCONNELL, H. Post-release survival and productivity of oiled little blue penguins rehabilitated after the C/V Rena oil spill, AGM and Conference Abstract, 229-230
- SIJBRANDA, D.; GARTRELL, B.; HOWE, L. The prevalence of avian malaria lineages in a mixed ecosystem in New Zealand, using molecular techniques, AGM and Conference Abstract, 230
- silvereye, 7, 92, 118, 188, 190-192, 194, 230
- SINCLAIR, S.; LOVEGROVE, T.; SENIOR, B.; BISHOP, C.; LANDERS, T. Making rates count: Survey, monitoring and management of Auckland's avifauna, AGM and Conference Abstract, 230
- skua, long-tailed, 228
 southern, 116
- skylark, 192, 220, 221
- SMITH, C., see FROST, P.G.H.; SMITH, C.; BEMELMANS, E.
- snipe, Antipodes Island, 117
Coenocorypha spp., 117
 Snares Island, 117
- songbird spp., 54, 79
- SOUTHEY, I. Weka at Kawakawa Bay, AGM and Conference Abstract, 230-231
- sparrow, American tree, 40
 house, 192, 217-218, 220
- Sphenisciformes, 215
- Spheniscus* spp., 110
- Spizella arborea*, see sparrow, American tree
- spoonbill, black-faced, 186
 Eurasian, 186
 roseate, 186
 royal, 177-187, 224
- SPOTSWOOD, E.N., see BATES, J.H.; SPOTSWOOD, E.N.; RUSSELL, J.C.
- SPURR, E.B.; CROSSLAND, A.C.; SAGAR, P.M. Increased abundance of the bellbird (*Anthornis melanura*) in Christchurch, New Zealand, 67-73
- starling, common, 7, 192, 220, 221
- Steatornis caripensis*, see oilbird
- Stercorarius longicaudus*, see skua, long-tailed
- Sterna antillarum*, see tern, least
bergii, see tern, crested
hirundo, see tern, common
paradisaea, see tern, Arctic

- striata*, see tern, white-fronted
sumatrana, see tern, black-naped
sumatrana mathewsi, see tern, black-naped
sumatrana sumatrana, see tern, black-naped
vittata, see tern Antarctic
Sternula nereis, see tern, fairy
Stictocarbo punctatus, see shag, spotted
 stilt, black-necked, 213
 pied, 117
 STIRNEMANN, R.L.; POTTER, M.; MINOT, E.
 Ecology and conservation of an endangered
 tropical island bird, AGM and Conference
 Abstract, 231
 stitchbird, 95, 225, 229
 STOCKER, R., see MILNE, A.; STOCKER, R. (paper
 and abstract)
 storm petrel, black-bellied, 193
 Kermadec, 4, 7, 8
 New Zealand, 140, 191, 193
 New Zealand white-faced, 144-153
 white-bellied, 4, 8
 white-faced, 144-153, 191, 192
Streptopelia decaocto, see dove, Eurasian collared
 Strigopoidea, 231
Strigops habroptilus, see kakapo
Sturnus vulgaris, see starling, common
Sula dactylatra, see booby, masked
 leucogaster brewsteri, see booby, brown
 leucogaster etesiaca, see booby, brown
 leucogaster leucogaster, see booby, brown
 leucogaster plotus, see booby, brown
 nebouxii, see booby, blue-footed
 sula, see booby, red-footed
 swallow, barn, 218
 Chilean, 218
 Pacific, 7
 welcome, 6-7, 117, 192
 swan, black, 106, 171
 spp., 52
 swiftlet spp., 165

Tachycineta meyeri, see swallow, Chilean
Tadorna variegata, see shelduck, paradise
 taiko, Chatham Island, 85
 takahe, 60, 232
 tattler, wandering, 191
 TAYLOR, G.A. Techniques for remote tracking
 and monitoring of seabirds – how these
 are changing our understanding of oceanic
 seabirds, AGM and Conference Keynote
 Address Abstract, 223-224
 TAYLOR, G.A., see ISMAR, S.M.H.; BAIRD, K.A.;
 GASKIN, C.P.; TAYLOR, G.A.; TENNYSON,
 A.J.D.; RAYNER, M.J.; BETTESWORTH, D.;
 FITZGERALD, N.; LANDERS, T.J.; IMBER,
 M.J.
 teal, brown spp., 232
 subantarctic spp., 232

 TENG, J., see HOLLAND, J.; MINOT, E.; MCBRIDE,
 N.; TENG, J.; LANGSHAW POWER, B.
 TENNYSON, A.J.D.; EASTON, L.J.; WOOD, J.R.
 Kea (*Nestor notabilis*) – another North Island
 human-caused extinction, 174-176
 TENNYSON, A.J.D.; WOOD, J.R.; WORTHY, T.H.;
 SCOFIELD, R.P. The evolution of Nestor
 parrots, AGM and Conference Abstract,
 231
 TENNYSON, A.J.D., see LALAS, C.; HAMEL, J.;
 TENNYSON, A.J.D.; WORTHY, T.H.
 TENNYSON, A.J.D., see ISMAR, S.M.H.; BAIRD,
 K.A.; GASKIN, C.P.; TAYLOR, G.A.;
 TENNYSON, A.J.D.; RAYNER, M.J.;
 BETTESWORTH, D.; FITZGERALD, N.;
 LANDERS, T.J.; IMBER, M.J.
 tern, Antarctic, 116
 Arctic, 116
 black-naped, 113-115
 Caspian, 117, 224
 common, 116, 117
 crested, 228
 fairy, 116
 gull-billed, 117, 213-214
 least, 213
 sooty, 5-6, 8
 white-fronted, 117, 145, 191-193
 white-winged black, 228
Thalassarche bulleri, see albatross, Buller's
 cauta, see albatross, white-capped
 eremita, see albatross, Chatham Island
 melanophrys, see albatross, black-browed
 salvini, see albatross, Salvin's
Thinocorus rumicivorus, see seedsniipe, least
 THOMPSON, M.P., see SCHWEIGMAN, P.; CASH,
 W.F.; THOMPSON, M.P.
 thrush, austral, 218
 song, 7, 92, 192, 220, 221
 tit, great, 143, 227
 titipounamu, see rifleman
Todiramphus sanctus vagans, see kingfisher, New
 Zealand
 TOMPKINS, D., see SCHÖNER, E.; CASTRO, I.;
 HOWE, L.; PARKER, K.; TOMPKINS, D.
 TOMPKINS, D., see GORMLEY, A.; WOOD, J.;
 TOMPKINS, D.; BUTLER, S.; MACLEOD,
 C.
 tomtit, 75, 77-79
 South Island, 75, 77-79
 TOTTERMAN, S.L. Sexual and individual
 differences in wedge-tailed shearwater
 (*Puffinus pacificus*) burrow calls and vocal
 recognition, 121-130
 TREWICK, S., see OLLEY, L.; TREWICK, S.; MINOT,
 E.
Tringa incana, see tattler, wandering
 nebularia, see greenshank
 tropicbird, red-tailed, 4-5, 8

- Tryngites subruficollis*, see sandpiper, buff-breasted
tui, 54-56, 139, 140, 188, 190-194, 226
Turdus falklandii, see thrush, austral
 merula, see blackbird
 philomelos, see thrush, song
turnstone, ruddy, 5
- Vanellus miles novaehollandiae*, see plover, spur-winged
 spinosus, see plover, African spur-winged
VEITCH, D., see GRAHAM, M.; VEITCH, D.; AGUILAR, D.; GALBRAITH, M.
- wader, spp., 214, 224
warbler, Chatham Island, 52
 grey, 52, 75, 77-80, 92, 191
 rufous-faced, 165
waterbird spp., 191, 193
waterfowl spp., 172, 214
WATERS, J.M., see GROSSER, S.; ROBERTSON, B.C.; WATERS, J.M.
wattlebird, Australian red, 138, 139
 little, 55
 New Zealand spp., 137-143
 red, 55
WAUGH, S.M.; HUTZLER, I.; CROTTY, E.; BLYTH, R. Do flesh-footed shearwaters (*Puffinus carneipes*) use leaves as "home insulation"? 205-207
weka, 80, 230-231
 North Island, 28, 230-231
WESTBROOKE, I.M., see GREENE, T.C.; WESTBROOKE, I.M.; BROWN, D.; DILKS, P.J.; BARKLA, J.W.; GRIFFITHS, R.
whitehead, 52, 116
- WILLIAMS, E.M.; BRADY, M.W. Monitoring of an Australasian bittern (*Botaurus poiciloptilus*) following release into the wild, 208-212
WILLIAMS, E.; O'DONNELL, C.F.J.; CHEYNE, J.; ARMSTRONG, D. Why does our ability to monitor bitterns vary with wetland size, and what can we do about it? AGM Abstract, 231-232
WILLIAMS, M. Field weights and measurements of Australasian shoveler (*Anas rhynchotis*) in New Zealand, 19-26
WILLIAMS, M. Musings about Chatham Island's extinct duck "*Pachyanas*", AGM and Conference Abstract, 232
WOOD, J., see GORMLEY, A.; WOOD, J.; TOMPKINS, D.; BUTLER, S.; MACLEOD, C.
WOOD, J.R., see TENNYSON, A.J.D.; EASTON, L.J.; WOOD, J.R.
WOOD, J.R., see TENNYSON, A.J.D.; WOOD, J.R.; WORTHY, T.H.; SCOFIELD, R.P.
WORTHY, T.H., see LALAS, C.; HAMEL, J.; TENNYSON, A.J.D.; WORTHY, T.H.
WORTHY, T.H., see TENNYSON, A.J.D.; WOOD, J.R.; WORTHY, T.H.; SCOFIELD, R.P.
wren, rock, 165-169
wrybill, 193, 224
- Xenicus gilviventris*, see wren, rock
- yellowhammer, 192, 193
yellowhead, 52, 116, 229
- Zenaida galapagoensis*, see dove, Galápagos
Zosterops lateralis, see silvereye