


NOTORNIS

Ornithology of the Southern Pacific



Volume 62 2015

Journal of the Ornithological Society of New Zealand

Contents of Volume 62, 2015

Volume 62, Part 1, March 2015

CONTENTS

Papers

- | | | |
|--|--|----|
| Sexually dimorphic vocalisations of the great spotted kiwi (<i>Apteryx haastii</i>) | Dent, J.M.; Molles, L.E. | 1 |
| An assessment of recent population trends of flesh-footed shearwaters (<i>Puffinus carneipes</i>) breeding in New Zealand | Jamieson, S.E.; Waugh, S.M. | 8 |
| Banded rail (<i>Gallirallus philippensis</i>) occupancy and detection in saltmarsh mangrove systems at Onerahi, Whangarei Harbour | Beauchamp, A.J. | 14 |
| Population trends, timing of breeding and survival of Salvin's albatrosses (<i>Thalassarche salvini</i>) at Proclamation Island, Bounty Islands, New Zealand | Sagar, P.M.; Amey, J.; Scofield, R.P.; Robertson, C.J.R. | 21 |
| Birds of Uvea (Wallis), Futuna and Alofi islands (South-West Pacific): an update | Thibault, J.-C.; Cibois, A.; Meyer, J.-Y. | 30 |

Short notes

- | | | |
|--|--|----|
| Tuatara (<i>Sphenodon punctatus</i>) predation on landbirds (Aves: Passeriformes and Galliformes) | Miskelly, C.M. | 38 |
| Eurasian blackbird (<i>Turdus merula</i>) nest parasitised by song thrush (<i>T. philomelos</i>) | Khawaja, N.; Lloyd-Jones, D. | 41 |
| White-headed petrel (<i>Pterodroma lessonii</i>) in French Polynesia | Russell, J.C.; Shepherd, L.D.; Faulquier, L.; Tennyson, A.J.D. | 45 |
| New host record for <i>Ornithomya variegata</i> (Diptera: Hippoboscidae) in New Zealand with a review of previous records in Australasia | Amiot, C.; Ji, W. | 47 |

Obituary

- | | | |
|--|------------|----|
| Evan Graham Turbott, M.Sc., Q.S.O. 1914-2014 | Gill, B.J. | 51 |
|--|------------|----|

CONTENTS

Papers

Sex determination of black petrels (<i>Procellaria parkinsoni</i>) using morphometric measurements and discriminant function analysis	Mischler, C.P.; Bell, E.A.; Landers, T.J.; Dennis, T.E.	57
Gender and geographic variation in morphometrics of white-chinned petrels (<i>Procellaria aequinoctialis</i>) in New Zealand and their foraging activities as determined from fisheries bycatch	Mischler, C.P.; Robertson, C.J.R.; Bell, E.A.	63
Evidence for assortative mating in sympatric populations of orange-fronted (<i>Cyanoramphus malherbi</i>) and yellow-crowned (<i>C. auriceps</i>) kākāriki	Kearvell, J.C.; Steeves, T.E.	71
Foraging ecology and dive behaviour of Pitt Island shags (<i>Stictocarbo featherstoni</i>)	Bell, M.	76
Vagrant and extra-limital bird records accepted by the Birds New Zealand Records Appraisal Committee 2013-2014	Miskelly, C.M.; Crossland, A.C.; Sagar, P.M.; Saville, I.; Tennyson, A.J.D.; Bell, E.A.	85

Short notes

Nest re-use by dunnocks (<i>Prunella modularis</i>) in New Zealand: an uncommon behaviour revealed through a long-term study	Tomkins, S.; Moore, F.; Holtmann, B.; Santos, E.S.A.; Lara, C.E.	96
Accidental or intentional eggshell breakage? A report of intriguing observations in dunnocks (<i>Prunella modularis</i>)	Moore, F.; Tomkins, S.; Nakagawa, S.; Lara, C.E.	99
Breeding attempts by Fiordland crested penguins/tawaki (<i>Eudyptes pachyrhynchos</i>) on the Otago Coast	Young, M.J.; Pullar, C.R.; McKinlay, B.	102

Letter

A clarification of the origins of birds released by the Otago Acclimatisation Society from 1876 to 1882	Pipek, P.; Pyšek, P.; Blackburn, T.M.	105
---	---------------------------------------	-----

Volume 62, Part 3, September 2015

CONTENTS

Papers

- | | | |
|---|--|-----|
| Formidable carpal weaponry of <i>Anas chathamica</i> , Chatham Island's extinct flightless duck | Williams, M. | 113 |
| A three year census of wetland birds on Lake Ellesmere/Te Waihora, Canterbury during the post-breeding period | Crossland, A.C.; Crutchley, P.; Alexander, B.; Harrison, K.; Petch, S.; Walker, J. | 121 |
| Genetic similarity of Hutton's shearwaters (<i>Puffinus huttoni</i>) from two relict breeding populations | Hale, M.; Harrow, G.; Bradfield, P.; Cubrinovska, I.; Holdaway, R.N. | 130 |
| Age and sex criteria for the hihi (<i>Notiomystis cincta</i>) with additional details on moult patterns | Smith, C.; Walker, L.K.; Ewen, J.G. | 135 |
| Distribution, population status and trends of grey-faced petrel (<i>Pterodroma macroptera gouldi</i>) in the northern North Island, New Zealand | Greene, B.S.; Taylor, G.A.; Earl, R. | 143 |

Short notes

- | | | |
|--|---|-----|
| Timing of egg formation in the little penguin (<i>Eudyptula minor</i>) | Challies, C.N.; Grau, C.R. | 162 |
| Storm damage to Westland petrel colonies in 2014 from cyclone Ita | Waugh, S.M.; Poupart, T.; Wilson, K.-J. | 165 |
| Differences in morphometric characters between little penguins (<i>Eudyptula minor</i>) in Oamaru and on Tiritiri Matangi Island | Miyazaki, M. | 169 |

Volume 62, Part 4, December 2015

CONTENTS

Papers

Temporal changes in birds and bird song detected in Zealandia sanctuary, Wellington, New Zealand, over 2011-2015	Bell, B.D.	173
Analysis of the impacts of a water channel diversion wall on waterbirds inhabiting the western end of Lake Rotoiti, Bay of Plenty, New Zealand	Smith, D.; Bycroft, C.; McClellan, R.; Gillies, R.; Shaw, W.	184
Changes in the breeding status of the southern black-backed gull (<i>Larus dominicanus</i>) colonies on Rangitoto Island, Hauraki Gulf, New Zealand	Galbraith, M.; Krzyżosiak, J.; Aguilar, G.; Jones, G.; Oliver, R.	192
Predation of white-flipped penguins (<i>Eudyptula minor albosignata</i>) by ferrets (<i>Mustela furo</i>) in Harris Bay, Banks Peninsula, New Zealand	Challies, C.N.	202
Population and breeding census of New Zealand king shag (<i>Leucocarbo carunculatus</i>) in 2015	Schuckard, R.; Melville, D.S.; Taylor, G.	209
Disseminations which established Canada goose (<i>Branta canadensis</i>) throughout New Zealand	Imber, M.J.; Williams, M.	219

Short notes

First record of dusky woodswallow (<i>Artamus cyanopterus</i>) in New Zealand	Kakishima, S.; Morimoto, T.	231
First records of marsh sandpiper (<i>Tringa stagnatilis</i>) in the Solomon Islands	Butcher, S.C.; Mugan, N.D.; Crutchley, P.; Crossland, A.C.; Kake, J.	233

INDEX OF AUTHORS AND SPECIES

Volume 62

INDEX OF AUTHORS AND SPECIES

- Acanthiza pusilla*, see thornbill, brown
Acanthorhynchus tenuirostris, see spinebill, eastern
 Acanthizidae, 48, 49
Acridotheres fuscus, see myna, jungle
tristis, see myna, common
Acrocephalus arundinaceus, see warbler, great reed
Actitis hypoleucos, see sandpiper, common
Aerodramus spodiopygius, see swiftlet, white-rumped
 AGUILAR, G., see GALBRAITH, M.; KRZYŻOSIAK, J.;
 AGUILAR, G.; JONES, G.; OLIVER, R.
Alauda arvensis, see skylark
 albatross, Buller's, 27
 Chatham, 28
 Gibson's, 124, 125
 Salvin's, 21-29
 shy, 28
 spp., 21-29, 45, 69
 white-capped, 21, 28
Alectoris rufa, see partridge, red-legged
 ALEXANDER, B., see CROSSLAND, A.C.; CRUTCHLEY,
 P.; ALEXANDER, B.; HARRISON, K.; PETCH, S.;
 WALKER, J.
Alopecoenas stairi, see dove, friendly ground
 AMEY, J., see SAGAR, P.M.; AMEY, J.; SCOFIELD, R.P.;
 ROBERTSON, C.J.R.
 AMIOT, C.; JI, W. New host for *Ornithomya variegata*
 (Diptera: Hippoboscidae) in New Zealand with a
 review of previous records in Australasia, 47-50
Anarhynchus frontalis, see wrybill
Anas aucklandica, see teal, Auckland Island
 castanea, see teal, chestnut
 chathamica, see teal, Chatham Island
 chlorotis, see teal, brown
 gracilis, see teal, grey
 nesiotis, see teal, Campbell Island
 platalea, see shoveler, red
 platyrhynchos, see duck, mallard
 platyrhynchos/A. superciliosa, see duck, mallard/grey
 hybrid
 rhynchotis, see shoveler, Australasian
 rhynchotis variegata, see shoveler, New Zealand
 sparsa, see duck, African black
 spp., see duck spp.
 superciliosa, see duck, grey
 Anatidae, 113
Anhinga melanogaster, see darter
Anous minutus, see noddy, black
 stolidus, see noddy, brown
Anser anser, see goose, greylag
 Anseriformes, 113, 118, 119
Anthornis melanura, see bellbird
Aplonis tabuensis fortunae, see starling, Polynesian
 Apterygidae, 1
Apteryx australis, see kiwi, tokoeka, or kiwi, South Island
 brown
 haastii, see kiwi, great spotted
 mantelli, see kiwi, North Island brown
 owenii, see kiwi, little spotted
 rowi, see kiwi, rowi, or kiwi, Okarito brown
 spp., see kiwi spp.
Ardea ibis, see egret, cattle
 intermedia, see egret, plumed
 modesta, see heron, white
 pacifica, see heron, pacific
Ardenna pacifica, see *Puffinus pacificus*
Arenaria interpres, see turnstone, ruddy
 Artamidae, 231
Artamus cyanopterus, see woodswallow, dusky
 minor, see woodswallow, little
 personatus, see woodswallow, masked
 superciliosus, see woodswallow, white-browed
Aythya australis, see duck, Australian white-eyed
 novaeseelandiae, see scaup, New Zealand
 BEAUCHAMP, A.J. Banded rail (*Gallirallus philippensis*)
 occupancy and detection in saltmarsh mangrove
 systems at Onerahi, Whangarei Harbour, 14-20
 BELL, Ben D. Temporal changes in birds and bird song
 detected in Zelandia sanctuary, Wellington, New
 Zealand, over 2011-2015, 173-183
 BELL, E.A., see MISCHLER, C.P.; BELL, E.A.; LANDERS,
 T.J.; DENNIS, T.E.
 BELL, E.A., see MISCHLER, C.P.; ROBERTSON, C.J.R.;
 BELL, E.A.
 BELL, E.A., see MISKELLY, C.M.; CROSSLAND, A.C.;
 SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.;
 BELL, E.A.
 BELL, M. Foraging ecology and dive behaviour of Pitt
 Island shags (*Stictocarbo featherstoni*), 76-84
 bellbird, 39, 52, 175-179, 183
 bird, European spp., 178
 forest spp., 173
 game spp., 219-230
 introduced spp., 35, 177, 178
 native spp., 177, 178
 of prey, 126
 wetland spp., 121-129, 173, 175
 bittern, Australasian, 122, 126, 128, 191
 blackbird, Eurasian, 41-44, 106-108, 110, 175-177, 179, 180,
 183
 BLACKBURN, T.M.; see PIPEK, P.; PYŠEK, P.;
 BLACKBURN, T.M.
 booby, brown, 33, 85, 93
 red-footed, 33
Botaurus poiciloptilus, see bittern, Australasian
 BRADFIELD, P., see HALE, M.; HARROW, G.; BRADFIELD,
 P.; CUBRINOVSKA, I.; HOLDAWAY, R.N.
 brambling, 96
Branta canadensis, see goose, Canada
 canadensis maxima, see goose, Canada
 hutchinsii, see goose, cackling
 brolga, 92
 bunting, cir, 91, 92, 108
 BUTCHER, S.C.; MUGAN, N.D.; CRUTCHLEY, P.;

- CROSSLAND, A.C.; KAKE, J. First records of marsh sandpiper (*Tringa stagnatilis*) in the Solomon Islands, 233-236
- BYCROFT, C., see SMITH, D.; BYCROFT, C.; McCLELLAN, R.; GILLIES, R.; SHAW, W.
- Cacatua galerita*, see cockatoo, sulphur-crested
- Calidris acuminata*, see sandpiper, sharp-tailed
- alba*, see sanderling
- canutus*, see knot, lesser
- ferruginea*, see sandpiper, curlew
- melanotos*, see sandpiper, pectoral
- ruficollis*, see stint, red-necked
- tenuirostris*, see knot, great
- Callaeas cinerea*, see kokako, South Island
- Callaeidae, 48
- Callipepla californica*, see quail, California
- Carduelis carduelis*, see goldfinch
- chloris*, see greenfinch
- flammea*, see redpoll, common
- Catharacta antarctica*, see skua, subantarctic
- maccormicki*, see skua, South Polar
- Cereopsis novaehollandiae*, see goose, Cape Barren
- chaffinch, 38-39, 48, 49, 108, 110, 175-177, 179, 180, 183
- CHALLIES, C.N. Predation of white-flipped penguins (*Eudyptula minor albosignata*) by ferrets (*Mustela furo*) in Harris Bay, Banks Peninsula, New Zealand, 202-208
- CHALLIES, C.N.; GRAU, C.R. Timing of egg formation in the little penguin (*Eudyptula minor*), 162-164
- Charadrius bicinctus*, see dotterel, banded
- leschenaultii*, see plover, greater sand
- mongolus*, see plover, lesser sand
- obscurus*, see dotterel, New Zealand
- veredus*, see dotterel, oriental
- Chlidonias albobristatus*, see tern, black-fronted
- hybridus*, see tern, whiskered
- leucopterus*, see tern, white-winged
- niger*, see tern, black
- Chrysococcyx lucidus*, see cuckoo, shining
- CIBOIS, A., see THIBAUT, J.-C.; CIBOIS, A.; MEYER, J.-Y.
- Circus approximans*, see harrier, Australasian
- Clytorhynchus vitiensis*, see shrikebill, lesser
- cockatoo, sulphur-crested, 92-93
- Columba livia*, see pigeon, rock or dove, rock
- Columbiformes, 114
- Compsohalieu* [*Nannopterum*] *harrisi*, see cormorant, Galapagos
- coot, Australian, 85, 91, 124-126, 186-190
- Coracina novaehollandiae*, see cuckoo-shrike, black-faced
- cormorant, see also shag spp.
- black, see shag, black
- Galapagos, 217
- little, see shag, little
- pied, see shag, pied
- spp., 82, 209
- corncrake, 18
- crake, marsh, 126
- spotless, 15, 18, 30, 33, 126
- Crex crex*, see corncrake
- CROSSLAND, A.C.; CRUTCHLEY, P.; ALEXANDER, B.; HARRISON, K.; PETCH, S.; WALKER, J. A three year census of wetland birds on Lake Ellesmere/Te Waihora, Canterbury during the post breeding period, 121-129
- CROSSLAND, A.C., see MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A.
- CROSSLAND, A.C., see BUTCHER, S.C.; MUGAN, N.D.; CRUTCHLEY, P.; CROSSLAND, A.C.; KAKE, J.
- CRUTCHLEY, P., see CROSSLAND, A.C.; CRUTCHLEY, P.; ALEXANDER, B.; HARRISON, K.; PETCH, S.; WALKER, J.
- CRUTCHLEY, P., see BUTCHER, S.C.; MUGAN, N.D.; CRUTCHLEY, P.; CROSSLAND, A.C.; KAKE, J.
- CUBRINOVSKA, I., see HALE, M.; HARROW, G.; BRADFIELD, P.; CUBRINOVSKA, I.; HOLDAWAY, R.N.
- cuckoo, common, 42, 43
- long-tailed, 33, 43, 175, 179, 182
- oriental, 92
- shining, 43, 175, 182
- shining bronze, see cuckoo, shining
- spp., 41
- cuckoo-shrike, black-faced, 89, 92
- Cuculus canorus*, see cuckoo, common
- optatus*, see cuckoo, oriental
- curlew, bristle-thighed, 34
- eastern, 85, 87, 92, 124-126, 235
- Cyanoramphus auriceps*, see parakeet, yellow-crowned
- forbesi*, see parakeet, Forbes'
- malherbi*, see parakeet, orange-fronted
- novaezelandiae*, see parakeet, red-crowned
- novaezelandiae chathamensis*, see parakeet, Chatham
- red-crowned
- spp., see parakeet, spp.
- Cygnus atratus*, see swan, black
- olor*, see swan, mute
- dabchick, New Zealand, 89, 175, 182, 186, 189
- Dacelo novaeguineae*, see kookaburra, laughing
- Daption capense australe*, see pigeon, Snares cape darter, 92
- Dendrocygna eytoni*, see duck, plumed whistling
- DENNIS, T.E., see MISCHLER, C.P.; BELL, E.A.; LANDERS, T.J.; DENNIS, T.E.
- DENT, J.M.; MOLLES, L.E. Sexually dimorphic vocalisations of the great spotted kiwi (*Apteryx haastii*), 1-7
- Diomedea antipodensis gibsoni*, see albatross, Gibson's
- spp., see albatross spp.
- dotterel, banded, 121, 124, 127, 128
- large sand, see plover, greater sand
- Mongolian, see plover, lesser sand
- New Zealand, 91
- oriental, 88, 92
- dove, barbary, 91
- crimson-crowned fruit, 32
- friendly ground, 30, 32, 35
- rock, 32
- duck, African black, 118, 119
- Australian white-eyed, 86
- blue, 114, 116-118
- Chatham Island, 113-120
- Falklands steamer, 118
- flying steamer, 114, 117
- grey, 114, 116, 117, 119, 121, 125, 128, 219
- mallard, 114, 116-119, 121, 128, 175, 176, 182, 191, 219-220
- mallard/grey, 121, 124, 125
- New Zealand *Anas* spp., 117

- Pacific black, 32
 plumed whistling, 93
 spp., 124, 180, 227
 steamer spp., 113, 117-119
 torrent, 118, 119
 white-headed steamer, 114, 117
- Ducula david*, see pigeon, Uvea imperial
pacifica, see pigeon, Pacific imperial
 dunnock, 48, 96-98, 99-101, 108, 110, 175-177, 179, 180, 183
- EARL, R., see GREENE, B.S.; TAYLOR, G.A.; EARL, R.
- egret, cattle, 92, 94
 little, 85, 87, 93, 94
 Pacific reef, 33
 plumed, 87, 94
 sp., 93
- Egretta garzetta*, see egret, little
novaehollandiae, see heron, white-faced
sacra, see heron, reef, or egret, Pacific reef
- Emberiza cirrus*, see bunting, cirr
citrinella, see yellowhammer
- Emberizidae, 48
- Eolophus roseicapillus*, see galah
- Eudynamys orientalis*, see koel, Pacific
taitensis, see cuckoo, long-tailed
- Eudyptes moseleyi*, see penguin, Moseley's rockhopper
pachyrhynchus, see penguin, Fiordland crested
robustus, see penguin, Snares crested
sclateri, see penguin, erect-crested
 sp., see penguin, rockhopper sp
- Eudyptula minor albosignata*, see penguin, white-flipped
minor iredalei, see penguin, little
minor minor, see penguin, little
minor novaehollandiae, see penguin, little
- EWEN, J.G., see SMITH, C.; WALKER, L.K.; EWEN, J.G.
- Falco novaeseelandiae*, see falcon, New Zealand
subniger, see falcon, black
- falcon, black, 85, 92, 93
 New Zealand, 92, 175, 176, 180, 182
- fantail, 175
 New Zealand, 47-50, 175-178, 180, 183
- FAULQUIER, L., see RUSSELL, J.C.; SHEPHERD, L.D.;
 FAULQUIER, L.; TENNYSON, A.J.D.
- Foulehaio carunculatus*, see honeyeater, wattled
- Fregata ariel*, see frigatebird, lesser
minor, see frigatebird, great
- frigatebird, great, 33
 lesser, 33, 92
 sp., 92
- Fringilla coelebs*, see chaffinch
montifringilla, see brambling
- Fringillidae, 48
- Fulica atra australis*, see coot, Australian
- fulmar, Antarctic, 126
 northern, 67
- Fulmarus glacialis*, see fulmar, northern
glacialoides, see fulmar, Antarctic
- galah, 93
- GALBRAITH, M.; KRZYŻOSIAK, J.; AGUILAR, G.;
 JONES, G.; OLIVER, R. Changes in the breeding status
 of the black-backed gull (*Larus dominicanus*) colonies
 on Rangitoto Island, Hauraki Gulf, New Zealand, 192-
 201
- Galliformes, 38-40
- Gallirallus australis*, see weka
philippenensis, see rail, banded
- gannet, 151
 Australasian, 86
- Gelochelidon nilotica*, see tern, gull-billed
- Gerygone igata*, see warbler, grey
- GILL, B.J. Obituary: Evan Graham Turbott, M.Sc., Q.S.O.
 1914-2014, 51-56
- GILLIES, R., see SMITH, D.; BYCROFT, C.; McCLELLAN,
 R.; GILLIES, R.; SHAW, W.
- godwit, bar-tailed, 34
 eastern bar-tailed, 124, 126
 Hudsonian, 124-126
- goldfinch, European, 48, 49, 108, 110, 175, 176, 179, 183
- goose, cackling, 220
 Canada, 121, 124, 125, 128, 190, 191, 219-230
 Cape Barren, 91, 124, 125
 greylag, 124, 191
 spp., 118
- GRAU, C.R., see CHALLIES, C.N.; GRAU, C.R.
- grebe, Australasian crested, 121, 122, 124, 125, 127, 128
 Australasian little, 89
 hoary-headed, 86
 spp., 125
- GREENE, B.S.; TAYLOR, G.A.; EARL, R. Distribution,
 population status and trends of grey-faced petrel
 (*Pterodroma macroptera gouldi*) in the northern North
 Island, New Zealand, 143-161
- greenfinch, 108, 175
 European, 175-177, 179, 183
- greenshank, common, 88, 235
- Grus rubicundus*, see brolga
- gull, black-backed, 22, 124, 175, 176, 182, 191, 192-201
 black-billed, 121, 124, 127, 128, 191
 Franklin's, 85, 88
 herring, 196
 Pacific, 93
 red-billed, 124, 127, 128, 191
 silver, 93
 southern black-backed, see gull, black-backed
 spp., 77, 94, 122, 123, 125, 127, 180, 192, 193
- Gygis alba*, see tern, white
- Gymnorhina tibicen*, see magpie, Australian
- Haematopus finschi*, see oystercatcher, South Island pied
- HALE, M.; HARROW, G.; BRADFIELD, P.; CUBRINOVSKA,
 I.; HOLDAWAY, R.N. Genetic similarity of Hutton's
 shearwaters (*Puffinus huttoni*) from two relict breeding
 populations, 130-134
- harrier, Australasian, 16, 18, 34, 124, 126, 175, 182, 198
 Pacific, see harrier, Australasian
 swamp, see harrier, Australasian
- HARRISON, K., see CROSSLAND, A.C.; CRUTCHLEY,
 P.; ALEXANDER, B.; HARRISON, K.; PETCH, S.;
 WALKER, J.
- HARROW, G., see HALE, M.; HARROW, G.; BRADFIELD,
 P.; CUBRINOVSKA, I.; HOLDAWAY, R.N.
- Hemiphaga novaeseelandiae*, see pigeon, New Zealand
- heron, nankeen night, 85, 90-91
 Pacific, 85-87, 93, 94
 reef, see also egret, Pacific reef
 spp., 93, 125, 126
 white, 89, 90, 92, 121, 122, 124-128
 white-faced, 30, 33, 90, 122, 124, 126, 191

- hihi, see stitchbird
Himantopus himantopus, see stilt, pied
himantopus x novaeseelandiae, see stilt, hybrid
novaeseelandiae, see stilt, black
Hirundo neoxena, see swallow, welcome
hoiho, see penguin, yellow-eyed
HOLDAWAY, R.N., see HALE, M.; HARROW, G.;
BRADFIELD, P.; CUBRINOVSKA, I.; HOLDAWAY,
R.N.
HOLTMANN, B., see TOMKINS, S.; MOORE, F.;
HOLTMANN, B.; SANTOS, E.S.A.; LARA, C.E.
honeyeater, New Holland, 48
wattled, 35
Hydrobatidae, 91
Hydroprogne caspia, see tern, Caspian
Hymenolaimus malacorhynchos, see duck, blue
Hypotaenidia philippensis, see *Gallirallus philippensis*
- ibis, glossy, 85, 86, 93, 94, 122
sp., 93
spp., 126
IMBER, M.J.; WILLIAMS, M. Disseminations which
established Canada goose (*Branta canadensis*)
throughout New Zealand, 219-230
- JAMIESON, S.E.; WAUGH, S.M. An assessment of recent
population trends of flesh-footed shearwaters (*Puffinus*
carneipes) breeding in New Zealand, 8-13
JI, W., see AMIOT, C.; JI, W.
JONES, G., see GALBRAITH, M.; KRZYŻOSIAK, J.;
AGUILAR, G.; JONES, G.; OLIVER, R.
junglefowl, 32
- kaka, North Island, 175, 176, 180, 182
kakarihi, Chatham red-crowned, see parakeet, Chatham
red-crowned
Forbes', see parakeet, Forbes'
orange-fronted, see parakeet, orange-fronted
red-crowned see parakeet, red-crowned,
yellow-crowned, see parakeet, yellow-crowned
KAKE, J., see BUTCHER, S.C.; MUGAN, N.D.;
CRUTCHLEY, P.; CROSSLAND, A.C.; KAKE, J.
KAKISHIMA, S.; MORIMOTO, T. First record of dusky
woodswallow (*Artamus cyanopterus*) in New Zealand,
231-232
KEARVELL, J.C.; STEEVES, T.E. Evidence for assortative
mating in sympatric populations of orange-fronted
(*Cyanoramphus malherbi*) and yellow-crowned (*C.*
auriceps) kakarihi, 71-75
KHWAJA, N.; LLOYD-JONES, D.J. Eurasian blackbird
(*Turdus merula*) nest parasitised by song thrush (*T.*
philomelos), 41-44
kingfisher, collared, 34, 35
New Zealand, 122, 124, 175, 176, 182
kiwi, 1-7, 147
great spotted, 1-7
little spotted, 1, 5, 180
North Island brown, 1, 5, 92
Okarito brown, see kiwi, rowi
rowi, 1
South Island brown, see kiwi, tokoeka
spp., 1-7
tokoeka, 1
knot, great, 87
lesser, 124, 126, 128
koel, Pacific, 92
kokako, South Island, 92
kookaburra, laughing, 92
KRZYŻOSIAK, J., see GALBRAITH, M.; KRZYŻOSIAK,
J.; AGUILAR, G.; JONES, G.; OLIVER, R.
- Lalage maculosa futunae*, see triller, Polynesian
landbird spp, 30, 31, 141
LANDERS, T.J., see MISCHLER, C.P.; BELL, E.A.;
LANDERS, T.J.; DENNIS, T.E.
lapwing, masked, see plover, spur-winged
LARA, C.E., see TOMKINS, S.; MOORE, F.; HOLTSMANN,
B.; SANTOS, E.S.A.; LARA, C.E.
LARA, C.E., see MOORE, F.; TOMKINS, S.; NAKAGARA,
S.; LARA, C.E.
Larus argentatus, see gull, herring
bulleri, see gull, black-billed
dominicanus, see gull, black-backed, or gull, southern
black-backed
novaehollandiae, see gull, red-billed, or gull, silver
pacificus, see gull, Pacific
pipixcan, see gull, Franklin's
spp., see gull, spp.
Latterallus jamaicensis, see rail, black
LETTER: PIPEK, P.; PYŠEK, P.; BLACKBURN, T.M. A
clarification of the origins of birds released by the
Otago Acclimatisation Society from 1876 to 1882, 105-
112
Leucocarbo carunculatus, see shag, New Zealand king
chalconotus, see shag, Stewart Island
onslowi, see shag, Chatham Island
ranfurlyi, see shag, Bounty Island
spp., see shag, blue-eyed spp.
Limosa haemastica, see godwit, Hudsonian
lapponica, see godwit, bar-tailed
lapponica baueri, see godwit, eastern bar-tailed
LLOYD-JONES, D.J., see KHWAJA, N.; LLOYD-JONES,
D.J.
Lonchura castaneothorax, see mannikin, chestnut-breasted
lorikeet, blue-crowned, 30, 34-36
Marquesas, 36
- Macronectes giganteus*, see petrel, southern giant
halli, see petrel, northern giant
magpie, Australian, 180
mallard, see duck, mallard
mannikin, chestnut-breasted, 35
McCLELLAN, R., see SMITH, D.; BYCROFT, C.;
McCLELLAN, R.; GILLIES, R.; SHAW, W.
McKINLAY, B., see YOUNG, M.J.; PULLAR, C.R.;
McKINLAY, B.
Megadyptes antipodes, see penguin, yellow-eyed
Melanodryas vittata, see robin, dusky
Meliphagidae, 48, 49
MELVILLE, D.S., see SCHUCKARD, R.; MELVILLE, D.S.;
TAYLOR, G.
Merganetta armata, see duck, torrent
MEYER, J.-Y., see THIBAUT, J.-C.; CIBOIS, A.; MEYER,
J.-Y.
MISCHLER, C.P.; BELL, E.A.; LANDERS, T.J.; DENNIS,
T.E. Sex determination of black petrels (*Procellaria*
parkinsoni) using morphometric measurements and
discriminant function analysis, 57-62

- MISCHLER, C.P.; ROBERTSON, C.J.R.; BELL, E.A. Gender and geographic variation in morphometrics of white-chinned petrels (*Procellaria aequinoctialis*) in New Zealand and their foraging activities as determined by fisheries bycatch, 63-70
- MISKELLY, C.M. Tuatara (*Sphenodon punctatus*) predation on landbirds (Aves: Passeriformes and Galliformes), 38-40
- MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A. Vagrant and extra-limital bird records accepted by the Birds New Zealand Records Appraisal Committee 2013-2014, 85-95
- MIYAZAKI, M. Differences in morphometric characters between little penguins (*Eudyptula minor*) in Oamaru and Tiritiri Island, 169-171
- moa, giant, 53
- Mohoua albicilla*, see whitehead
- Mohouidae, 48
- MOLLES, L.E., see DENT, J.M.; MOLLES, L.E.
- mollymawk spp., see albatross spp.
- monarch, Polynesian spp., 36
- MOORE, F.; TOMKINS, S.; NAKAGARA, S.; LARA, C.E. Accidental or intentional eggshell breakage? A report of intriguing observations in dunnocks (*Prunella modularis*), 99-101
- MOORE, F., see TOMKINS, S.; MOORE, F.; HOLTMANN, B.; SANTOS, E.S.A.; LARA, C.E.
- morepork, 175, 182
- MORIMOTO, T., see KAKISHIMA, S.; MORIMOTO, T.
- Morus serator*, see gannet, Australasian
- MUGAN, N.D., see BUTCHER, S.C.; MUGAN, N.D.; CRUTCHLEY, P.; CROSSLAND, A.C.; KAKE, J.
- muttonbird spp., 12
- northern, 144
- myna, common, 35
- jungle, 35
- mynah, see myna
- NAKAGARA, S., see MOORE, F.; TOMKINS, S.; NAKAGARA, S.; LARA, C.E.
- Nestor meridionalis septentrionalis*, see kaka, North Island
- Ninox novaeseelandiae*, see morepork
- noddy, black, 34
- brown, 34
- non-passerine spp., 32
- Notiomystis cincta*, see stitchbird
- Numenius madagascariensis*, see curlew, eastern
- phaeopus*, see whimbrel
- tahitiensis*, see curlew, bristle-thighed
- Nycticorax caledonicus*, see heron, nankeen night
- OBITUARY: GILL, B.J. Evan Graham Turbott, M.Sc., Q.S.O. 1914-2014, 51-56
- OLIVER, R., see GALBRAITH, M.; KRZYŻOSIAK, J.; AGUILAR, G.; JONES, G.; OLIVER, R.
- Onychoprion anaethetus*, see tern, bridled
- fuscatus*, see tern, sooty
- owl, barn, 34
- pearly, see owl, barn
- oystercatcher, South Island pied, 124
- Pachycephala pectoralis*, see whistler, golden
- Pachycephalidae, 48
- Pachyptila crassirostris*, see prion, fulmar
- spp., see prion, spp.
- parakeet, Chatham red-crowned, 74
- Forbes', 74
- orange-crowned, 71-75
- red-crowned, 74, 175, 176, 179, 180, 182
- spp., 72
- yellow-crowned, 71-75
- partridge, grey, 229
- red-legged, 229
- Passer domesticus*, see sparrow, house
- Passeriformes, 38-40
- passerine spp., 32, 48, 49, 96-98, 135-142, 173, 174, 177, 178
- introduced spp., 178, 180
- native spp., 180
- Pelecanoides georgicus*, see petrel, South Georgian diving
- urinatrix*, see petrel, diving
- Pelecanus conspicillatus*, see pelican, Australian
- pelican, Australian, 86, 93
- penguin, Adelie, 162-164
- blue, see penguin, little
- erect crested, 22, 90, 91
- Fiordland crested, 90, 91, 102-104, 162-164
- little, 9-11, 162-164, 169-171, 202-208
- Moseley's rockhopper, 90
- rockhopper sp., 90
- Snares crested, 90
- white-flipped, 162, 202-208
- yellow-eyed, 102-104
- Perdix perdix*, see partridge, grey
- PETCH, S., see CROSSLAND, A.C.; CRUTCHLEY, P.; ALEXANDER, B.; HARRISON, K.; PETCH, S.; WALKER, J.
- petrel, black, 57-62
- black-winged, 152
- diving, 152
- gadfly spp., 143
- grey-faced, 9, 11, 93, 143-161
- Juan Fernandez, 86, 93
- Kermadec, 90
- northern giant, 61, 126
- Parkinson's, see petrel, black
- providence, 86, 93
- Pterodroma* spp., 126
- Pycroft's, 9, 11, 152
- Snares Cape, 22
- South Georgian diving, 92
- southern giant, 45
- spp., 16, 38, 57, 163
- Tahiti, 35
- Westland, 59, 61, 165-168
- white-chinned, 63-70
- white-headed, 45-46
- white-naped, 45, 90
- Petroica australis*, see robin, New Zealand
- australis longipes*, see robin, North Island
- longipes*, see robin, North Island
- macrocephala toitoi*, see tomtit, North Island
- multicolor*, see robin, scarlet
- Petroicidae, 48, 49
- Pezophaps solitarius*, see solitaire, Rodrigues
- Phaethon lepturus*, see tropicbird, white-tailed
- Pachyanas chathamica*, see *Anas chathamica*

- rubricauda*, see tropicbird, red-tailed
 Phalacrocoracidae, 209, 217
Phalacrocorax aristotelis, see shag, European
carbo, see shag, black
fuscescens, see shag, black-faced
gaimardi, see shag, red-legged
magellanicus, see shag, rock
melanoleucos, see shag, little
pelagicus, see shag, pelagic
sulcirostris, see shag, little black
urile, see shag, red-faced
varius, see shag, pied
 pheasant, 52
Philesturnus carunculatus, see saddleback
rufusater, see saddleback, North Island
Phylidonyris novaehollandiae, see honeyeater, New Holland
 Picidae, 139
 pigeon, New Zealand, 175, 176, 182
 Pacific imperial, 32, 36
 rock, 32
 Uvea imperial, 32
 PIPEK, P.; PYŠEK, P.; BLACKBURN, T.M. Letter: A clarification of the origins of birds released by the Otago Acclimatisation Society from 1876 to 1882, 105-112
Platalea regia, see spoonbill, royal
Platycercus eximius, see rosella, eastern
Plegadis falcinellus, see ibis, glossy
 plover, American golden, 85, 88, 91
 greater sand, 88
 grey, 88, 92
 lesser sand, 88, 234
 Pacific golden, 33-34, 91, 121, 124, 126, 234
 spur-winged, 30, 34, 91, 124
Pluvialis dominicanus, see plover, American golden
fulva, see plover, Pacific golden
squatarola, see plover, grey
Podiceps cristatus, see grebe, Australasian crested
Poliiocephalus poliocephalus, see grebe, hoary-headed
rufopectus, see dabchick, New Zealand
Pomarea spp., see monarch, Polynesian spp.
Porphyrio hochstetteri, see takahe, South Island
melanotus, see pukeko
porphyrio, see swamphen, purple
Porzana pusilla, see crane, marsh
tabuensis, see crane, spotless
 POUPART, T., see WAUGH, S.M.; POUPART, T.; WILSON, K.-J
 prion, fulmar, 22
 spp., 45
Procellaria aequinoctialis, see petrel, white-chinned
parkinsoni, see petrel, black
westlandica, see petrel, Westland
 Procellariidae, 38
 Procellariiformes, 35, 45, 57-62, 63-70, 143-161, 163
 sub-Antarctic spp., 45
Prothemadera novaeseelandiae, see tui
Prunella modularis, see dunnoek
 Prunellidae, 48
Pseudobulweria rostrata, see petrel, Tahiti
Pterodroma cervicalis, see petrel, white-naped
externa, see petrel, Juan Fernandez
lessoni, see petrel, white-headed
macroptera gouldi, see petrel, grey-faced
neglecta, see petrel, Kermadec
nigripennis, see petrel, black-winged
pycrofti, see petrel, Pycroft's
solandri, see petrel, providence
Ptilinopus porphycaeus, see dove, crimson-crowned fruit
Puffinus assimilis, see shearwater, little
bailloni, see shearwater, tropical
bulleri, see shearwater, Buller's
carneipes, see shearwater, flesh-footed
creatopus, see shearwater, pink-footed
gavia, see shearwater, fluttering
gravis, see shearwater, great
griseus, see shearwater, sooty
huttoni, see shearwater, Hutton's
mauretanicus, see shearwater, Balearic
pacificus, see shearwater, wedge-tailed
spelaus, see shearwater, Scarlett's
tenuirostris, see shearwater, short-tailed
yelkouan, see shearwater, Yelkouan
 pukeko, 124, 126, 175, 182
 PULLAR, C.R., see YOUNG, M.J.; PULLAR, C.R.; MCKINLAY, B.
Pygoscelis adeliae, see penguin, Adelie
 PYŠEK, P., see PIPEK, P.; PYŠEK, P.; BLACKBURN, T.M.
 quail, California, 39, 175, 176, 182
 rail, banded, 14-20, 33
 black, 19
 clapper, 19
 spp., 20, 122, 125, 126
Rallus longirostris, see rail, clapper
 raptor spp., 125, 126
 ratite spp., 1
 redpoll, common, 175, 183
Rhipidura fuliginosa placabilis, see fantail, North Island
leucophrys, see wagtail, willie
 Rhipiduridae, 48, 49
 ROBERTSON, C.J.R., see SAGAR, P.M.; AMEY, J.; SCOFIELD, R.P.; ROBERTSON, C.J.R.
 ROBERTSON, C.J.R., see MISCHLER, C.P.; ROBERTSON, C.J.R.; BELL, E.A.
 robin, American, 96
 dusky, 48, 49
 New Zealand, 48
 North Island, 48, 92, 175-178, 180, 183
 scarlet, 48
 rosella, eastern, 175, 176, 182
 rowi, see kiwi, rowi, or kiwi, Okarito brown
 RUSSELL, J.C.; SHEPHERD, L.D.; FAULQUIER, L.; TENNYSON, A.J.D. White-headed petrel (*Pterodroma lessoni*) in French Polynesia, 45-46
 saddleback, 48, 49, 175
 North Island, 39, 175-178, 182
 SAGAR, P.M.; AMEY, J.; SCOFIELD, R.P.; ROBERTSON, C.J.R. Population trends, timing of breeding and survival of Salvin's albatrosses (*Thalassarche salvini*) at Proclamation Island, Bounty Islands, New Zealand, 21-29
 SAGAR, P.M., see MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A.

- sanderling, 87
- sandpiper, buff-breasted, 85, 87, 93
 common, 87, 92, 234
 curlew, 121, 124, 126
 marsh, 92, 233-236
 pectoral, 30, 34, 87, 124-126
 sharp-tailed, 121, 124, 126, 234, 235
 terek, 88, 235
- SANTOS, E.S.A., see TOMKINS, S.; MOORE, F.;
 HOLTMANN, B.; SANTOS, E.S.A.; LARA, C.E.
- SAVILLE, I., see MISKELLY, C.M.; CROSSLAND, A.C.;
 SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.;
 BELL, E.A.
- scaup, New Zealand, 124, 125, 175, 176, 182, 186, 187, 189,
 190
- SCHUCKARD, R.; MELVILLE, D.S.; TAYLOR, G.
 Population and breeding census of the New
 Zealand king shag (*Leucocarbo carunculatus*) in
 2015, 209-218
- SCOFIELD, R.P., see SAGAR, P.M.; AMEY, J.; SCOFIELD,
 R.P.; ROBERTSON, C.J.R.
- scrubwren, white-browed, 48
- seabird spp., 8-13, 30, 31, 35, 36, 38, 45-46, 57-62, 63-70,
 76-84, 102-104, 130-134, 143-161, 162-164, 165-168, 192-
 201, 202-208, 209-218
 pelagic spp., 125
- Sericornis frontalis*, see scrubwren, white-browed
- shag, black, 90, 121, 124, 126-128, 175, 176, 182
 black-faced, 77
 blue-eyed spp., 209
 Bounty Island, 22, 210
 Chatham Island, 209
 cliff spp., 77, 83
 European, 77, 81, 83
 king, 209-218
 little, 90, 124, 126, 175, 176, 182, 186-190
 little black, 77, 85, 90, 175, 176, 182, 184, 186, 188-190
 New Zealand king, 209-218
 pelagic, 77, 81, 83
 pied, 77, 124, 126, 128, 175, 176, 182
 Pitt Island, 76-84
 red-faced, 77
 red-legged, 77, 81, 83
 rock, 77, 83
 spotted, 52, 76, 83, 126
 spp., 122, 123, 125, 126, 180, 209-218
 Stewart Island, 90, 209
- SHAW, W., see SMITH, D.; BYCROFT, C.; McCLELLAN,
 R.; GILLIES, R.; SHAW, W.
- shearwater, Balearic, 131-133
 Buller's, 152
 flesh-footed, 8-13, 131, 133, 152
 fluttering, 11, 133, 152
 great, 86, 93
 Hutton's, 130-134
 little, 9, 11
 pink-footed, 67
 Scarlett's, 133
 short-tailed, 12, 67
 sooty, 9-11, 126, 152
 spp., 58
 tropical, 30, 33
 wedge-tailed, 35
 Yelkouan, 132
- shelduck, chestnut-breasted, 86, 124, 125
 paradise, 114, 116, 117, 121, 124, 125, 127, 128, 175, 176,
 182, 191
- SHEPHERD, L.D., see RUSSELL, J.C.; SHEPHERD, L.D.;
 FAULQUIER, L.; TENNYSON, A.J.D.
- shorebird spp., 33, 34, 233-236
- shoveler, Australasian, 91, 121, 124, 125, 127, 128, 191
 New Zealand, see shoveler, Australasian
 red, 91
- shrikebill, lesser, 30, 35, 36
- silvereye, 175-180, 183
- skua, long-tailed, 88
 South Polar, 88
 sp., 91
 subantarctic, 91
- skylark, 106-109
- SMITH, C.; WALKER, L.K.; EWEN, J.G. Age and sex
 criteria for the hihi (*Notiomystis cincta*) with additional
 details on moult patterns, 135-142
- SMITH, D.; BYCROFT, C.; McCLELLAN, R.; GILLIES, R.;
 SHAW, W. Analysis of the impacts of a water channel
 diversion wall on waterbirds inhabiting the western
 end of Lake Rotoiti, Bay of Plenty, New Zealand, 184-
 191
- solitaire, Rodrigues, 114, 118
- sparrow, hedge, see dunnoek
 field, 96
 house, 39, 93, 175, 176, 179, 183
- spinebill, eastern, 48
- Spizella pusilla*, see sparrow, field
- spoonbill, royal, 122, 124, 126, 191
- starling, see starling, common
 common, 106-108, 110, 175-180, 183
 Polynesian, 35
- STEEVES, T.E., see KEARVELL, J.C.; STEEVES, T.E.
- Stercorarius longicaudus*, see skua, long-tailed
- Sterna albobristatus*, see tern, black-fronted
bengalensis, see tern, lesser-crested
bergii, see tern, crested
caspia, see tern, Caspian
hirundo, see tern, eastern common
paradisaea, see tern, Arctic
striata, see tern, white-fronted
sumatrana, see tern, black-naped
vittata, see tern Antarctic
- Stictocarbo featherstoni*, see shag, Pitt Island
punctatus, see shag, spotted
- stilt, black, 91, 121, 124, 125, 127, 128
 hybrid, 124, 125
 pied, 91, 121, 124, 127, 128
- stint, red-necked, 121, 124, 126
- stitchbird, 92, 135-142, 175, 176-178, 182
- storm petrel sp., 91
- Streptopelia risorea*, see dove, barbary
- Struthioniformes, 1
- Sturnus vulgaris*, see starling, common
- Sula leucogaster*, see booby, brown
sula, see booby, red-footed
- swallow, welcome, 91, 122, 124, 175, 176, 183
- swan, black, 121, 124, 125, 127, 128, 186-189, 190
 mute, 122
 spp., 118
- swampphen, purple, 33
- swiftlet, white-rumped, 33

- Tachybaptus novaehollandiae*, see grebe, Australasian little
- Tachyeres brachypterus*, see duck, Falklands steamer
- leucocephalus*, see duck, white-headed steamer
- patachonicus*, see duck, flying steamer
- spp., see duck, steamer spp.
- Tadorna tadornoides*, see shelduck, chestnut-breasted
- variegata*, see shelduck, paradise
- takahe, 52, 175, 176
- South Island, 175, 176, 182
- tattler, grey-tailed, 234, 235
- wandering, 34
- tawaki, see penguin, Fiordland crested
- TAYLOR, G., see SCHUCKARD, R.; MELVILLE, D.S.; TAYLOR, G.
- TAYLOR, G.A., see GREENE, B.S.; TAYLOR, G.A.; EARL, R.
- teal, Auckland Island, 113, 114, 116-119
- brown, 89, 113, 114, 116-119, 175, 176, 182
- Campbell Island, 113, 114, 116, 117, 119
- chestnut, 91
- grey, 114, 117, 119, 121, 124, 125, 127, 128, 191
- New Zealand spp., 116, 118
- TENNYSON, A.J.D., see RUSSELL, J.C.; SHEPHERD, L.D.; FAULQUIER, L.; TENNYSON, A.J.D.
- TENNYSON, A.J.D., see MISKELLY, C.M.; CROSSLAND, A.C.; SAGAR, P.M.; SAVILLE, I.; TENNYSON, A.J.D.; BELL, E.A.
- tern, Antarctic, 22
- Arctic, 89, 92
- black, 61, 67
- black-fronted, 93, 121, 122, 124, 127, 128
- black-naped, 34
- bridled, 34
- Caspian, 92, 93, 121, 122, 124, 127, 128
- common, 89
- crested, 89, 93
- eastern common, 124, 125, 127
- greater crested, 34
- gull-billed, 88, 93
- lesser crested, 93
- sooty, 92
- spp., 94, 123, 125, 127
- whiskered, 93
- white, 34, 36
- white-fronted, 89, 122, 124, 127
- white-winged black, 85, 88-89, 93-94, 121, 122, 124, 127
- Thalassarche bulleri*, see albatross, Buller's
- cauta*, see albatross, shy
- cauta stadi*, see albatross, white-capped
- eremita*, see albatross, Chatham
- salvini*, see albatross, Salvin's
- spp., 28, 45
- stadi*, see albatross, white-capped
- Thalasseus bergii*, see *Sterna bergii*
- THIBAUT, J.-C.; CIBOIS, A.; MEYER, J.-Y. Birds of Uvea (Wallis), Futuna and Alofi Islands (South-west Pacific): an update, 30-37
- thornbill, brown, 48, 49
- thrush, song, 41-44, 48, 107, 108, 110, 175-177, 179, 180, 183
- Todiramphus chloris regina*, see kingfisher, collared
- sanctus*, see kingfisher, New Zealand
- tokoea, see kiwi, tokoea, or kiwi, South Island brown
- TOMKINS, S.; MOORE, F.; HOLTMANN, B.; SANTOS, E.S.A.; LARA, C.E. Nest re-use by dunnocks (*Prunella modularis*) in New Zealand: an uncommon behaviour revealed through a long-term study, 96-98
- TOMKINS, S., see MOORE, F.; TOMKINS, S.; NAKAGARA, S.; LARA, C.E.
- tomtit, North Island, 48
- triller, Polynesian, 35
- Tringa brevipes*, see tattler, grey-tailed
- cinerea*, see sandpiper, terek
- hypoleucos*, see sandpiper, common
- incana*, see tattler, wandering
- nebularia*, see greenshank, common
- stagnatilis*, see sandpiper, marsh
- tropicbird, red-tailed, 32
- white-tailed, 33, 92
- Tryngites subruficollis*, see sandpiper, buff-breasted
- tui, 49, 175-178, 180, 183
- Turdidae, 48
- Turdus merula*, see blackbird
- migratorius*, see robin, American
- philomelos*, see thrush, song
- turnstone, ruddy, 34, 124, 125, 126, 234
- Tyto delicatula*, see owl, barn
- Urodynamis taitensis*, see *Eudynamis taitensis*
- Vanellus miles novaehollandiae*, see plover, spur-winged, or lapwing, masked
- Vini australis*, see lorikeet, blue-crowned
- ultramarina*, see lorikeet, Marquesas
- vireo, black-capped, 96
- Vireo atricapilla*, see vireo, black-capped
- wader, Arctic spp., 125-127
- holarctic spp., 233-236
- native spp., 125, 127
- spp., 122, 234
- wagtail, willie, 49
- WALKER, J., see CROSSLAND, A.C.; CRUTCHLEY, P.; ALEXANDER, B.; HARRISON, K.; PETCH, S.; WALKER, J.
- WALKER, L.K., see SMITH, C.; WALKER, L.K.; EWEN, J.G.
- warbler, great reed, 96
- grey, 48, 175-178, 180, 182
- waterbird spp., 173, 175, 180, 184-191
- waterfowl, New Zealand spp., 113-120
- spp., 113-120, 122, 123, 125, 219-230
- WAUGH, S.M.; POUPART, T.; WILSON, K.-J. Storm damage to Westland petrel colonies in 2014 from cyclone Ita, 165-168
- WAUGH, S.M., see JAMIESON, S.E.; WAUGH, S.M.
- weka, 15, 18, 77, 167
- whimbrel, spp., 34
- whistler, golden, 48
- whitehead, 48, 49, 175-180, 183
- WILLIAMS, M. Formidable carpal weaponry of *Anas chathamica*, Chatham Island's extinct flightless duck, 113-120
- WILLIAMS, M., see IMBER, M.J.; WILLIAMS, M.
- WILSON, K.-J., see WAUGH, S.M.; POUPART, T.; WILSON, K.-J.

woodpecker, spp., 139
woodswallow, dusky, 85, 89, 93, 231-232
 little, 231
 masked, 232
 white-browed, 232
wrybill, 121, 124, 127, 128

Xenus cinereus, see sandpiper, terek

yellowhammer, 48, 92, 106, 108-110, 175, 183
YOUNG, M.J.; PULLAR, C.R.; McKINLAY, B. Breeding
 attempts by Fiordland crested penguins/tawaki
 (*Eudyptes pachyrhynchus*) on the Otago coast, 102-104

Zapornia tabuensis, see *Porzana tabuensis*

Zosteropidae, 48

Zosterops lateralis, see silvereye

Compiled by TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland 0627