


NOTORNIS

Ornithology of the Southern Pacific



Volume 63 2016

Journal of the Ornithological Society of New Zealand

Contents of Volume 63, 2016

Volume 63, Part 1, March 2016

CONTENTS

Papers

- | | | |
|---|--|----|
| Landscape-scale trapping of stoats (<i>Mustela erminea</i>) benefits tokoeka (<i>Apteryx australis</i>) in the Murchison Mountains, Fiordland, New Zealand | Tansell, J.; Edmonds, H.K.; Robertson, H.A. | 1 |
| Nest site selection by sympatric orange-fronted (<i>Cyanoramphus malherbi</i>) and yellow-crowned parakeets (<i>C. auriceps</i>) in <i>Nothofagus</i> spp. forest: interspecific competition between two closely related species? | Kearvell, J.C.; van Hal, J. | 9 |
| New distribution records of collared petrel (<i>Pterodroma brevipes</i>) in Fiji and development of a rapid assessment monitoring method | O'Brien, M.; Bird, J.P.; O'Connor, E.; Qalo, P.; Fraser, M.; Watling, D. | 18 |
| Adult sex ratios in wild orange-fronted parakeet (<i>Cyanoramphus malherbi</i>): are there conservation implications? | Kearvell, J.C.; Farley, M.R. | 26 |

Short notes

- | | | |
|---|---|----|
| Assessing parasite infections from avian faecal samples: the old methods are still the best | Presswell, B.; LaGrue, C. | 32 |
| Artificial light at night potentially alters feeding behaviour of the native southern black-backed gull (<i>Larus dominicanus</i>) | Pugh, A.R.; Pawson, S.M. | 37 |
| Captive caracals (<i>Caracal caracal</i>) depredate a wild tui (<i>Prosthemadera novaeseelandiae</i>) within zoo enclosure | Hill, S.D.; Silva, M.C. | 40 |
| New Zealand fairy tern (<i>Sternula nereis davisae</i>) foraging behaviour at Te Arai Stream | Jeffries, D.S.; Bull, L.S.; Lagnaz, E.G.; Pulham, G.A.; Wilson, D.S.; Wilson, P.; Zimmerman, R.L. | 42 |
| Destruction of a North Island robin (<i>Petroica longipes</i>) nest by a little spotted kiwi (<i>Apteryx owenii</i>) | Shaw, R.C.; MacKinlay, R.D. | 46 |
| Changes in the number of black-billed gulls (<i>Larus bulleri</i>) nestling on the Ruamahanga River, Wairarapa, between 1998 and 2012 | Rebergen, A. | 50 |
| An opportunistic sighting of a flock of black petrels (<i>Procellaria parkinsoni</i>) at Galápagos Islands, Ecuador | Gaskin, C.P.; Harrison, P.; Baird, K.A.; Cunningham, F.; Ismar, S.M.H.; Bell, E.A. | 54 |

Volume 63, Part 2, June 2016

CONTENTS

Papers

Diving behaviour of black petrels (<i>Procellaria parkinsoni</i>) in New Zealand waters and its relevance to fisheries interaction	Bell, E.A.	57
DNA barcodes highlight two clusters within the little penguin (<i>Eudyptula minor</i>): time to reassess species delineation?	Waugh, J.	66
Population trends of braided river birds on the Ashley River (Rakahuri), Canterbury, New Zealand, 1963-2015	Spurr, E.B.; Ledgard, N.J.	73
Nesting behaviour and development of New Zealand falcons (<i>Falco novaeseelandiae</i>) in a plantation forest	Holland, J.; Thomas, A.; Minot, E.	87
Patterns of calling by shining cuckoo (<i>Chrysococcyx lucidus</i>) on Kawau Island, New Zealand	Beauchamp, A.J.	96

Short notes

First and second breeding of Australian wood duck (<i>Chenonetta jubata</i>) in New Zealand	Cook, W.A.; Cooper, D.; Foes-Lamb, P.; Foes-Lamb, J.; Gdanitz, J.; Davies, G.; Field, C.; Field, P.; Melville, D.S.	105
An unlikely native prey for the New Zealand falcon (<i>Falco novaeseelandiae</i>): the little penguin (<i>Eudyptula minor</i>)	Poupart, T.	109
First record of a petrel species killed by penguins: outcome of competition for artificial nesting boxes	Friesen, M.R.; Ross, J.R.; Maitland, M.; Gaskin, C.P.	112

Volume 63, Part 3-4, September-December 2016

CONTENTS

Papers

- Bird densities at recreational parks within the species' native and introduced ranges **Mortimer, J.A.J.** 117
- Plumage variation in Gould's petrel (*Pterodroma leucoptera*): an evaluation of the taxonomic validity of *P. l. caledonica* (Imber & Jenkins 1981) **Portelli, D.J.** 130
- Counts of waterbirds at Western Springs Lake, Auckland, New Zealand **Gill, B.J.; West, R.C.** 142
- Changes in the status and distribution of Australasian bittern (*Botaurus poiciloptilus*) in New Zealand, 1800s-2011 **O'Donnell, C.F.J.; Robertson, H.A.** 152
- Distribution of sympatric orange-fronted (*Cyanoramphus malherbi*) and yellow-crowned parakeets (*C. auriceps*) in the South Branch Hurunui, New Zealand, prior to a catastrophic population crash **Kearvell, J.C.** 167

Short notes

- A previously un-noticed record of the grey warbler (*Gerygone igata*) by R.-P. Lesson in the Bay of Islands, April 1824 **Lee, M.** 173
- Records of macaroni penguins (*Eudyptes chrysolophus*) from Mirny Station, East Antarctica **Golubev, S.V.** 176
- Bird abundance in grey shrubland in the Wakatipu Basin, Otago, New Zealand **Lawrence, B.; Teele, R.; McKinlay, B.** 179

Abstracts

- Abstracts of papers presented at the Ornithological Society of New Zealand AGM and conference, 4-6 June 2016, Napier, New Zealand **Kelly, B. (Ed.)** 183

INDEX OF AUTHORS AND SPECIES

Volume 63

INDEX OF AUTHORS AND SPECIES

Abstracts of papers presented at the Ornithological Society of New Zealand AGM and conference, 4-6 June 2016, Napier, New Zealand. Edited by B. Kelly, 183-196

Acanthisitta chloris, see rifleman, South Island

Aegithalos caudatus, see tit, long-tailed

AGNEW, P.; GASKILL, J. The role of tourism in driving little penguin research at Oamaru, New Zealand, OSNZ Conference Abstract, 192-193

AGNEW, P., see CHOI, M.; AGNEW, P.; COCKREM, J.F.

AGNEW, P., see ELSOM, H.; AGNEW, P.; COCKREM, J.F.

AGNEW, P., see LONG, K.H.; AGNEW, P.; COCKREM, J.F.

AGNEW, P., see OGLE, S.A.; AGNEW, P.; COCKREM, J.F.

Aix sponsa, see duck, Carolina

Alauda arvensis, see skylark

albatross, Buller's, 195-196

northern Buller's, 196

southern Buller's, 196

spp., 60, 190

wandering, 188

Alectoris rufa, see partridge, red-legged

Alopochen aegyptiacus, see goose, Egyptian

Anarhynchus frontalis, see wrybill

Anas platyrhynchos, see duck, mallard

supercilliosa, see duck, grey

ANNUAL GENERAL MEETING. Abstracts of papers presented at the Ornithological Society of New Zealand Inc. AGM and conference, 4-6 June 2016, Napier, New Zealand. Edited by B. Kelly, 183-196

Anous stolidus, see noddy, brown

Anser anser, see goose, feral, or goose, greylag

Anseriformes, 142

Anthornis melanura melanura, see bellbird

Anthus novaeseelandiae, see pipit, New Zealand

pratensis, see pipit, meadow

Aptenodytes patagonicus, see penguin, king

Apteryx australis, see kiwi, southern brown, or kiwi, tokoeka

australis "Haast", see tokoeka, Haast

mantelli, see kiwi, North Island brown, or kiwi, brown

owenii, see kiwi, little spotted

rowi, see kiwi, rowi, or kiwi, Okarito brown

spp., see kiwi spp.

Apus apus, see swift

Ardenna creatopus, see shearwater, pink-footed

pacifica, see *Puffinus pacificus*

Athene noctua, see owl, little

Aythya novaeseelandiae, see scaup, New Zealand

BAIRD, K.A., see GASKIN, C.P.; HARRISON, P.; BAIRD, K.A.; CUNNINGHAME, F.; ISMAR, S.M.H.; BELL, E.A.

BAIRD, K.A., see RAYNER, M.J.; GASKIN, C.; TAYLOR, G.; YOUNG, M.; BERG, M.; BAIRD, K.; HEISS-

DUNLOP, S.; ISMAR, S.; LANDERS, T.J.; FRIESEN, M.; SAGAR, R.; DUNPHY, B.J.

BATTLE, P.F., see HORIKOSHI, C.; BATTLE, P.F.; MINOT, E.O.

BEAUCHAMP, A.J. Patterns of calling by shining cuckoo (*Chrysococcyx lucidus*) on Kawau Island, New Zealand, 96-104

BEAUCHAMP, A.J. New Zealand fairy tern conservation management, OSNZ Conference Abstract, 187

BEGGS, J., see FRIESEN, M.; GASKETT, A.; RANJARD, L.; MARTIN, A.; BEGGS, J.; KRULL, C.

BELL, E.A. Diving behaviour of black petrels (*Procellaria parkinsoni*) in New Zealand waters and its relevance to fisheries interaction, 57-65

BELL, E.A.; MISCHLER, C.; McARTHUR, N. Can you hear me? Using acoustic monitoring to determine the presence and range of black petrels on Great Barrier Island/Aotea, Te Hauturu-o-Toi/Little Barrier Island and the Moehau Range, OSNZ Conference Abstract, 185

BELL, E.A., see GASKIN, C.P.; HARRISON, P.; BAIRD, K.A.; CUNNINGHAME, F.; ISMAR, S.M.H.; BELL, E.A.

bellbird, 109, 124, 174, 180, 181

BERG, M., see RAYNER, M.J.; GASKIN, C.; TAYLOR, G.; YOUNG, M.; BERG, M.; BAIRD, K.; HEISS-DUNLOP, S.; ISMAR, S.; LANDERS, T.J.; FRIESEN, M.; SAGAR, R.; DUNPHY, B.J.

BIRD, J.P., see O'BRIEN, M.; BIRD, J.P.; O'CONNOR, E.; QALO, P.; FRASER, M.; WATLING, D.

bird, British spp., 117

game spp., 117

granivorous spp., 180

Hawaiian forest spp., 118

insectivorous spp., 180

introduced spp., 183, 192

native spp., 183, 192

New Zealand spp., 66

North American spp., 66

swamp spp., 162

bittern, American, 162

Australasian, 152-166, 183

Eurasian, 162

New Zealand little, 162

blackbird, 90, 120, 123, 124, 126, 180, 181

Eurasian, see blackbird

BOLLARD-BREEN, B., see BORRELLE, S.B.; JONES, H.P.; BOLLARD-BREEN, B.; TOWNS, D.R.

BORRELLE, S.B.; JONES, H.P.; BOLLARD-BREEN, B.; TOWNS, D.R. Spectral response of pohutukawa to seabird nutrient input, OSNZ Conference Abstract, 187

BOST, C. -A., see MISKELLY, C.M.; BOST, C. -A.

Botaurus lentiginosus, see bittern, American

poiciloptilus, see bittern, Australasian

stellaris, see bittern, Eurasian

- Bowdleria punctata vealeae*, see fernbird, North Island
spp., see fernbird spp.
- Branta canadensis*, see goose, Canada
- BREKKE, P., see LEE, K.D.; BREKKE, P.; EWEN, J.; SANTURE, A.
- BREKKE, P., see TAYLOR, H.R.; BREKKE, P.; GEMMELL, N.J.
- BULL, L.S., see JEFFRIES, D.S.; BULL, L.S.; LAGNAZ, E.G.; PULHAM, G.A.; WILSON, D.S.; WILSON, P.; ZIMMERMAN, R.L.
- BURNS, K.C., see LOPELT, J.; SHAW, R.C.; BURNS, K.C.
- bustard, little, 26,
- Cairina moschata*, see duck, muscovy
- Callipepla californica*, see quail, California
- Calonectris borealis*, see shearwater, Cory's
diomedea, see shearwater, Scopoli's
- Calyptorhynchus magnificus*, see cockatoo, red-tailed black
- Carduelis carduelis*, see goldfinch, European
chloris, see greenfinch, European
flammea, see redpoll, common
- Catharacta antarctica*, see skua, brown
- Certhia americana*, see creeper, (American) brown
- chaffinch, 88, 90, 94, 120, 123, 124, 126, 180, 181
- CHAMBERS, G., see WOLD, J.; RITCHIE, P.; CHAMBERS, G.; ROBERTSON, C.J.R.
- Charadrius bicinctus*, see dotterel, banded
obscurus, see dotterel, New Zealand
obscurus aquilonius, see dotterel, northern New Zealand
ruficapillus, see plover, red-capped
- Chenonetta finschi*, see duck, Finsch's
jubata, see duck, Australian wood
- chiffchaff, 124
- Chlidonias albobristatus*, see tern, black-fronted
- Chloephaga picata*, see goose, upland
- CHOI, M.; AGNEW, P.; COCKREM, J.F. Reaction norms and phenotypic plasticity of corticosterone responses of little penguins, OSNZ Conference Poster Presentation, 194-195
- Chrysococcyx lucidus*, see cuckoo, shining
lucidus lucidus, see cuckoo, shining
lucidus plagosus, see cuckoo, shining
- Circus approximans*, see harrier, Australasian
- CLARKE, J., see SCOFIELD, P.; PROFFITT, J.; CLARKE, J.
- cockatoo, red-tailed black, 14
- COCKREM, J.F., see CHOI, M.; AGNEW, P.; COCKREM, J.F.
- COCKREM, J.F., see ELSOM, H.; AGNEW, P.; COCKREM, J.F.
- COCKREM, J.F., see LONG, K.H.; AGNEW, P.; COCKREM, J.F.
- COCKREM, J.F., see OGLE, S.A.; AGNEW, P.; COCKREM, J.F.
- Columba livia*, see pigeon, rock
palumbus, see woodpigeon
- condor, Andean, 28
- COOK, W.A.; COOPER, D.; FOES-LAMB, P.; FOES-LAMB, J.; GDANITZ, J.; DAVIES, G.; FIELD, C.; FIELD, P.; MELVILLE, D.S. First and second breeding of Australian wood duck (*Chenonetta jubata*) in New Zealand, 105-108
- COOPER, D., see COOK, W.A.; COOPER, D.; FOES-LAMB, P.; FOES-LAMB, J.; GDANITZ, J.; DAVIES, G.; FIELD, C.; FIELD, P.; MELVILLE, D.S.
- coot, 124
Eurasian, 142, 144, 146, 147, 149
- Corvus corone*, see crow, carrion
frugilegus, see rook
monedula, see jackdaw
- crake, spp., 162
- creeper, American brown, 15
brown, 179, 181
- CRISP, P., see McARTHUR, N.; McKINLAY, B.; SCOFIELD, R.P.; CRISP, P.
- crow, carrion, 124
- cuckoo, shining, 96-104
- CUNNINGHAME, F., see GASKIN, C.P.; HARRISON, P.; BAIRD, K.A.; CUNNINGHAME, F.; ISMAR, S.M.H.; BELL, E.A.
- Curruca igata*, see *Gerygone igata*
- Cyanoramphus auriceps*, see parakeet, yellow-crowned
cookii, see parakeet, Norfolk Island green
malherbi, see parakeet, orange-fronted
novaezelandiae, see parakeet, red-crowned
spp., see parakeet, spp.
- Cygnus atratus*, see swan, black
olor, see swan, mute
- dabchick, New Zealand, 144, 149
- DAVIES, G., see COOK, W.A.; COOPER, D.; FOES-LAMB, P.; FOES-LAMB, J.; GDANITZ, J.; DAVIES, G.; FIELD, C.; FIELD, P.; MELVILLE, D.S.
- DEBSKI, I., see FISCHER, J.H.; DEBSKI, I.; TAYLOR, G.; WITTMER, H.U.
- Delichon urbica*, see martin, house
- DENNIS, T., see SCHULTZ, H.; MILLAR, C.; GASKETT, A.; DENNIS, T.
- didadido, see warbler, grey
- Diomedea exulans*, see albatross, wandering
- dotterel, banded, 52, 73, 76-81, 84, 86
black-fronted, 52, 75, 84
New Zealand, 42
northern New Zealand, 42
- dove, collared, 124
- duck, Australian wood, 105-108
Carolina, 107
feral domestic, 144
Finsch's, 107
grey, 75, 143, 190
grey/mallard, 190
khaki Campbell, 105
mallard, 33, 34, 75, 105, 107, 124, 142, 144, 145, 148-150, 190
mallard/grey, 86, 190
muscovy, 148
Pekin, 105
spp., 109
- dunnoek, 118, 120, 123, 124, 126, 179, 180
- DUNPHY, B.J.; GODDARD, R.F.; TAYLOR, G.A.; HICKEY, A.J.R. Conservation physiology of New Zealand seabirds: haematological biomarkers of El Nino impacts? OSNZ Conference Abstract, 188-189
- DUNPHY, B.J., see GODDARD, R.F.; HICKEY, A.J.; DUNPHY, B.J.
- DUNPHY, B.J., see RAYNER, M.J.; GASKIN, C.; TAYLOR, G.; YOUNG, M.; BERG, M.; BAIRD, K.; HEISS-DUNLOP, S.; ISMAR, S.; LANDERS, T.J.; FRIESEN,

- M.; SAGAR, R.; DUNPHY, B.J.
DUNPHY, B.J., see SAGAR, R.L.; DUNPHY, B.J.; STANLEY, M.L.; RAYNER, M.J. (OSNZ Conference Abstract)
DUNPHY, B.J., see SAGAR, R.L.; DUNPHY, B.J.; STANLEY, M.L.; RAYNER, M.J. (OSNZ Conference Poster Presentation)
EDMONDS, H.K., see TANSELL, J.; EDMONDS, H.K.; ROBERTSON, H.A.
Egretta novaehollandiae, see heron, white-faced
ELLIOTT, G., see TAYLOR, G.; WALKER, K.; ELLIOTT, G.; SOMMER, E.; RAYNER, M.
Elsayornis melanops, see dotterel, black-fronted
ELSOM, H.; AGNEW, P.; COCKREM, J.F. Foraging behaviour of little penguins with differing corticosterone responses at the Creek and Quarry colonies in Oamaru, OSNZ Conference Poster Presentation, 194
Emberiza citrinella, see yellowhammer
Erithacus rubecula, see robin
Eudyptes chrysolophus, see penguin, macaroni spp., see penguin, crested spp.
Eudyptula albosignata, see penguin, white-flipped
minor albosignata, see penguin, white-flipped
minor chathamensis, see penguin, little
minor iredalei, see penguin, little
minor, see penguin, little
minor minor, see penguin, little
minor novaehollandiae, see penguin, little
minor variabilis, see penguin, little
Eunymphicus, 10
Euryanas finschi, see duck, Finsch's
EWEN, J., see LEE, K.D.; BREKKE, P.; EWEN, J.; SANTURE, A.
Falco novaeseelandiae, see falcon, New Zealand
novaeseelandiae "eastern", see falcon, New Zealand eastern
peregrinus, see falcon, peregrine
rusticolus, see gyrfalcon
sparverius, see kestrel, American
tinnunculus, see kestrel
falcon, bush, 87-95, 109
eastern, 87, 91, 109, 180
New Zealand, 87-95, 109-111, 180, 182, 183
New Zealand bush, 87-95, 109
New Zealand eastern, 87, 91, 109, 180
New Zealand southern, 87, 109
peregrine, 91, 92
southern, 87, 109
fantail, 179, 181
New Zealand, 125
North Island, 174, 175
South Island, 179, 181
FARLEY, M.R., see KEARVELL, J.C.; FARLEY, M.R.
fernbird, North Island, 174, 175
spp., 162
FIELD, C., see COOK, W.A.; COOPER, D.; FOES-LAMB, P.; FOES-LAMB, J.; GDANITZ, J.; DAVIES, G.; FIELD, C.; FIELD, P.; MELVILLE, D.S.
FIELD, P., see COOK, W.A.; COOPER, D.; FOES-LAMB, P.; FOES-LAMB, J.; GDANITZ, J.; DAVIES, G.; FIELD, C.; FIELD, P.; MELVILLE, D.S.
FISCHER, J.H.; DEBSKI, I.; TAYLOR, G.; WITTMER, H.U. Nest-site selection in South Georgian diving petrels on Codfish Island (Whenua Hou): implications for conservation management, OSNZ Conference Abstract, 186
FITZGERALD, N.B., see TENNYSON, A.J.D.; RAYNER, M.J.; TAYLOR, G.A.; ISMAR, S.M.H.; FITZGERALD, N.B.; FRIESEN, M.; GASKIN, C.P.
flycatcher, 174
FOES-LAMB, J., see COOK, W.A.; COOPER, D.; FOES-LAMB, P.; FOES-LAMB, J.; GDANITZ, J.; DAVIES, G.; FIELD, C.; FIELD, P.; MELVILLE, D.S.
FOES-LAMB, P., see COOK, W.A.; COOPER, D.; FOES-LAMB, P.; FOES-LAMB, J.; GDANITZ, J.; DAVIES, G.; FIELD, C.; FIELD, P.; MELVILLE, D.S.
Forpus passerinus, see parrotlet, green-rumped
FRASER, D., see WATSON, L.; GALBRAITH, M.; FRASER, D.; NICHOLSON, K.
FRASER, M., see O'BRIEN, M.; BIRD, J.P.; O'CONNOR, E.; QALO, P.; FRASER, M.; WATLING, D.
Fregetta grallaria, see storm petrel, white-bellied
maoriana, see storm petrel, New Zealand spp., 188
tropica, see storm petrel, black-bellied
FRIESEN, M.; GASKETT, A.; RANJARD, L.; MARTIN, A.; BEGGS, J.; KRULL, C. Evidence of vocal matching in a seabird species: examining acoustic responses in grey-faced petrels, OSNZ Conference Abstract, 190-191
FRIESEN, M., see RAYNER, M.J.; GASKIN, C.; TAYLOR, G.; YOUNG, M.; BERG, M.; BAIRD, K.; HEISS-DUNLOP, S.; ISMAR, S.; LANDERS, T.J.; FRIESEN, M.; SAGAR, R.; DUNPHY, B.J.
FRIESEN, M., see TENNYSON, A.J.D.; RAYNER, M.J.; TAYLOR, G.A.; ISMAR, S.M.H.; FITZGERALD, N.B.; FRIESEN, M.; GASKIN, C.P.
FRIESEN, M.R.; ROSS, J.R.; MAITLAND, M.; GASKIN, C.P. First record of a petrel species killed by penguins: outcome of competition for artificial nesting boxes, 112-115
Fringilla coelebs, see chaffinch
FROST, P.; TAYLOR, G. Down but not yet out: the status of the red-billed gull in New Zealand, 2014-2016. OSNZ Conference Abstract, 185-186
Fulica atra, see coot, Eurasian
GALBRAITH, M., see WATSON, L.; GALBRAITH, M.; FRASER, D.; NICHOLSON, K.
Gallinula chloropus, see moorhen
Gallirallus australis, see weka
GASKETT, A., see FRIESEN, M.; GASKETT, A.; RANJARD, L.; MARTIN, A.; BEGGS, J.; KRULL, C.
GASKETT, A., see SCHULTZ, H.; MILLAR, C.; GASKETT, A.; DENNIS, T.
GASKILL, J., see AGNEW, P.; GASKILL, J.
GASKIN, C.P.; HARRISON, P.; BAIRD, K.A.; CUNNINGHAME, F.; ISMAR, S.M.H.; BELL, E.A. An opportunistic sighting of a flock of black petrels (*Procellaria parkinsoni*) at Galápagos Islands, Ecuador, 54-56
GASKIN, C.P., see FRIESEN, M.R.; ROSS, J.R.; MAITLAND, M.; GASKIN, C.P.
GASKIN, C.P., see RAYNER, M.J.; GASKIN, C.; TAYLOR, G.; YOUNG, M.; BERG, M.; BAIRD, K.; HEISS-DUNLOP, S.; ISMAR, S.; LANDERS, T.J.; FRIESEN, M.; SAGAR, R.; DUNPHY, B.J.

- GASKIN, C.P., see TENNYSON, A.J.D.; RAYNER, M.J.; TAYLOR, G.A.; ISMAR, S.M.H.; FITZGERALD, N.B.; FRIESEN, M.; GASKIN, C.P.
- Gaviidae, 189
- GDANITZ, J., see COOK, W.A.; COOPER, D.; FOES-LAMB, P.; FOES-LAMB, J.; GDANITZ, J.; DAVIES, G.; FIELD, C.; FIELD, P.; MELVILLE, D.S.
- GEMMELL, N.J., see TAYLOR, H.R.; BREKKE, P.; GEMMELL, N.J.
- Gerygone igata*, see warbler, grey
- GILL, B.J.; WEST, R.C. Counts of waterbirds at Western Springs Lake, Auckland, New Zealand, 142-151
- GODDARD, R.F.; HICKEY, A.J.; DUNPHY, B.J. Diving physiology and anatomy of sooty shearwaters: What makes them such exceptional athletes? OSNZ Conference Abstract, 189
- GODDARD, R.F., see DUNPHY, B.J.; GODDARD, R.F.; TAYLOR, G.A.; HICKEY, A.J.R.
- godwit, bar-tailed, 190
- goldcrest, 124
- goldfinch, European, 120, 123, 124, 126, 180
- GOLUBEV, S.V. Records of macaroni penguins (*Eudyptes chrysolophus*) from Mimy Station, East Antarctica, 176-178
- goose, Canada, 75, 86, 124, 144, 149
- Egyptian, 107
- feral, 33, 142, 144-146, 149
- greylag, 124
- upland, 107
- grebe, Australasian crested, 34
- greenfinch, European, 88, 90, 117, 120, 123, 124, 126-128, 180
- GRIFFITHS, K. Titipounamu: taking these tiny taonga to new territories, OSNZ Conference Abstract, 187
- gull, black-backed, 33-39, 75-81, 84, 86, 125, 142, 144, 145, 150, 195
- black-billed, 50-53, 73-81, 84-86, 124
- black-headed, 124
- great black-backed, 124
- herring, 124
- lesser black-backed, 124
- red-billed, 125, 142, 144, 145, 150, 185-186
- southern black-backed, see gull, black-backed spp., 75, 142
- Gymnorhina tibicen*, see magpie, Australian
- gyrfalcon, 94
- Haematopus finschi*, see oystercatcher, South Island pied
- ostralegus*, see oystercatcher
- unicolor*, see oystercatcher, variable
- harrier, Australasian, 106, 110, 125, 179
- swamp, see harrier, Australasian
- HARRISON, P., see GASKIN, C.P.; HARRISON, P.; BAIRD, K.A.; CUNNINGHAME, F.; ISMAR, S.M.H.; BELL, E.A.
- HEISS-DUNLOP, S., see RAYNER, M.J.; GASKIN, C.; TAYLOR, G.; YOUNG, M.; BERG, M.; BAIRD, K.; HEISS-DUNLOP, S.; ISMAR, S.; LANDERS, T.J.; FRIESEN, M.; SAGAR, R.; DUNPHY, B.J.
- Hemiphaga novaeseelandiae*, see pigeon, New Zealand
- heron, spp., 109
- white-faced, 75, 86, 106, 125
- HICKEY, A.J.R., see DUNPHY, B.J.; GODDARD, R.F.; TAYLOR, G.A.; HICKEY, A.J.R.
- HICKEY, A.J.R., see GODDARD, R.F.; HICKEY, A.J.; DUNPHY, B.J.
- hihi, 10, 184, 191, see also stitchbird
- HILL, S.D.; SILVA, M.C. Captive caracals (*Caracal caracal*) depredate a wild tui (*Prothemadera novaeseelandiae*) within zoo enclosure, 40-41
- Himantopus himantopus*, see stilt, pied
- novaezelandiae*, see stilt, black
- Hirundo neoxena*, see swallow, welcome
- rustica*, see swallow
- HOLLAND, J.; THOMAS, A.; MINOT, E. Nesting behaviour and development of New Zealand falcons (*Falco novaeseelandiae*) in a plantation forest, 87-95
- HORIKOSHI, C.; BATTLE, P.F.; MINOT, E.O. Winter habitat use of New Zealand falcons in a pine plantation: impacts of 1080 and timber harvesting, OSNZ Conference Abstract, 183
- hurepo, see bittern, Australasian
- huroto, see bittern, Australasian
- Hydroprogne caspia*, see tern, Caspian
- ISMAR, S., see RAYNER, M.J.; GASKIN, C.; TAYLOR, G.; YOUNG, M.; BERG, M.; BAIRD, K.; HEISS-DUNLOP, S.; ISMAR, S.; LANDERS, T.J.; FRIESEN, M.; SAGAR, R.; DUNPHY, B.J.
- ISMAR, S.M.H., see GASKIN, C.P.; HARRISON, P.; BAIRD, K.A.; CUNNINGHAME, F.; ISMAR, S.M.H.; BELL, E.A.
- ISMAR, S.M.H., see TENNYSON, A.J.D.; RAYNER, M.J.; TAYLOR, G.A.; ISMAR, S.M.H.; FITZGERALD, N.B.; FRIESEN, M.; GASKIN, C.P.
- Ixobrychus novaeseelandiae*, see bittern, New Zealand little
- jackdaw, 124
- JEFFRIES, D.S.; BULL, L.S.; LAGNAZ, E.G.; PULHAM, G.A.; WILSON, D.S.; WILSON, P.; ZIMMERMAN, R.L. New Zealand fairy tern (*Sternula nereis davisae*) foraging behaviour at Te Arai Stream, 42-45
- JONES, H.P., see BORRELLE, S.B.; JONES, H.P.; BOLLARD-BREEN, B.; TOWNS, D.R.
- kaka, 191
- North Island, 27, 29, 191
- kāka, see bittern, Australasian
- kakapo, 27
- kakariki, 109,
- orange-fronted, 9-17, 26-31, 167-172
- red-crowned, 10, 14, 15, 29, 30
- spp., 9-17
- yellow-crowned, 9-17, 29, 30, 109, 167-172
- karearea, see falcon, New Zealand
- kautuku, see bittern, Australasian
- kea, 4, 7, 8
- KEARVELL, J.C. Distribution of sympatric orange-fronted (*Cyanoramphus malherbi*) and yellow-crowned parakeets (*C. auriceps*) in the South Branch Hurunui, New Zealand, prior to a catastrophic population crash, 167-172
- KEARVELL, J.C.; FARLEY, M.R. Adult sex ratios in wild orange-fronted parakeet (*Cyanoramphus malherbi*): are there conservation implications? 26-31
- KEARVELL, J.C.; VAN HAL, J. Nest site selection by orange-fronted (*Cyanoramphus malherbi*) and yellow-crowned parakeets (*C. auriceps*) in *Nothofagus* spp., forest: interspecific competition between two closely

- related species? 9-17
- KELLY, B. (Editor). Abstracts of papers presented at the Ornithological Society of New Zealand Inc. AGM and conference, 4-6 June 2016, Napier, New Zealand, 183-196
- kereru, see pigeon, New Zealand
- kestrel, 92, 124
- American, 93
- kingfisher, New Zealand, 174
- kiwi, 1-8
- brown, 8, 48
- Haast tokoeka, 6-7
- little spotted, 4, 46-49
- North Island brown, 8
- Okarito brown, see kiwi, rowi
- rowi, 6, 7, 109
- South Island brown, 1-8, see also kiwi, tokoeka
- southern brown, see kiwi, tokoeka
- spp., 46, 109, 111
- tokoeka, 1-8
- tokoeka, Haast, 6-7
- knot, red, 190
- KRULL, C., see FRIESEN, M.; GASKETT, A.; RANJARD, L.; MARTIN, A.; BEGGS, J.; KRULL, C.
- LAGNAZ, E.G., see JEFFRIES, D.S.; BULL, L.S.; LAGNAZ, E.G.; PULHAM, G.A.; WILSON, D.S.; WILSON, P.; ZIMMERMAN, R.L.
- LAGRUE, C., see PRESSWELL, B.; LAGRUE, C.
- LANDERS, T.J., see RAYNER, M.J.; GASKIN, C.; TAYLOR, G.; YOUNG, M.; BERG, M.; BAIRD, K.; HEISS-DUNLOP, S.; ISMAR, S.; LANDERS, T.J.; FRIESEN, M.; SAGAR, R.; DUNPHY, B.J.
- Larus argentatus*, see gull, herring
- bulleri*, see gull, black-billed
- dominicanus*, see gull, black-backed, or southern black-backed
- fuscus*, see gull, lesser black-backed
- marinus*, see gull, great black-backed
- novaehollandiae*, see gull, red-billed
- ribicundus*, see gull, black-headed
- scopulinus*, see gull, red-billed
- LAWRENCE, B.; TEELE, R.; MCKINLAY, B. Bird abundance in grey shrubland in the Wakatipu Basin, Otago, New Zealand, 179-182
- LEDGARD, N.J., see SPURR, E.B.; LEDGARD, N.J.
- LEE, K.D.; BREKKE, P.; EWEN, J.; SANTURE, A. Looking at genomic variation in hihi (stitchbird), OSNZ Conference Abstract, 191
- LEE, M. A previously un-noticed record of the grey warbler (*Gerygone igata*) by R.-P. Lesson in the Bay of Islands, April 1824, 173-175
- Limosa lapponica baueri*, see godwit, eastern bar-tailed
- LOEPELT, J.; SHAW, R.C.; BURNS, K.C. Can you teach an old parrot new tricks? Cognitive development in wild kaka, OSNZ Conference Abstract, 191
- LONG, K.H.; AGNEW, P.; COCKREM, J.F. Individual variation and the true cost of corticosterone responses in little penguins, OSNZ Conference Poster Presentation, 194
- loon, spp., 189
- MacKINLAY, R.D., see SHAW, R.C.; MacKINLAY, R.D.
- magpie, 124
- Australian, 124
- MAITLAND, M., see FRIESEN, M.R.; ROSS, J.R.; MAITLAND, M.; GASKIN, C.P.
- mallard, see duck, mallard
- MARTIN, A., see FRIESEN, M.; GASKETT, A.; RANJARD, L.; MARTIN, A.; BEGGS, J.; KRULL, C.
- martin, house, 124
- sand, 125
- matata, see fernbird
- matuku, see bittern, Australasian
- McARTHUR, N.; MCKINLAY, B.; SCOFIELD, R.P.; CRISP, P. Here be birds: An update on the New Zealand ebird database, OSNZ Conference Abstract, 186
- McARTHUR, N., see BELL, E.A.; MISCHLER, C.; McARTHUR, N.
- MCKINLAY, B.; WOODLEY, K.; RIEGEN, A. Migratory shorebird conservation: An update on progress on work along the flyway, OSNZ Conference Abstract, 190
- MCKINLAY, B., see LAWRENCE, B.; TEELE, R.; MCKINLAY, B.
- MCKINLAY, B., see McARTHUR, N.; MCKINLAY, B.; SCOFIELD, R.P.; CRISP, P.
- Melospiza melodia*, see sparrow, song
- MELVILLE, D.S., see COOK, W.A.; COOPER, D.; FOES-LAMB, P.; FOES-LAMB, J.; GDANITZ, J.; DAVIES, G.; FIELD, C.; FIELD, P.; MELVILLE, D.S.
- MILLAR, C., see SCHULTZ, H.; MILLAR, C.; GASKETT, A.; DENNIS, T.
- MINOT, E., see HOLLAND, J.; THOMAS, A.; MINOT, E.
- MINOT, E.O., see HORIKOSHI, C.; BATTLE, P.F.; MINOT, E.O.
- MISCHLER, C., see BELL, E.A.; MISCHLER, C.; McARTHUR, N.
- MISKELLY, C.M.; BOST, C. -A. Seabird research in the French Subantarctic (Crozet and Kerguelen Islands), OSNZ Conference Abstract, 188
- moa spp., 1
- Mohoua albigilla*, see whitehead
- novaeseelandiae*, see creeper, brown
- ochrocephala*, see yellowhead
- mohua, see yellowhead
- mollymawk, spp., see albatross spp.
- moorhen, 125
- morepork, 110
- MORTIMER, J.A.J. Bird densities at recreational parks within the species' native and introduced ranges, 117-129
- Motacilla alba*, see wagtail, pied
- Nesofregatta fuliginosa*, see storm petrel, white-throated, or Polynesian
- Nestor meridionalis*, see kaka
- meridionalis septentrionalis*, see kaka, North Island
- notabilis*, see kea
- spp., 10
- NICHOLSON, K., see WATSON, L.; GALBRAITH, M.; FRASER, D.; NICHOLSON, K.
- Ninox novaeseelandiae*, see morepork
- noddy, brown, 55
- Notiomystis cincta*, see stitchbird or hihi
- nuthatch, white-breasted, 15
- O'BRIEN, M.; BIRD, J.P.; O'CONNOR, E.; QALO, P.; FRASER, M.; WATLING, D. New distribution records of collared petrel (*Pterodroma brevipes*) in Fiji

- and development of a rapid assessment monitoring method, 18-25
- Oceanites gracilis*, see storm petrel, white-vented
- Oceanodroma castro*, see storm petrel, band-rumped or Madeiran
- tethys*, see storm petrel, wedge-rumped
- O'CONNOR, E., see O'BRIEN, M.; BIRD, J.P.; O'CONNOR, E.; QALO, P.; FRASER, M.; WATLING, D.
- O'DONNELL, C.F.J.; ROBERTSON, H.A. Changes in the status and distribution of Australasian bittern (*Botaurus poiciloptilus*) in New Zealand, 1800s-2011, 152-166
- OGLE, S.A.; AGNEW, P.; COCKREM, J.F. Behavioural responses of little penguins in the presence of humans at two sites at Oamaru, OSNZ Conference Poster Presentation, 195
- owl, little, 124
- oystercatcher, 125
- pied, see oystercatcher, South Island pied
- South Island pied, 33, 73, 76-81, 84, 86, 125
- variable, 33, 42, 75, 84, 125
- Pachyptila vittata*, see prion, broad-billed
- parakeet, New Zealand spp., 9-17, 26-31, 167-172
- orange-fronted, 9-17, 26-31, 167-172
- red-crowned, 10, 14, 15, 29, 30
- spp., 9-17, 26-31, 167-172
- yellow-crowned, 9-17, 29, 30, 109, 167-172
- parrot, spp., 14, 190
- Norfolk Island green, 27
- parrotlet, green-rumped, 27
- partridge, red-legged, 125
- Parus caeruleus*, see tit, blue
- major, see tit, great
- Passer domesticus*, see sparrow, house
- passerine, exotic spp., 181
- native spp., 181, 191
- New Zealand endemic spp., 191
- spp., 179-182
- Pavo cristatus*, see peafowl
- PAWSON, S.M., see PUGH, A.R.; PAWSON, S.M.
- peafowl, 125
- Pelecanoides georgicus*, see petrel, South Georgian diving
- urinatrix*, see petrel, common diving
- penguin, Adelie, 176, 177
- blue, see penguin, little
- crested spp., 176-178
- king, 188
- little, 66-72, 109-111, 112-115, 192-193, 194-195
- macaroni, 176-178, 188
- spp., 112, 189
- white-flippered, 67, 70
- petrel, black, 54-56, 57-65, 185
- burrow-nesting spp., 188
- Chatham, 10, 112
- collared, 18-25, 130, 132, 137
- common diving, 186, 188
- Cook's, 22, 137, 138, 188
- Fiji, 19
- gadfly spp., 114, 130-141, 184-185
- Galápagos, 55, 137
- Gould's, 130-141
- grey, 61
- grey-faced, 58, 112-115, 189-191
- Hawaiian, 137, 138
- Kermadec, 137
- Magenta, 193, see also taiko, Chatham Island
- mottled, 184-185, 193-194
- New Caledonian, 130-141
- Parkinson's, see petrel, black
- Pterodroma* spp., 18-25, 130-141, 193
- soft-plumaged, 193
- South Georgian diving, 186, 188
- spp., 60, 109, 112, 130-141, 190
- Tahiti, 19
- Westland, 58, 61
- white-chinned, 58, 61
- white-headed, 193
- Petroica australis*, see robin, South Island
- australis longipes*, see robin, North Island
- longipes*, see robin, North Island
- macrocephala*, see tomtit, New Zealand
- macrocephala toitoi*, see tomtit, North Island
- traversi*, see robin, black
- Phalacrocorax carbo*, see shag, black
- melanoleucos*, see shag, little
- sulcirostris*, see shag, little black
- varius*, see shag, pied
- Phasianus colchicus*, see pheasant, ring-necked
- pheasant, ring-necked, 109
- Philesturnus carunculatus*, see saddleback, South Island
- rufusater*, see saddleback, North Island
- spp., see saddleback
- Phylloscopus collybita*, see chiffchaff
- Pica pica*, see magpie
- pigeon, New Zealand, 109
- rock, 120, 122, 125
- pipit, 179
- meadow, 124
- New Zealand, 179
- piwakawaka, see fantail
- Platalea regia*, see spoonbill, royal
- Platycercus elegans*, see rosella, crimson
- plover, red-capped, 75, 84
- spur-winged, 75-77, 80, 81, 84, 86, 125
- Podiceps cristatus australis*, see grebe, Australasian crested
- Poliocephalus rufopectus*, see dabchick, New Zealand
- Porphyrio hochstetteri*, see takahe
- melanotus*, see pukeko
- PORTELLI, D.J. Plumage variation in Gould's petrel (*Pterodroma leucoptera*): an evaluation of the taxonomic validity of *P.l. caledonica* (Imber & Jenkins 1981), 130-141
- Porzana* spp., see crane, spp.
- POUPART, T. An unlikely native prey for the New Zealand falcon (*Falco novaeseelandiae*): the little penguin (*Eudyptula minor*), 109-111
- PRESSWELL, B.; LAGRUE, C. Assessing parasite infestations from avian faecal samples: the old methods are still the best, 32-36
- prion, broad-billed, 10, 112, 113
- spp., 109
- Procellaria aequinoctialis*, see petrel, white-chinned
- cinerea*, see petrel, grey
- gouldi*, see *Pterodroma gouldi*
- parkinsoni*, see petrel, black
- sp., 60
- westlandica*, see petrel, Westland

- Procellariidae, 130-141, 184, 185, 189
 Procellariiformes, 112, 130, 189, 190-192
 PROFFITT, J., see SCOFIELD, P.; PROFFITT, J.; CLARKE, J.
Prothemadera novaeseelandiae, see tui
Prunella modularis, see dunnoek
Pseudobukweria macgillivrayi, see petrel, Fiji
 rostrata, see petrel, Tahiti
 Psittaciformes, 15
Pterodroma axillaris, see petrel, Chatham
 brevipes, see petrel, collared
 cookii, see petrel, Cook's
 inexpectata, see petrel, mottled
 gouldi, see petrel, Gould's
 lessonii, see petrel, white-headed
 leucoptera caledonica, see petrel, New Caledonian
 leucoptera leucoptera, see petrel, Gould's
 macroptera, see petrel, grey-faced
 macroptera gouldi, see petrel, grey-faced
 magentae, see taiko, Chatham Island
 mollis, see petrel, soft-plumaged
 neglecta, see petrel, Kermadec
 phaeopygia, see petrel, Galápagos
 sandwichensis, see petrel, Hawaiian
Puffinus carneipes, see shearwater, flesh-footed
 gavia, see shearwater, fluttering
 griseus, see shearwater, sooty
 pacificus, see shearwater, wedge-tailed
 subalaris, see shearwater, Galápagos
 PUGH, A.R.; PAWSON, S.M. Artificial light at night potentially alters feeding behaviour of the native southern black-backed gull (*Larus dominicanus*), 37-39
 pukeko, 106, 144, 146, 149, 150
 PULHAM, G.A., see JEFFRIES, D.S.; BULL, L.S.; LAGNAZ, E.G.; PULHAM, G.A.; WILSON, D.S.; WILSON, P.; ZIMMERMAN, R.L.
Pygoscelis adeliae, see penguin, Adelie
 QALO, P., see O'BRIEN, M.; BIRD, J.P.; O'CONNOR, E.; QALO, P.; FRASER, M.; WATLING, D.
 quail, California, 180
 RAHARUHI, U., see WHAANGA, H.; SCOFIELD, P.; RAHARUHI, U.; ROA, T.
 rail, spp., 142, 162
Rallus spp., see rail, spp.
 RANJARD, L., see FRIESEN, M.; GASKETT, A.; RANJARD, L.; MARTIN, A.; BEGGS, J.; KRULL, C.
 raptor spp., 87-95
 RAYNER, M., see TAYLOR, G.; WALKER, K.; ELLIOTT, G.; SOMMER, E.; RAYNER, M.
 RAYNER, M.J.; GASKIN, C.; TAYLOR, G.; YOUNG, M.; BERG, M.; BAIRD, K.; HEISS-DUNLOP, S.; ISMAR, S.; LANDERS, T.J.; FRIESEN, M.; SAGAR, R.; DUNPHY, B.J. Tales from the A frame: a summary of insights from the first 12 years of research of the Burgess Island seabird community, OSNZ Conference Abstract, 191-192
 RAYNER, M.J., see SAGAR, R.L.; DUNPHY, B.J.; STANLEY, M.L.; RAYNER, M.J. (OSNZ Conference Abstract)
 RAYNER, M.J., see SAGAR, R.L.; DUNPHY, B.J.; STANLEY, M.L.; RAYNER, M.J. (OSNZ Conference Poster Presentation)
 RAYNER, M.J., see TENNYSON, A.J.D.; RAYNER, M.J.; TAYLOR, G.A.; ISMAR, S.M.H.; FITZGERALD, N.B.; FRIESEN, M.; GASKIN, C.P.
 REBERGEN, A. Changes in the numbers of black-billed gulls (*Larus bulleri*) nesting on the Ruamahanga River, Wairarapa, between 1998 and 2012, 50-53
 redpoll, common, 117, 120, 123, 124, 126-128, 180
Regulus regulus, see goldcrest
Rhipidura fuliginosa, see fantail, New Zealand
 RIEGEN, A., see MCKINLAY, B.; WOODLEY, K.; RIEGEN, A.
 rifleman, 181, 187
 North Island, 187
 South Island, 181
Riparia riparia, see martin, sand
 riroriro, see warbler, grey
 RITCHIE, P., see WOLD, J.; RITCHIE, P.; CHAMBERS, G.; ROBERTSON, C.J.R.
 ROA, T., see WHAANGA, H.; SCOFIELD, P.; RAHARUHI, U.; ROA, T.
 ROBERTSON, C.J.R., see WOLD, J.; RITCHIE, P.; CHAMBERS, G.; ROBERTSON, C.J.R.
 ROBERTSON, H.A., see O'DONNELL, C.F.J.; ROBERTSON, H.A.
 ROBERTSON, H.A., see TANSELL, J.; EDMONDS, H.K.; ROBERTSON, H.A.
 robin, black, 167
 European, 125
 North Island, 40-49, 90, 174
 South Island, 109
 rook, 125
 rosella, crimson, 27
 ROSS, J.R., see FRIESEN, M.R.; ROSS, J.R.; MAITLAND, M.; GASKIN, C.P.
 rowi, see kiwi, rowi, or kiwi, Okarito brown
 saddleback, 10
 North Island, 174
 South Island, 109
 SAGAR, R., see RAYNER, M.J.; GASKIN, C.; TAYLOR, G.; YOUNG, M.; BERG, M.; BAIRD, K.; HEISS-DUNLOP, S.; ISMAR, S.; LANDERS, T.J.; FRIESEN, M.; SAGAR, R.; DUNPHY, B.J.
 SAGAR, R.L.; DUNPHY, B.J.; STANLEY, M.L.; RAYNER, M.J. Winds of change: an inter-annual investigation of factors affecting breeding success in mottled petrel, OSNZ Conference Abstract, 184-185
 SAGAR, R.L.; DUNPHY, B.J.; STANLEY, M.L.; RAYNER, M.J. Nobody suspects the teal: mortality events in burrow nesting seabird chicks as a result of attacks by Campbell Island teal, OSNZ Conference Poster Presentation, 193-194
 SANTURE, A., see LEE, K.D.; BREKKE, P.; EWEN, J.; SANTURE, A.
 scaup, New Zealand, 38, 125, 142, 144, 145, 147-150
 SCHULTZ, H.; MILLAR, C.; GASKETT, A.; DENNIS, T. Wintering areas and activity patterns of brown skuas from the Chatham Islands, OSNZ Conference Abstract, 184
 SCOFIELD, P.; PROFFITT, J.; CLARKE, J. The world's oldest penguin brain and what it tells us about the evolution of diving birds, OSNZ Conference Abstract, 189
 SCOFIELD, P., see WHAANGA, H.; SCOFIELD, P.; RAHARUHI, U.; ROA, T.

- SCOFIELD, R.P., see McARTHUR, N.; McKINLAY, B.; SCOFIELD, R.P.; CRISP, P.
- seabird spp., 18-25, 37-39, 42-45, 50-53, 54-56, 57-65, 109-111, 112-115, 130-141, 176-178, 184-196
- shag, black, 75, 84, 86, 109, 124, 144, 149
- little, 33, 75, 84, 86, 144, 147-149
- little black, 144, 147-149
- little pied, see shag, little
- pied, 110, 144, 147-149
- spp., 75, 142, 143
- SHAW, R.C.; MacKINLAY, R.D. Destruction of a North Island robin (*Petroica longipes*) nest by a little spotted kiwi (*Apteryx owenii*), 46-49
- SHAW, R.C., see LOEPELT, J.; SHAW, R.C.; BURNS, K.C.
- shearwater, Cory's, 114, 137
- flesh-footed, 58, 189
- fluttering, 110, 192
- Galápagos, 55
- pink-footed, 137
- Scopoli's, 137
- sooty, 58, 110, 189
- spp., 109, 190
- wedge-tailed, 137
- shelduck, paradise, 33, 75, 86, 125, 148, 190
- shoveler, 190
- SILVA, M.C., see HILL, S.D.; SILVA, M.C.
- silveryeye, 125, 180, 181
- Sitta carolinensis*, see nuthatch, white-breasted
- skua, brown, 184
- skylark, Eurasian, 124
- SOMMER, E., see TAYLOR, G.; WALKER, K.; ELLIOTT, G.; SOMMER, E.; RAYNER, M.
- songbird spp., 190
- SOUTHEY, I. What is a New Zealand fairy tern? OSNZ Conference Abstract, 189-190
- sparrow, house, 117, 118, 120, 123, 124, 126-128, 180
- song, 118
- Sphenisciformes, 112
- spoonbill, royal, 142, 144, 147-150
- SPURR, E.B.; LEDGARD, N.J. Population trends of braided river birds on the Ashley River (Rakahuri), Canterbury, New Zealand, 1963-2015, 73-86
- STANLEY, M.L., see SAGAR, R.L.; DUNPHY, B.J.; STANLEY, M.L.; RAYNER, M.J. (OSNZ Conference Abstract)
- STANLEY, M.L., see SAGAR, R.L.; DUNPHY, B.J.; STANLEY, M.L.; RAYNER, M.J. (OSNZ Conference Poster Presentation)
- starling, common, 10, 117, 118, 120, 123, 124, 126-128
- Sterna striata*, see tern, white-fronted
- Sternula nereis davisae*, see tern, fairy
- stilt, black, 28, 73, 81, 84
- pied, 33, 34, 42, 52, 73, 76-81, 84, 86
- stitchbird, 10, 184, 191
- storm petrel, band-rumped, 55, see also storm petrel, Madeiran
- black-bellied, 188
- Madeiran, 55, 138
- New Zealand, 24, 187-188
- Polynesian, see storm petrel, white-throated
- wedge-rumped, 55
- white-bellied, 188
- white-faced, 192
- white-throated, 19
- white-vented, 54-56
- Streptopelia decaocto*, see dove, collared
- Strigops habroptilus*, see kakapo
- sp., 10
- Sturnus vulgaris*, see starling
- swallow, 125
- welcome, 125
- swan, black, 33, 142, 144, 146, 149, 150
- mute, 125
- swift, 125
- Sylvia communis*, see whitethroat
- Synallaxis punctata*, see Bowdleria punctata
- Tadorna variegata*, see shelduck, paradise
- taiko, Chatham Island, 193
- takahe, 3, 6, 8
- TANSELL, J.; EDMONDS, H.K.; ROBERTSON, H.A. Landscape-scale trapping of stoats (*Mustela erminea*) benefits tokoeka (*Apteryx australis*) in the Murchison Mountains, Fiordland, New Zealand, 1-8
- TAYLOR, G.; WALKER, K.; ELLIOTT, G.; SOMMER, E.; RAYNER, M. Ecology of *Pterodroma* petrels in New Zealand, behavioural insights from geolocation tracking and activity data, OSNZ Conference Poster Presentation, 193
- TAYLOR, G., see FISCHER, J.H.; DEBSKI, I.; TAYLOR, G.; WITTMER, H.U.
- TAYLOR, G., see FROST, P.; TAYLOR, G.
- TAYLOR, G., see RAYNER, M.J.; GASKIN, C.; TAYLOR, G.; YOUNG, M.; BERG, M.; BAIRD, K.; HEISS-DUNLOP, S.; ISMAR, S.; LANDERS, T.J.; FRIESEN, M.; SAGAR, R.; DUNPHY, B.J.
- TAYLOR, G.A., see DUNPHY, B.J.; GODDARD, R.F.; TAYLOR, G.A.; HICKEY, A.J.R.
- TAYLOR, G.A., see TENNYSON, A.J.D.; RAYNER, M.J.; TAYLOR, G.A.; ISMAR, S.M.H.; FITZGERALD, N.B.; FRIESEN, M.; GASKIN, C.P.
- TAYLOR, H.R.; BREKKE, P.; GEMMELL, N.J. Are male hihi firing blanks? Inbreeding and male fertility in a threatened bird species, OSNZ Conference Abstract, 184
- teal, Auckland Island, 190
- brown, 190
- Campbell Island, 193-194
- grey, 190
- TEELE, R., see LAWRENCE, B.; TEELE, R.; McKINLAY, B.
- TENNYSON, A.J.D.; RAYNER, M.J.; TAYLOR, G.A.; ISMAR, S.M.H.; FITZGERALD, N.B.; FRIESEN, M.; GASKIN, C.P. Breeding biology of the New Zealand storm petrel, OSNZ Conference Abstract, 187-188
- tern, black-fronted, 73-81, 84, 86
- Caspian, 73, 81, 84
- fairy, see tern, New Zealand fairy
- New Zealand fairy, 42-45, 187, 189-190
- spp., 75
- white-fronted, 73, 80, 81, 84
- Tetrax tetrax*, see bustard, little
- Thalassarche bulleri bulleri*, see albatross, southern Buller's
- bulleri platei*, see albatross, northern Buller's
- THOMAS, A., see HOLLAND, J.; THOMAS, A.; MINOT, E.
- thrush, mistle, 125
- song, 118, 120, 123, 125, 126, 180, 181
- tit, blue, 124

- great, 124
 long-tailed, 124
Todiramphus sanctus vagans, see kingfisher, New Zealand
 tokoeka, see kiwi, tokoeka, see also kiwi, South Island
 brown
 Haast, 6-7
 tomtit, 180, 181
 North Island, 174
 South Island, 180, 181
 TOWNS, D.R., see BORRELLE, S.B.; JONES, H.P.;
 BOLLARD-BREEN, B.; TOWNS, D.R.
Troglodytes troglodytes, see wren
 tui, 40-41
Turdus merula, see blackbird
philomelos, see thrush, song
viscivorus, see thrush, mistle
- Vanellus miles novaehollandiae*, see plover, spur-winged
 VAN HAL, J., see KEARVELL, J.C.; VAN HAL, J.
Vultur gryphus, see condor, Andean
- wader, migratory spp., 150
 spp., 75, 142
 wagtail, pied, 125
 WALKER, K., see TAYLOR, G.; WALKER, K.; ELLIOTT,
 G.; SOMMER, E.; RAYNER, M.
 warbler, grey, 98, 100, 124, 173-175, 180, 181
 waterbird spp., 32-36, 142-151
 WATLING, D., see O'BRIEN, M.; BIRD, J.P.; O'CONNOR,
 E.; QALO, P.; FRASER, M.; WATLING, D.
 WATSON, L.; GALBRAITH, M.; FRASER, D.;
 NICHOLSON, K. Spoilt for choice – foods of the black-
 backed gull in urban Auckland, OSNZ Conference
 Poster Presentation, 195
 WAUGH, J. DNA barcodes highlight two clusters within
 the little penguin (*Eudyptula minor*): time to reassess
 species delineation? 66-72
 weka, 110, 114
 WEST, R.C., see GILL, B.J.; WEST, R.C.
 WHAANGA, H.; SCOFIELD, P.; RAHARUHI, U.; ROA,
 T. E koekoetētū, e keteketetēkākā, e kūkūtekererū:
 Indigenous methods of naming native and introduced
 bird species of Aotearoa, OSNZ Conference Abstract,
 192
 whitehead, 174
 whitethroat, 125
 WILLIAMS, E.M. Seasonal-movements and site-loyalty of
 radio-tagged Australasian bitterns: Some insights into
 what bitterns might consider as 'prime real estate'?
 OSNZ Conference Abstract, 183
 WILLIAMS, M. Are grey ducks changing, or is it just our
 perceptions of them? OSNZ Conference Abstract, 190
 WILSON, D.S., see JEFFRIES, D.S.; BULL, L.S.; LAGNAZ,
 E.G.; PULHAM, G.A.; WILSON, D.S.; WILSON, P.;
 ZIMMERMAN, R.L.
 WILSON, P., see JEFFRIES, D.S.; BULL, L.S.; LAGNAZ,
 E.G.; PULHAM, G.A.; WILSON, D.S.; WILSON, P.;
 ZIMMERMAN, R.L.
 WITTMER, H.U., see FISCHER, J.H.; DEBSKI, I.; TAYLOR,
 G.; WITTMER, H.U.
 WOLD, J.; RITCHIE, P.; CHAMBERS, G.; ROBERTSON,
 C.J.R. A phylogeographic study of Buller's albatross
 and a new genetic tool for determining population
 differentiation, OSNZ Conference Poster Presentation,
 195-196
 WOODLEY, K., see MCKINLAY, B.; WOODLEY, K.;
 RIEGEN, A.
 woodpigeon, 125
 wren, 125, 174
 wrybill, 73-81, 84, 86
- yellowhammer, 90, 125, 179, 180, 181
 yellowhead, 10, 14
 YOUNG, M., see RAYNER, M.J.; GASKIN, C.; TAYLOR,
 G.; YOUNG, M.; BERG, M.; BAIRD, K.; HEISS-
 DUNLOP, S.; ISMAR, S.; LANDERS, T.J.; FRIESEN,
 M.; SAGAR, R.; DUNPHY, B.J.
- ZIMMERMAN, R.L., see JEFFRIES, D.S.; BULL, L.S.;
 LAGNAZ, E.G.; PULHAM, G.A.; WILSON, D.S.;
 WILSON, P.; ZIMMERMAN, R.L.
Zosterops lateralis, see silvereye

