


NOTORNIS

Ornithology of the Southern Pacific



ISSN 0029-4470

Volume 65 2018
Journal of the Ornithological Society of New Zealand

Volume 65, Part 1, March 2018

CONTENTS

Papers

The status of the red-billed gull (<i>Larus novaehollandiae scopulinus</i>) in New Zealand, 2014–2016	Frost, P.G.H; Taylor, G.A.	1
Major changes in the red-billed gull (<i>Larus novaehollandiae scopulinus</i>) population at Kaikoura Peninsula, New Zealand; causes and consequences: a review	Mills, J.A.; Yarrall, J.W.; Bradford-Grieve, J.M.; Morrissey, M.; Mills, D.A.	14
Seasonal and environmental effects on morepork (<i>Ninox n. novaeseelandiae</i>) vocalisations in two forests in Northland, New Zealand	Colbourne, R.; Digby, A.	27
Buffering artificial nest boxes for Procellariiformes breeding in exposed habitats: investigating effects on temperature and humidity	Fischer, J.H.; Chambon, J.; Debski, I.; Hiscock, J.A.; Cole, R.; Taylor, G.A.; Wittmer, H.U.	35
Observations of Hutton's shearwaters (<i>Puffinus huttoni</i>) at a natural colony in the Kōwhai River and a newly established by translocation colony at Te Rae o Atiu, Kaikōura Peninsula	Rowe, L.	42

Short notes

First record of Cox's sandpiper (<i>Calidris x paramelanotos</i>) for New Zealand	Gunby, E.	51
Successful restoration of an unnatural breeding habitat for white-fronted terns (<i>Sterna striata</i>)	McLean, I.G.; Fleming, A.	54

Volume 65, Part 2, June 2018

CONTENTS

Papers

- | | | |
|--|--|----|
| A census of nesting pairs of the endemic New Zealand king shag (<i>Leucorcarbo carunculatus</i>) in 2016 and 2017 | Schuckard, R.; Bell, M.; Frost, P.; Taylor, G.; Greene, T. | 59 |
| Estimating the breeding population of black-billed gulls <i>Larus bulleri</i> in New Zealand, and methods for future count surveys | Mischler, C.P. | 67 |
| High densities of water-birds at two New Zealand fresh-water urban lakes | Gill, B.J.; West, R.C. | 84 |
| Evidence for year-round breeding of birds in the Samoan islands, in the context of the Australasian and South Pacific regions | Tarburton, M.K. | 92 |

Short notes

- | | | |
|---|--|-----|
| First confirmed records of little black cormorant (<i>Phalacrocorax sulcirostris</i>) for the Solomon Islands | Butcher, S.C.; Crossland, A.C.; Crutchley, P.; Mugan, N.D. | 109 |
| The locality and date of collection of the holotype of New Zealand storm petrel, <i>Pealeornis maoriana</i> Mathews, 1932 | Galbreath, R. | 113 |

Volume 65, Part 3, September 2018

CONTENTS

Papers

- | | | |
|---|---|------------|
| Bird species observed within a garden at Kaikōura, New Zealand, 2005–2016 | Rowe, L.; Rowe, J. | 117 |
| Changes in the forest bird community of an urban sanctuary in response to pest mammal eradications and endemic bird reintroductions | Miskelly, C.M. | 132 |
| Phylogeographic structure and a genetic assignment method for Buller's albatross ssp. (<i>Thalassarche bulleri</i> ssp.) | Wold, J.R.; Robertson, C.J.R.; Chambers, G.K.; Ritchie, P.A. | 152 |

Short notes

- | | | |
|--|--|------------|
| Buller's mollymawk (<i>Thalassarche bulleri</i>) on Rosemary Rock, Three Kings Islands, New Zealand | Frost, P.G.H.; Fitzgerald, N.; Robinson, R.; Hamilton, O. | 164 |
| New breeding records of seabirds at Carnley Harbour (Auckland Islands), Cossack Rock (Campbell Island) and south coast of The Snares | Wilson, K.-J.; Barthel, A.; Lipson, M.; Fogwill, C.; Turney, C. | 168 |
| Deliberate charcoal consumption by an introduced parrot, eastern rosella (<i>Platycercus eximius</i>), in New Zealand | Galbraith, J.A. | 174 |

Volume 65, Part 4, December 2018

CONTENTS

Papers

North Island brown kiwi (<i>Apteryx mantelli</i>) monitoring at Whenuakite: Trend comparison of observer and acoustic recorder collected call counts	Stewart, P.; Hasenbank, M.	179
A video camera assessment of morepork (<i>Ninox novaeseelandiae</i>) diet and breeding success on Tiritiri Matangi Island	Busbridge, S.A.; Stewart, J.R.	187
An estimate of the Hutton's shearwater (<i>Puffinus huttoni</i>) population in the Kaikōura region using colour-marking in 2002 and 2014	Rowe, L.K.; Scofield, R.P.; Taylor, G.A.; Barker, R.J.	196
From wetlands to islands: morphological variation, plumage and song in Pacific island <i>Acrocephalus</i> warblers	Bell, B.D.	202
Estimates of local occupancy for native land birds from the New Zealand bird atlases	Walker, S.; Monks, A.	223

Short notes

A rare vocalisation from an adult female tui (<i>Prosthemadera novaeseelandiae</i>)	Hill, S.D.	237
Dispersal of translocated endemic passerines to nearby islands in Chalky and Preservation Inlets, southern Fiordland, New Zealand	Miskelly, C.M.; Bishop, C.R.; Greene, T.C.; Tennyson, A.J.D.	239
Vertebrate prey in the diets of free-ranging kiwi (<i>Apteryx</i> spp.)	Savoca, M.S.; Gardiner, J.; Colbourne, R.; Tennyson, A.J.D.	242

INDEX OF AUTHORS AND SPECIES

Volume 65

INDEX OF AUTHORS AND SPECIES

- Acanthisitta chloris*, see rifleman
chloris chloris, see rifleman, South Island
chloris granti, see rifleman, North Island
Acanthisittidae, 226, 229
Acanthizidae, 227
Accipitridae, 229
Acridotheres fuscus, see myna, jungle
tristis, see myna, Indian
Acrocephalidae, 202-222
Acrocephalus aequinoctialis aequinoctialis, see
reed-warbler, Kiritimati
agricola, 208, 222
arundinaceus, 203, 208, 216
astrolabii, see reed-warbler, Mangareva
atyphus, see reed-warbler, Tuamotu
atyphus atyphus, see reed-warbler, Takapoto
atyphus eremus, 213
atyphus ravus, 213
australis, see reed-warbler, Australian
australis sumbae, 203
bistrigiceps, 208, 222
brevipennis, 202, 208, 222
caffer, see reed-warbler, Tahiti
concinens, 208, 222
dumetorum, 202, 208, 222
familiaris, see millerbird
familiaris familiaris, see millerbird
familiaris kingi, see millerbird, Nihoa
gracilirostris, 208, 222
griseldis, 208, 222
hiwae, see reed-warbler, Saipan
karearako, see reed-warbler, Cook Islands
karearako kaoko, see reed-warbler, Mitiaro
karearako karearako, see reed-warbler, Mangaia
longirostris, see reed-warbler, Moorea
lusciniia hiwae, see *Acrocephalus hiwae*
luscinius, see reed-warbler, Guam
luscinius luscinius, see reed-warbler, Guam
melanopogon, 208, 222
mendanae, see reed-warbler, South Marquesas
mendanae consobrina, 213
mendanae dido, see reed-warbler, Ua Pou
musae, see reed-warbler, Forster's
newtoni, 202, 203, 222
nijoi, see reed-warbler, Aguijan
orientalis, 208, 211-216, 222
orinus, 202, 208, 222
paludicola, 208, 222
palustris, see reed-warbler, marsh
percernis, see reed-warbler, North Marquesas
percernis idae, see reed-warbler, Ua Huka
rehsei, see reed-warbler, Nauru
rimitarae, see reed-warbler, Rimatara
rodericanus, 202, 208, 222
rufescens, 208, 222
schoenobaenus, see reed-warbler, sedge
scirpaceus, 208, 214, 217, 222
seychellensis, see reed-warbler, Seychelles
sorghophilus, 208, 222
stentoreus, 208, 215, 222
syrinx, see reed-warbler, Caroline
taiti, see reed-warbler, Henderson
tangorum, 208, 222
vaughani, see reed-warbler, Pitcairn
yamashinae, see reed-warbler, Pagan
Aerodramus spodiopygius, see swiftlet, white-rumped
albatross, black-browed, 197
Buller's, 152-163, 164-167
northern Buller's, 152-163, 164-167
shy, 153, 197
southern Buller's, 152-163, 164, 166
spp., 92, 152-163, 171, 226
white-capped, 153
alcid spp., 40
Anarhynchus frontalis, see wrybill
Anas chlorotis, see teal, brown
gracilis, see teal, grey
platyrhynchos, see mallard
rhynchotis, see shoveler, Australasian
superciliosa, see duck, grey
Anatidae, 84, 89, 227, 229
Anatinae, 84
Anhingidae, 226
Anous minutus, see noddy, black
stolidus, see noddy, brown
Anser anser, see goose, feral
Anseriformes, 227-229
Anserinae, 84, 89
Anthornis melanura melanura, see bellbird
Anthus novaeseelandiae novaeseelandiae, see pipit,
New Zealand
Aplonis atrifusca, see starling, Samoan
tabuensis, see starling, Polynesian
Apterygidae, 227
Apterygiformes, 226, 227
Apteryx australis, see kiwi, South Island brown, see
also tokoeka
haastii, see kiwi, great spotted
mantelli, see kiwi, North Island brown
owenii, see kiwi, little spotted

- rowi*, see *rowi*
 spp., see *kiwi* spp.
Ardea modesta, see *heron*, white
 Ardeidae, 228, 229
Aythya collaris, see *duck*, ring-necked
novaeseelandiae, see *scaup*, New Zealand
- BARKER, R.J., see ROWE, L.K.; SCOFIELD, R.P.; TAYLOR, G.A.; BARKER, R.J.
 BARTHEL, A., see WILSON, K.-J.; BARTHEL, A.; LIPSON, M.; FOGWILL, C.; TURNEY, C.
 BELL, Ben D. From wetlands to islands: morphological variation, plumage and song in Pacific island *Acrocephalus* warblers, 202-222
 BELL, M., see SCHUCKARD, R.; BELL, M.; FROST, P.; TAYLOR, G.; GREENE, T.
 bellbird, 117, 119-120, 121, 126-127, 130-131, 134, 138, 144-146, 150, 191, 192, 194, 227, 230, 232
 bird, endemic forest spp., 132-151
 forest spp., 132-151
 garden spp., 117, 131
 introduced spp., 133, 136, 141, 144-146
 land spp., 93
 native forest spp., 132-151
 reintroduced spp., 132-151
 water spp., 84-91
 BISHOP, C.R., see MISKELLY, C.M.; BISHOP, C.R.; GREENE, T.C.; TENNYSON, A.J.D.
 bittern, Australasian, 229
 blackbird, Eurasian, 117, 120-122, 126, 128, 130, 137, 139-142, 145, 146, 150, 191, 192, 217
 booby, brown, 95, 101
 masked, 95, 101
 red-footed, 95, 101-102
 spp., 226
Botaurus poiciloptilus, see *bittern*, Australasian
Bowdleria punctata, see *fernbird*
 BRADFORD-GRIEVE, J.M., see MILLS, J.A.; YARRALL, J.W.; BRADFORD-GRIEVE, J.M.; MORRISSEY, M.; MILLS, D.A.
Branta canadensis, see *goose*, Canada
 broadbill, Samoan, see *flycatcher*, Samoan
 bulbul, red-vented, 96, 107
 BUSBRIDGE, S.A.; STEWART, J.R. A video camera assessment of morepork (*Ninox novaeseelandiae*) diet and breeding success on Tiritiri Matangi Island, 187-195
 BUTCHER, S.C.; CROSSLAND, A.C.; CRUTCHLEY, P.; MUGAN, N.D. First confirmed records of little black cormorant (*Phalacrocorax sulcirostris*) for the Solomon Islands, 109-112
- Calidris acuminata*, see *sandpiper*, sharp-tailed
alpina, see *dunlin*
ferruginea, see *sandpiper*, curlew
ferruginea x acuminata, see *sandpiper*, Cooper's
melanotos, see *sandpiper*, pectoral
x paramelanotos, see *sandpiper*, Cox's
Callaeas wilsoni, see *kokako*, North Island
 Callaeidae, 226, 227
Callipepla californica brunnescens, see *quail*, California
Carduelis carduelis britannica, see *goldfinch*, European
chloris, see *greenfinch*
flammea, see *redpoll*, common
Catharacta antarctica lonnbergi, see *skua*, subantarctic
skua, see *skua*, great
 chaffinch, 117, 120, 121, 127, 130, 137, 139-142, 145, 146, 150
 CHAMBERS, G.K., see WOLD, J.R.; ROBERTSON, C.J.R.; CHAMBERS, G.K.; RITCHIE, P.A.
 CHAMBON, J., see FISCHER, J.H.; CHAMBON, J.; DEBSKI, I.; HISCOCK, J.A.; COLE, R.; TAYLOR, G.A.; WITTMER, H.U.
 Charadriidae, 228, 229
 Charadriiformes, 228, 229
Charadrius bicinctus bicinctus, see *dotterel*, banded
obscurus, see *dotterel*, New Zealand
obscurus aquilonius, see *dotterel*, northern New Zealand
obscurus obscurus, see *dotterel*, southern New Zealand
Chlidonias albastrata, see *tern*, black-fronted
Chrysococcyx lucidus lucidus, see *cuckoo*, shining
 Ciconiiformes, 228, 229
Circus approximans, see *harrier*, swamp
Clytorhynchus vitiensis, see *shrikebill*, Fiji
Coenocorypha iredalei, see *snipe*, South Island
 COLBOURNE, R.; DIGBY, A. Seasonal environmental effects on morepork (*Ninox n. novaeseelandiae*) vocalisations in two forests in Northland, New Zealand, 27-34
 COLBOURNE, R., see SAVOCA, M.S.; GARDINER, J.; COLBOURNE, R.; TENNYSON, A.J.D.
 COLE, R., see FISCHER, J.H.; CHAMBON, J.; DEBSKI, I.; HISCOCK, J.A.; COLE, R.; TAYLOR, G.A.; WITTMER, H.U.
Columba livia, see *pigeon*, rock
 Columbidae, 227
 Columbiformes, 227
Conopodas, see *Acrocephalus*
 coot, American, 90
 Australian, 229
 Eurasian, 87, 88, 90
 Coraciiformes, 229
 cormorant, Brandt's, 65
 Guanay, 65
 little black, see *shag*, little black
 little pied, see *shag*, little
 spp., 226
 crane, marsh, 226
 spotless, 95, 102, 191, 192, 194, 226

- Creagrurus furcatus*, see gull, swallow-tailed creeper, brown, 225, 227, 230, 232
 CROSSLAND, A.C., see BUTCHER, S.C.; CROSSLAND, A.C.; CRUTCHLEY, P.; MUGAN, N.D.
 CRUTCHLEY, P., see BUTCHER, S.C.; CROSSLAND, A.C.; CRUTCHLEY, P.; MUGAN, N.D.
 cuckoo, long-tailed, 151, 227, 230, 232
 shining, 136, 137, 139, 140, 144, 150, 228, 231
 Cuculidae, 227, 228
 Cuculiformes, 227, 228
Cyanoramphus auriceps, see parakeet, yellow-crowned
 malherbi, see parakeet, orange-fronted
 novaezelandiae, see parakeet, red-crowned spp., see parakeet spp.
Cygnus atratus, see swan, black
 olor, see swan, mute
 dabchick, New Zealand, 86, 225, 229
Daption capense australe, see petrel, Snares cape darter, 226
 DEBSKI, I., see FISCHER, J.H.; CHAMBON, J.; DEBSKI, I.; HISCOCK, J.A.; COLE, R.; TAYLOR, G.A.; WITTMER, H.U.
Didunculus strigirostris, see pigeon, tooth-billed
 DIGBY, A., see COLBOURNE, R.; DIGBY, A.
 Diomedidae, 152-163
 dotterel, banded, 228, 231
 black-fronted, 86
 New Zealand, 225, 228, 231
 northern New Zealand, 228
 southern New Zealand, 228
Dromaius novaehollandiae, see emu
 duck, blue, 225, 227, 230, 232
 feral domestic, 87, 88
 grey, 86, 226
 mallard, 86-90
 ring-necked, 90
 spp., 84, 88-90
Ducula pacifica, see pigeon, Pacific imperial
 dunlin, 51, 52
 dunnoek, 117, 120-122, 128, 130, 131, 137, 139-141, 145, 146, 150
 egret, eastern reef, 95, 102
Egretta novaehollandiae novaehollandiae, see heron, white-faced
 sacra, see egret, eastern reef
 sacra sacra, see heron, reef
Elsyornis melanops, see dotterel, black-fronted
Emberiza citrinella, see yellowhammer
 emu, 242
Erythrura cyaneovirens, see parrot-finch, red-headed
Eudynamis taitensis, see cuckoo, long-tailed
Eudyptes chrysocome, see penguin, rockhopper
Falco novaeseelandiae, see falcon, New Zealand
 falcon, New Zealand, 117, 120, 124, 126, 139, 151, 192, 225, 227, 230
 Falconidae, 227
 Falconiformes, 227, 229
 fantail, 225
 New Zealand, 132, 136, 139-142, 144-146, 150, 228, 231
 North Island, 130, 132, 136, 139-142, 144, 145, 150, 228, 231
 Samoan, 95, 106
 South Island, 117, 120, 121, 125, 130, 228, 231
 fernbird, 146, 228
 FISCHER, J.H.; CHAMBON, J.; DEBSKI, I.; HISCOCK, J.A.; COLE, R.; TAYLOR, G.A.; WITTMER, H.U. Buffering artificial nest boxes for Procellariiformes breeding in exposed habitats: investigating effects on temperature and humidity, 35-41
 FITZGERALD, N., see FROST, P.G.H.; FITZGERALD, N.; ROBINSON, R.; HAMILTON, O.
 FLEMING, A., see McLEAN, I.G.; FLEMING, A.
 flycatcher, Samoan, 93, 95, 106
 FOGWILL, C., see WILSON, K-J.; BARTHEL, A.; LIPSON, M.; FOGWILL, C.; TURNEY, C.
Foulehaio carunculata, see honeyeater, wattled
Fratercula arctica, see puffin, Atlantic
Fregata ariel, see frigatebird, lesser
 minor, see frigatebird, great
 Fregatidae, 226
 frigatebird, great, 95, 101
 lesser, 95, 101
 spp., 226
Fringilla coelebs, see chaffinch
 FROST, P., see SCHUCKARD, R.; BELL, M.; FROST, P.; TAYLOR, G.; GREENE, T.
 FROST, P.G.H.; TAYLOR, G.A. The status of the red-billed gull (*Larus novaehollandiae scopulinus*) in New Zealand, 1-13
 FROST, P.G.H.; FITZGERALD, N.; ROBINSON, R.; HAMILTON, O. Buller's mollymawk (*Thalassarche bulleri*) on Rosemary Rock, Three Kings Islands, New Zealand, 164-167
 fruit-dove, crimson-crowned, 92, 94, 95, 99-100
 many-coloured, 95, 96, 100
Fulica americana, see coot, American
 atra, see coot, Eurasian
 atra australis, see coot, Australian
 fulmar, spp., 226
 GALBRAITH, J.A. Deliberate charcoal consumption by an introduced parrot, eastern rosella (*Platycercus eximius*), in New Zealand, 174-177
 GALBREATH, R. The locality and date of collection of the holotype of New Zealand storm petrel, *Pealeornis maoriana* Mathews, 1932, 113-116
Gallinula pacifica, see woodhen, Samoan

- Gallirallus australis*, see weka
australis australis, see weka, western
philippensis assimilis, see rail, banded
gannet, Australasian, 165, 226
GARDINER, J., see SAVOCA, M.S.; GARDINER, J.; COLBOURNE, R.; TENNYSON, A.J.D.
Gerygone igata, see warbler, grey
GILL, B.J.; WEST, R.C. High densities of water-birds at two New Zealand fresh-water urban lakes, 84-91
goldfinch, European, 117, 120-123, 128, 130, 137, 139, 150
goose, Canada, 87-89
 feral, 86-89
 spp., 84, 88-90
grebe, Australasian crested, 225, 229
GREENE, T., see SCHUCKARD, R.; BELL, M.; FROST, P.; TAYLOR, G.; GREENE, T.
GREENE, T.C., see MISKELLY, C.M.; BISHOP, C.R.; GREENE, T.C.; TENNYSON, A.J.D.
greenfinch, European, 117, 120, 121, 123, 126, 128, 130, 131, 150
Gruiformes, 228, 229
gull, black-backed, 9, 17, 18, 23, 24, 67, 86-89, 170, 228, 231
 black-billed, 67-83, 86, 87, 228, 231
 lesser black-backed, 80
 red-billed, 1-13, 14-26, 68, 79, 80, 86, 87, 93, 117, 120, 124, 126, 129, 130, 165, 228, 231
 silver, 93
 southern black-backed, see gull, black-backed
 spp., 84, 88, 89
 swallow-tailed, 93
GUNBY, E. First record of Cox's sandpiper (*Calidris x paramelanotos*) for New Zealand, 51-53
Gygis alba, see tern, white
Gymnomyza samoensis, see mao
Gymnorhina tibicen, see magpie, Australian
Haematopodidae, 228
Haematopus finschi, see oystercatcher, South Island
 pied
 spp., see oystercatcher spp.
 unicolor, see oystercatcher, variable
Halcyonidae, 229
HAMILTON, O., see FROST, P.G.H.; FITZGERALD, N.; ROBINSON, R.; HAMILTON, O.
harrier, Australasian, see harrier, swamp
 swamp, 67, 119, 151
HASENBANK, M., see STEWART, P.; HASENBANK, M.
Hemiphaga novaeseelandiae, see pigeon, New Zealand
heron, reef, 228, 231
 white, 229
 white-faced, 86, 229
hihi, see stitchbird
HILL, S.D. A rare vocalisation from an adult female tui (*Prosthemadera novaeseelandiae*), 237-238
Himantopus himantopus leucocephalus, see stilt, pied
novaezelandiae, see stilt, black
Hirundinidae, 229
Hirundo neoxena neoxena, see swallow, welcome
HISCOCK, J.A., see FISCHER, J.H.; CHAMBON, J.; DEBSKI, I.; HISCOCK, J.A.; COLE, R.; TAYLOR, G.A.; WITTMER, H.U.
honeyeater, cardinal, 92, 94-96, 105-106
 wattled, 92, 94, 95, 105
Hydroprogne caspia, see tern, Caspian
Hymenolaimus malacorhynchus, see duck, blue
kaka, 134, 138, 140-143, 150, 227, 230, 232
 North Island, 134, 138, 140-143, 150, 227, 230, 232
 South Island, 227, 230, 232
kakapo, 176, 226
kakariki, see parakeet, red-crowned
kea, 44, 225, 227, 230, 232
kereru, see pigeon, New Zealand
kingfisher, collared, 95-97, 105
 flat-billed, 93, 95, 105
 New Zealand, see kingfisher, sacred
 sacred, 136, 137, 139, 141, 144, 150, 191, 192, 229
kiwi, 194
 brown spp., 227, 230, 232, 236
 great spotted, 226, 227, 230, 232, 236
 little spotted, 134, 143, 151, 179, 184, 194, 225, 226, 242
 North Island brown, 179-186, 227, 230, 232, 242-244
 rowi, 226, 236
 South Island brown spp., 226, 227, 230, 232, 236
 southern brown, 179
 spp., 225-227, 230, 232, 242
 tokoea, 226, 227, 230, 232, 236
kokako, North Island, 145, 192, 225, 227, 230, 232
 South Island, 226
Lalage maculosa, see triller, Polynesian
sharpei, see triller, Samoan
landbird, native spp., 223-226
 tropical spp., 97
Laridae, 84, 228
Larus bulleri, see gull, black-billed
 dominicanus dominicanus, see gull, black-backed, or gull, southern black-backed
 fuscus, see gull, lesser black-backed
 novaeahollandiae, see gull, silver
 novaeahollandiae scopulinus, see gull, red-billed
Leucocarbo carunculatus, see shag, New Zealand
 king
 chalconotus, see shag, Stewart Island
 colensoi, see shag, Auckland Island

- LIPSON, M., see WILSON, K.-J.; BARTHEL, A.;
LIPSON, M.; FOGWILL, C.; TURNEY, C.
lorikeet, blue-crowned, 95, 105
- macaw spp., 174
Macronektes giganteus, see petrel, southern giant
magpie, Australian, 117, 119, 120, 126, 141, 150
mallard, see duck, mallard
Malurus coronatus coronatus, see fairy-wren, purple-crowned
mao, 95, 106
McLEAN, I.G.; FLEMING, A. Successful restoration of an unnatural breeding habitat for white-fronted terns (*Sterna striata*), 54-58
Megadyptes antipodes, see penguin, yellow-eyed
Megaluridae, 228
Meliphagidae, 227
millerbird, 203-217, 222
Laysan, 203, 205, 207, 208, 211, 213, 217
Nihoa, 217
MILLS, D.A., see MILLS, J.A.; YARRALL, J.W.; BRADFORD-GRIEVE, J.M.; MORRISSEY, M.; MILLS, D.A.
MILLS, J.A.; YARRALL, J.W.; BRADFORD-GRIEVE, J.M.; MORRISSEY, M.; MILLS, D.A. Major changes in the red-billed gull (*Larus novaehollandiae scopulinus*) population at Kaikoura Peninsula, New Zealand; causes and consequences: a review, 14-26
MISCHLER, C.P. Estimating the breeding population of black-billed gulls *Larus bulleri* in New Zealand, and methods for future count surveys, 67-83
MISKELLY, C.M. Changes in the forest bird community of an urban sanctuary in response to pest mammal eradications and endemic bird reintroductions, 132-151
MISKELLY, C.M.; BISHOP, C.R.; GREENE, T.C.; TENNYSON, A.J.D. Dispersal of translocated endemic passerines to nearby islands in Chalky and Preservation Inlets, southern Fiordland, New Zealand, 239-241
Mohoua albicilla, see whitehead
novaeseelandiae, see creeper, brown
ochrocephala, see yellowhead
mohua, see yellowhead
mollymawk, Buller's, 164-167, see also albatross, Buller's
northern Buller's, see albatross, northern Buller's
shy, see albatross, shy
southern Buller's, see albatross, southern Buller's
white-capped, see albatross, white-capped
MONKS, A., see WALKER, S.; MONKS, A.
morepork, 27-34, 144, 187-195, 228, 231
MORRISSEY, M., see MILLS, J.A.; YARRALL, J.W.; BRADFORD-GRIEVE, J.M.; MORRISSEY, M.; MILLS, D.A.
MILLS, D.A.
Morus serrator, see gannet, Australasian
Motacillidae, 229
Mother Cary, 114, 115, see also storm petrel spp.
MUGAN, N.D., see BUTCHER, S.C.; CROSSLAND, A.C.; CRUTCHLEY, P.; MUGAN, N.D.
muttonbird spp., 196
Myiagra albigentris, see flycatcher, Samoan
myna, common, 96, 108
jungle, 96, 108
myzomela, cardinal, see honeyeater, cardinal
Myzomela cardinalis, see honeyeater, cardinal
- Nestor meridionalis*, see kaka
notabilis, see kea
Nestoridae, 227
Ninox novaeseelandiae boobook, see owl, boobook
novaeseelandiae novaeseelandiae, see morepork
noddy, black, 93, 95, 96, 103
blue, 92, 94, 95, 104
brown, 92, 94-96, 102-103
Notiomystidae, 226
Notiomystis cincta, see stitchbird
- Onychoprion anaethetus*, see tern, bridled
fuscatus, see tern, sooty
lunatus, see tern, spectacled
ostrich, 242
owl, boobook, 27, 28, 31
eastern barn, 95, 105
flamulated, 191
laughing, 27
spp., 28, 31, 191
oystercatcher, South Island pied, 228, 231
spp., 119
variable, 228, 231
- Pachycephala flavifrons*, see whistler, Samoan
Pachycephalidae, 227
Pachyptila desolata, see prion, Antarctic
turtur, see prion, fairy
parakeet, *Cyanoramphus* spp., 146
orange-fronted, 226
red-crowned, 134, 138, 139, 142, 143, 146, 150, 191, 192, 194, 226, 227, 230, 232
spp., 146, 227, 230, 232
yellow-crowned, 226, 227, 230, 232
parrot, introduced spp., 132
spp., 174-176
western Amazonian spp., 175
parrot-finch, red-headed, 96, 108
Passer domesticus domesticus, see sparrow, house
Passeri, 202
Passeriformes, 227-229
passerine, endemic spp., 239-241
spp., 90
Pealeornis maoriana, see storm petrel, New Zealand

- Pelacidae, 226
 Pelecaniformes, 228, 229
Pelecanoides georgicus, see petrel, South Georgian diving
urinatrix, see petrel, common diving
 pelican, 226
 penguin, rockhopper, 79
 spp., 40, 172, 226
 yellow-eyed, 171
 petrel, burrowing spp., 168, 172
 cape, 114, 115, 169-171, see also pigeon, cape
 common diving, 192
 diving, 226
 giant, 79
 Herald, 95, 101
 Snares cape, 169, 171
 South Georgian diving, 36
 southern giant, 79
 spp., 114, 115, 171, 226
 Tahiti, 95, 100-101
 white-chinned, 169
 white-headed, 169, 171
Petroica australis, see robin, South Island
longipes, see robin, North Island
macrocephala, see tomtit
multicolor, see robin, Pacific
pusilla, see robin, Pacific
 Petroicidae, 227
Phaethon lepturus, see tropicbird, white-tailed
 Phaethontiformes, 226
 Phalacrocoracidae, 84, 226, 228, 229
Phalacrocorax bougainvilli, see cormorant, Guanay
carbo novaehollandiae, see shag, black
melanoleucos brevirostris, see shag, little
pencillatus, see cormorant, Brandt's
 spp., see shag, spp.
sulcirostris, see shag, little black
varius varius, see shag, pied
Philesturnus carunculatus, see saddleback, South Island
rufusater, see saddleback, North Island
 Phylloscopidae, 217
 pigeon, cape, 114, 115, 169-171, see also petrel, cape
 New Zealand, 139, 143-145, 150, 227, 230, 232
 Pacific imperial, 95, 100
 rock, 151
 Snares Cape, 169-171, see also petrel, Snares cape
 tooth-billed, 95, 100
 pipit, New Zealand, 229
Platalea regia, see spoonbill, royal
Platycercus eximius, see rosella, eastern
 plover, spur-winged, 86, 87, 89, 151, 229
Podiceps cristatus australis, see grebe, Australasian
 crested
 Podicipedidae, 229
 Podicipediformes, 229
Poliiocephalus rufopectus, see dabchick, New Zealand
Porphyrio hochstetteri, see takahe
melanotus melanotus, see pukeko
porphyrio, see swampphen, purple
Porzana pusilla affinis, see crane, marsh
tabuensis tabuensis, see crane, spotless
 prion, Antarctic, 169, 171
 fairy, 49
 spp., 168, 169, 172, 226
Procellaria aequinoctialis, see petrel, white-chinned
 Procellariiformes, 35-41, 152-163, 226
Procelsterna cerulea, see noddy, blue
Prothemadara novaeseelandiae novaeseelandiae, see tui
Prunella modularis, see dunnoek
Psilosops flammeolus, see owl, flammulated
 Psittaciformes, 227
Pterodroma heraldica, see petrel, Herald
lessonii, see petrel, white-headed
magentae, see taiko, Chatham Island
rostrata, see petrel, Tahiti
Ptilinopus perousii, see fruit-dove, many-coloured
porphyraceus, see fruit-dove, crimson-crowned
 puffin, Atlantic, 57
Puffinus gavia, see shearwater, fluttering
griseus, see shearwater, sooty
huttoni, see shearwater, Hutton's
lherminieri, see shearwater, Audubon's
nativitatis, see shearwater, Christmas
puffinus, see shearwater, Manx
 pukeko, 87, 88, 229
Pycnonotus cafer, see bulbul, red-vented
 quail, California, 117, 120, 126, 141, 150
 rail, banded, 92-96, 102, 226
 buff-banded, see rail, banded
 spp., 84, 88, 89
 Rallidae, 84, 228, 229
 raptor spp., 90
 Recurvirostridae, 228
 redpoll, common, 117-121, 127, 130, 151
 reed-warbler, Aguijan, 203, 204, 210, 211, 222
 Australian, 203, 204, 208, 211, 215, 217, 222
 blunt-winged, 208
 Caroline, 202-205, 208-214, 217, 222
 Cook Islands, 203-206, 208-214, 222
 Forster's, 203, 204, 208-210, 214, 222
 Guam, 203, 204, 206, 208-211, 214, 217, 222
 Henderson, 202-204, 206-217, 222
 Hiva Oa, 207
 Kiritimati, 203, 204, 206-217, 222
 Mangaia, 203-205, 213
 Mangareva, 203, 204, 208-211, 222
 marsh, 202, 206, 208, 215, 216, 222
 millerbird, 203-215, 217, 222
 millerbird, Laysan, 203, 205, 207, 208, 211, 213,

- 217
 millerbird, Nihoa, 217
 Mitiaro, 207, 213, 217
 Moorea, 203, 204, 210, 214, 222
 Nauru, 203, 204, 208-212, 214, 215, 222
 nightingale, 215
 North Marquesas, 203-214, 217, 218, 222
 Nuku Hiva, 207, 213
 Pacific Island spp., 202-222
 Pagan, 203, 204, 208-211, 222
 Pitcairn, 202-215, 217, 222
 Rimatara, 203, 204, 206, 210-213, 215-217, 222
 Saipan, 202-205, 208-217, 222
 sedge, 208, 215, 216, 222
 Seychelles, 202, 206, 208, 216, 217, 222
 South Marquesas, 203, 204, 206-214, 217, 218, 222
 Tahiti, 203-215, 217, 222
 Takapoto, 203-205
 Tuamotu, 203, 204, 206, 208-215, 217, 222
 Ua Huka, 203-205, 213
 Ua Pou, 203-205, 213
Rhea spp., see rhea
 rhea, 242
Rhipidura fuliginosa, see fantail
 fuliginosa fuliginosa, see fantail, South Island
 nebulosa, see fantail, Samoan
 Rhipiduridae, 228
 rifleman, 225, 230, 232, 233
 North Island, 227, 230, 232, 233
 South Island, 227, 230, 232, 233
 RITCHIE, P.A., see WOLD, J.R.; ROBERTSON, C.J.R.; CHAMBERS, G.K.; RITCHIE, P.A.
 ROBERTSON, C.J.R., see WOLD, J.R.; ROBERTSON, C.J.R.; CHAMBERS, G.K.; RITCHIE, P.A.
 ROBINSON, R., see FROST, P.G.H.; FITZGERALD, N.; ROBINSON, R.; HAMILTON, O.
 robin, New Zealand, 227, 230, 232
 North Island, 134, 138, 141-143, 145, 150, 191, 192, 194, 225, 227, 230, 232, 242
 Pacific, 96, 107
 South Island, 145, 146, 225, 227, 230, 232, 239, 240
 rosella, eastern, 141, 150, 174-177
 ROWE, J., see ROWE, L.; ROWE, J.
 ROWE, L. Observations of Hutton's shearwaters (*Puffinus huttoni*) at a natural colony in the Kowhai River and a newly established by translocation colony at Te Rai o Atiu, Kaikoura Peninsula, 42-50
 ROWE, L.; ROWE, J. Bird species observed within a garden at Kaikoura, New Zealand 2005-2016, 117-131
 ROWE, L.K.; SCOFIELD, R.P.; TAYLOR, G.A.; BARKER, R.J. An estimate of the Hutton's shearwater (*Puffinus huttoni*) population in the Kaikoura region using colour-marking in 2002 and 2014, 196-201
 rowi, 226, 236
 ruru, see morepork
 saddleback, North Island, 134, 138, 141-143, 145, 150, 191, 192, 194, 226
 South Island, 146, 226, 239, 240
 sandpiper, Cooper's, 51
 Cox's, 51-53
 curlew, 51, 52
 pectoral, 51, 52
 sharp-tailed, 51-53
 SAVOCA, M.S.; GARDINER, J.; COLBOURNE, R.; TENNYSON, A.J.D. Vertebrate prey in the diets of free-ranging kiwi (*Apteryx* spp.), 242-244
 scaup, New Zealand, 84, 87-90, 228
 SCHUCKARD, R.; BELL, M.; FROST, P.; TAYLOR, G.; GREENE, T. A census of nesting pairs of the endemic New Zealand king shag (*Leucocarbo carunculatus*) in 2016 and 2017, 59-66
 SCOFIELD, R.P., see ROWE, L.K.; SCOFIELD, R.P.; TAYLOR, G.A.; BARKER, R.J.
 seabird spp., 1-13, 14-26, 35-41, 42-50, 54-58, 59-66, 67-83, 92-96, 109-112, 113-116, 152-163, 164-167, 168-173, 226
 shag, Auckland Island, 170
 black, 86, 229
 blue-eyed spp., 59-66
 little, 86-88, 109-111, 229
 little black, 86, 87, 109-112, 229
 New Zealand king, 59-66
 New Zealand spp., 65
 pied, 86, 87, 228, 231
 pink-footed spp., 59-66
 spotted, 228, 231
 spp., 84, 88, 89, 119, 172, 226
 Stewart Island, 65, 225, 228, 231
 shearwater, Audubon's, 48, 93, 95, 101
 Christmas, 93, 95
 fluttering, 48, 49
 Hutton's, 16, 42-50, 93, 196-201
 Manx, 48
 sooty, 169, 171
 spp., 49, 168, 172, 226
 shelduck, paradise, 87, 88, 229
 shoveler, Australasian, 86, 89, 229
 New Zealand, see shoveler, Australasian
 shrikebill, Fiji, 96, 106-107
 silvereye, 117, 118, 120, 121, 124, 129-132, 136, 139-146, 150, 227, 231
 skua, great, 79
 spp., 172
 subantarctic, 169, 170
 snipe, South Island, 146
 songbird, introduced spp., 132
 sparrow, house, 117, 118, 120, 121, 123-124, 129-131, 150

- Sphenisciformes, 226
 spoonbill, royal, 86, 87, 89, 228, 231
 starling, common, 117, 120-123, 127, 130, 137, 139, 142, 145, 150
 Polynesian, 96, 107
 Samoan, 92, 96, 107-108
Sterna anaethetis, see tern, bridled
 bergii, see tern, crested, see also tern, swift
 hirundo, see tern, common
 spp., see tern spp.
 striata, see tern, white-fronted
 sumatrana, see tern, black-naped
 vittata bethunei, see tern, Antarctic
 Sternidae, 228
Sternula albifrons, see tern, little
 STEWART, J.R., see BUSBRIDGE, S.A.; STEWART, J.R.
 STEWART, P.; HASENBANK, M. North Island brown kiwi (*Apteryx mantelli*) monitoring at Whenuakite: Trend comparison of observer and acoustic recorder collected call counts, 179-186
Stictocarbo punctatus punctatus, see shag, spotted
 stilt, Australasian pied, 228, 231
 black, 225, 228, 231
 pied, 86, 228
 stitchbird, 134, 138, 139, 143, 150, 187, 188, 191, 192, 194, 226
 storm petrel, New Zealand, 113-116
 spp., 113-115, 226
 Strigidae, 228
 Strigiformes, 228
 Strigopidae, 226
Strigops habroptilus, see kakapo
Struthio spp., see ostrich
Sturnus vulgaris vulgaris, see starling, common
Sula dactylatra, see booby, masked
 leucogaster, see booby, brown
 sula, see booby, red-footed
 Sulidae, 226
 swallow, welcome, 117, 119-121, 125-126, 130, 151, 229
 swamphen, purple, 93, 95, 102
 swan, black, 86-89, 229
 mute, 86, 87
 sp., 84, 88-90
 swiftlet, white-rumped, 92-96, 100

Tadorna variegata, see shelduck, paradise
 Tadorninae, 84
 taiko, Chatham Island, 43
 takahe, 151
 TARBURTON, M.K. Evidence for year-round breeding of birds in the Samoan Islands, in the context of the Australasian and South Pacific regions, 92-108
 TAYLOR, G., see SCHUCKARD, R.; BELL, M.; FROST, P.; TAYLOR, G.; GREENE, T.
 TAYLOR, G.A., see FROST, P.G.H.; TAYLOR, G.A.
 TAYLOR, G.A., see FISCHER, J.H.; CHAMBON, J.; DEBSKI, I.; HISCOCK, J.A.; COLE, R.; TAYLOR, G.A.; WITTMER, H.U.
 TAYLOR, G.A., see ROWE, L.K.; SCOFIELD, R.P.; TAYLOR, G.A.; BARKER, R.J.
 teal, brown, 225, 226, 228
 grey, 86, 89, 229
 TENNYSON, A.J.D., see MISKELLY, C.M.; BISHOP, C.R.; GREENE, T.C.; TENNYSON, A.J.D.
 TENNYSON, A.J.D., see SAVOCA, M.S.; GARDINER, J.; COLBOURNE, R.; TENNYSON, A.J.D.
 tern, Antarctic, 170-172
 black-fronted, 228, 231
 black-naped, 95, 105
 bridled, 93, 95, 96, 104
 Caspian, 228, 231
 common, 57
 crested, 97
 little, 95, 105
 sooty, 95, 96, 104-105
 spectacled, 95, 104
 spp., 115, 119, 172
 swift, 93
 white, 92-95, 103-104
 white-fronted, 15, 19, 54-58, 68, 165, 228, 231
Thalassarche bulleri bulleri, see albatross, southern
 Buller's
 bulleri platei, see albatross, northern Buller's
 cauta, see albatross, shy
 melanophrys, see albatross, black-browed
 platei, see albatross, northern Buller's
 Threskiornithidae, 228
 thrush, island, 96, 107
 song, 117, 120, 121, 125, 126, 129-131, 137, 139-141, 150, 191, 192
 spp., 217
Todiramphus chloris, see kingfisher, collared
recurvirostris, see kingfisher, flat-billed
sancta vagans, see kingfisher, sacred, or kingfisher, New Zealand
 tokoeka, Fiordland, 226
 Haast, 226
 Rakiura, 226
 tomtit, 134, 137, 138, 145, 151, 225, 240
 New Zealand, 227, 230, 232
 North Island, 134, 137, 138, 145, 151, 227, 230, 232
 South Island, 145, 227, 230, 232, 240
 triller, Polynesian, 92-96, 106
 Samoan, 95, 106
 tropicbird, red-tailed, 95, 99
 spp., 226
 white-tailed, 92-96, 99
 tui, 132, 136, 139-145, 150, 227, 230, 232, 237-238
Turdus merula, see blackbird, Eurasian

- philomelos*, see thrush, song
poliocephalus, see thrush, island
 spp., see thrush spp.
 TURNEY, C., see WILSON, K-J.; BARTHEL, A.;
 LIPSON, M.; FOGWILL, C.; TURNEY, C.
Tyto javanica, see owl, eastern barn

Vanellus miles novaehollandiae, see plover, spur-winged
Vini australis, see lorikeet, blue-crowned

 WALKER, S.; MONKS, A. Estimates of local occupancy for native land birds from the New Zealand bird atlases, 223-236
 warbler, *Acrocephalus* spp., 202-222
 grey, 117, 119, 120, 121, 123, 126, 128-129, 130, 132, 136, 139-142, 144-146, 150, 227, 230, 232
 leaf spp., 217
 marsh, 215, 216, 222
 Old World spp., 202-222
 sedge, 215, 216, 222
 waterfowl, introduced spp., 88, 89
 native spp., 88, 89
 spp., 84-91
 weka, North Island, 134, 137, 138, 151, 227, 230, 232
 spp., 134, 137, 138, 151, 225-228, 230, 232
 western, 225, 227, 230, 232
 WEST, R.C., see GILL, B.J.; WEST, R.C.
 whio, see duck, blue
 whistler, Samoan, 92, 95, 96, 106
 white-eye, Samoan, 96, 107
 whitehead, 134, 138, 141-143, 145, 150, 191, 192, 194, 225, 227, 230, 232
 WILSON, K-J.; BARTHEL, A.; LIPSON, M.;
 FOGWILL, C.; TURNEY, C. New breeding records of seabirds at Carnley Harbour (Auckland Islands), Cossack Rock (Campbell Island) and south coast of The Snares, 168-173
 WITTMER, H.U., see FISCHER, J.H.; CHAMBON, J.; DEBSKI, I.; HISCOCK, J.A.; COLE, R.; TAYLOR, G.A.; WITTMER, H.U.
 WOLD, J.R.; ROBERTSON, C.J.R.; CHAMBERS, G.K.; RITCHIE, P.A. Phylogenetic structure and a genetic assignment method for Buller's albatross ssp. (*Thalassarche bulleri* ssp.), 152-163
 woodhen, Samoan, 93
 wren, bush, 146
 North Island bush, 226
 rock, 225, 229
 South Island bush, 226
 wrybill, 228, 231

Xenicus gilviventris, see wren, rock
 longipes, see wren, bush
 longipes longipes, see wren, South Island bush
 longipes stokesi, see wren, North Island bush

 YARRALL, J.W., see MILLS, J.A.; YARRALL, J.W.; BRADFORD-GRIEVE, J.M.; MORRISSEY, M.; MILLS, D.A.
 yellowhammer, 117, 120, 121, 126, 130, 131, 151
 yellowhead, 225, 227, 230, 232, 239, 240

 Zosteropidae, 228
Zosterops lateralis lateralis, see silvereye
 samoensis, see white-eye, Samoan

 Compiled by TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland 0627

