


NOTORNIS

Ornithology of the Southern Pacific



ISSN 0029-4470

Volume 66 2019
Journal of the Ornithological Society of New Zealand

Volume 66, Part 1, March 2019

CONTENTS

Papers

Landscape-scale applications of 1080 pesticide benefit North Island brown kiwi (<i>Apteryx mantelli</i>) and New Zealand fantail (<i>Rhipidura fuliginosa</i>) in Tongariro Forest, New Zealand	Robertson, H.A.; Guillotel, J.; Lawson, T.; Sutton, N.	1
Australasian little grebe (<i>Tachybaptus novaehollandiae</i>) breeding on Whangarei sewerage wetlands, New Zealand, 2015–2017	Beauchamp, A.J.	16
The movements of juvenile and immature variable oystercatchers (<i>Haematopus unicolor</i>) from the Kaikōura Peninsula, South Island, New Zealand	Rowe, L.K.	23

Short notes

Seasonal use of Slipper and Spectacle Lakes by New Zealand fairy tern (<i>Sternula nereis davisae</i>) and Caspian tern (<i>Hydroprogne caspia</i>)	Harris, M.C.; Preddey, J.M.; Pulham, G.A.	31
A Holocene fossil South Island takahē (<i>Porphyrio hochstetteri</i>) in a high-altitude north-west Nelson cave	Boast, A.P.	34
A survey of four shag species in the outer Queen Charlotte Sound, New Zealand	Chilvers, B.L.; Curtis, H.; Zintzen, V.; Wakelin, L.; Geange, S.W.	37
Marine predation of southern royal albatross (<i>Diomedea epomophora</i>) by New Zealand sea lion (<i>Phocarcos hookeri</i>)	Zufelt, K.	41

Volume 66, Part 2, June 2019

CONTENTS

Papers

Can grey duck (<i>Anas superciliosa</i>) x mallard (<i>A. platyrhynchos</i>) hybrids be recognised in the field?	Williams, M.	45
Phenotypic variability within and between regional populations of <i>Anas superciliosa</i> (Anatidae)	Williams, M.	64
Breeding petrels of Chalky and Preservation Inlets, southern Fiordland – a test of the ‘refugia from resident stoats’ hypothesis	Miskelly, C.M.; Bishop, C.R.; Taylor, G.A.; Tennyson, A.J.D.	74

Short notes

Update on North Island tomtit (<i>Petroica macrocephala toitoi</i>) at Atuanui, Mount Auckland	Michaux, B.; Taparau, H.	91
The use of an Unmanned Aerial Vehicle to census large breeding colonies of black-billed gull (<i>Larus bulleri</i>) and white-fronted tern (<i>Sterna striata</i>) at the Ashburton River/Hakaterere river mouth	Bell, M.; Harborne, P.	95
Sodium-rich clay soil geophagy by common redpoll (<i>Carduelis flammea</i>) in New Zealand	Flaspohler, D.; Smaill, S.	98
Long-tailed cuckoo (<i>Eudynamys taitensis</i>) predation on rifleman (<i>Acanthisitta chloris</i>) nestlings	Moran, I.G.; Loo, Y.Y.; Cain, K.E.	103

Volume 66, Part 3, September 2019

CONTENTS

Papers

- | | | |
|---|--|------------|
| Effectiveness and efficiency of avian species detection: a comparison between field observers and automatic recording devices | Mortimer, J.A.J.; Greene, T.C.;
Van Dam-Bates, P.; Westbrooke, I.M. | 109 |
| Parameters influencing selection of nest boxes by little penguins (<i>Eudyptula minor</i>) | Ratz, H. | 129 |
| Birds and bats of Rotuma, Fiji | Cibois, A.; Thibault, J.-C.; Watling, D. | 139 |
| Vagrant and extra-limital bird records accepted by the Birds New Zealand Records Appraisal Committee 2017–2018 | Miskelly, C.M.; Crossland, A.C.;
Saville, I.; Southey, I.; Tennyson,
A.J.D.; Bell, E.A. | 150 |

Short notes

- | | | |
|---|---|------------|
| Egg-sized rocks found in nests of North Island saddleback (<i>Philesturnus rufusater</i>) | Beaven, K.; Villiard, C.; Empson,
R.; Shanahan, D.F. | 164 |
| The 'French kiwi' <i>Dromiceius novaezelandiae</i> first recorded and named by R.P. Lesson in the Bay of Islands, April 1824 | Lee, M.; Bruce, M. D. | 168 |
| Grey warbler (<i>Gerygone igata</i>) aggressive behaviour towards rifleman (<i>Acanthisitta chloris</i>) fledglings | Loo, Y.Y.; Moran, I.G.; Cain, K.E. | 174 |
| A vagrant Buller's albatross (<i>Thalassarche bulleri</i>) in Uruguayan shelf waters: northernmost record in the Southwest Atlantic | Miller, P.; Jiménez, S. | 178 |

Volume 66, Part 4, December 2019

CONTENTS

Papers

Pest mammal eradication leads to landscape-scale spillover of tūī (<i>Prothemadera novaeseelandiae</i>) from a New Zealand mainland biodiversity sanctuary	Fitzgerald, N.; Innes, J.; Mason, N.W.H.	181
Black-fronted tern (<i>Chlidonias albostratus</i>) colony dynamics in New Zealand braided rivers	Hamblin, C.H.; Paterson, A.M.; Ross, J.G.; Maloney, R.F.	192
New Zealand pipit (<i>Anthus n. novaeseelandiae</i>) nesting and breeding behaviour in urban Onerahi, Whangarei	Beauchamp, A.J.	200

Short notes

Long-lived variable oystercatchers (<i>Haematopus unicolor</i>)	Roberts, E.C.; Dowding, J.E.	210
Evidence of late breeding of spotless crakes (<i>Porzana tabuensis</i>) at two North Island peat bog lakes	Williams, E.M.	213
Swamp harrier (<i>Circus approximans</i>) road-kills, 1962–2018, and the effect of rabbit density	Flux, J.E.C.	217
Earlier laying by little penguins (<i>Eudyptula minor</i>): a possible effect of global warming	Challies, C.N.	221

INDEX OF AUTHORS AND SPECIES

Volume 66

- Acanthis flammea*, see redpoll, common
Acanthisitta chloris, see rifleman
Accipiter rufitorques, see goshawk, Fiji
Acridotheres tristis, see myna, common
Aerodramus spodiopygius, see swiftlet, white-rumped
 albatross, Atlantic yellow-nosed, 179
 black-browed, 179
 Buller's, 178-180
 Chatham Island, 156, 158
 grey-headed, 156
 Indian Ocean yellow-nosed, 152
 royal, 168, 179
 Salvin's, 158
 shy, 152, 179
 southern Buller's, 179
 southern royal, 41-43
 spp., 41, 95
 wandering spp., 179
 yellow-nosed, 152, 179
 Alcidae, 41
Alectoris chukar, see chukor
 rufa, see partridge, red-legged
Alopecoenas stairii, see dove, friendly ground
Anas acuta, see pintail, northern
 castanea, see teal, chestnut
 clypeata, see shoveler, northern
 fulvigula, see duck, mottled
 gracilis, see teal, grey
 platyrhynchos, see mallard
 poicilorhyncha, see duck, spotbill
 rhynchotis, see shoveler, Australasian
 superciliosa, see duck, grey
 superciliosa pelewensis, see duck, Pacific
 black, see also duck, lesser grey
 superciliosa percna, see duck, Pacific black
 superciliosa rogersi, see duck, Pacific black
 superciliosa superciliosa, see duck, grey
 superciliosa x platyrhynchos, see duck, grey x
 mallard hybrid
 wyvilleana, see duck, Koloa
 Anatidae, 45-63, 64-73, 141
Anous minutus, see noddy, black
 stolidus, see noddy, brown
Anthornis melanura, see bellbird
Anthus novaeseelandiae novaeseelandiae, see pipit,
 New Zealand
 rubescens, see pipit, American
 spinoletta, see pipit, water
 spragueii, see pipit, Sprague's
Aplonis tabuensis rotumae, see starling, Polynesian
 (Rotuma subspecies)
 tabuensis vitiensis, see starling, Polynesian
 (Fiji subspecies)
Aptenodytes forsteri, see penguin, emperor
 patagonicus, see penguin, king
Apteryx australis, see *Apteryx australis*
 Apterygidae, 171
Apteryx australis, see kiwi, southern brown or
 tokoeke
 australis australis, 171
 australis lawryi, 171
 australis "novaeseelandiae", see *Apteryx*
 mantelli
 australis novaeseelandiae, see *Apteryx mantelli*
 australis novae-zelandiae, see *Apteryx mantelli*
 haastii, see kiwi, great spotted
 mantelli, see kiwi, North Island brown
 owenii, see kiwi, little spotted
 rowi, see kiwi, rowi
Apus pacificus, see swift, fork-tailed
Aquila moorei, see eagle, Haast's
Ardea novaehollandiae, see heron, white-faced
Ardenna creatopus, see shearwater, pink-footed
 gravis, see shearwater, great
 grisea, see shearwater, sooty
 pacifica, see shearwater, wedge-tailed
 spp., see shearwater, large spp.
Arenaria interpres, see turnstone
Athene noctua, see owl, little
 auk spp., 41
 avocet, American, 166
 BEAUCHAMP, A.J. Australian little grebe
 (*Tachybaptus novaehollandiae*) breeding on
 Whangarei sewage wetlands 2015-2017,
 16-22
 BEAUCHAMP, A.J. New Zealand pipit (*Anthus*
 n. novaeseelandiae) nesting and breeding
 behaviour in urban Onerahi, Whangarei,
 200-209
 BEAVEN, K.; VILLIARD, C.; EMPSON, R.;
 SHANAHAN, D.F. Egg-sized rocks found
 in nests of North Island saddleback
 (*Philesturnus rufusater*), 164-167
 BELL, E.A., see MISKELLY, C.M.; CROSSLAND,
 A.C.; SAVILLE, I.; SOUTHEY, I.;
 TENNYSON, A.J.D.; BELL, E.A.
 BELL, M.; HARBORNE, P. The use of an
 Unmanned Aerial Vehicle to census large
 breeding colonies of black-billed gull (*Larus*
 bulleri) and white-fronted tern (*Sterna striata*)
 at the Ashburton River/Hakatere River
 mouth, 95-97

- bellbird, 109, 115-118, 120, 127, 128, 160, 174, 175
 bird, forest spp., 1-15, 91-94, 103-107, 109-128, 164-167, 168-173, 181-191
 BISHOP, C.R., see MISKELLY, C.M.; BISHOP, C.R.; TAYLOR, G.A.; TENNYSON, A.J.D.
 blackbird, Eurasian, 115-118, 120, 127, 128, 220 sp., 220
 BOAST, A.P. A Holocene fossil South Island takahe (*Porphyrio hochstetteri*) in a high-altitude north-west Nelson cave, 34-36
 booby, brown, 143, 153, 161
 red-footed, 143, 150, 153, 161
Bowdleria punctata, see fernbird
 punctata vealeae, see fernbird, North Island
 bowerbird, regent, 160
Branta canadensis, see goose, Canada
 BRUCE, M.D., see LEE, M.; BRUCE, M.D.
 bunting, ciril, 158, 160

 CAIN, K.E., see LOO, Y.Y.; MORAN, I.G.; CAIN, K.E.
 CAIN, K.E., see MORAN, I.G.; LOO, Y.Y.; CAIN, K.E.
Calidris acuminata, see sandpiper, sharp-tailed
 alba, see sanderling
 canutus, see knot, red
 ferruginea, see sandpiper, curlew
 melanotos, see sandpiper, pectoral
 x paramelanotos, see sandpiper, Cox's
Callaeas cinerea, see kōkako, South Island
 wilsoni, see kōkako, North Island
 Carduelinae, 98
Carduelis carduelis, see goldfinch, European
 chloris, see greenfinch, European
 flammea, see redpoll, common
 cassowary, 169
Casuarius Novae-Hollandiae, 169
Catharacta antarctica, see skua, subantarctic
 maccormicki, see skua, South Polar
Cereopsis novaehollandiae, see goose, Cape Barren
 chaffinch, 115-118, 120, 121, 127, 128, 220
 CHALLIES, C.N. Earlier laying by little penguins (*Eudyptula minor*): a possible effect of global warming, 221-223
Charadrius melodus, see plover, piping
 mongolus, see plover, lesser sand
 obscurus, see dotterel, New Zealand
 ruficapillus, see plover, red-capped
Chenonetta jubata, see duck, Australian wood
 CHILVERS, B.L.; CURTIS, H.; ZINTZEN, V.; WAKELIN, L.; GEANGE, S.W. A survey of four shag species in the outer Queen Charlotte Sound, New Zealand, 37-40
Chlidonias albobristatus, see tern, black-fronted
 hybridus, see tern, whiskered
 leucopterus, see tern, white-winged black
 niger, see tern, black
 spp., see tern, marsh spp.
Chroicocephalus novaehollandiae, see gull, red-billed
Chrysococcyx lucidus, see cuckoo, shining 92

 chukor, 150
 CIBOIS, A.; THIBAULT, J.-C.; WATLING, D.
 Birds and bats of Rotuma, Fiji, 139-149
Circus approximans, see harrier, swamp
Clytorhynchus vitiensis buensis, see shrikebill, Fiji
 vitiensis wiglesworthi, see shrikebill, Rotuma
Columba livia, see pigeon, feral
 vitiensis, see pigeon, white-throated
 cormorant, Cape, 41
 spp., 37-40, 41
 crane, spotless, 146, 147, 213-216
 creeper, brown, 109, 115-118, 120, 121, 127, 128, 174
 crossbill, spp., 98
 CROSSLAND, A.C., see MISKELLY, C.M.; CROSSLAND, A.C.; SAVILLE, I.; SOUTHEY, I.; TENNYSON, A.J.D.; BELL, E.A.
 cuckoo, long-tailed, 11, 103-107, 115-118, 127, 128, 142
 oriental, 155
 shining, 106
Cuculus optatus, see cuckoo, oriental
 curlew, bristle-thighed, 143
 currawong, black, 160
 CURTIS, H., see CHILVERS, B.L.; CURTIS, H.; ZINTZEN, V.; WAKELIN, L.; GEANGE, S.W.
Cyanoramphus spp., see parakeet, spp.

 dabchick, New Zealand, 155-156
Daption capense, see pigeon, cape
Dinornis novaeseelandiae, see moa, giant
Diomedea epomophora, see albatross, southern royal
 exulans, see albatross, wandering
 sanfordi, see albatross, royal
 Diomedidae, 41
 dotterel, New Zealand, 157
 dove, barbary, 158
 crimson-crowned fruit, 142, 147
 friendly ground, 146, 147
 Tongan ground, see dove, friendly ground
 DOWDING, J.E., see ROBERTS, E.C.; DOWDING, J.E.
Dromaius novaehollandiae, see emu
Dromiceius Novae-Hollandiae, 169
 novaehollandiae, see *Dromaius novaehollandiae*
 novaezealandiae, 168
 duck, Australian wood, 155
 blue, 4, 11
 grey, 45-63, 64-73
 grey x mallard hybrid, 45-63
 koloa, 58
 lesser grey, 65
 mallard, 45-63, 65, 70, 72, 220
 mottled, 46, 58
 Pacific black, 46, 64-73, 147
 sp., 141
 spotbill, 72
 dunnoek, 220

 eagle, Haast's, 159

- egret, little, 153, 159
 Pacific reef, see heron, Pacific reef
- Egretta garzetta*, see egret, little
 novaehollandiae, see heron, white-faced
 sacra, see heron, reef, or heron, Pacific reef
- Emberiza cirius*, see bunting, ciril
 citrinella, see yellowhammer
- EMPSON, R., see BEAVEN, K.; VILLIARD, C.;
 EMPSON, R.; SHANAHAN, D.F.
- emu, 169
- Eudynamys taitensis*, see cuckoo, long-tailed
- Eudyptes chrysocome*, see penguin, western
 rockhopper
 filholi, see penguin, eastern rockhopper
 moseleyi, see penguin, northern rockhopper
 robustus, see penguin, Snares crested
 schlegeli, see penguin, royal
 sclateri, see penguin, erect-crested
- Eudyptula albosignata*, see penguin, white-flipped
 minor, see penguin, blue
- Falco cenchroides*, see kestrel, nankeen
 novaeseelandiae, see falcon, New Zealand
 subniger, see falcon, black
- falcon, black, 159
 New Zealand, 76
- fantail, New Zealand, 1-15, 92-94, 115-118, 120, 121,
 127, 128
 North Island, 1-15, 92-94, 168
- fernbird, 160
 North Island, 168
- finch spp., 98-102
 North American spp., 100
- FITZGERALD, N.; INNES, J.; MASON, N.W.H. Pest
 mammal eradication leads to landscape-
 scale spillover of tūi (*Prothemadera*
 novaeseelandiae) from a New Zealand
 mainland biodiversity sanctuary, 181-191
- FLASPOHLER, D.; SMAILL, S.J. Sodium-rich clay
 soil geophagy by common redpoll (*Carduelis*
 flammea) in New Zealand, 98-102
- FLUX, J.E.C. Swamp harrier (*Circus approximans*)
 road kills, 1962-2018, and the effect of rabbit
 density, 217-220
- flycatcher, satin, 160
- Foulehaio carunculata*, see honeyeater, wattled
- Fregata ariel*, see frigatebird, lesser
 minor, see frigatebird, great
 sp., see frigatebird, sp.
- Fregetta grallaria*, see storm petrel, white-bellied
- frigatebird, great, 143
 lesser, 143, 153, 161
 sp., 153
- Fringilla coelebs*, see chaffinch
- fruit dove, crimson-crowned, 142
 purple-capped, see fruit dove, crimson-
 crowned
- Gallirallus australis*, see weka
 philippensis, see rail, banded
- Gallus gallus*, see junglefowl, red
- gannet, sp., 41, 95, 153
- Garrodia nereis*, see storm petrel, grey-backed
- Gavia immer*, see loon, common
- GEANGE, S.W., see CHILVERS, B.L.; CURTIS, H.;
 ZINTZEN, V.; WAKELIN, L.; GEANGE, S.W.
- Gelochelidon nilotica*, see tern, gull-billed
- Gerygone igata*, see warbler, grey
- godwit, bar-tailed, 143
 Hudsonian, 160
- goldfinch, European, 220
- goose, Canada, 166
 Cape Barren, 155
- goshawk, Fiji, 144
- grallard, see duck, grey x mallard hybrid
- grebe, Australasian little, 16-22, 156
 hoary-headed, 151
- GREENE, T.C., see MORTIMER, J.A.J.; GREENE,
 T.C.; VAN DAM-BATES, P.; WESTBROOKE,
 I.M.
- greenfinch, European, 220
- greylard, see duck, grey x mallard hybrid
- GUILLOT, J., see ROBERTSON, H.A.;
 GUILLOT, J.; LAWSON, T.; SUTTON, N.
- gull, black-backed, 42, 159, 218, 220
 black-billed, 95-97
 kelp, see gull, black-backed
 laughing, 150, 151, 154, 161
 Pacific, 159
 red-billed, 42, 220
 southern black-backed, see gull, black-
 backed
 spp., 41, 95
 western, 166
- Gygis alba*, see tern, white
- Gymnorhina tibicen*, see magpie, Australian
- Haematopus bachmani*, see oystercatcher, black
 chathamensis, see oystercatcher, Chatham
 Island
 fuliginosus, see oystercatcher, sooty
 longirostris, see oystercatcher, pied
 moquini, see oystercatcher, African black
 ostralegus, see oystercatcher, Eurasian
 ostralegus finschi, see oystercatcher, South
 Island pied
 palliatu, see oystercatcher, American
 unicolor, see oystercatcher, variable
- Halobaena caerulea*, see petrel, blue
- HAMBLIN, C.H.; PATERSON, A.M.; ROSS,
 J.G.; MALONEY, R.F. Black-fronted tern
 (*Chlidonias albostratus*) colony dynamics in
 New Zealand braided rivers, 192-199
- HARBORNE, P., see BELL, M.; HARBORNE, P.
- harrier, Australasian, see harrier, swamp
 swamp, 144, 159, 201, 207, 217-220

- HARRIS, M.C.; PREDDEY, J.M.; PULHAM, G.A.
 Seasonal use of Slipper and Spectacle Lakes
 by New Zealand fairy tern (*Sternula nereis
 davisae*) and Caspian tern (*Hydroprogne
 caspia*), 31-33
- Hemiphaga novaeseelandiae*, see pigeon, New
 Zealand
- heron, Pacific reef, 139, 143
 reef, 139, 143, 159
 white-faced, 143, 159
- hihi, see stitchbird
- Himantopus himantopus*, see stilt, pied
novaezelandiae, see stilt, black
- Hirundapus caudacutus*, see needletail, white-
 throated
- Hirundo neoxena*, see swallow, welcome
- honeyeater, cardinal, 144
 Micronesian, 145
 Rotuma, 139, 141, 144-145
 Samoan, 144
 spp., 181
 wattled, 146
- Hydroprogne caspia*, see tern, Caspian
- Hymenolaimus malacorhynchos*, see duck, blue
- Hypotaenidia philippensis*, see *Gallirallus philippensis*
- ibis, glossy, 150, 157
- INNES, J., see FITZGERALD, N.; INNES, J.;
 MASON, N.W.H.
- JIMÉNEZ, S., see MILLER, P.; JIMÉNEZ, S.
 junglefowl, red, 141
- kāka, 115-118, 127, 128, 160
 North Island, 168
- kea, 35
- kererū, see pigeon, New Zealand
- kestrel, American, 150, 153, 159
- kingfisher, collared, 146, 147
 New Zealand, see kingfisher, sacred
 sacred, 158, 168
- kite, black, 159
- kivi-kivi, see kiwi
- kiwi, 168-173
 great spotted, 171
 little spotted, 158, 171
 North Island brown, 1-15, 91, 94, 168-173
 North Island "Taranaki" subspecies, 171
 North Island "western taxon", 171
 rowi, 171
 southern brown, 12, 170, 218
 spp., 122
 tokoea, see kiwi, southern brown
- knot, red, 148
- koekoē, see cuckoo, long-tailed
- kōkako, North Island, 93, 188
 South Island, 160
- korimako, see bellbird
- Lalage maculosa rotumae*, see triller, Polynesian
 (Rotuma subspecies)
maculosa woodi, see triller, Polynesian (Fijian
 subspecies)
- landbird spp., 75, 139, 146
- Laridae, 41
- Larus bulleri*, see gull, black-billed
dominicanus, see gull, black-backed
novaeollandiae, see gull, red-billed
occidentalis, see gull, western
pacificus, see gull, Pacific
- LAWSON, T., see ROBERTSON, H.A.; GUILLOTTEL,
 J.; LAWSON, T.; SUTTON, N.
- LEE, M.; BRUCE, M.D. The 'French kiwi' *Dromiceius
 novaezelandiae* first recorded and named by
 R.P. Lesson in the Bay of Islands, April 1824,
 168-173
- Leucocarbo carunculatus*, see shag, king, or shag,
 New Zealand king
chalconotus, see shag, Stewart Island
purpurascens, see shag, Macquarie Island
- Leucophaeus atricilla*, see gull, laughing
- Limosa haemastica*, see godwit, Hudsonian
lapponica, see godwit, bar-tailed
- LOO, Y.Y.; MORAN, I.G.; CAIN, K.E. Grey warbler
 (*Gerygone igata*) aggressive behaviour
 towards rifleman (*Acanthisitta chloris*)
 fledglings, 174-177
- LOO, Y.Y., see MORAN, I.G.; LOO, Y.Y.; CAIN, K.E.
- loon, common, 166
- lorikeet, blue-crowned, 147
- Loxia* spp., see crossbill spp.
- Macronectes halli*, see petrel, northern giant
- magpie, Australian, 217, 220
- mallard, see duck, mallard
- MALONEY, R.F., see HAMBLIN, C.H.; PATERSON,
 A.M.; ROSS, J.G.; MALONEY, R.F.
- martin, Australian tree, 155
- MASON, N.W.H., see FITZGERALD, N.; INNES, J.;
 MASON, N.W.H.
- Megadyptes antipodes*, see penguin, yellow-eyed
- Megalapteryx didinus*, see moa, upland
- Meliphagidae, 146, 147, 181
- MICHAUX, B.; TAPARAU, H. Update on North
 Island tomtit (*Petroica macrocephala toitoi*) at
 Atuanui, Mount Auckland, 91-94
- MILLER, P.; JIMÉNEZ, S. A vagrant Buller's
 albatross (*Thalassarche bulleri*) in Uruguayan
 shelf waters: northernmost record in the
 Southwest Atlantic, 178-180
- Milvus migrans*, see kite, black
- miromiro, see tomtit
- MISKELLY, C.M.; BISHOP, C.R.; TAYLOR, G.A.;
 TENNYSON, A.J.D. Breeding petrels of
 Chalky and Preservation Inlets, southern
 Fiordland – a test of the 'refugia from

- resident stoats' hypothesis, 74-90
- MISKELLY, C.M.; CROSSLAND, A.C.; SAVILLE, I.; SOUTHEY, I.; TENNYSON, A.J.D.; BELL, E.A. Vagrant and extra-limital bird records accepted by the Birds New Zealand Records Appraisal Committee 2017-2018, 150-163
- moa, giant, 169
- upland, 35
- moho, see takahe, North Island
- Mohoua albigilla*, see whitehead
- novaeseelandiae*, see creeper, brown
- ochrocephala*, see yellowhead
- mohua, see yellowhead
- mollymawk, Atlantic yellow-nosed, 179
- black-browed, 179
- Buller's, 178-180
- Chatham Island, 156, 158
- grey-headed, 156
- Indian Ocean yellow-nosed, 152
- Salvin's, 158
- shy, 152, 179
- shy-type, 179
- southern Buller's, 179
- yellow-nosed, 152
- MORAN, I.G.; LOO, Y.Y.; CAIN, K.E. Long-tailed cuckoo (*Eudynamis taitensis*) predation on rifleman (*Acanthisitta chloris*) nestlings, 103-107
- MORAN, I.G., see LOO, Y.Y.; MORAN, I.G.; CAIN, K.E.
- morepork, 12, 103, 121, 122, 158, 220
- MORTIMER, J.A.J.; GREENE, T.C.; VAN DAM-BATES, P.; WESTBROOKE, I.M. Effectiveness and efficiency of avian species detection: a comparison between field observers and automatic recording devices, 109-128
- Myiagra cyanoleuca*, see flycatcher, satin
- myna, common, 139, 145-147, 158, 160
- myzomela, cardinal, 144
- Micronesian, 145
- Rotuma, 139, 141, 144-145
- Samoan, 144
- Myzomela cardinalis*, see myzomela, cardinal
- cardinalis nigriventris*, see myzomela, Samoan
- chermesina*, see myzomela, Rotuma
- rubratra*, see myzomela, Micronesian
- needletail, white-throated, 155, 160
- Nestor meridionalis*, see kākā, South Island
- meridionalis septentrionalis*, see kākā, North Island
- notabilis*, see kea
- Ninox novaeseelandiae*, see morepork
- noddy, black, 144, 157
- brown, 144, 157
- Notiomystis cincta*, see stitchbird
- Numenius minutus*, see whimbrel, little
- phaeopus*, see whimbrel sp.
- tahitiensis*, see curlew, bristle-thighed
- Oceanites oceanicus*, see storm petrel, Wilson's
- Onychoprion fuscatus*, see tern, sooty
- owl, barn, 142
- eastern barn, 142, 144, 147
- little, 220
- sp., 219
- oystercatcher, African black, 24, 28
- American, 24, 211
- black, 24
- Chatham Island, 24, 28, 211
- Eurasian, 23-24, 211
- pied, 211
- sooty, 211
- South Island pied, 24, 211
- variable, 23-30, 210-212
- Pachyptila belcheri*, see prion, thin-billed
- crassirostris*, see prion, fulmar
- desolata*, see prion, Antarctic
- macgillivrayi*, see prion, MacGillivray's
- salvini*, see prion, Salvin's
- vittata*, see prion, broad-billed
- parakeet, spp., 121
- parrot spp., 98, 100
- partridge, red-legged, 158
- Passer domesticus*, see sparrow, house
- passerine, forest spp., 13
- PATERSON, A.M., see HAMBLIN, C.H.; PATERSON, A.M.; ROSS, J.G.; MALONEY, R.F.
- Pelecanoides urinatrix*, see petrel, common diving
- penguin, African, 41
- blue, see penguin, little
- eastern rockhopper, 156
- emperor, 161
- erect-crested, 156, 158
- king, 151-152
- little, 129-138, 221-223
- northern rockhopper, 41
- royal, 152
- Snares crested, 156
- spp., 41
- western rockhopper, 158
- white-flipped, 221
- yellow-eyed, 41, 156
- petrel, Antarctic, 158, 161
- black, 157
- blue, 150, 152, 161
- burrow-nesting spp., 74
- cape, 179
- common diving, 78, 81, 90
- Cook's, 81
- Kermadec, 156
- migratory spp., 82
- mottled, 74-78, 81-83, 85

- northern giant, 179
 soft-plumaged, 156
 spectacled, 179
 spp., 74-90, 142
 white-chinned, 179
 white-naped, 156-157
Petrochelidon nigricans, see martin, Australian, tree
Petroica australis, see robin, South Island
 longipes, see robin, North Island
 macrocephala, see tomtit
 macrocephala toitoi, see tomtit, North Island
Phaethon lepturus, see tropicbird, white-tailed
 Phalacrocoracidae, 41
Phalacrocorax capensis, see cormorant, Cape
 melanoleucos brevirostris, see shag, little
 traversi, see *Leucocarbo purpurascens*
 varius varius, see shag, pied
 phalarope, Wilson's, 154
Phalaropus tricolor, see phalarope, Wilson's
Philesturnus rufusater, see saddleback, North Island
Philomachus pugnax, see ruff
 pigeon, "black", see pigeon, white-throated
 cape, 179
 feral, 141
 metallic, see pigeon, white-throated
 New Zealand, 91-94
 Pacific imperial, 141-142, 147
 "Samoa", see pigeon, Pacific imperial
 white-throated, 139, 141, 147
 pintail, northern, 158
 pīpī, see creeper, brown
 pipit, American, 201
 New Zealand, 200-209
 Sprague's, 201
 water, 201, 208
Plegadis falcinellus, see ibis, glossy
 plover, grey, 154
 lesser sand, 143
 Pacific golden, 143
 piping, 166
 red-capped, 154
 spur-winged, 220
Pluvialis fulva, see plover, Pacific golden
 squatarola, see plover, grey
Poliocephalus poliocephalus, see grebe, hoary-headed
 rufopectus, see dabchick, New Zealand
 pōpokatea, see whitehead
Porphyrio hochstetteri, see takahē, South Island
 mantelli, see takahē, North Island or moho
 porphyrio melanotus, see pūkeko, or
 swamphen, Australasian
Porzana tabuensis tabuensis, see crane, spotless
 PREDDEY, J.M., see HARRIS, M.C.; PREDDEY, J.M.;
 PULHAM, G.A.
 prion, Antarctic, 78, 81, 150, 157, 159
 broad-billed, 74-76, 78, 79, 81, 83-85, 157
 fulmar, 159
 MacGillivray's, 158-159
 Salvin's, 150, 152, 159, 161
 spp., 161
 thin-billed, 150, 152, 159, 161
Procellaria aequinoctialis, see petrel, white-chinned
 conspicillata, see petrel, spectacled
 parkinsoni, see petrel, black
 Procellariidae, 142
 Procellariiformes, 41, 74-90, 144
Prothemadera novaeseelandiae, see tūī
Prunella modularis, see dunnoek
 Psittaciform sp., 98
Pterodroma cervicalis, see petrel, white-naped
 cookii, see petrel, Cook's
 inexpectata, see petrel, mottled
 magentae, see taiko, Chatham Island
 mollis, see petrel, soft-plumaged
 neglecta, see petrel, Kermadec
Ptilinopus porphyraceus, see dove, crimson-crowned
 fruit
 porphyraceus fasciatus, 142
 porphyraceus graeffei, 142
 porphyraceus hernsheimi, 142
 porphyraceus ponapensis, 142
 porphyraceus porphyraceus, 142
 porphyraceus x fasciatus, 142
Puffinus huttoni, see shearwater, Hutton's
 puffinus, see shearwater, Manx
 yelkouan, see shearwater, Yelkouan
 pūkeko, 18, 22, 220
 PULHAM, G.A., see HARRIS, M.C.; PREDDEY, J.M.;
 PULHAM, G.A.
 pūwheto, see crane, spotless

 rail, banded, 141, 142, 147, 157
 buff-banded, see rail, banded
 Rallidae, 213
 RATZ, H. Parameters influencing selection of nest
 boxes by little penguins (*Eudyptula minor*),
 129-138
Recurvirostra americana, see avocet, American
 redpoll, common, 98-102, 115-118, 121, 127, 128
Rhipidura fuliginosa, see fantail, New Zealand
 fuliginosa placabilis, see fantail, North Island
 rifleman, 103-107, 109, 115-118, 120, 121, 127, 128,
 174-177
 North Island, 103-107, 174-177
 riroriro, see warbler, grey
 ROBERTS, E.C.; DOWDING, J.E. Long-lived
 variable oystercatchers (*Haematopus*
 unicolor), 210-212
 ROBERTSON, H.A.; GUILLOT, J.; LAWSON, T.;
 SUTTON, N. Landscape-scale applications
 of 1080 pesticide benefit North Island brown
 kiwi (*Apteryx mantelli*) and New Zealand
 fantail (*Rhipidura fuliginosa*) in Tongariro
 Forest, New Zealand, 1-15
 robin, North Island, 12, 109, 115-118, 120, 121, 127,
 128, 168, 174, 175

- South Island, 109, 115-118, 120, 121, 127, 128
ROSS, J.G., see HAMBLIN, C.H.; PATERSON, A.M.;
ROSS, J.G.; MALONEY, R.F.
ROWE, L. The movements of juvenile and
immature variable oystercatchers
(*Haematopus unicolor*) from the Kaikoura
Peninsula, South Island, New Zealand,
23-30
rowi, 171
ruff, 159
ruru, see morepork
- saddleback, North Island, 164-167, 168, 188
sanderling, 143, 153-154
sandpiper, Cox's, 150, 154, 161
 curlew, 154, 161
 pectoral, 143-144, 154, 161
 sharp-tailed, 143
SAVILLE, I., see MISKELLY, C.M.; CROSSLAND,
A.C.; SAVILLE, I.; SOUTHEY, I.;
TENNYSON, A.J.D.; BELL, E.A.
seabird, colonial nesting spp., 95-97
 spp., 31-33, 37-40, 41-43, 74-90, 95-97, 129-138,
 139, 140, 150-159, 161, 178-180, 192, 221-223
Sericulus chrysocephalus, see bowerbird, regent
shag, king, 37-39
 little, 37-39
 Macquarie Island, 150, 153, 161
 New Zealand king, 159
 pied, 37-39
 spotted, 37-39
 spp., 37-40, 95
 Stewart Island, 157
SHANAHAN, D.F., see BEAVEN, K.; VILLIARD, C.;
EMPSON, R.; SHANAHAN, D.F.
shearwater, great, 179
 Hutton's, 84
 large spp., 150
 Manx, 159
 pink-footed, 153, 161
 sooty, 74-76, 78-85, 90, 179
 spp., 142, 151
 wedge-tailed, 142
 Yelkouan, 85
shelduck, chestnut-breasted, 151
 paradise, 19, 220
shorebird spp., 23-30, 31-33, 95-97, 143, 144, 150, 151,
 153-155, 157, 159-161, 166
shoveler, Australasian, 158
 northern, 150, 151, 158, 161
shrikebill, Fiji, 145, 147
 Rotuma, 145, 147
silveryeye, 103, 115-118, 121, 127, 128, 220
skua, long-tailed, 154
 southern, see skua, subantarctic
 South Polar, 154, 161
 subantarctic, 81, 90, 157, 159
SMAILL, S.J., see FLASPOHLER, D.; SMAILL, S.J.
- SOUTHEY, I., see MISKELLY, C.M.; CROSSLAND,
A.C.; SAVILLE, I.; SOUTHEY, I.;
TENNYSON, A.J.D.; BELL, E.A.
sparrow, house, 220
 sp., 220
Spheniscidae, 41
Spheniscus demersus, see penguin, African
starling, common, 217, 220
 Polynesian, 145-147
Stercorarius longicaudus, see skua, long-tailed
Sterna bergii, see tern, crested
 hirundo, see tern, common
 paradisaea, see tern, Arctic
 striata, see tern, white-fronted
 vittata, see tern, Antarctic
Sternula nereis davisae, see tern, New Zealand fairy
Stictocarbo punctatus, see shag, spotted
stilt, black, 157
 pied, 220
stitchbird, 160, 188
storm petrel, grey-backed, 78, 81, 83
 white-bellied, 159
 Wilson's, 179
Strepera fuliginosa, see currawong, black
Streptopelia risorea, see dove, barbary
Sturnus vulgaris, see starling, common
Sula leucogaster, see booby, brown
 sula, see booby, red-footed
 sula rubripes, 161
 sula websteri, 153, 161
Sulidae, 41
SUTTON, N., see ROBERTSON, H.A.; GUILLOTTEL,
J.; LAWSON, T.; SUTTON, N.
swallow, welcome, 160, 220
swamphen, 22, see also pūkeko
 Australasian, 142, 147
swift, fork-tailed, 160
swiftlet, white-rumped, 147
- Tachybaptus novaehollandiae*, see grebe, Australasian
 little
Tadorna tadornoides, see shelduck, chestnut-breasted
 variegata, see shelduck, paradise
tāiko, Chatham Island, 156
takahē, North Island, 34
 South Island, 34-36
TAPARAU, H., see MICHAUX, B.; TAPARAU, H.
tattler, grey-tailed, 154
 wandering, 144
TAYLOR, G.A., see MISKELLY, C.M.; BISHOP, C.R.;
TAYLOR, G.A.; TENNYSON, A.J.D.
teal, chestnut, 158
 grey, 220
TENNYSON, A.J.D., see MISKELLY, C.M.; BISHOP,
C.R.; TAYLOR, G.A.; TENNYSON, A.J.D.
TENNYSON, A.J.D., see MISKELLY, C.M.;
CROSSLAND, A.C.; SAVILLE, I.; SOUTHEY,
I.; TENNYSON, A.J.D.; BELL, E.A.

- tern, Antarctic, 158, 159
 Arctic, 155
 black, 195
 black-fronted, 192-199
 black-naped, 144
 Caspian, 31-33
 common, 96, 155, 160, 166
 crested, 160
 gull-billed, 154
 least, 197
 marsh spp., 192-199
 New Zealand fairy, 31-33
 sooty, 144, 157-158
 spp., 192
 whiskered, 155, 195
 white, 144, 159
 white-fronted, 95-97
 white-winged black, 155, 159, 195
- Thalassarche bulleri*, see albatross or mollymawk,
 Buller's
bulleri bulleri, see albatross or mollymawk,
 southern Buller's
carteri, see albatross or mollymawk, Indian
 Ocean yellow-nosed
cauta cauta, see albatross or mollymawk, shy
 type
cauta/steady, see albatross or mollymawk, shy
chlororhynchos, see albatross or mollymawk,
 Atlantic yellow-nosed
chrysostoma, see albatross or mollymawk,
 grey-headed
eremita, see albatross or mollymawk,
 Chatham Island
salvini, see albatross or mollymawk, Salvin's
- Thalassoica antarctica*, see petrel, Antarctic
- THIBAULT, J.-C., see CIBOIS, A.; THIBAULT, J.-C.;
 WATLING, D.
- thrush, song, 115-118, 127, 128, 220
- tiëke, see saddleback
- tītipounamu, see rifleman
- Todiramphus chloris*, see kingfisher, collared
sanctus, see kingfisher, sacred
sanctus vagans, see kingfisher, New Zealand
- tokoeke, see kiwi, southern brown
- tomtit, 12, 103, 115-118, 127, 128, 160
 North Island, 91-94, 168
 South Island, 160
- triller, Polynesian, 145, 147
- Tringa brevipes*, see tattler, grey-tailed
incana, see tattler, wandering
- tropicbird, white-tailed, 142
- tūī, 91-94, 109, 115-118, 120, 127, 128, 174, 175, 181-191
- Turdus merula*, see blackbird, European
philomelos, see thrush, song
- turnstone, ruddy, 143
- Tyto javanica*, see owl, eastern barn
javanica delicatula, see owl, eastern barn
- Urodynamis taitensis*, see *Eudynamis taitensis*
- VAN DAM-BATES, P., see MORTIMER, J.A.J.;
 GREENE, T.C.; VAN DAM-BATES, P.;
 WESTBROOKE, I.M.
- Vanellus miles*, see plover, spur-winged
- VILLIARD, C., see BEAVEN, K.; VILLIARD, C.;
 EMPSON, R.; SHANAHAN, D.F.
- Vini australis*, see lorikeet, blue-crowned
- WAKELIN, L., see CHILVERS, B.L.; CURTIS, H.;
 ZINTZEN, V.; WAKELIN, L.; GEANGE, S.W.
- warbler, grey, 92, 93, 115-118, 120, 127, 128, 168, 174-
 177
- WATLING, D., see CIBOIS, A.; THIBAULT, J.-C.;
 WATLING, D.
- weka, 122, 220
- WESTBROOKE, I.M., see MORTIMER, J.A.J.;
 GREENE, T.C.; VAN DAM-BATES, P.;
 WESTBROOKE, I.M.
- whimbrel, little, 154
 sp., 143
- whio, see duck, blue
- whitehead, 12, 103, 115-118, 120, 127, 128, 168
- WILLIAMS, E.M. Evidence of late breeding by
 spotless crakes (*Porzana tabuensis*) at two
 North Island peat lakes, 213-216
- WILLIAMS, M. Can grey duck (*Anas superciliosa*)
 x mallard (*A. platyrhynchos*) hybrids be
 recognised in the field? 45-63
- WILLIAMS, M. Phenotypic variability within
 and between regional populations of *Anas*
superciliosa (Anatidae), 64-73
- wren, rock, 160
- Xenicus gilviventris*, see wren, rock
- yellowhammer, 160, 220
- yellowhead, 103, 120
- Zapornia tabuensis*, see *Porzana tabuensis*
- ZINTZEN, V., see CHILVERS, B.L.; CURTIS, H.;
 ZINTZEN, V.; WAKELIN, L.; GEANGE, S.W.
- Zosterops lateralis*, see silvereye
- ZUFELT, K. Marine predation of southern royal
 albatross (*Diomedea epomophora*) by New
 Zealand sea lion (*Phocarcos hookeri*), 41-43
- Compiled by TIM LOVEGROVE, 6 Deuxberry Ave,
 Northcote, Auckland 0627

