


NOTORNIS

Ornithology of the Southern Pacific



ISSN 0029-4470

Volume 69 2022
Journal of the Ornithological Society of New Zealand

Volume 69, Part 1, March 2022

CONTENTS

Papers

Distribution of great spotted kiwi (<i>Apteryx maxima</i>), 2012–2021	Toy, R.; Toy, S.; Mackenzie, D.; Simister, K.; Yong, S.	1
When the lonely goose? Implications of a revised history of the lake and its surrounding vegetation for a radiocarbon age for the only South Island goose (<i>Cnemiornis calclitrans</i>) from the Pyramid Valley lake bed deposit, New Zealand	Johnston, A.G.; Duffy, B.G.; Holdaway, R.N.	19
New Zealand falcons (<i>Falco novaeseelandiae</i>) hunting petrels at night and underground during the day	Miskelly, C.M.; Mclaughlin, L.; Graaf, A.D.	37
Can small-scale predator control influence mallard duck (<i>Anas platyrhynchos</i>) nest survival? An experiment with artificial nests in Southland, New Zealand	Stewart, C.; McDougall, M.	45

Short notes

Red-crowned parakeet (kākārīki, <i>Cyanoramphus novaeseelandiae</i>) mortality inside and outside a fenced sanctuary in Wellington City, New Zealand	Irwin, E.T.; Empson, R.A.	54
Extreme female-biased sexual size dimorphism in <i>Euryapteryx</i> moa (Aves: Dinornithiformes: Emeidae)	Holdaway, R.N.	59
New Zealand falcon (<i>Falco novaeseelandiae</i>) attempts to adopt Muscovy duck (<i>Cairina moschata</i>) ducklings	Hyde, N.H.S.	67
Breeding and movement of a banded fairy tern (<i>Sternula nereis exsul</i>) in New Caledonia	Villard, P.; Bachy, P.	69
At-sea surveys reveal new insights of fine-scale distribution and foraging behaviour of Chatham albatrosses (<i>Thalassarche eremita</i>) in central southern Peru	Quiñones, J.; Romero, C.; Mangel, J.C.; Shigueto, J.A.; Moreno, C.; Zavalaga, C.	72

Erratum**79**

Volume 69, Part 2, June 2022

CONTENTS

Papers

- | | | |
|---|--|-----------|
| Continued increase in red-billed gulls (<i>Larus novaehollandiae scopulinus</i>) at Otago, southern New Zealand: implications for their conservation status and the importance of citizen science | Lalas, C.; Carson, S.; Perriman, L. | 81 |
| Hosts of the long-tailed cuckoo (<i>Eudynamys taitensis</i>) and museum specimens of the cuckoo's egg | Gill, B.J. | 89 |
| The detection, breeding behaviour, and use of mangroves (<i>Avicennia marina australasica</i>) by banded rails (<i>Gallirallus philippensis assimilis</i>) | Beauchamp, A.J. | 99 |

Short notes

- | | | |
|--|--|------------|
| Radiocarbon ages for two of the three South Island takahe (<i>Porphyrio hochstetteri</i> ; Aves: Rallidae) from Pyramid Valley, North Canterbury, New Zealand | Holdaway, R. N. | 112 |
| Successful use of intraspecific parental fostering in the management of an endemic threatened bird: New Zealand's hihi (<i>Notiomystis cincta</i>) | Selwyn, R. E.; Lenting, B.; Beaven, K.C.; Irwin, E.T. | 116 |
| Unmanned Aerial Vehicle (UAV) activity elicits little to no response from New Zealand forest birds during wildlife monitoring | Stone, Z.L.; Parker, K.A. | 119 |
| Polygyny observed in pāteke (brown teal, <i>Anas chlorotis</i>) | Michaux, B. | 126 |
| Opportunistic predation of non-native species by pūkeko (<i>Porphyrio melanotus melanotus</i>) | Sweeney, A.P.; Cain, K.E. | 130 |

Volume 69, Part 3, September 2022

CONTENTS

Papers

- | | | |
|--|---|------------|
| Post-translocation movements and ranging behaviour of roroa (great spotted kiwi, <i>Apteryx maxima</i>) | Jahn, P.; Ross, J.G.; Mander, V.; Molles, L.E. | 135 |
| Habitat loss drives population decline and reduced mass of Rakiura tokoeka (<i>Apteryx australis australis</i> , Stewart Island brown kiwi,) at Mason Bay, Stewart Island/Rakiura | Robertson, H.A.; Colbourne, R.M | 147 |
| A basic statistical approach to determining adult sex ratios of moa (Aves: Dinornithiformes) from sample series, with potential regional and depositional biases | Holdaway, R.N; Allentoft, M.E. | 158 |

Short notes

- | | | |
|--|---|------------|
| First record of a Baird's sandpiper (<i>Calidris bairdii</i>) in Eastern Polynesia | Ducatez, S.; DeVore, J.L | 174 |
| The importance of a wastewater treatment wetland to the changing status of New Zealand scaup (<i>Aythya novaeseelandiae</i>) in the Nelson/Tasman region | Field, P.; Melville, D.S.; Fisher, P.R.; Butcher, S. | 178 |
| How many New Zealand scaup (<i>Aythya novaeseelandiae</i>) are there? | Robertson, H.A.; Makan, T.D. | 183 |
| An observation of a juvenile feeding an injured adult in pūkeko (<i>Porphyrio melanotus melanotus</i>) | Sweeney, A.P.; Heswall, A-M.; Cain, K.E. | 191 |
| Observations of satellite nesting and nocturnal incubation behaviours in pūkeko (<i>Porphyrio melanotus melanotus</i>) | Sweeney, A.P.; Haerewa, N.L.; Cain, K.E. | 196 |

Volume 69, Part 4, December 2022

CONTENTS

Papers

- | | | |
|--|--|------------|
| Short term effects of an aerial 1080 operation on mātātā (South Island fernbird, <i>Poodytes punctatus punctatus</i>) in a South Island wetland | Kilner, C.; Kemp, J.; Elliott, G. | 203 |
| A New Zealand island in change: 38 years of landbird populations affected by habitat restoration and invasive mammalian predator control | Ralph, C.J.; Ralph, C.P.; Martins, P.; Ralph, P.L. | 211 |
| Moa, climate, and eruptions: radiocarbon ages on habitat-specific moa show that their distributions were controlled by volcanic eruptions as well as climate | Holdaway, R.N. | 228 |
| Changes in the Mana Island, New Zealand, bird community following mouse (<i>Mus musculus</i>) eradication | Miskelly, C.M.; Beauchamp, A.J.; Oates, K.E. | 243 |
| Sexing of the endangered Floreana mockingbird (<i>Mimus trifasciatus</i>) using morphometric measurements | Reyes, E.M.R.; Smith, A.N.H.; Rueda, D.; Sevilla, C.; Brunton, D.H.; Ortiz-Catedral, L. | 256 |

Short notes

- | | | |
|---|---|------------|
| Adelie penguins (<i>Pygoscelis adeliae</i>) in New Zealand | Miskelly, C.M.; Purdie, A.; Spencer, A.; Szabo, M.J. | 264 |
| Molecular analysis confirms the occurrence of <i>Thalassarche steadi</i> in Argentinian waters | Seco Pon, J.P.; Graziano, M.; Mariano-Jelicich, R. | 267 |
| The 1962 record of a long-tailed cuckoo (<i>Eudynamys taitensis</i>) parasitising a New Zealand fantail (<i>Rhipidura fuliginosa</i>) | Gill, B.J.; Cuming, P. | 271 |

Obituary

- | | | |
|-------------------------|----------------------------------|------------|
| Kerry-Jayne Wilson MNZM | McKinlay, B.; Kennedy, E. | 274 |
|-------------------------|----------------------------------|------------|

INDEX OF AUTHORS AND SPECIES

Volume 69

- Acanthisitta chloris*, see rifleman
 Acanthisittidae, 122
 Acanthizidae, 122
Accipiter spp., see goshawk spp.
 Accipitridae, 37, 121, 159
Acridotheres tristis, see myna, Indian
 adzebill, 237
Aegithalos caudatus, see tit, long-tailed
Alauda arvensis, see skylark
 Alaudidae, 122
 albatross, black-browed, 74, 75, see also mollymawk,
 black-browed
 Buller's, 74, see also mollymawk, Buller's
 Chatham Island, 72-78, 267, see also
 mollymawk, Chatham Island
 Salvin's, 74, 76, 267, see also mollymawk,
 Salvin's
 shy, 267-270, see also mollymawk, shy
 shy spp., 267-270, see also mollymawk, shy
 spp.
 southern Buller's, 75, see also mollymawk,
 southern Buller's
 spp., 72-78, 244
 waved, 74, 76
 white-capped, 267-270, see also mollymawk,
 white-capped
 ALFARO-SHIGUETO, J., see QUIÑONES, J.;
 ROMERO, C.; MANGEL, J.C.; ALFARO-
 SHIGUETO, J.; MORENO, C.; ZAVALAGA,
 C.
 ALLENTOFT, M.E., see HOLDAWAY, R.N.;
 ALLENTOFT, M.E.
Anas bahamensis, see pintail, white-cheeked
 capensis, see teal, Cape
 chlorotis, see teal, brown
 flavirostris, see teal, speckled
 gracilis, see teal, grey
 penelope, see widgeon, Eurasian
 platyrhynchos/superciliosa, see duck, mallard/
 grey
 spp., 30
 Anatidae, 121
Anomalopteryx didiformis, 29, 169, 228-231, 234-240,
 see also moa, little bush
Anous minutus, see noddy, black
 stolidus, see noddy, brown
Anthornis melanura, see bellbird
Anthus novaeseelandiae, see pipit, New Zealand
 Apterygidae, 1-18
Apteryx australis, see tokoeka, see also kiwi, South
 Island brown
 australis australis, see tokoeka, Rakiura, see
 also kiwi, Stewart Island brown
 haastii, see kiwi, great spotted
 mantelli, see kiwi, North Island brown
 maxima, see kiwi, great spotted
 owenii, see kiwi, little spotted
 rowi, see rowi
 spp., see kiwi spp.
Aptornis otidiformis, see adzebill
Aquila clanga, see eagle, great spotted
 nipalensis, see eagle, steppe
Ardena grisea, see shearwater, sooty
 Artamidae, 122
Aythya fuligula, see duck, tufted
 novaeseelandiae, see scaup, New Zealand
 spp., 180
 babbler, chestnut-crowned, 191
 BACHY, P., see VILLARD, P.; BACHY, P
 BEAUCHAMP, A.J. The detection, breeding behaviour,
 and use of mangroves (*Avicennia marina*
 australasica) by banded rails (*Gallirallus*
 philippensis assimilis), 99-111
 BEAUCHAMP, A.J., see MISKELLY, C.M.;
 BEAUCHAMP, A.J.; OATES, K.E.
 BEAVEN, K.C., see SELWYN, R.E.; LENTING, B.;
 BEAVEN, K.C.; IRWIN, E.T.
 bellbird, 37, 91, 95, 96, 119, 122, 124, 213, 224, 252
 bird, forest spp., 20, 29, 89-98, 116-118, 119-125, 147
 granivorous spp., 243, 252
 insectivorous spp., 243, 251
 land spp., 211-227
 native spp., 276
 native forest spp., 45, 211-227
 non-ratite spp., 62
 predatory spp., 243
 ratite spp., 62
 wetland spp., 203-210
 blackbird, Eurasian, 51, 67, 108, 123, 131, 214, 218,
 219, 222, 223, 248, 249, 251, 255
 booby, brown, 174
 red-footed, 174
Bowdleria punctata punctata, see fernbird, South Island
 punctata vealeae, see fernbird, North Island
Branta canadensis, see goose, Canada
 sandvichensis, see goose, Hawaiian
 BRUNTON, D.H., see REYES, E.M.R.; SMITH,
 A.N.H.; RUEDA, D.; SEVILLA, C.;
 BRUNTON, D.H.; ORTIZ-CATEDRAL, L.
 bulbul, red-vented, 174
 bunting spp., 252

- BUTCHER, S., see FIELD, P.; MELVILLE, D.S.; FISHER, P.R.; BUTCHER, S.
- Buteo buteo*, see buzzard, common
- jamaicensis*, see hawk, red-tailed
- rufinus*, see buzzard, long-legged
- buzzard, black-breasted, 68
- common, 68
- long-legged, 68
- Cacatua galerita*, see cockatoo, sulphur-crested
- Cacatuidae, 121
- CAIN, K.E., see SWEENEY, A.P.; CAIN, K.E.
- CAIN, K.E., see SWEENEY, A.P.; HESWALL, A-M.; CAIN, K.E.
- CAIN, K.E., see SWEENEY, A.P.; HAEREW, N.L.; CAIN, K.E.
- Cairina moschata*, see duck, Muscovy
- Calidriiformes, 159
- Calidris alba*, see sanderling
- bairdii*, see sandpiper, Baird's
- fuscollis*, see sandpiper, white-rumped
- Callaeas cinerea*, see kokako, South Island
- Callipepla californica*, see quail, California
- Carduelis carduelis*, see goldfinch, European
- chloris*, see greenfinch, European
- flammea*, see redpoll, common
- CARSON, S., see LALAS, C.; CARSON, S.; PERRIMAN, L.
- cassowary, southern, 169
- Casuarius casuarius johnsonii*, see cassowary, southern
- Catharacta chilensis*, see skua, Chilean
- Cereopsis novaehollandiae*, see goose, Cape Barren
- chaffinch, 123, 214, 218, 219, 222, 248-251, 255
- Charadriidae, 121
- Charadrius obscurus*, see dotterel, New Zealand
- Chenonetta finschii*, see duck, Finsch's
- chicken, see fowl, domestic
- Chroicocephalus novaehollandiae scopulinus*, see gull, red-billed
- Chrysococcyx lucidus*, see cuckoo, shining
- Circus aeruginosus*, see harrier, marsh
- approximans*, see harrier, swamp
- eylesi*, see harrier, extinct
- spp., see harrier spp.
- teauteensis*, see harrier, North Island extinct
- Cnemiornis calcitrans*, see goose, South Island
- gracilis*, see goose, North Island
- cockatoo, sulphur-crested, 121, 124
- COLBOURNE, R.M., see ROBERTSON, H.A.; COLBOURNE, R.M.
- Columba livia*, see pigeon, rock
- Columbidae, 121
- coot, extinct New Zealand, 113
- Corvus frugilegus*, see rook
- Coturnix novaehollandiae*, see quail, New Zealand
- ypsilophora*, see quail, brown
- creeper, brown, 89-94, 97, 271
- cuckoo, long-tailed, 89-98, 122, 174, 271-273
- shining, 97, 122, 214, 218-221, 255
- Cuculidae, 89, 122
- Cuculinae, 89
- CUMING, P., see GILL, B.J.; CUMING, P.
- curlew, bristle-thighed, 174
- Cyanoramphus novaehollandiae*, see parakeet, red-crowned
- Cygnus atratus*, see swan, black
- dabchick, New Zealand, 113, 186, 189
- Daption capense*, see pigeon, cape
- DE GRAAF, A., see MISKELLY, C.M.; McLAUGHLIN, L.; DE GRAAF, A.
- DeVORE, J.L., see DUCATEZ, S.; DeVORE, J.L.
- Dinornis giganteus*, see moa, giant
- novaehollandiae*, 159-166, 230, 238, 239, see also moa, North Island giant
- robustus*, 62, 63, 159-166, 168, 169, 230, see also moa, South Island giant
- spp., see moa, giant spp.
- struthoides*, see *Dinornis novaehollandiae*
- Dinornithiformes, 59-66, 158-173, 228-242
- dotterel, New Zealand, 126
- dove, barbery, 213
- DUCATEZ, S.; DeVORE, J.L. First record of a Baird's sandpiper (*Calidris bairdii*) in Eastern Polynesia, 174-177
- duck, *Aythya* spp., 180
- dabbling spp., 126-129
- Finsch's, 237
- mallard, 41, 45-53, 121, 127, 131, 132, 245, 255
- mallard/grey, 108
- Muscovy, 67-68
- spp., 125
- tufted, 180
- DUFFY, B.G., see JOHNSTON, A.G.; DUFFY, B.G.; HOLDAWAY, R.N.
- dunnoek, 123, 214, 218, 219, 221, 249, 251, 255
- eagle, bald, 68
- golden, 168
- great spotted, 68
- Haast's, 168
- steppe, 68
- white-tailed, 68
- Egretta novaehollandiae*, see heron, white-faced
- sacra*, see heron, reef
- ELLIOTT, G., see KILNER, C.; KEMP, J.; ELLIOTT, G.
- Emberiza citrinella*, see yellowhammer
- Emberizidae, 123
- Emeidae, 59-66, 159, 228-242
- Emeus crassus*, 63, 159-161, 168, see also moa, eastern
- EMPSON, R.A., see IRWIN, E.T.; EMPSON, R.A.
- ERRATUM, 79
- Euryanas finschi*, see *Chenonetta finschi*
- Euryapteryx curtus*, 159-163, 166-169, 173, 228-230, 232-240, see also moa, coastal
- spp., 159, 230

- Eudynamis taitensis*, see *Eudynamys taitensis*
Eudynamys taitensis, see cuckoo, long-tailed
Eudyptes spp., see penguin, crested spp.
Eudyptula minor, see penguin, little
Euryapteryx pygmaeus, 60
- Falco cenchroides*, see kestrel, Nankeen
 concolor, see falcon, sooty
 eleanorae, see falcon, Eleanor's
 naumanni, see kestrel, lesser
 novaeseelandiae, see falcon, New Zealand
 peregrinus, see falcon, peregrine
 sparverius, see kestrel, American
 spp., 37
 tinnunculus, see kestrel, common
- falcon, Eleanor's, 41
 New Zealand, 37-44, 55, 67-68, 119, 121, 124
 peregrine, 41, 68
 sooty, 41
- Falconidae, 121, 159
- fantail, New Zealand, 91, 94, 97, 122, 214, 218, 219, 222, 223, 225, 244, 246-251, 255, 271-273
 sp., 89
- fernbird, North Island, 204, 208, 252
 South Island, 203-210
- FIELD, P.; MELVILLE, D.S.; FISHER, P.R.; BUTCHER, S. The importance of a wastewater treatment wetland to the changing status of New Zealand scaup (*Aythya novaeseelandiae*) in the Nelson/Tasman region, 178-182
- finch spp., 252
- FISHER, P.R. see FIELD, P.; MELVILLE, D.S.; FISHER, P.R.; BUTCHER, S.
- fowl, domestic, 47, 67, 91
- Fregata ariel*, see frigatebird, lesser
 minor, see frigatebird, great
- Fregetta grallaria*, see storm petrel, white-bellied
- frigatebird, great, 174
 lesser, 174
- Fringilla coelebs*, see chaffinch
- Fringillidae, 123
- Fulica prisca*, see coot, extinct New Zealand
- Galliformes, 222
- Gallirallus australis*, see weka
 australis australis, see weka, South Island, or weka, western
 australis greyi, see weka, North Island
 philippensis assimilis, see rail, banded
 philippensis mellori, see rail, banded
 rovianae, see rail, Roviana
- Gallus gallus*, see fowl, domestic
- gamebird spp., 45-53
- gannet, Australasian, 255
- Gerygone albofrontata*, see warbler, Chatham Island
 igata, see warbler, grey
- GILL, B.J. Hosts of the long-tailed cuckoo (*Eudynamys taitensis*) and museum specimens of the cuckoo's egg, 89-98
- GILL, B.J.; CUMING, P. The 1963 record of a long-tailed cuckoo (*Eudynamys taitensis*) parasitising a New Zealand fantail (*Rhipidura fuliginosa*), 271-273
- godwit, bar-tailed, 184
- goldfinch, European, 122, 132, 214, 218, 219, 222, 223, 244, 247, 249-251, 255
- goose, Canada, 121
 Cape Barren, 19, 30, 237
 Hawaiian, 30
 North Island, 21, 24, 29, 237
 South Island, 19-36, 237
- goshawk, spp., 20, 37
- GRAZIANO, M., see SECO PON, J.P.; GRAZIANO, M.; MARIANO-JELICICH, R.
- grebe, Australasian crested, 186, 189
- greenfinch, European, 92, 96, 123, 131, 132, 245, 247, 249-251, 255
- gull, black-backed, 121, 247, 249, 255
 glaucous-winged, 68
 herring, 68
 red-billed, 81-88, 247, 249, 250, 255
 southern black-backed, see gull, black-backed
 spp., 246
- Gygis alba*, see tern, white
- Gymnorhina tibicen*, see magpie, Australian
- Haematopus finschi*, see oystercatcher, South Island
 pied
 unicolor, see oystercatcher, variable
- HAEREWA, N.L., see SWEENEY, A.P.; HAEREWA, N.L.; CAIN, K.E.
- Halcyonidae, 122
- Haliaeetus albicilla*, see eagle, white-tailed
 leucocephalus, see eagle, bald
- Haliastur spheurnus*, see kite, whistling
- Hamirostra melanosternon*, see buzzard, black-breasted
- harrier, extinct, 114, 168
 marsh, 68
 North Island extinct, 168
 spp., 20, 30
 swamp, 45, 46, 48-51, 55, 121, 124, 214, 218, 219, 222, 245-247, 249-252, 255
- hawk, forest spp., 37
 red-tailed, 68
- Hemiphaga novaeseelandiae*, see pigeon, New Zealand
- hen, domestic, see fowl, domestic
- heron, reef, 255
 white-faced, 255
- HESWALL, A-M., see SWEENEY, A.P.; HESWALL, A-M.; CAIN, K.E.
- Hieraaetus moorei*, see eagle, Haast's
- hihi, see stitchbird
- Himantopus leucocephalus*, see stilt, pied
- Hirundinidae, 123
- Hirundo neoxena*, see swallow, welcome
- HOLDWAY, R.N. Extreme female-biased sexual

- size dimorphism in *Euryapteryx* moa (Aves: Dinornithiformes: Emeidae), 59-66
- HOLDAWAY, R.N. Radiocarbon ages for two of the three South Island takahe (*Porphyrio hochstetteri*; Aves: Rallidae) from Pyramid Valley, North Canterbury, New Zealand, 112-115
- HOLDAWAY, R.N. Moa, climate and eruptions: radiocarbon ages on habitat-specific moa show that their distributions were controlled by volcanic eruptions as well as climate, 228-242
- HOLDAWAY, R.N.; ALLENTOFT, M.E. A basic statistical approach to determining adult sex ratios of moa (Aves: Dinornithiformes) from sample series, with potential regional and depositional biases, 158-173
- HOLDAWAY, R.N., see JOHNSTON, A.G.; DUFFY, B.G.; HOLDAWAY, R.N.
- hurukōwhai, see yellowhammer
- HYDE, N.H.S. New Zealand falcon (*Falco novaeseelandiae*) attempts to adopt Muscovy duck (*Cairina moschata*) ducklings, 67-68
- Hydrobatidae, 38
- Hydroprogne caspia*, see tern, Caspian
- IRWIN, E.T.; EMPSON, R.A. Red-crowned parakeet (kākārīki, *Cyanoramphus novaeseelandiae*) mortality inside and outside a fenced sanctuary in Wellington City, New Zealand, 54-58
- IRWIN, E.T., see SELWYN, R.E.; LENTING, B.; BEAVEN, K.C.; IRWIN, E.T.
- JAHN, P.; ROSS, J.G.; MANDER, V.; MOLLES, L.E. Post-translocation movements and ranging behaviour of roroa (great spotted kiwi, *Apteryx maxima*), 135-146
- JOHNSTON, A.G.; DUFFY, B.G.; HOLDAWAY, R.N. When the lonely goose? Implications of a revised history of the lake and its surrounding vegetation for a radiocarbon age for the only South Island goose (*Cnemiornis calcitrans*) from the Pyramid Valley lake bed deposit, New Zealand, 19-36
- kāhu, see harrier, swamp
- kairaka, see skylark, Eurasian
- kākā, 121, 124
- kaka uhi whero, see rosella, eastern
- kākārīki, see also parakeet, red-crowned
red-crowned, 54-58, 213
- kakaruai, see robin, South Island
- kārearea, see falcon, New Zealand
- kāruhiruhi, see shag, pied
- kawau, see shag, black
- KEMP, J., see KILNER, C.; KEMP, J.; ELLIOTT, G.
- KENNEDY, E., see McKINLAY, B.; KENNEDY, E.
- kererū, see pigeon, New Zealand
- KILNER, C.; KEMP, J.; ELLIOTT, G. Short term effects of an aerial 1080 operation on māātā (South Island fernbird, *Poodytes punctatus punctatus*) in a South Island wetland, 203-210
- kingfisher, New Zealand, see kingfisher, sacred
sacred, 41, 108, 122, 214, 218, 219, 222, 223, 245, 250, 255
- kite, whistling, 69
- kittiwake, black-legged, 41
- kiwi, 1-18, 135-146, 147-157
great spotted, 1-18, 135-146, see also roroa
hybrid sp., 2
little spotted, 2
North Island brown, 136, 143, 154, 213, 217, 224
Okarito brown, 2, see also rowi
Rakiura tokoeka, 147-157
rowi, 2, 136
South Island brown, 136
spp., 135, 144, 154
Stewart Island brown, 147-157
tokoeka, 136
- kiwi-nui, see kiwi, North Island brown
- koekoeā, see cuckoo, long-tailed
- kōkako, South Island, 113
- korimako, see bellbird
- koroātito, see fernbird, North Island
- kōrure, see petrel, mottled
- kōtare, see kingfisher, sacred
- kōurarini, see goldfinch, European
- kuera, see quail, Australian brown
- LALAS, C.; CARSON, S.; PERRIMAN, L.
Continued increase in red-billed gulls (*Larus novaehollandiae scopulinus*) at Otago, southern New Zealand: implications for their conservation status and the importance of citizen science, 81-88
- landbird spp., 211-227
- Laridae, 121
- Larosterna inca*, see tern, Inca
- Larus argentatus*, see gull, herring
dominicanus, see gull, black-backed
glaucescens, see gull, glaucous-winged
novaehollandiae scopulinus, see gull, red-billed
- LENTING, B., see SELWYN, R.E.; LENTING, B.; BEAVEN, K.C.; IRWIN, E.T.
- Limosa lapponica*, see godwit, bar-tailed
- MACKENZIE, D., see TOY, R.; TOY, S.;
MACKENZIE, D.; SIMISTER, K.; YONG, S.
magpie, Australian, 48-50, 122, 214, 218, 219, 222, 255
- MAKAN, T.D., see ROBERTSON, H.A.; MAKAN, T.D.
- mallard, see duck, mallard
- MANDER, V., see JAHN, P.; ROSS, J.G.; MANDER, V.; MOLLES, L.E.
- MANGEL, J.C., see QUIÑONES, J.; ROMERO, C.;
MANGEL, J.C.; ALFARO-SHIGUETO, J.;
MORENO, C.; ZAVALAGA, C.

- Manorina melanocephala*, see miner, noisy
melanophrys, see miner, bell
manu-kai-hua-rakau, see thrush, song
MARIANO-JELICICH, R., see SECO PON, J.P.; GRAZIANO, M.; MARIANO-JELICICH, R.
MARTINS, P., see RALPH, C.J.; RALPH, C.P.; MARTINS, P.; RALPH, P.L.
mātātā, see fernbird
McDOUGALL, M., see STEWART, C.; McDOUGALL, M.
McKINLAY, B.; KENNEDY, E. Obituary. Kerry-Jayne Wilson MNZM, 274-278
McLAUGHLIN, L., see MISKELLY, C.M.; McLAUGHLIN, L.; DE GRAAF, A.
Meliagris gallopavo, see turkey, wild
Meliphagidae, 122
MELVILLE, D.S., see FIELD, P.; MELVILLE, D.S.; FISHER, P.R.; BUTCHER, S.
MICHAUX, D. Polygyny observed in pāteke (brown teal, *Anas chlorotis*), 126-129
Microcarbo melanoleucos, see shag, little
Mimidae, 257
Mimus parvulus, see mockingbird, Galapagos
saturninus, 260
trifasciatus, see mockingbird, Floreana
triurus, 260
miner, bell, 191
noisy, 131
miromiro, see tomtit
MISKELLY, C.M.; McLAUGHLIN, L.; DE GRAAF, A. New Zealand falcons (*Falco novaeseelandiae*) hunting petrels at night and underground during the day, 37-44
MISKELLY, C.M.; BEAUCHAMP, A.J.; OATES, K.E. Changes in the Mana Island, New Zealand, bird community following mouse (*Mus musculus*) eradication, 243-255
MISKELLY, C.M.; PURDIE, A.; SPENCER, A.; SZABO, M.J. Adelie penguins, (*Pygoscelis adeliae*) in New Zealand, 264-266
moa, coastal, 159-163, 166-169, 173, 228-230, 232-240
crested, 229, 234, 239
Dinornithid spp., 160, 167
eastern, 63, 159-161, 168
Emeid spp., 160, 161, 167, 168
Euryapteryx spp., 59-66, 158-173
giant spp., 63, 64, 160, 161, 163-166, 169, 230
heavy-footed, 63, 159-161, 168, 229
little bush, 29, 169, 228-231, 234-240
Mantell's, 159, 161-163, 166-168, 229
North Island giant, 159-166, 230, 238, 239
South Island giant, 62, 63, 159-166, 168, 169, 230
spp., 24, 59-66, 112, 158-173, 228-242
moanalo, 30
mockingbird, Floreana, 256-263
Galápagos, 257
moho pererū, see rail, banded
Mohoua albicilla, see whitehead
novaeseelandiae, see creeper, brown
ochrocephala, see yellowhead
spp., 89, 271
Mohouidae, 89, 97, 271
mohua, see yellowhead
MOLLES, L.E., see JAHN, P.; ROSS, J.G.; MANDER, V.; MOLLES, L.E.
mollymawk, black-browed, 74, 75
Buller's, 74
Chatham Island, 72-78, 267
Salvin's, 74, 76, 267
shy, 267-270
shy spp., 267-270
southern Buller's, 75
white-capped, 267-270
MORENO, C., see QUIÑONES, J.; ROMERO, C.; MANGEL, J.C.; ALFARO-SHIGUETO, J.; MORENO, C.; ZAVALAGA, C.
morepork, 41, 55, 122, 214, 218, 219, 222, 255
Morus serator, see gannet, Australasian
Motacillidae, 123
myna, common, 213, 214, 217-219, 222, 223
Nestor meridionalis, see kaka
Ninox novaeseelandiae, see morepork
noddy, black, 174
brown, 174
Notiomystis cincta, see stitchbird
Numenius tahitiensis, see curlew, bristle-thighed
OATES, K.E., see MISKELLY, C.M.; BEAUCHAMP, A.J.; OATES, K.E.
OBITUARY: McKINLAY, B.; KENNEDY, E. Kerry-Jayne Wilson MNZM, 274-278
Oceanites gracilis, see storm petrel, Elliot's
Oceanodroma hornbyi, see storm petrel, Hornby's
tethys, see storm petrel, wedge-rumped
Onychoprion fuscatus, see tern, sooty
lunatus, see tern, grey-backed
ORTIZ-CATEDRAL, L., see REYES, E.M.R.; SMITH, A.N.H.; RUEDA, D.; SEVILLA, C.; BRUNTON, D.H.; ORTIZ-CATEDRAL, L.
owl, laughing, 114
little, 41
spp., 159
oystercatcher, South Island pied, 255
variable, 126, 214, 218-221, 255
Pachycephalidae, 122
Pachyornis australis, 229, 234, 239, see also moa, crested
elephantopus, 63, 159-161, 168, 229, see also moa, heavy-footed
geranoides, 159, 161-163, 166-168, 229, see also moa, Mantell's
mappini, see *P. geranoides*
spp., 230
Pachyptila turtur, see prion, fairy

- vittata*, see prion, broad-billed
 parakeet, red-crowned, 54-58, 96, 213, 224
 PARKER, K.A., see STONE, Z.L.; PARKER, K.A.
 parrot, native spp., 125
Passer domesticus, see sparrow, house
 passerine, forest spp., 204
 insectivorous spp., 243
 introduced spp., 148, 246
 Mohouid spp., 97
 native spp., 148
 spp., 51, 67, 116, 222, 251, 257, 261
 pāteke, see teal, brown
Pavo cristatus, see peafowl
 peafowl, 121
Pelecanoides urinatrix, see petrel, common diving
 Pelecanoididae, 38
 penguin, Adelie, 264-266, 275
 blue, see penguin, little
 chinstrap, 265
 crested spp., 265
 Fiordland crested, 277
 little, 255, 275, 277
 Snarcs crested, 275
 spp., 124, 275, 277
 PERRIMAN, L., see LALAS, C.; CARSON, S.;
 PERRIMAN, L.
 petrel, burrow-nesting spp., 244
 Cape, 74
 Chatham, 276, 277
 collared, 42
 common diving, 255
 mottled, 38-42, 275
 Pycroft's, 276
 spp., 37-44, 74-76, 276, 279
 Westland, 277
 white-chinned, 74, 75
Petroica australis, see robin, South Island
 longipes, see robin, North Island
 macrocephala, see tomtit
 spp., 89, 204
 Petroicidae, 122
Phalacrocorax carbo, see shag, black
 sulcirostris, see shag, little black
 varius, see shag, pied
 Phasianidae, 121
Phasianus colchicus, see pheasant, common
 pheasant, common, 67, 214, 218, 219, 222, 223
Philesturnus carunculatus, see saddleback, South Island
 rufusater, see saddleback, North Island
Phoebastria irrorata, see albatross, waved
 pigeon, New Zealand, 96, 113, 121, 124, 276
 rock, 67, 249, 255
 pihoihoi, see pipit, New Zealand
 pintail, white-cheeked, 127
 pīpipi, see creeper, brown
 pipit, New Zealand, 123, 247, 248, 250, 251, 255
 pīpīwharau, see cuckoo, shining
 pīwakawaka, see fantail, New Zealand
Platycercus eximius, see rosella, eastern
 plover, golden, 174-176
 Pacific golden, 174-176
 shore, 113
 spur-winged, 121, 213, 214, 216-221, 224, 255
Pluvialis fulva, see plover, Pacific golden
Podiceps cristatus, see grebe, Australasian crested
Poliocephalus rufopectus, see dabchick, New Zealand
Pomatostomus ruficeps, see babbler, chestnut-crowned
Poodytes punctatus punctatus, see fernbird,
 South Island
 punctatus vealeae, see fernbird, North Island
Porphyrio hochstetteri, see takahe, South Island
 melanotus melanotus, see pūkeko
 prion, broad-billed, 42, 276
 fairy, 38-40, 252
Procellaria aequinoctialis, see petrel, white-chinned
 Procellariidae, 38
 Procellariiform spp., 257
 Procellariiformes, 37-44
Prothemadon novaeseelandiae, see tūī
Prunella modularis, see dunnoek
 Prunellidae, 123
 Psittacidae, 122, 124
Pterodroma brevipes, see petrel, collared
 defilippiana, see petrel, De Filippi's
 inexpectata, see petrel, mottled
 pycrofti, see petrel, Pycroft's
Puffinus bailloni, see shearwater, tropical
 gavia, see shearwater, fluttering
 huttoni, see shearwater, Hutton's
 mauretanicus, see shearwater, Balearic
 pūkeko, 46, 48-50, 121, 130-134, 179, 191-195, 196-
 200, 213, 214, 216-221, 224, 225, 247, 248,
 251, 252, 255
 pullet, 91
 PURDIE, A., see MISKELLY, C.M.; PURDIE, A.;
 SPENCER, A.; SZABO, M.J.
 pūtangitangi, see shelduck, paradise
Pycnonotus cafer, see bulbul, red-vented
Pygoscelis adeliae, see penguin, Adelie
 antarctica, see penguin, chinstrap
 quail, Australian brown, 214, 218, 219, 222, 223
 button spp., 159
 California, 214, 218, 219, 222, 223
 New Zealand, 20, 29, 113
 QUINONES, J.; ROMERO, C.; MANGEL, J.C.;
 ALFARO-SHIGUETO, J.; MORENO, C.;
 ZAVALLAGA, C. At-sea surveys reveal new
 insights of fine-scale distribution and foraging
 behaviour of Chatham albatrosses (*Thalassarche*
 eremita) in central southern Peru, 72-78
 rail, banded, 99-111, 213, 214, 216-221, 224
 Roviana, 109
 spp., 30, 99, 194
 Rallidae, 99-111, 112-115, 121

- RALPH, C.J.; RALPH, C.P.; MARTINS, P.; RALPH, P.L. A New Zealand island in change: 38 years of landbird populations affected by habitat restoration and invasive mammalian predator control, 211-227
- RALPH, C.P., see RALPH, C.J.; RALPH, C.P.; MARTINS, P.; RALPH, P.L.
- RALPH, P.L., see RALPH, C.J.; RALPH, C.P.; MARTINS, P.; RALPH, P.L.
- raptor spp., 67-68, 119, 159, 168
- ratite spp., 62, 169
- redpoll, common, 123, 250, 255
- REYES, E.M.R.; SMITH, A.N.H.; RUEDA, D.; SEVILLA, C.; BRUNTON, D.H.; ORTIZ-CATEDRAL, L. Sexing of the endangered Floreana mockingbird (*Mimus trifasciatus*) using morphometric measurements, 256-263
- Rhipidura fuliginosa*, see fantail, New Zealand
- Rhipiduridae, 122
- sp., 89
- rifleman, North Island, 119, 122
- riroriro, see warbler, grey
- Rissa tridactyla*, see kittiwake, black-legged
- ROBERTSON, H.A.; COLBOURNE, R.M. Habitat loss drives population decline and reduced mass of Rakiura tokoeka, (*Apteryx australis australis*, Stewart Island brown kiwi) at Mason Bay, Stewart Island/Rakiura, 147-157
- ROBERTSON, H.A.; MAKAN, T.D. How many New Zealand scaup (*Aythya novaeseelandiae*) are there? 183-190
- robin, North Island, 96, 116, 117, 120, 122, 124, 213, 214, 216-219, 221, 222, 224, 225
- South Island, 89, 93, 94-95, 96-97, 225
- spp., 204
- ROMERO, C., see QUIÑONES, J.; ROMERO, C.; MANGEL, J.C.; ALFARO-SHIGUETO, J.; MORENO, C.; ZAVALAGA, C.
- rook, 213, 224
- roroa, 1-18, 135-146, see also kiwi, great spotted
- rosella, eastern, 122, 214, 218, 219, 222
- ROSS, J.G., see JAHN, P.; ROSS, J.G.; MANDER, V.; MOLLES, L.E.
- rowi, 2, 252, see also kiwi, Ōkarito brown
- RUEDA, D., see REYES, E.M.R.; SMITH, A.N.H.; RUEDA, D.; SEVILLA, C.; BRUNTON, D.H.; ORTIZ-CATEDRAL, L.
- ruru, see morepork
- saddleback, North Island, 124, 213, 224
- South Island, 113
- sanderling, 174, 175
- sandpiper, Baird's, 174-177
- white-rumped, 175
- scaup, New Zealand, 178-182, 183-190
- Sceloglaux albifacies*, see owl, laughing
- Scolopacidae, 174
- seabird, burrow-nesting spp., 37-44
- spp., 37-44, 69-71, 72-78, 174, 175, 264-266, 267-270, 274-278
- SECO PON, J.P.; GRAZIANO, M.; MARIANO-JELICICH, R. Molecular analysis confirms the occurrence of *Thalassarche steadi* in Argentinian waters, 267-270
- SELWYN, R.E.; LENTING, B.; BEAVEN, K.C.; IRWIN, E.T. Successful use of intraspecific parental fostering in the management of an endemic threatened bird: New Zealand's hihi (*Notiomystis cincta*), 116-118
- SEVILLA, C., see REYES, E.M.R.; SMITH, A.N.H.; RUEDA, D.; SEVILLA, C.; BRUNTON, D.H.; ORTIZ-CATEDRAL, L.
- shag, black, 121, 255
- little, 255
- little black, 255
- pied, 121
- spp., 124
- shearwater, Balearic, 41
- fluttering, 252, 255
- Hutton's, 42
- sooty, 38, 74, 75, 255, 275
- tropical, 42
- shelduck, paradise, 20, 121, 124, 213, 214, 217-221, 225, 248, 249, 251, 255
- shorebird spp., 159, 174, 175
- silveryeye, 89, 92, 95, 97, 122, 214, 217-219, 222, 223, 225, 246-248, 250, 251, 255
- SIMISTER, K., see TOY, R.; TOY, S.; MACKENZIE, D.; SIMISTER, K.; YONG, S.
- skua, Arctic, 255
- Chilean, 74
- spp., 159
- skylark, Eurasian, 122, 214, 217-219, 222, 223, 247, 248, 250, 251, 255
- SMITH, A.N.H., see REYES, E.M.R.; SMITH, A.N.H.; RUEDA, D.; SEVILLA, C.; BRUNTON, D.H.; ORTIZ-CATEDRAL, L.
- songbird, New Zealand spp., 89
- sparrow, house, 67, 96, 130, 214, 217-219, 222, 245, 247, 249, 250-252, 255
- SPENCER, A., see MISKELLY, C.M.; PURDIE, A.; SPENCER, A.; SZABO, M.J.
- starling, common, 51, 68, 123, 131, 214, 218, 219, 221, 247-251, 255
- Stercorarius parasiticus*, see skua, Arctic
- spp., see skua, spp.
- Sterna striata*, see tern, white-fronted
- Sternula nereis davisae*, see tern, New Zealand fairy
- nereis exsul*, see tern, New Caledonian fairy
- nereis nereis*, see tern, Australian fairy
- STEWART, C.; McDUGALL, M. Can small-scale predator control influence mallard duck (*Anas platyrhynchos*) nest survival? An experiment with artificial nests in Southland, New Zealand, 45-53
- stilt, pied, 131

- stitchbird, 96, 116-118, 124
 STONE, Z.L.; PARKER, K.A. Unmanned Aerial Vehicle (UAV) activity elicits little to no response from New Zealand forest birds during wildlife monitoring, 119-125
 storm petrel, Elliot's, 75
 Hornby's, 74, 75
 wedge-rumped, 75
 white-bellied, 75
Streptopelia risoria, see dove, Barbary
 Strigidae, 122, 159
 Strigopidae, 121, 124
 Sturnidae, 123
Sturnus vulgaris, see starling, common
Sula leucogaster, see booby, brown
 sula, see booby, red-footed
 swallow, welcome, 123, 214, 218, 219, 221, 222, 248, 249, 251, 255
 swampphen, purple, 131, see also pūkeko
 swan, black, 121, 128, 131, 179
 SWEENEY, A.P.; CAIN, K.E. Opportunistic predation of non-native species by pūkeko (*Porphyrio melanotus melanotus*), 130-134
 SWEENEY, A.P.; HESWALL, A-M.; CAIN, K.E. An observation of a juvenile feeding an injured adult in pūkeko (*Porphyrio melanotus melanotus*), 191-195
 SWEENEY, A.P.; HAEREW, N.L.; CAIN, K.E. Observations of satellite nesting and nocturnal incubation behaviours in pūkeko (*Porphyrio melanotus melanotus*), 196-200
 SZABO, M.J., see MISKELLY, C.M.; PURDIE, A.; SPENCER, A.; SZABO, M.J.
Tadorna variegata, see shelduck, paradise
 takahe, 144
 South Island, 20, 112-115, 144, 245, 251, 255
 tarāpunga, see gull, red-billed
 tāringi, see starling, European
 tattler, wandering, 174
 tauhou, see silvereye
 tawaki, see penguin, Fiordland crested
 teal, brown, 126-129, 131, 213, 214, 217-219, 221, 222, 224, 225
 Cape, 127
 grey, 119, 121, 124, 213, 224
 speckled, 127
 tern, Australian fairy, 69, 70
 Caspian, 255
 crested, 174-176
 fairy, 69-71
 greater crested, 174-176
 grey-backed, 174
 Inca, 75
 New Caledonian fairy, 69-71
 New Zealand fairy, 69, 70
 sooty, 174
 white, 174
 white-fronted, 247-249, 255
 tētē-moroiti, see teal, grey
Thalassarche bulleri, see albatross or mollymawk, Buller's
 cauta, see albatross or mollymawk, shy
 eremita, see albatross or mollymawk, Chatham
 melanophrys, see albatross or mollymawk, black-browed
 salvini, see albatross or mollymawk, Salvin's
 steadii, see albatross or mollymawk, white-capped
Thalasseus bergii, see tern, greater crested
Thambetochen chaulioudous, 30
Thinornis novaeseelandiae, see plover, shore
 thrush, English, see thrush, song
 song, 51, 67, 92, 96, 108, 123, 214, 218, 219, 221, 222, 245, 247, 248, 251, 255
 tīeke, see saddleback
 tikaokao, see quail, California
 Tinamidae, see tinamou spp.
 tinamou spp., 159
 tit, long-tailed, 191
 tītipounamou, see rifleman
 titi wainui, see prion, fairy
 tiu, see sparrow, house
Todiramphus sanctus, see kingfisher, sacred
 tokoeka, 136
 Rakiura, 147-157, see also kiwi, Stewart Island
 brown
 tomtit, 91, 92, 96
 North Island, 119, 122, 213, 224
 South Island, 91, 92, 96
 spp., 204
 tōrea pango, see oystercatcher, variable
 toutouwai, see robin, North Island
 TOY, R.; TOY, S.; MACKENZIE, D.; SIMISTER, K.; YONG, S. Distribution of great spotted kiwi (*Apteryx maxima*), 2012-2021, 1-18
 TOY, S., see TOY, R.; TOY, S.; MACKENZIE, D.; SIMISTER, K.; YONG, S.
Tringa incana, see tattler, wandering
 tūi, 96, 122, 124, 214, 217-221, 225
 Turdidae, 123
Turdus merula, see blackbird, Eurasian
 philomelos, see thrush, song
 turkey, wild, 214, 218, 219, 222, 223
 Turnicidae, see quail, button spp.
 tūturiwhatu, see dotterel, New Zealand
Urodynamis spp., 97
Vanellus miles, see plover, spur-winged
 VILLARD, P.; BACHY, P. Breeding and movement of a banded fairy tern (*Sternula nereis exsul*) in New Caledonia, 69-71
 warbler, Chatham Island, 97
 grey, 91, 95-97, 122, 214, 218, 219, 222, 223,

- 225, 248-251, 255
warou, see swallow, welcome
waterbird spp., 178-182, 183-190
waterfowl spp., 19-36, 178-182, 183-190, 237
weka, 99, 106, 109, 206, 208
 North Island, 109
 South Island, 109
 western, 206, 208
whitehead, 89-97, 119, 122, 211, 213, 214, 216-221,
 224, 225, 271
wigeon, Eurasian, 127

yellowhammer, 67, 123, 214, 218, 219, 221, 222, 247,
 249-251, 255

yellowhead, 89, 93, 94, 97, 271
YONG, S., see TOY, R.; TOY, S.; MACKENZIE, D.;
 SIMISTER, K.; YONG, S.

ZAVALAGA, C., see QUIÑONES, J.; ROMERO, C.;
 MANGEL, J.C.; ALFARO-SHIGUETO, J.;
 MORENO, C.; ZAVALAGA, C.
Zosteropidae, 122
Zosterops lateralis, see silvereye
 sp., 89

Compiled by TIM LOVEGROVE, 6 Deuxberry Ave,
 Northcote, Auckland 0627

