


NOTORNIS

Ornithology of the Southern Pacific



ISSN 0029-4470

Volume 70 2023

Journal of the Ornithological Society of New Zealand

Volume 70, Part 1, March 2023

CONTENTS

Papers

- | | | |
|---|---|-----------|
| The conservation status of Hutton's shearwater (<i>Puffinus huttoni</i>) at Shearwater Stream, Kaikōura, New Zealand: a small population at risk? | Cargill, C.P.; Townsend, D.; McArthur, N.R.; Morgenstern, R.; Morrissey, M.; Sherley, G.; Bell, M. | 1 |
| Hutton's shearwater (<i>Puffinus huttoni</i>) at Te Rae o Atiu, Kaikōura Peninsula South Island east coast, New Zealand: a colony established by translocations – 16 years progress | Rowe, L.K.; Howard, T. | 14 |
| A PCR-based assay for screening substrates for <i>Aspergillus fumigatus</i> for application in kiwi hatcheries | Rowe, S.P.; Stott, M.B.; Brett, B.; Dhami, M.K. | 31 |

Short notes

- | | | |
|--|--|-----------|
| Longevity record for common diving petrel (kuaka, <i>Pelecanoides urinatrix</i>) in New Zealand | Miskelly, C.M.; Taylor, G.A. | 39 |
| Kākā (<i>Nestor meridionalis</i>) investigate and depredate kakarua (South Island robin <i>Petroica australis australis</i>) eggs | Pearmain-Fenton, M.; Schlesselmann, A.; Walker, S. | 42 |
| First and second breeding of Australian gull-billed tern (<i>Gelochelidon nilotica macrotarsa</i>) in New Zealand | Jacques, S.; Rees, G.; Rhodes, P.; Bliss, J.; Roberts, J.; McClelland, P. | 45 |

Volume 70, Part 2, June 2023

CONTENTS

Papers

Identifying northern Buller's albatross (<i>Thalassarche bulleri</i> subsp.) in offshore waters of southern Perú	Quiñones, J.; Zavalaga, C.; Robertson, C.J.R.	49
Vagrant and extra-limital bird records accepted by the Birds New Zealand Records Appraisal Committee 2021–2022	Miskelly, C.M.; Crossland, A.C.; Saville, I.; Southey, I.; Tennyson, A.J.D.; Bell, E.A.	60
Wing areas and wing loadings of New Zealand land birds	Gill, B.J.	74

Short notes

First records of eastern cattle egret (<i>Bubulcus ibis coromandus</i>) in the Solomon Islands	Butcher, S.C.; Crossland, A.C.; Crutchley, P.; Muga, N.D.	83
Swamp harrier (<i>Circus approximans</i>) predation of white-fronted tern (<i>Sterna striata</i>) chicks on the Noises Islands, New Zealand	Rayner, M.J.; Neureuter, R.; Neureuter, S.; Neureuter, Z.	86
Polynesian traditions explain why some birds are red or black	Richter-Gravier, R.	89
Year of the tern: the first record of black tern (<i>Chlidonias niger</i>) from New Zealand	Thomas, O.J.W.; Hunt, E.K.S.	93
Letter to the Editor	Holdaway, R.N.	96

Volume 70, Part 3, September 2023

CONTENTS

Papers

- | | | |
|--|---|------------|
| Timing and duration of primary moult in New Zealand's silvereye (tauhou, <i>Zosterops lateralis</i>) | Scott, T.; Scholer, M.; Melville, D.S.; Underhill, L.G. | 97 |
| Seasonal movements, foraging activity, and breeding biology of black-winged petrel (<i>Pterodroma nigripennis</i>) from three New Zealand colonies | Rayner, M.J.; Gaskin, C.P.; Taylor, G.A. | 111 |
| Why did they die? Analysing the cause of death of grounded seabirds lodged at an avian rescue centre in Auckland, New Zealand | Heswall, A-M.; Dominguez, A.; Wijaya, B.; Miller, L.; Cain, K.; Friesen, M.; Gaskett, A. | 124 |

Short notes

- | | | |
|--|---|------------|
| Long-distance dispersal by a <i>Coenocorypha</i> snipe | Miskelly, C.M.; Shepherd, L.D. | 135 |
| Riflemen (tītītipounamu, <i>Acanthisitta chloris</i> : Acanthisittidae) eating seeds of silver beech (tawhai, <i>Lophozonia menziesii</i> : Nothofagaceae) | Pure, G.A.; Miskelly, C.M. | 139 |
| Plumage colour aberrations in erect-crested penguins (<i>Eudyptes sclateri</i>) on Antipodes Island | White, J.; Mattern, T.; Pütz, K.; Mattern, H.; Houston, D.; Long, R.; Keys, B.C.; Ellenberg, U.; Garcia-Borboroglu, P. | 143 |
| Female North Island brown kiwi (<i>Apteryx mantelli</i>) involved in incubation and chick care | Craig, J.L.; Dowd, C.; Stewart, A. | 147 |

Volume 70, Part 4, December 2023

CONTENTS

Papers

- | | | |
|--|--|------------|
| Hand-rearing and translocation trial of the critically endangered kuaka Whenua Hou (Whenua Hou diving petrel; <i>Pelecanoides georgicus whenuahouensis</i>) | Waipoua, T.A.; Mitchell, C.; Ellenberg, U.; Fischer, J.H. | 151 |
| Changes in a New Zealand wetland bird community following creation of a predator-fenced sanctuary | Miskelly, C.M.; Bell, B.D.; Bishop, D.M. | 160 |
| An historical review of tree martin (<i>Petrochelidon nigricans</i>) records in New Zealand | Watola, G.V. | 170 |

Short notes

- | | | |
|---|--------------------------------------|------------|
| Observations of birds on Niue, South Pacific (2014 & 2022), with a new locality record for brown booby (<i>Sula leucogaster</i>) and sooty tern (<i>Onychoprion fuscatus</i>) | Armitage, I.; Hutzler, I. | 182 |
| Pied shags (<i>Phalacrocorax varius</i>) devour ducklings and pursuit-dive after adult New Zealand scaup (<i>Aythya novaeseelandiae</i>) | Bell, B.D.; Gee, C. | 187 |
| A significant remnant population of whio (blue duck, <i>Hymenolaimus malacorhynchos</i>) bridging the gap between Fiordland and West Coast Recovery Sites, South Island, New Zealand | Hufton, R.L.; Robertson, B.C. | 190 |

Book review

- | | | |
|---|-------------------|------------|
| Letters of a Naturalist – The Field Accounts of Richard Henry of Resolution Island. | Savage, J. | 196 |
|---|-------------------|------------|

Obituary

- | | | |
|----------------------|-------------------|------------|
| David Edgar Crockett | Miller, P. | 199 |
|----------------------|-------------------|------------|

INDEX OF AUTHORS AND SPECIES

Volume 70

- Acanthis flammea*, see redpoll, common
Acanthisitta chloris, see rifleman
 Acanthisittidae, 81, 139
 Acanthizidae, 81
Accipiter fasciatus, see goshawk, brown
Aerodramus spodiopygius, see swiftlet, white-rumped
 'alae, see gallinule, common
 albatross, Antipodean, 118
 black-browed, 52, 55
 Buller's, 49-59, 118
 Chatham Island, 50-52, 54, 55, 68, 70
 grey-headed, 68
 Indian Ocean yellow-nosed, 65
 New Zealand breeding spp., 49
 northern Buller's, 49-59
 northern royal, 118
 Salvin's, 49, 51, 52, 70
 southern Buller's, 49-53, 56, 57
 southern royal, 79
 spp., 52, 53
 yellow-nosed, see albatross, Indian Ocean
 yellow-nosed
Anas acuta, see pintail, northern
 castanea, see teal, chestnut
 chlorotis, see teal, brown
 gracilis, see teal, grey
 platyrhynchos, see mallard, or duck, mallard
 rhynchotis, see *Spatula rhynchotis*
 superciliosa, see duck, grey
 Anatiformes, 163
Anhinga melanogaster novaehollandiae, see darter
Anous minutus, see noddy, black.
 stolidus, see noddy, brown
Anthornis melanura, see bellbird
Aplonis cantoroides, see starling, singing
 insularis, see starling, Rennell
 tabuensis, see starling, Polynesian
Aptenodytes patagonicus, see penguin, king
 Apterygidae, 31
Apteryx australis, see kiwi, southern brown
 haastii, see kiwi, great spotted
 mantelli, see kiwi, North Island brown
 owenii, see kiwi, little spotted
 rowi, see rowi, or kiwi, Ōkārito brown
Apus pacificus, see swift, fork-tailed
Ardea alba, see egret, great, or heron, white
Ardena bulleri, see shearwater, Buller's
 carneipes, see shearwater, flesh-footed
 creatopus, see shearwater, pink-footed
 gravis, see shearwater, great
 grisea, see shearwater, sooty
 pacifica, see shearwater, wedge-tailed
 ARMITAGE, I.; HUTZLER, I. Observations of birds
 on Niue, South Pacific (2014 & 2022),
 with a new locality record for brown booby
 (*Sula leucogaster*) and sooty tern (*Onychoprion
 fuscatus*), 182-186
Aythya novaeseelandiae, see scaup, New Zealand
 baghigho, see myzomela, cardinal
 BELL, B.D.; GEE, C. Pied shags (*Phalacrocorax varius*)
 devour ducklings and pursuit-dive after adult
 New Zealand scaup (*Aythya novaeseelandiae*),
 187-189
 BELL, B.D., see MISKELLY, C.M.; BELL, B.D.;
 BISHOP, D.M.
 BELL, E.A., see MISKELLY, C.M.; CROSSLAND,
 A.C.; SAVILLE, I.; SOUTHEY, I.;
 TENNYSON, A.J.D.; BELL, E.A.
 BELL, M., see CARGILL, C.P.; TOWNSEND, D.;
 McARTHUR, N.R.; MORGENSTERN, R.;
 MORRISSEY, M.; SHERLEY, G.; BELL, M.
 bellbird, 76-78, 81
 bird, endemic forest spp., 161
 flightless spp., 74
 forest spp., 161, 165
 land spp., 74-82
 New Zealand land spp., 74-82
 non-endemic spp., 161
 non-passerine spp., 74-82
 North American spp., 79
 wetland spp., 84, 160-169
 BISHOP, D.M., see MISKELLY, C.M.; BELL, B.D.;
 BISHOP, D.M.
 bittern, Australasian, 46, 70
 blackbird, Eurasian, 43, 76-79, 82
 BLISS, J., see JACQUES, S.; REES, G.; RHODES, P.;
 BLISS, J.; ROBERTS, J.; McCLELLAND, P.
 booby, brown, 182, 183, 185
 masked, 70
 red-footed, 66
 red-footed (Indo-Pacific subsp.), 66
Botaurus poiciloptilus, see bittern, Australasian
Branta canadensis, see goose, Canada
 BRETT, B., see ROWE, S.P.; STOTT, M.B.; BRETT, B.;
 DHAMI, M.K.
Bubulcus ibis, see egret, cattle
 ibis coromandus, see egret, eastern cattle
Bulweria bulwerii, see petrel, Bulwer's
 bustard, great, 79
 BUTCHER, S.C.; CROSSLAND, A.C.; CRUTCHLEY,
 P.; MUGAN, N.D. First records of eastern
 cattle egret (*Bubulcus ibis coromandus*) in the
 Solomon Islands, 83-85
 cahow, Bermudan, 200
 CAIN, K., see HESWALL, A.-M.; DOMINGUEZ,
 A.; WIJAYA, B.; MILLER, L.; CAIN, K.;
 FRIESEN, M.; GASKETT, A.

- Calidris alba*, see sanderling
alpina, see dunlin
mauri, see sandpiper, western
pugnax, see ruff
spp., 105
subminuta, see stint, long-toed
tenuirostris, see knot, great
- Callaeas cinerea*, see kōkako, South Island
wilsoni, see kōkako, North Island
- Callaeidae, 81
- Calonectris borealis*, see shearwater, Cory's
- Carduelis carduelis*, see goldfinch, European
- CARGILL, C.P.; TOWNSEND, D.; McARTHUR, N.R.; MORGENSTERN, R.; MORRISSEY, M.; SHERLEY, G.; BELL, M. The conservation status of Hutton's shearwater (*Puffinus huttoni*) at Shearwater Stream, Kaikōura, New Zealand: a small population at risk? 1-13
- Catharacta antarctica*, see skua, subantarctic
maccormicki, see skua, south polar
- Charadriidae, 81
- charadriiform spp., 119
- Charadrius bicinctus*, see dotterel, banded
leschenaultii, see plover, greater sand
obscurus, see dotterel, New Zealand
obscurus aquilonius, see dotterel, northern New Zealand
obscurus obscurus, see dotterel, southern New Zealand
spp., 105
- Chenonetta jubata*, see duck, Australian wood
- Cheramoeca leucosternus*, see swallow, white-backed chicken, feral, 183
- Chlidonias albostratus*, see tern, black-fronted
hybridus, see tern, whiskered
leucopterus, see tern, white-winged black
niger, see tern, black
niger niger, see tern, Eurasian black
niger surinamensis, see tern, American black
- Chroicocephalus novaehollandiae scopulinus*, see gull, red-billed
- Chrysococcyx lucidus*, see cuckoo, shining
- Circus approximans*, see harrier, swamp
- Clangula hyemalis*, see duck, long-tailed
- Coenocorypha aucklandica aucklandica*, see snipe, Auckland Island
aucklandica perseverance, see snipe, Campbell Island
huegeli, see snipe, Snares Island
pusilla, see snipe, Chatham Island
spp., see snipe, New Zealand spp.
- Columbidae, 81
- Cookilaria* spp., 111, see also *Pterodroma* spp.
- coot, Australian, 169
- Coracina lineata*, see cuckooshrike, barred
- CRAIG, J.L.; DOWD, C.; STEWART, A. Female North Island brown kiwi (*Apteryx mantelli*) involved in incubation and chick care, 147-150
- CROCKETT, D.E., see OBITUARY
- CROSSLAND, A.C., see MISKELLY, C.M.;
CROSSLAND, A.C.; SAVILLE, I.; SOUTHEY, I.; TENNYSON, A.J.D.; BELL, E.A.
- CROSSLAND, A.C., see BUTCHER, S.C.;
CROSSLAND, A.C.; CRUTCHLEY, P.;
MUGAN, N.D.
- CRUTCHLEY, P., see BUTCHER, S.C.; CROSSLAND, A.C.; CRUTCHLEY, P.; MUGAN, N.D.
- cuckoo, long-tailed, 60, 67, 75-77, 81, 91, 184
oriental, 62, 69
shining, 91
sp., 69
- cuckooshrike, barred, 91
- Cuculidae, 81
- Cuculus optatus*, see cuckoo, oriental
- Cyanoramphus auriceps*, see parakeet, yellow-crowned
novaezelandiae, see parakeet, red-crowned
- Cygnus atratus*, see swan, black
cygnus, see swan, whooper
olor, see swan, mute
- dabchick, New Zealand, 66-67, 169
- darter, 66
- Delichon urbicum*, see martin, English house
- Dendrocygna eytoni*, see duck, plumed whistling
- DHAMI, M.K., see ROWE, S.P.; STOTT, M.B.; BRETT, B.; DHAMI, M.K.
- Didunculus strigirostris*, see pigeon, tooth-billed
- Diomedea antipodensis*, see albatross, Antipodean
epomophora, see albatross, southern royal
sanfordi, see albatross, northern royal
- diver, great northern, 79
- dollarbird, 66
- DOMINGUEZ, A., see HESWALL, A-M.;
DOMINGUEZ, A.; WIJAYA, B.; MILLER, L.;
CAIN, K.; FRIESEN, M.; GASKETT, A.
- dotterel, banded, 161
New Zealand, 46, 67, 76, 77, 81
northern New Zealand, 67
southern New Zealand, 46
- dove, laughing, 107
purple-capped fruit, 183, 184
silver-capped fruit, 91
spotted, 67
- DOWD, C., see CRAIG, J.L.; DOWD, C.;
STEWART, A.
- duck, Australian wood, 61
blue, 43, 190-195
endemic New Zealand spp., 161
grey, 169
long-tailed, 79
mallard, 69, 160, 163, 165, 166, 169, 188
plumed whistling, 61
- Ducula pacifica*, see pigeon, Pacific, or pigeon, Pacific imperial
- dunlin, 108
- egret, cattle, 70, 83-85
eastern cattle, 83-85
great, 84

- Egretta novaehollandiae*, see heron, white-faced
sacra, see heron, reef
- ELLENBERG, U., see WHITE, J.; MATTERN, T.;
 PÜTZ, K.; MATTERN, H.; HOUSTON, D.;
 LONG, R.; KEYS, B.C.; ELLENBERG, U.;
 GARCIA-BORBOROGLU, P.
- ELLENBERG, U., see WAIPOUA, T.A.; MITCHELL,
 C.; ELLENBERG, U.; FISCHER, J.H.
- Eolophus roseicapilla*, see galah
- Eudynamys taitensis*, see cuckoo, long-tailed
- Eudyptes chrysolophus*, see penguin, macaroni
filholi, see penguin, eastern rockhopper
pachyrhynchus, see penguin, Fiordland crested
robustus, see penguin, Snares crested
schlegeli, see penguin, royal
sclateri, see penguin, erect-crested
- Eudyptula minor*, see penguin, little
- Eurystomus orientalis*, see dollarbird
- Falco cenchroides*, see kestrel, nankeen
novaezeelandiae, see falcon, New Zealand
subniger, see falcon, black
- falcon, black, 70
 New Zealand, 70, 166
- fantail, New Zealand, 74-79, 82
- FISCHER, J.H., see WAIPOUA, T.A.; MITCHELL, C.;
 ELLENBERG, U.; FISCHER, J.H.
- flycatcher, satin, 71
- Fratercula arctica*, see puffin, Atlantic
- Fregata ariel*, see frigatebird, lesser
minor, see frigatebird, great
 sp., see frigatebird sp.
- Fregetta tropica*, see storm petrel, black-bellied
- FRIESEN, M., see HESWALL, A-M.; DOMINGUEZ,
 A.; WIJAYA, B.; MILLER, L.; CAIN, K.;
 FRIESEN, M.; GASKETT, A.
- frigatebird, great, 66, 70, 71, 185
 lesser, 66, 71
 spp., 66
- Fringillidae, 82
- Fulica atra*, see coot, Australian
- galah, 69
- Gallinula galeata*, see gallinule, common
- gallinule, common, 91
- Gallirallus australis*, see weka
philippensis, see rail, banded
- Gallus gallus*, see chicken, feral
- gannet, northern, 129
- GARCIA-BORBOROGLU, P., see WHITE, J.;
 MATTERN, T.; PÜTZ, K.; MATTERN, H.;
 HOUSTON, D.; LONG, R.; KEYS, B.C.;
 ELLENBERG, U.;
 GARCIA-BORBOROGLU, P.
- Garrodia nereis*, see storm petrel, grey-backed
- GASKETT, A., see HESWALL, A-M.; DOMINGUEZ,
 A.; WIJAYA, B.; MILLER, L.; CAIN, K.;
 FRIESEN, M.; GASKETT, A.
- GASKIN, C.P., see RAYNER, M.J.; GASKIN, C.P.;
 TAYLOR, G.A.
- Gavia immer*, see diver, great northern
- GEE, C., see BELL, B.D.; GEE, C.
- Gelochelidon nilotica*, see tern, gull-billed
nilotica addenda, see tern, gull-billed
nilotica affinis, see tern, gull-billed
nilotica aranea, see tern, gull-billed
nilotica grönvaldi, see tern, gull-billed
nilotica macrotarsa, see tern, gull-billed
nilotica nilotica, see tern, gull-billed
nilotica vanrossemi, see tern, gull-billed
- Gerygone igata*, see warbler, grey
- ghaapilu, see starling, Rennell, or starling, singing
- GILL, B.J. Wing areas and wing loadings of
 New Zealand land birds, 74-82
- godwit, bar-tailed, 46
 black-tailed, 62
 eastern bar-tailed, 135
 Hudsonian, 62
- goldfinch, European, 76-78, 82
- goose, Canada, 79
- goshawk, brown, 91
- grebe, Australasian little, 67
- greenshank, common, 63
- gull, black-backed, 46, 87, 160, 162, 163, 165, 166, 169
 kelp, 107
 Pacific, 70
 red-billed, 87, 162, 169
 southern black-backed, see gull, black-backed
- gupe, see pigeon, Pacific imperial
- Gygis alba*, see tern, white
- Haematopus finschi*, see oystercatcher, South Island pied
- haerenoa, see swallow, Australian
- harrier, Australasian, see harrier, swamp
 swamp, 20, 25, 86-88, 114, 119, 120
- Hemiphaga chathamensis*, see pigeon, Chatham Island
- novaezeelandiae*, see pigeon, New Zealand
- heron, nankeen night, 69, 70
 reef, 183, 185
 sp. 70
 white, 169
 white-faced, 169
- HESWALL, A-M.; DOMINGUEZ, A.; WIJAYA,
 B.; MILLER, L.; CAIN, K.; FRIESEN, M.;
 GASKETT, A. Why did they die? Analysing the
 cause of death of grounded seabirds lodged at an
 avian rescue centre in Auckland, New Zealand,
 124-134
- higi, see dove, silver-capped fruit
- hihi, 71, see also stitchbird
- Himantopus himantopus*, see stilt, pied
- Hirundapus caudacutus*, see needletail, white-throated
- hirundine spp., 170-181
- Hirundinidae, 82
- Hirundo frontalis*, see *Hirundo neoxena*
neoxena, see swallow, welcome
rustica, see swallow, barn
- HOLDAWAY, R.N. Letter to the Editor, 96
- HOUSTON, D., see WHITE, J.; MATTERN, T.; PÜTZ,
 K.; MATTERN, H.; HOUSTON, D.; LONG,

- R.; KEYS, B.C.; ELLENBERG, U.; GARCIA-BORBOROGLU, P.
- HOWARD, T., see ROWE, L.K.; HOWARD, T.
- HUFTON, R.L.; ROBERTSON, B.C. A significant remnant population of whio (blue duck, *Hymenolaimus malacorhynchos*) bridging the gap between Fiordland and West Coast Recovery Sites, South Island, New Zealand, 190-195
- HUNT, E.K.S., see THOMAS, O.J.W.; HUNT E.K.S.
- HUTZLER, I., see ARMITAGE, I.; HUTZLER, I.
- Hydrobates leucorhous*, see storm petrel, Leach's
- matsudairae*, see storm petrel, Matsudaira's
- microsoma*, see storm petrel, least
- Hydroprogne caspia*, see tern, Caspian
- Hymenolaimus malacorhynchos*, see duck, blue
- JACQUES, S.; REES, G.; RHODES, P.; BLISS, J.; ROBERTS, J.; McCLELLAND, P. First and second breeding of Australian gull-billed tern (*Gelochelidon nilotica macrotarsa*) in New Zealand, 45-48
- kaageba, see cuckoo, long-tailed
- kākā, 42-44, 76, 77, 81, 96, 141, 197
South Island, 42-44, 96, 197
- kākāpō, 31, 32, 75, 76, 78, 81, 196-198
- kakarai, see tern, white
- kakarai māui, see tern, black-naped
- kākāriki, see parakeet, red-crowned
- kakaruai, see robin, South Island
- kakātau, see swan, black
- kārearea, see falcon, New Zealand
- karoro, see gull, black-backed
- kāruhiruhi, see shag, pied
- kawaupaka, see shag, little
- kawau tūi, see shag, little black
- kea, 43, 79
- kererū, see pigeon, New Zealand
- kestrel, nankeen, 66
- KEYS, B.C., see WHITE, J.; MATTERN, T.; PÜTZ, K.; MATTERN, H.; HOUSTON, D.; LONG, R.; KEYS, B.C.; ELLENBERG, U.; GARCIA-BORBOROGLU, P.
- kingfisher, sacred, 169
- kinglet, golden-crowned, 79
- kiwi, great spotted, 196
little spotted, 147
North Island brown, 147-150
Ōkārito brown, see rowi
rowi, 31
southern brown, 43, 196, 197
spp., 31-38, 147-150
- knot, great, 62
- kōkako, North Island, 74, 76-79, 81
South Island, 70
- kōtare, see kingfisher, sacred
- kōtuku, see heron, white
- kōtuku ngutupapa, see spoonbill, royal
- kuaka, see petrel, common diving
- kuaka Whenua Hou, see petrel, Whenua Hou diving
- kuruwheangi, see shoveler, Australasian
- Lalage maculosa*, see triller, Polynesian
- Larus dominicanus*, see gull, black-backed, or gull, kelp
- novaehollandiae*, see gull, red-billed
- pacificus*, see gull, Pacific
- lenga, see lorikeet, palm
- LETTER TO THE EDITOR: Holdaway, R.N., 96
- Leucocarbo carunculatus*, see shag, king
- chalconotus*, see shag, Otago
- ligobai, see cuckooshrike, barred
- Limosa haemastica*, see godwit, Hudsonian
- lapponica*, see godwit, bar-tailed
- lapponica baueri*, see godwit, eastern bar-tailed
- limosa melanuroides*, see godwit, black-tailed
- LONG, R., see WHITE, J.; MATTERN, T.; PÜTZ, K.; MATTERN, H.; HOUSTON, D.; LONG, R.; KEYS, B.C.; ELLENBERG, U.; GARCIA-BORBOROGLU, P.
- lorikeet, blue-crowned, 183
palm, 90
- Lorius chlorocercus*, see lory, yellow-bibbed
- lory, yellow-bibbed, 91
- Macronectes halli*, see petrel, northern giant
- mallard, 69, 160, 163, 165, 166, 169, 188
- manumea, see pigeon, tooth-billed
- manumea, see myzomela, cardinal
- manutangionge, see cuckoo, shining
- māpanga, see shag, black
- martin, Australian tree, 71, 170-181
English house, 173
fairy, 171, 178
- MATTERN, H., see WHITE, J.; MATTERN, T.; PÜTZ, K.; MATTERN, H.; HOUSTON, D.; LONG, R.; KEYS, B.C.; ELLENBERG, U.; GARCIA-BORBOROGLU, P.
- MATTERN, T., see WHITE, J.; MATTERN, T.; PÜTZ, K.; MATTERN, H.; HOUSTON, D.; LONG, R.; KEYS, B.C.; ELLENBERG, U.; GARCIA-BORBOROGLU, P.
- matuku moana, see heron, white-faced
- McARTHUR, N.R., see CARGILL, C.P.; TOWNSEND, D.; McARTHUR, N.R.; MORGENSTERN, R.; MORRISSEY, M.; SHERLEY, G.; BELL, M.
- McCLELLAND, P., see JACQUES, S.; REES, G.; RHODES, P.; BLISS, J.; ROBERTS, J.; McCLELLAND, P.
- Megadyptes antipodes*, see penguin, yellow-eyed
- Meliphagidae, 81
- MELVILLE, D.S., see SCOTT, T.; SCHOLER, M.; MELVILLE, D.S.; UNDERHILL, L.G.
- Microcarbo melanoleucos*, see shag, little
- mihi, see myzomela, cardinal
- MILLER, L., see HESWALL, A-M.; DOMINGUEZ, A.; WIJAYA, B.; MILLER, L.; CAIN, K.; FRIESEN, M.; GASKETT, A.
- MILLER, P. Obituary: David Edgar Crockett, 25 March 1936-24 August 2023, 199-201
- MISKELLY, C.M.; TAYLOR, G.A. Longevity record

- for common diving petrel (kuaka, *Pelecanoides urinatrix*) in New Zealand, 39-41
- MISKELLY, C.M.; CROSSLAND, A.C.; SAVILLE, I.; SOUTHEY, I.; TENNYSON, A.J.D.; BELL, E.A. Vagrant and extra-limital bird records accepted by the Birds New Zealand Records Appraisal Committee 2021-2022, 60-73
- MISKELLY, C.M.; SHEPHERD, L.D. Long-distance dispersal by a *Coenocorypha* snipe, 135-138
- MISKELLY, C.M.; BELL, B.D.; BISHOP, D.M. Changes in a New Zealand wetland bird community following creation of a predator-fenced sanctuary, 160-169
- MISKELLY, C.M., see PURE, G.A.; MISKELLY, C.M.
- MITCHELL, C., see WAIPOUA, T.A.; MITCHELL, C.; ELLENBERG, U.; FISCHER, J.H.
- Mohoua albicilla*, see whitehead
- Mohouidae, 82
- mollymawk, black-browed, 52, 55
 Buller's, 49-59, 118
 Buller's subsp., 49-59
 Chatham Island, 50-52, 54, 55, 68, 70
 grey-headed, 68
 Indian Ocean yellow-nosed, 65
 New Zealand breeding spp., 49
 northern Buller's, 49-59
 Salvin's, 49, 51, 52, 70
 southern Buller's, 49-53, 55-57
 spp., 53
 yellow-nosed, 65
- MORGENSTERN, R., see CARGILL, C.P.; TOWNSEND, D.; McARTHUR, N.R.; MORGENSTERN, R.; MORRISSEY, M.; SHERLEY, G.; BELL, M.
- MORRISSEY, M., see CARGILL, C.P.; TOWNSEND, D.; McARTHUR, N.R.; MORGENSTERN, R.; MORRISSEY, M.; SHERLEY, G.; BELL, M.
- Morus bassanus*, see gannet, northern
- MUGAN, N.D., see BUTCHER, S.C.; CROSSLAND, A.C.; CRUTCHLEY, P.; MUGAN, N.D.
- muttonbird spp., 15
- Myiagra cyanoleuca*, see flycatcher, satin
- myzomela, cardinal, 90
- Myzomela cardinalis*, see myzomela, cardinal
- needletail, white-throated, 62
- Nestor meridionalis*, see kākā
 notabilis, see kea
- NEUREUTER, R., see RAYNER, M.J.; NEUREUTER, R.; NEUREUTER, S.; NEUREUTER, Z.
- NEUREUTER, S., see RAYNER, M.J.; NEUREUTER, R.; NEUREUTER, S.; NEUREUTER, Z.
- NEUREUTER, Z., see RAYNER, M.J.; NEUREUTER, R.; NEUREUTER, S.; NEUREUTER, Z.
- noddy, black, 67, 69, 71, 94
 brown, 67, 71, 94, 184
- Notiomystidae, 82
- Notiomystis cincta*, see stitchbird or hihi
- Numenius hudsonicus*, see whimbrel, American
 minutus, see whimbrel, little
 phaeopus, see whimbrel, Eurasian
- Nycticorax caledonicus*, see heron, nankeen night
- OBITUARY: David Edgar Crockett, 25 March 1936-24 August 2023. Miller, P. 199-201
- ōi, see petrel, grey-faced
- Onychoprion anaethetus*, see tern, bridled
 fuscatus, see tern, sooty
 lunatus, see tern, grey-backed
- Otis tarda*, see bustard, great
- owl, barn, 70, 185
- oystercatcher, South Island pied, 47
- Pachyptila belcheri*, see prion, thin-billed
 desolata, see prion, Antarctic
 turtur, see prion, fairy
 vittata, see prion, broad-billed
- pāpango, see scaup, New Zealand
- parakeet, red-crowned, 69, 75-77, 81, 90
 yellow-crowned, 141
- parea, see pigeon, Chatham Island
- pārera, see duck, grey
- Passer domesticus*, see sparrow, house
- Passeridae, 82
- passerine, native spp., 75
 spp., 74-82
- pāteke, see teal, brown
- PEARMAN-FENTON, M.; SCHLESSELMANN, A.; WALKER, S. Kākā (*Nestor meridionalis*) investigate and depredate kakarua (South Island robin *Petroica australis australis*) eggs, 42-44.
- Pelagodroma marina dulciae*, see storm petrel, Australian white-faced
 marina maoritana, see storm petrel, white-faced
- Pelecanoides georgicus whenuahouensis*, see petrel, Whenua Hou diving
 urinatrix chathamensis, see petrel, southern diving
 urinatrix exsul, see petrel, subantarctic diving
 urinatrix urinatrix, see petrel, common diving
- penguin, Adelie, 60, 65, 144, 145
 African, 144, 145
 chinstrap, 144
 crested spp., 144, 145
 eastern rockhopper, 67
 erect-crested, 67, 70, 143-146
 Fiordland crested, 197
 gentoo, 144
 Humboldt, 144
 king, 65, 144
 little, 129
 little blue, see penguin, little
 macaroni, 144
 Magellanic, 144
 royal, 65, 144
 Snares crested, 70, 144
 southern rockhopper, 144
 spp., 144
 yellow-eyed, 129, 144, 145
- petrel, Antarctic, 65

- Bermuda, 27, 200
 black, 16
 black-winged, 111-123
 Bonin, 118
 Bulwer's, 70
 burrowing spp., 1-13, 14-30, 151-159
 Chatham, 27, 118-120
 collared, 66
 common diving, 26, 27, 39-41, 152, 153, 156
Cookilaria spp., 111
 Cook's, 118, 119, 124-134
 Gould's, 27, 66, 71, 120
 great-winged, 70
 grey, 126
 grey-faced, 126, 156
 Juan Fernandez, 65
 Kermadec, 68
 mottled, 68, 71
 New Caledonian, 120
 northern giant, 55
 providence, 65, 72, 156
 Pycroft's, 27, 118, 120
 soft-plumaged, 68
 southern Cook's, 120
 southern diving, 40
 spp., 40, 52, 71, 74
 Stejneger's, 66
 subantarctic diving, 40
 Whenua Hou diving, 151-159
 white-chinned, 52, 55
 white-headed, 68, 71, 119
 white-naped, 68, 71
 white-winged, see petrel, Gould's
Petrochelidon ariel, see martin, fairy
nigricans, see martin, Australian tree
Petroica australis australis, see robin, South Island
longipes, see robin, North Island
macrocephala, see tomtit
 Petroicidae, 82
Phaethon lepturus, see tropicbird, white-tailed
rubricauda, see tropicbird, red-tailed
 sp., see tropicbird sp.
 Phalacrocoracidae, 164
Phalacrocorax carbo, see shag, black
sulcirostris, see shag, little black
varius, see shag, pied
 phalarope, red-necked, 62
Phalaropus lobatus, see phalarope, red-necked
Philesturnus rufusater, see saddleback, North Island
 pigeon, Chatham Island, 90, 137
 New Zealand, 76, 77, 81
 Pacific, 182, 184, see also pigeon, Pacific
 imperial
 Pacific imperial, 91
 tooth-billed, 90
 pintail, northern, 60, 61
 piopio, North Island, 71
Platalea regia, see spoonbill, royal
Ploceus rubiginosus, see weaver, chestnut
 spp., see weaver spp.
velatus, see weaver, masked
 plover, golden, 182, 184
 greater sand, 62, 69
 grey, 69
 spur-winged, 169
Pluvialis fulva, see plover, golden
squatarola, see plover, grey
 poaka, see stilt, pied
Poliocephalus rufopectus, see dabchick, New Zealand
Porphyrio hochstetteri, see takahe, South Island
melanotus, see pukeko, see also swamphen,
 purple, and swamphen, South-west Pacific
 prion, Antarctic, 68, 70
 broad-billed, 68, 120
 fairy, 26, 27, 126
 thin-billed, 66
Procellaria aequinoctialis, see petrel, white-chinned
cinerea, see petrel, grey
parkinsoni, see petrel, black
 Procellariid spp., 39-41
 Procellariiform spp., 74, 79, 111-123, 124-134, 151-159
Prothemadera novaeseelandiae, see tūi
 Psittacidae, 81
 Psittaciformes, 44
Pterodroma Australasian spp., 111
axillaris, see petrel, Chatham
brevipes, see petrel, collared
cahow, see petrel, Bermuda, see also cahow,
 Bermuda
cervicalis, see petrel, white-naped
cookii, see petrel, Cook's
cookii cookii, see petrel, northern Cook's
cookii orientalis, see petrel, southern Cook's
externa, see petrel, Juan Fernandez
gouldi, see petrel, grey-faced
hypoleuca, see petrel, Bonin
inexpectata, see petrel, mottled
lessonii, see petrel, white-headed
leucoptera, see petrel, Gould's
leucoptera caledonica, see petrel, New
 Caledonian
leucoptera leucoptera, see petrel, Gould's
longirostris, see petrel, Stejneger's
macroptera macroptera, see petrel, great-winged
magentae, see taiko, Chatham Island
mollis, see petrel, soft-plumaged
neglecta, see petrel, Kermadec
nigripennis, see petrel, black-winged
pycrofti, see petrel, Pycroft's
solandri, see petrel, providence
 spp., 111-123
Ptilinopus porphyraceus, see dove, purple-capped fruit
richardsii, see dove, silver-capped fruit
 puffin, Atlantic, 26
Puffinus elegans, see shearwater, subantarctic little
gavia, see shearwater, fluttering
huttoni, see shearwater, Hutton's
newelli, see shearwater, Newell's
puffinus, see shearwater, Manx
tenuirostris, see shearwater, short-tailed

- yelkouan*, see shearwater, Yelkouan
- pūkeko, 74-79, 81, 89, 90, 169
- PURE, G.A.; MISKELLY, C.M. Rifleman (*tītītipounamu*, *Acanthisitta chloris*: *Acanthisittidae*) eating seeds of silver beech (*tawhai*, *Lophozonia menziesii*: *Nothofagaceae*), 139-142
- pūtāngitangi, see shelduck, paradise
- PÜTZ, K., see WHITE, J.; MATTERN, T.; PÜTZ, K.; MATTERN, H.; HOUSTON, D.; LONG, R.; KEYS, B.C.; ELLENBERG, U.; GARCIA-BORBOROGLU, P.
- Pygoscelis adeliae*, see penguin, Adelie
- antarcticus*, see penguin, chinstrap
- papua*, see penguin, gentoo
- QUIÑONES, J.; ZAVALAGA, C.; ROBERTSON, C.J.R. Identifying northern Buller's albatross (*Thalassarche bulleri* subsp.) in offshore waters of southern Perú, 49-59
- rail, banded, 76, 77, 81, 183, 184
spp., 79
- rakiraki, see mallard
- Rallidae, 81
- raptor, African spp., 79
- RAYNER, M.J.; NEUREUTER, R.; NEUREUTER, S.; NEUREUTER, Z. Swamp harrier (*Circus approximans*) predation of white-fronted tern (*Sterna striata*) chicks on the Noises Islands, New Zealand, 86-88
- RAYNER, M.J.; GASKIN, C.P.; TAYLOR, G.A. Seasonal movements, foraging activity, and breeding biology of black-winged petrel (*Pterodroma nigripennis*) from three New Zealand colonies, 111-123
- redpoll, common, 48
- REES, G., see JACQUES, S.; REES, G.; RHODES, P.; BLISS, J.; ROBERTS, J.; McCLELLAND, P.
- Regulus satrapa*, see kinglet, golden-crowned
- REVIEW: Savage, J.L. Letters of a Naturalist – The Field Accounts of Richard Henry of Resolution Island (Hill, S.; Hill, J.; Jaenecke, V. eds), 196-198
- Rhipidura fuliginosa*, see fantail, New Zealand
- Rhipiduridae, 82
- RHODES, P., see JACQUES, S.; REES, G.; RHODES, P.; BLISS, J.; ROBERTS, J.; McCLELLAND, P.
- RICHTER-GRAVIER, R. Polynesian traditions explain why some birds are red or black, 89-92
- rifleman, 76-78, 81, 139-142
- riroriro, see warbler, grey
- ROBERTS, J., see JACQUES, S.; REES, G.; RHODES, P.; BLISS, J.; ROBERTS, J.; McCLELLAND, P.
- ROBERTSON, B.C., see HUFTON, R.L.; ROBERTSON, B.C.
- ROBERTSON, C.J.R., see QUIÑONES, J.; ZAVALAGA, C.; ROBERTSON, C.J.R.
- robin, "black North Island", 172
North Island, 43, 76-78, 82
South Island, 42-44, 76
- ROWE, L.K.; HOWARD, T. Hutton's shearwater (*Puffinus huttoni*) at Te Rae o Atiu, Kaikōura Peninsula South Island east coast, New Zealand: a colony established by translocations – 16 years progress, 14-30
- ROWE, S.P.; STOTT, M.B.; BRETT, B.; DHAMI, M.K. A PCR-based assay for screening substrates for *Aspergillus fumigatus* for application in kiwi hatcheries, 31-33
- rowi, 31-36
ruff, 62
- saddleback, North Island, 74, 76-79, 81
- sanderling, 62, 184
- sandpiper, spp., 135
terek, 63
western, 62
wood, 107
- SAVAGE, J.L. Review: Letters of a Naturalist – The Field Accounts of Richard Henry of Resolution Island (Hill, S.; Hill, J.; Jaenecke, V. eds), 196-198
- SAVILLE, I., see MISKELLY, C.M.; CROSSLAND, A.C.; SAVILLE, I.; SOUTHEY, I.; TENNYSON, A.J.D.; BELL, E.A.
- scaup, New Zealand, 160, 163, 165, 166, 169, 187, 188
- SCHLESSELMANN, A., see PEARMAIN-FENTON, M.; SCHLESSELMANN, A.; WALKER, S.
- SCHOLER, M., see SCOTT, T.; SCHOLER, M.; MELVILLE, D.S.; UNDERHILL, L.G.
- Scolopacidae, 135
- SCOTT, T.; SCHOLER, M.; MELVILLE, D.S.; UNDERHILL, L.G. Timing and duration of primary moult in New Zealand's silvereye (*tauhou*, *Zosterops lateralis*), 97-110
- seabird spp., 1-13, 14-30, 49-59, 60-73, 74, 86-88, 111-123, 124-134, 143-146, 151-159
- shag, black, 160, 164-166, 169
king, 69
little, 160, 164-166, 169
little black, 164, 165, 169
Otago, 69
pied, 160, 164-166, 169, 187
spp., 163
- shearwater, Buller's, 125
Cory's 129
flesh-footed, 125, 126
fluttering, 16, 26-28
great, 66, 72
Hutton's, 1-13, 14-30, 43
Manx, 14, 28, 156
Newell's, 15
pink-footed, 66
short-tailed, 129
sooty, 40, 126
subantarctic little, 69
wedge-tailed, 68, 200
Yelkouan, 156
- shelduck, chestnut-breasted, 61

- paradise, 160, 163, 165, 169, 188, 197
 SHEPHERD, L.D., see MISKELLY, C.M.;
 SHEPHERD, L.D.
 SHERLEY, G., see CARGILL, C.P.; TOWNSEND, D.;
 McARTHUR, N.R.; MORGENSTERN, R.;
 MORRISSEY, M.; SHERLEY, G.; BELL, M.
 shoveler, Australasian, 169
 northern, 61, 69
 sibigi, see lory, yellow-bibbed
 silveryeye, 76-79, 82, 97-110
 skua, long-tailed, 63
 south polar, 52, 63, 71
 sp., 70
 subantarctic, 67
 snipe, Antipodes Island, 137
 Auckland Island, 136, 137
 Campbell Island, 136, 137
 Chatham Island, 135-138
 Coenocorypha spp., 135-138
 Snares Island, 135, 136
 spp., 135
 songbird, endemic spp., 74-82
 introduced spp., 74-82
 native spp., 74-82, 96
 spp., 96
 SOUTHEY, I., see MISKELLY, C.M.; CROSSLAND,
 A.C.; SAVILLE, I.; SOUTHEY, I.;
 TENNYSON, A.J.D.; BELL, E.A.
 sparrow, house, 76-78, 82, 198
Spatula clypeata, see shoveler, northern
rhynchotis, see shoveler, Australasian
Spheniscus demersus, see penguin, African
humboldti, see penguin, Humboldt
magellanicus, see penguin, Magellanic
Spilopelia senegalensis, see dove, laughing
 spoonbill, royal, 46, 169
 starling, Polynesian, 185
 Rennell, 91
 singing, 91
Stercorarius longicaudus, see skua, long-tailed
Sterna hirundo, see tern, common
 paradisaea, see tern, Arctic
 striata, see tern, white-fronted
 sumatrana, see tern, black-naped
Sternula albifrons, see tern, little
 STEWART, A., see CRAIG, J.L.; DOWD, C.;
 STEWART, A.
 stilt, pied, 169
 stint, long-toed, 60, 62
 stitchbird, 71, 76-78, 82, see also hihi
 storm petrel, Australian white-faced, 70
 black-bellied, 68
 grey-backed, 68
 Leach's, 79
 least, 79
 Matsudaira's, 60, 65, 71, 72
 white-faced, 126
 STOTT, M.B., see ROWE, S.P.; STOTT, M.B.; BRETT,
 B.; DHAMI, M.K.
Streptopelia chinensis, see dove, spotted
 Strigopidae, 81
Strigops habroptilus, see kākāpō
Sula dactylatra, see booby, masked
 sula, see booby, red-footed
 sula rubripes, see booby, Indo-Pacific red-footed
 suusuubagu, see white-eye, Rennell
 swallow, Australian, 174, see also swallow, welcome
 Australian tree, 175
 barn, 79, 177, 178
 common, see swallow, welcome
 sp., 173
 tree, 174, 175
 welcome, 69, 71, 76-78, 82, 169-175, 177, 178
 white-backed, 177
 swamphen, purple, 84
 South-west Pacific, 184
 swan, black, 169
 mute, 79
 whooper, 79
 swift, fork-tailed, 69
 swiftlet, white-rumped, 184

 taba, see goshawk, brown
Tachybaptus novaehollandiae, see grebe, Australasian
 little
Tadorna tadornoides, see shelduck, chestnut-breasted
 variegata, see shelduck, paradise
 tāiko, Chatham Island, 18, 137, 200, 201
 takahe, South Island, 75-79, 81, 198
 takahikare, see storm petrel, white-faced
 tarāpunga, see gull, red-billed
 tattler, grey-tailed, 63
 wandering, 63, 184
 tauhou, see silveryeye
 TAYLOR, G.A., see MISKELLY, C.M.; TAYLOR, G.A.
 TAYLOR, G.A., see RAYNER, M.J.; GASKIN, C.P.;
 TAYLOR, G.A.
 teal, brown, 160, 163, 165, 166, 169
 chestnut, 61, 69
 grey, 69, 169
 TENNYSON, A.J.D., see MISKELLY, C.M.;
 CROSSLAND, A.C.; SAVILLE, I.; SOUTHEY,
 I.; TENNYSON, A.J.D.; BELL, E.A.
 tern, American black, 93
 Arctic, 64, 107
 Australian, 46
 Australian gull-billed, 45-48
 black, 60, 64, 70-72, 93-95
 black-fronted, 87, 94
 black-naped, 60, 64, 71, 72, 91, 94
 bridled, 60, 63, 70, 71, 94
 Caspian, 46
 common, 64, 70, 71, 94
 crested, 64-65, 95
 Eurasian black, 93
 grey-backed, 60, 63
 gull-billed, 45-48, 63
 little, 63
 sooty, 60, 67, 94, 182, 183, 184
 sp., 70

- whiskered, 63-64, 71, 94
 white, 91, 184
 white-fronted, 46, 48, 70, 86-88, 93
 white-winged black, 93, 94
 tētē-moroiti, see teal, grey
Thalassarche bulleri, see albatross or mollymawk,
 Buller's
 bulleri bulleri, see albatross or mollymawk,
 southern Buller's
 bulleri platei, see albatross or mollymawk,
 northern Buller's
 bulleri subsp., see albatross or mollymawk,
 Buller's subsp.
 carteri, see albatross or mollymawk, Indian
 Ocean yellow-nosed
 eremita, see albatross or mollymawk, Chatham
 melanophrys, see albatross or mollymawk,
 black-browed
 platei, see albatross or mollymawk, northern
 Buller's
 salvini, see albatross or mollymawk, Salvin's
Thalasseus bergii, see tern, crested
Thalassoica antarctica, see petrel, Antarctic
 THOMAS, O.J.W.; HUNT E.K.S. Year of the tern: the
 first record of black tern (*Chlidonias niger*) from
 New Zealand, 93-95
 thrush, song, 25, 76-79, 82
 tītītipounamu, see rifleman
Todiramphus sancta, see kingfisher, sacred
 tomtit, 76-78, 82
 toutouwai, see robin, North Island
 TOWNSEND, D., see CARGILL, C.P.; TOWNSEND,
 D.; McARTHUR, N.R.; MORGENSTERN, R.;
 MORRISSEY, M.; SHERLEY, G.; BELL, M.
Trichoglossus haematodus, see lorikeet, coconut
 triller, Polynesian, 185
Tringa brevipes, see tattler, grey-tailed
 glareola, see sandpiper, wood
 incana, see tattler, wandering
 nebularia, see greenshank
 tropicbird, red-tailed, 70
 sp., 70
 white-tailed, 65, 182, 183, 185
 tūī, 74, 76-79, 81
 Turdidae, 82
Turdus merula, see blackbird, Eurasian
 philomelos, see thrush, song
Turnagra tanagra, see piopio, North Island
Tyto alba, see owl, barn

 UNDERHILL, L.G., see SCOTT, T.; SCHOLER, M.;
 MELVILLE, D.S.; UNDERHILL L.G.

Vanellus miles, see plover, spur-winged
 vili, see lorikeet, coconut
Vini australis, see lorikeet, blue-crowned
 palmarum, see lorikeet, palm

 WAIPOUA, T.A.; MITCHELL, C.; ELLENBERG, U.;

 FISCHER, J.H. Hand-rearing and translocation
 trial of the critically endangered kuaka Whenua
 Hou (Whenua Hou diving petrel; *Pelecanoides*
 georgicus whenuahouensis), 151-159
 WALKER, S., see PEARMAIN-FENTON, M.;
 SCHLESSELMANN, A.; WALKER, S.
 warbler, American spp., 107
 grey, 43, 75-78, 81
 warou, see swallow, welcome
 waterfowl spp., 187-189
 WATOLA, G.V. An historical review of tree martin
 (*Petrochelidon nigricans*) records in
 New Zealand, 170-181
 weaver, chestnut, 105
 masked, 105
 spp., 105
 weka, 75, 76-79, 81, 197
 weweia, see dabchick, New Zealand
 whimbrel, American, 69
 Eurasian, 69
 little, 62
 whio, see duck, blue
 WHITE, J.; MATTERN, T.; PÜTZ, K.; MATTERN,
 H.; HOUSTON, D.; LONG, R.; KEYS, B.C.;
 ELLENBERG, U.; GARCIA-BORBOROGLU,
 P. Plumage colour aberrations in erect-crested
 penguins (*Eudyptes sclateri*) on Antipodes
 Island, 143-146
 white-eye, Canary, 106
 Cape, 106, 107
 northern yellow, 106
 Orange River, 106
 Rennell, 91
 spp., 97-110
 warbling, 106
 whitehead, 71, 74-79, 82
 WIJAYA, B., see HESWALL, A-M.; DOMINGUEZ,
 A.; WIJAYA, B.; MILLER, L.; CAIN, K.;
 FRIESEN, M.; GASKETT, A.
 wren, New Zealand spp., 139-142

Xenus cinereus, see sandpiper, terek

 ZAVALAGA, C., see QUIÑONES, J.; ZAVALAGA, C.;
 ROBERTSON, C.J.R.
 Zosteropidae, 82, 97-110
Zosterops japonicus, see white-eye, warbling
 lateralis, see silvereye
 lateralis familiaris, see silvereye
 lateralis lateralis, see silvereye
 luteus, see white-eye, Canary
 pallidus, see white-eye, Orange River
 rennellianus, see white-eye, Rennell
 senegalensis, see white-eye, northern yellow
 virens, see white-eye, Cape

 Compiled by TIM LOVEGROVE, 6 Deuxberry Ave,
 Northcote, Auckland 0627

