

NOTORNIS

Quarterly Bulletin of

The Ornithological Society of New Zealand

(Incorporated)



VOLUME SEVEN : 1956-58

INDEX TO VOLUME SEVEN

(* denotes illustration)

- Abernethy, F.—Birds on Trawler 'Thomas Currell' in Cook Strait, 62.
Acanthisitta chloris. See Rifleman.
 Acres, Mrs Avis—Native Bird Life in Pine Plantation, 61.
Acridotheres tristis. See Myna.
Albatross—Light-mantled sooty, 9; 125; 127.
 „ Royal, 9; 125; 192.
 „ Wandering, 9; 74; 125; 192; 219; 220.
Alectoris graeca chukar. See Chukar.
Anarhynchus frontalis. See Wrybill.
Anas—*castanea chlorotis*. See Teal, brown.
 „ *gibberifrons*. See Teal, grey.
 „ *platyrhynchus*. See Duck, mallard.
 „ *rhyncotis variegata*. See Shoveller, N.Z.
 Amiet, L.—Distribution of *Diomedea* in Eastern Australian waters, 219.
 Anglesey, Joyce H.—Nesting of Yellow-breasted Tit, 93.
 Annual Locality Reports—88; 201.
 Annual Meeting—1; 117.
 Annual Reports—1; 117.
Anthornis melanura. See Bellbird.
Anthus novaeseelandiae. See Pipit.
Apteryx australis. See Kiwi, N. and S. Island.
 „ *haasti*. See Kiwi, Great spotted.
Ardea pacifica. See Heron, white-necked.
Arenaria interpres. See Turnstone.
Athene noctua. See Owl, Little.
- Back Numbers—212; 237.
 Balance Sheet—5; 119.
 Barwell, C.—Photo: Nest of Spur-winged Plover, 106.
 Bellbird—60; 87; 114; 173; 200; 217.
 Bittern—60; 72; 77; 194.
 Black, M. S.—'Crested' Bellbirds, 60.
 Blackbird—11; 13; 114; 126; 134; 200; 218.
 Blackburn, A.—Unrecorded Gannetry on East Coast, 15.
 Photo: Moutara Gannetry, 47.
Botaurus poiciloptilus. See Bittern.
Bowdleria punctata vealeae. See Fernbird.
Branta canadensis. See Goose, Canada.
 Brathwaite, D.H.—Notes on Some Rare Birds Recorded in Hawke's Bay, 56.
 Breen, M. J.—Fernbirds on Goulard Downs, 61.
 Bull, P. C.—The Rook in New Zealand, 137.
 Bush, P.—Kakapo photograph, 45.
- Calidris acuminata*. See Sandpiper, Siberian pectoral.
 „ *canutus rogersi*. See Knot.
 „ *ferruginea*. See Sandpiper, curlew.
 „ *melanotos*. See Sandpiper, American pectoral.
 „ *ruficollis ruficollis*. See Stint, red-necked.
Callaeas cinerea wilsoni. See Kokako.
 Card Committee—3; 122.
Carduelis carduelis britannica. See Goldfinch.
 „ *flammea cabaret*. See Redpoll, lesser.
 Chaffinch—11; 113; 126; 218.
Chalcites lucidus lucidus. See Cuckoo, shining.
Charadrius bicinctus. See Dotterel, banded.
 „ *dominicus fulvus*. See Plover, Pacific golden.
 „ *obscurus*. See Dotterel, N.Z.

- Chatham Islands — 113.
 Child, P. — Colony of Black-billed Gulls, 111.
 Chlidonias hybrida albostratus. See Tern, black-fronted.
 „ leucopterus. See Tern, white-winged black.
 Chloris chloris. See Goldfinch.
 Chukar — 195.
 Circus approximans gouldi. See Harrier, Australasian.
 Clark, W. C. — Dispersal of White-fronted tern, 65.
 Book Review, 115.
 Classified Summarised Notes — 73; 191.
 Coot, Australian — 56; 163; 196.
 Curvus frugilegus. See Rook.
 Crake, Marsh — 79; 196.
 „ Spotless — 79; 196.
 Creeper, brown — 86; 199.
 Cuckoo, Long-tailed — 11; 85; 112; 126; 199; 203; 216.
 „ Shining — 11; 13; 85; 126; 198; 203; 216.
 Curlew, Long-billed — 81; 88; 92; 201.
 Cyanoramphus auriceps auriceps. See Parakeet, yellow-crowned.
 „ novaeseelandiae novaeseelandiae. See Parakeet, N.Z.
 Cygnus atratus. See Swan, black.
 „ olor. See Swan, mute.

 Dabchick, N.Z. — 71; 74; 192; 215.
 Daption capensis capensis. See Pigeon, cape.
 Davenport, J. C. — Observations on Shags, 20; 23.
 Dawson, E. W. — Dispersal of White-fronted Tern, 65.
 Falcon in Chatham Islands, 113.
 Dell, R. K. — Pomarine Skua at Waikanae, 62.
 Diomedea bulleri. See Mollmawk, Buller's.
 „ cauta. See Mollmawk, white-capped.
 „ cauta salvini. See Mollmawk, Salvin's.
 „ chrysostoma. See Mollmawk, grey-headed.
 „ epomophora. See Albatross, Royal.
 „ exulans exulans. See Albatross, Wandering.
 „ melanophris. See Mollmawk, N.Z. black-browed.
 Dollar Bird. See Roller, Broad-billed.
 Donations — 212; 237.
 Dorizac, Phil — Visit to nesting colony of Crested Penguins, 102.
 Photo: Nest of Crested Penguins, 103.
 „ Crested Penguin on Rolla Is., 104.
 „ Young Crested Penguin, 105.
 Dotterel, Banded — 10; 12; 72; 81; 88; 91; 92; 126; 196; 203; 204; 215.
 „ Black-fronted — 57; 112; 201.
 „ N.Z. or Red-breasted — 10; 81; 88; 92; 126; 196; 201; 204.
 „ Oriental — 25.
 „ Red-capped — 80.
 Duck, Blue — 73; 78; 194; 215.
 „ Grey — 10; 73; 110; 112; 215.
 „ Mallard — 73; 126.
 „ Mallard/Grey — 10; 126.
 „ Paradise — 10; 73; 78; 126; 162; 194.
 „ Spoonbill — 73.
 Dunnock, See Hedgesparrow.

 Egret, Little — 111; 193.
 Egretta alba modesta. See Heron, white.
 „ garzetta. See Egret, little.
 „ sacra sacra. See Heron, blue or reef.
 Eklund, Carl R. — Distribution Study of South Polar Skua, 234.
 Emberiza citrinella citrinella. See Yellowhammer.

- Emu — 116.
- Eudynamis taitensis. See Long-tailed Cuckoo.
- Eudyptes albosignata. See Penguin, white-flipped.
- „ pachyrhynchus pachyrhynchus. See Penguin, N.Z. crested.
- „ pachyrhynchus sclateri. See Penguin, erect-crested.
- Eudyptula minor novaehollandiae. See Penguin, Northern blue.
- Eurystomus orientalis pacificus. See Roller, broad-billed.
- Excursions — Waikanae, 14.
- Falcon novaeseelandiae. See Falcon, N.Z.
- Falcon — 73.
- „ New Zealand — 79; 113; 195.
- Falla, R. A. — Australian Barn Owl in Westland, 208.
- Fantail — North Island — 11; 86; 114; 126; 173; 216.
- Fernbird — 61; 86; 92; 199; 217.
- Firth of Thames — 88; 201.
- Fleming, C. A. — Pomarine Skua at Waikanae, 62.
- „ Nesting White-faced Heron, 207.
- „ White-winged Black Tern at Waikanae, 236.
- „ Arctic Skua Landing on Beach, 236.
- Gallirallus australis greyi. See Weka, N. Island.
- Gannet — 10; 11; 15; 47*; 59; 76; 90; 91; 109; 125; 129; 172; 193.
- Gee, F. E. — Notes on Grey Duck, 110.
- Gerygone igata. See Warbler, grey.
- Godwit — Asiatic black-tailed — 58; 89; 202; 203.
- „ Bar-tailed — 10; 63; 81; 89; 90; 91; 126; 196; 201; 202; 204.
- Goldfinch — 11; 126; 218.
- Goodwin, Miss J. — Notes on Shags, 21.
- Goose, Canada — 78; 194.
- Grebe, Crested — 71; 209.
- „ Southern crested — 74.
- Greenfinch — 11; 126; 218; 236.
- Greenshank — 92; 204.
- Greeting Cards — 28; 64.
- Gull, Black-backed — 10; 12; 72; 83; 89; 115; 133; 173; 197; 215.
- „ Black-billed — 10; 12; 72; 83; 89; 111; 126; 133; 197; 202.
- „ Red-billed — 10; 12; 72; 83; 126; 133; 173; 197.
- Guy, G. — Coot on Heathcote River, 163.
- Gymnorhina hypoleuca. See Magpie, white-backed.
- Haematopus ostralegus finschi. See Oystercatcher, S.I. Pied.
- „ unicolor reischeki. See Oystercatcher, Northern.
- „ unicolor unicolor. See Oystercatcher, black.
- Halcyon sanctus vagans. See Kingfisher, N.Z.
- Harrier — 10; 12; 60; 73; 92; 114; 126; 132; 173; 176*; 182; 205; 215.
- Harrison, Tom — Letter, 115; 136.
- Hawk, Bush — 210; 215.
- Heather, B. D. — Little Egret Near Nelson, 111.
- „ Hen Island in Winter, 171.
- Hedgessparrow — 11; 13; 114; 126; 135; 218.
- Hemiphaga novaeseelandiae novaeseelandiae. See Pigeon, N.Z.
- Hen Island — 171.
- Heron, Reef or Blue — 10; 77; 91; 126; 193; 201; 203.
- „ Great White — 224*.
- „ 'Red-Legged' — 210.
- „ White — 60; 72; 77; 91; 98; 201; 204.
- „ White-faced — 72; 77; 88; 91; 186; 194; 201; 203; 204; 207; 225*.
- Heteroscelus incanus brevipes. See Tattler, grey-tailed.
- Himantopus himantopus leucocephalus. See Stilt, pied.
- „ novaeseelandiae. See Stilt, black.

- Hipwell, A. C. — Notes on Shags, 23.
 Howard, Peter — Rock Wren's Nest, 163.
 Hudson, F. P. — White-faced Herons Breeding in North Auckland, 186.
Hydroprogne caspia. See Tern, Caspian.
- Ibis, White — 175*.
 Illustrations — Plate I, Kakapo, 45; Plate II, Kakapo 'dusting bowl', 46; Plate III, Moutara gannetry, 47; Plate IV, Asiatic Whimbrel, 48; Plate V, Crested Penguins, 103; Plate VI, Crested Penguins, 104; Plate VII, Little Blue Penguin, 105; Plate VIII, Nest of Spur-winged Plover, 106; Plate IX, White Ibis and Nest of Takahe, 175; Plate X, Harrier and chick, 176; Plate XI, Fairy Tern, 177; Plate XII, Spotted Shag, 178; Plate XIII, Royal Spoonbill, 223; Plate XIV, Great White Heron, 224; Plate XV, White-faced Heron, 225; Plate XVI, Royal Spoonbill, 226.
- Jackson, J. R. — Mortality among Nesting Muttonbirds near Greymouth, 184.
 Jackson, R. — The Westland Petrel, 230.
 Greenfinch Taking Bees, 236.
 Great Spotted Kiwi Eating Snails, 236.
- Jardine, D. G. — Birds of Queenstown District, 71.
- Kaka, North Island — 84; 173; 198; 216.
 „ South Island — 84.
 Kakapo — 29; 45*; 46*; 84.
 Kea — 11; 84; 126; 134; 198.
 Kingfisher — 85; 173; 216.
 Kinsky, F. C. — North Island Robin 'Anting', 112.
 Long-tailed Cuckoo and House Sparrow, 112.
- Kiwi — Great Spotted, 236.
 „ Large Grey, 74.
 „ North Island, 74; 192.
- Knot — 82; 89; 90; 91; 92; 197; 202; 203; 205.
- Kokako — 11.
 „ North Island, 126; 200.
 „ South Island, 88.
- Kookaburra — 85.
- Larus bulleri*. See Gull, black-billed.
 „ *domincanus*. See Gull, black-backed.
 „ *novaehollandiae*. See Gull, red-billed.
- Letters — 115; 136.
 Library Report — 7; 122.
- Limosa lapponica baueri*. See Godwit, Eastern bar-tailed.
Lobibyx novaehollandiae. See Plover, spur-winged.
Lophortyx californica brunnescens. See Quail, Californian.
- McCann, C. — Starling Notes, 59.
 McKenzie, H. R. — Probable Recent Occurrences of Oriental Dotterel in N.Z., 25.
 Does Little Tern Reach N.Z.? — 174.
- Macdonald, Noelle — Notes on Shags, 23.
 Book Review, 28.
 Photo: Fairy Tern, 177.
- Macronectes giganteus*. See Petrel, giant.
 Magpie, White-backed — 11; 87; 126; 200; 219.
- Manukau — 90; 202.
- Maps — 33; 35; 65; 141; 144; 154; 232.
- Marples, B. J. — Book Review, 27.
- Merton, Donald — Notes on Shags, 20.
- Miers, K. H. — Summary of Takahe Research, 69.

- Mohoua ochrocephala albicilla*. See Whitehead.
 „ *ochrocephala ochrocephala*. See Yellowhead.
Mollymawk, Black-browed — 74; 192; 219; 222.
 „ Buller's — 9; 125; 192.
 „ Grey-headed — 75; 219; 229.
 „ Salvin's — 125.
 „ Shy — 9; 219.
 „ White-capped — 125; 192; 219; 229.
 „ Yellow-nosed — 219; 227.
Monckton, J. M. — Breeding of Wekas near Gisborne, 211.
Moon, G. J. H. — Photos: Royal Spoonbill, 223.
 Great White Heron, 224.
 White-faced Heron, 225.
 Royal Spoonbill, 226.
Morepork — 85; 173; 199; 216.
Moutara Rock — 15; 47*.
Muttonbird, Tasmanian — 75; 193.
Myna — 87; 210; 219.

Nest Records Scheme — 7; 92; 123; 212.
Nestor meridionalis septentrionalis. See Kaka, N. Island.
 „ *notabilis*. See Kea.
New Members — 188; 237.
Ninox novaeseelandiae novaeseelandiae. See Morepork.
Notices — 28; 116; 212.
Notiomystis cincta. See Stitchbird.
Notophox novaehollandiae. See Heron, white-faced.
Notornis — 69; 126; 133; 165; 175*.
Numenius madagascariensis. See Curlew, long-billed.
 „ *minutus*. See Whimbrel, little.
 „ *phaeopus variegatus*. See Whimbrel, Asiatic.

Oaia — 59.
Obituary — Dr W. R. B. Oliver, 162, 205.
Oceanites oceanicus exasperatus. See Petrel, Wilson's storm.
Officers — 1.
Oliver, Dr W. R. B. — Obituary, 205.
Owl, Australian Barn — 208.
 „ Laughing — 85.
 „ Little — 85; 199.
Oystercatcher, Black — 80; 88; 92; 196; 201; 204.
 „ Northern (variable) — 80; 196; 201.
 „ Pied — 10; 126.
 „ South Island Pied — 79; 88; 90; 91; 196; 201; 202; 203; 204; 206.

Pachyptila belcheri. See Prion, narrow-billed.
 „ *desolata*. See Prion, Antarctic.
 „ *salvini*. See Prion, lesser broad-billed.
 „ *turtur*. See Prion, fairy.
 „ *vittata*. See Prion, broad-billed.
Parakeet, Red-fronted — 85; 173.
 „ Yellow-crowned — 85; 198; 216.
Parkin, May — Photo: Little Blue Penguin, 105.
Passer domesticus. See Sparrow, house.
Peafowl — 195.
Pelagodroma marina maoriana. See Petrel, white-faced storm.
Pelecanoides urinatrix urinatrix. See Petrel, Northern diving.
Pelican, Australian — 114.
Penguin, Blue — 74; 105*; 125; 137; 171.
 „ N.Z. Crested — 74; 102; 103*; 104*.
 „ White-flipped — 9; 125.
 „ Yellow-eyed — 74.

- Penniket, J. G. — Wax-eyes taken as food by White Heron, 60.
 Petersen, O. — Photo: Spotted Shag, 178.
 Petrel, Cook's — 76.
 „ Diving — 10; 76; 125; 172.
 „ Giant — 9; 75; 115; 125; 127; 135; 171; 192.
 „ Grey-faced — 10; 76; 125; 172; 189; 193.
 „ Kerguelen — 76.
 „ Pycroft's — 10; 76; 125.
 „ Westland — 230.
 „ White-chinned — 75.
 „ White-faced storm — 10; 76; 125; 172.
 „ White-headed — 76; 193.
 Petroica australis longipes. See Robin, North Is.
 „ macrocephala macrocephala. See Tit, yellow-breasted.
 „ macrocephala toitoi. See Tit, pied.
 Phalacrocorax carbo novaehollandiae. See Shag, black.
 „ carunculatus carunculatus. See Shag, N.Z. King.
 „ carunculatus chalconotus. See Shag, Stewart Is.
 „ melanoleucos brevirostris. See Shag, white-throated.
 „ varius varius. See Shag, pied.
 Phasianus colchicus. See Pheasant.
 Pheasant — 10; 126.
 Phillips, W. J. — Notes on Muttonbirds in the North Is., 189.
 Pigeon, Cape — 10; 75; 125; 127; 171; 192.
 „ Domestic — 63.
 „ N.Z. — 84; 114; 173; 198; 216.
 Pipit — 87; 173; 217.
 Platalea leucorodia regia. See Spoonbill, Royal.
 Plover, Asiatic Golden — 92, 204.
 „ Pacific Golden — 80; 88; 196; 204.
 „ Spur-winged — 80; 106*; 196; 209.
 Podiceps cristatus australis. See Grebe, Southern crested.
 „ rufopectus. See Dabchick, N.Z.
 Porphyrio porphyrio melanotus. See Pukeko.
 Porzana pusilla affinis. See Crane, marsh.
 „ tabuensis plumbea. See Crane, spotless.
 President's Address — 13; 135.
 Prickett, Mr and Mrs J. — Notes on Shags, 23.
 Photo: White Ibis, 175.
 Prion, Antarctic — 75; 192.
 „ Broad-billed — 75.
 „ Fairy — 10; 75; 88; 125; 192.
 „ Lesser Broad-billed — 75; 91.
 „ Narrow-billed — 75.
 Procellaria aequinoctialis stadi. See Petrel, white-chinned.
 Prothemadera novaeseelandiae novaeseelandiae. See Tui.
 Prunella modularis occidentalis. See Dunnock or Hedgesparrow.
 Pterodroma cooki cooki. See Petrel, Cook's.
 „ lessoni. See Petrel, white-headed.
 „ longirostris pycrofti. See Petrel, Pycroft's.
 „ macroptera. See Petrel, grey-faced.
 Puffinus assimilis. See Shearwater, Allied.
 „ bulleri. See Shearwater, Buller's.
 „ carneipes. See Shearwater, flesh-footed.
 „ gavia gavia. See Shearwater, fluttering.
 „ griseus. See Shearwater, sooty.
 Pukeko — 10; 72; 79; 126; 195.
 Quail, Bobwhite — 95.
 „ Brown — 79; 195.
 „ Californian — 10; 79; 126; 195.

- Rail, Banded — 10; 79; 126; 195.
 Rallus philippensis assimilis. See Rail, banded.
 Ramsey, G. W. — Giant Petrel Robbing Black-backed Gull, 115.
 Redpoll, Lesser — 87; 200; 218.
 Reid, Brian — Photo: Kakapo 'dusting bowl'. 46.
 Reviews — N.Z. Birds (Oliver), 27; Birds of N.Z. (Bailey), 28; A Laboratory and Field Manual of Ornithology, 64; Lead Poisoning in N.Z. Waterfowl, 115; Kiwi Colour Slides, N.Z. Birds (Reed), 116; The Ornithologists' Guide (Hutson), 161; Notes on Spotted Shag (Turbott), 211.
 Rhipidura fuliginosa placabilis. See Fantail, North Is.
 Rifleman, North Is. — 85; 199; 216.
 „ South Is. — 86; 199.
 Riney, T. — Australian Barn Owl in Westland — 208.
 Ringing Committee Report — 8; 123.
 Robin, North Is. — 86; 112; 199; 217.
 „ South Is. — 86.
 Roller, Broad-billed — 57; 85.
 Rook — 137.
 Rookeries — Table — 146; 152.
 Rutherford, V. M. — Oriental Dotterel Notes, 26.
 Saddleback — 173.
 Sandpiper, American Pectoral — 82.
 „ Curlew — 89; 202; 204; 205.
 „ Least — 57.
 „ Sharp-tailed — 82; 197; 205.
 „ Siberian Pectoral — 89; 202.
 „ Terek — 203; 204.
 Sansom, Maida F. — Two Nesting Colonies of Stewart Is. Shags, 16.
 Sansom, Olga — Visit to Nesting Colony of Crested Penguins, 102.
 Crested Glebes in Lower Maitauro, 209.
 Spur-winged Plover Note — 209.
 Scarlett, R. J. — Black-fronted Dotterel in Canterbury, 112.
 Sub-fossil Bones of Australian Pelican, 114.
 Scaup, N.Z. — 78; 195; 215.
 Shag, Black — 20; 72; 76; 193; 215.
 „ Little — 76; 193.
 „ Little Black — 76; 91; 125; 193; 204.
 „ Little pied — 10.
 „ Pied — 10; 20; 76; 90; 125; 173; 193.
 „ Spotted — 60; 79; 178*; 207.
 „ Stewart Is. — 16.
 „ White-throated — 10; 20; 126; 173.
 Shearwater, Allied — 10; 75; 125; 172.
 „ Buller's — 10; 75; 88; 125; 171; 192.
 „ Flesh-footed — 75; 125; 128; 171; 192.
 „ Fluttering — 75; 172; 193; 201.
 „ Grey-faced — 10.
 „ Sooty — 10; 75; 88; 125; 172; 184; 190; 192.
 Shoveller — 78; 88; 194; 201.
 Sibson, R. B. — Observations on Shags, 20; 23; 24.
 Oriental Dotterel Notes, 26.
 Asiatic Black-tailed Godwit in Firth of Thames, 58.
 Arctic Skua Chasing Small Passerine, 63.
 Book Review, 116.
 Does Little Tern Reach N.Z.? — 174.
 S.I. Pied Oystercatcher Away from Shore, 206.
 Height Reached by Some Species of Birds on Mountains in N.Z., 213.
 Silver-eye. See White-eye.

- Skua, Arctic — 63; 89; 197; 236.
 „ Pomarine — 62; 89.
 „ Southern — 10; 126.
 „ South Polar — 234.
 Skylark — 218.
 Small, M. M. — Harrier Attacking Bittern, 60.
 Soper, M. F. — Birds of Queenstown District, 71.
 Nesting of Harrier, 182.
 Photo: Harrier and chick, 176*.
 Sopp, G. E. — North Is. Native Thrush or Pio-Pio, 101.
 Bush-hawk Taking Young Starlings from Nest, 210.
 Sparrow, House — 11; 112; 126; 219.
 Spoonbill, Royal — 77; 107; 194; 201; 203; 204; 223*; 226*.
 Starling — 11; 13; 59; 60; 114; 126; 134; 210; 219.
 Stenhouse, D. — Bush-Edge Populations at Tapanui, 114.
 Stercorarius parasiticus. See Skua, Arctic.
 „ skua lonnbergi. See Skua, Southern.
 „ skua maccormicki. See Skua, Antarctic.
 Sterna nereis. See Tern, fairy.
 „ striata. See Tern, white-fronted.
 Stidolph, R. H. D. — Book Review, 64.
 Obituary: Dr Oliver, 205.
 Stilt, Black — 82.
 „ Pied — 10; 72; 82; 89; 90; 91; 92; 126; 197; 202; 203; 204; 205.
 Stint, Red-necked — 89; 92; 202; 205.
 Stitchbird — 87.
 Strigops habroptilus. See Kakapo.
 Sturnus vulgaris. See Starling.
 Subscriptions — 211.
 Sula bassana serratator. See Gannet, Australian.
 Swan, Black — 10; 12; 78; 88; 126; 132; 201.
 „ Mute — 78; 194.
 Synoicus ypsilophorus. See Quail, brown.
 Tadorna variegata. See Duck, Paradise.
 Takahe. See Notornis.
 Tattler, Grey-tailed — 92; 203; 204.
 Teal, Black — 73.
 „ Brown — 78; 194.
 „ Grey — 78.
 Tern, Black-fronted — 72; 83; 197; 215.
 „ Caspian — 10; 12; 83; 90; 91; 92; 126; 134; 173; 197; 202; 204; 205.
 „ Fairy — 10; 126; 177*.
 „ Little — 174.
 „ White-fronted — 10; 13; 60; 65; 83; 90; 91; 92; 126; 173; 202; 205; 215.
 „ White-winged black — 57; 63; 90; 136; 202; 203; 236.
 Threskiornis aethiopica strictipennis. See Ibis, white.
 Thrush, Song — 11; 13; 114; 126; 134; 218.
 „ N.Z. Native — 101.
 Tit, Pied — 86; 173; 199; 216.
 „ Yellow-breasted — 86; 93; 114; 199.
 Treasurer's Report — 2; 118.
 Tringa nebularia. See Greenshank.
 Tui — 87; 114; 173; 200; 217.
 Turnstone — 82; 89; 90; 91; 92; 197; 202; 203; 204.
 Urquhart, D. A. — Photo: Asiatic Whimbrel, 48.
 Walker, Mrs L. E. — Spotted Shag Notes, 207.
 'Red-legged' Herons, 210.
 Warbler, Grey — 11; 86; 114; 126; 173; 200; 217.

- Warburton, H. G. — The White Heron in N.Z., 98.
 Weka — 236.
 „ North Is. — 79; 195; 210.
 „ Western — 79; 195.
 Westerskov, Kaj — Taxonomic Status of Bobwhite Quail in N.Z., 95.
 Whimbrel, Asiatic — 48*; 81; 89; 196; 201.
 White-eye — 11; 60; 87; 126; 135; 173; 200; 218.
 Whitehead — 86; 199; 217.
 White Island — 109.
 Wightman, A. T. — Notes on Oaia, 59.
 Williams, G. R. — The Kakapo, 29.
 Summary of Takahe Research, 69.
 Grey Duckling Killed by Paradise Ducks, 162.
 Population Dynamics of Takahe, 165.
 Photo: Nest of Takahe, 175.
 South Is. Record of Myna, 210.
 Book Review, 211.
 Williamson, W. A. — Chaffinch Takes the Cake, 113.
 Spotted Shag Notes, 207.
 Wilson, Robert A. — The Royal Spoonbill, 107.
 Wodzicki, K. — Relief for Hungarian Ornithologists, 162.
 Wren, Rock — 86; 163; 199.
 „ South Is. Bush — 199.
 Wright, R. D. — Godwits Chasing Domestic Pigeons, 63.
 Wrybill — 81; 88; 90; 91; 92; 196; 201; 203; 204.
 Xenicus gilviventris. See Wren, rock.
 „ longipes longipes. See Wren, bush.
 Xenus cinereus. See Sandpiper, Terek.
 Yaldwin, J. C. — Gannet Notes, 109.
 Yellowhammer — 11; 87; 126; 200; 219.
 Yellowhead — 86; 200.
 Zosterops lateralis. See Silver-eye or White-eye.

ERRATA — VOLUME SEVEN

Page	Line	
25	14	For 1956 read 1946.
71	52	For Glebe read Grebe.
73	56	For Te Matu read Te Mata.
74	18	For L. W. Walker read L. E. Walker.
74	28	For Urerewa read Urewera.
74	41	For Pachyrlynchus read pachyrhynchus.
79	18	For Poutu read Pouto.
82	57	For 25/5/55 read 25/2/55.
87	57	For Christmas read Christensen.
101	45	For Rotorua read Rongotea.
102	24	For Mrs read Miss.
193	52	For gatzetta read garzetta.
205	18	For wnter read winter.
215	35	For paid read pair.
228	23	For thes read the.
230	59	For 5/6/56 read 5/5/56.
74	4	For PachyrCynchus read pachyrhynchus. For Pachyr Cynchus read pachyrhynchus.