


NOTORNIS

Journal of the Ornithological Society
of New Zealand



Volume 22 - 1975

THE ORNITHOLOGICAL SOCIETY OF NEW ZEALAND (INC.)

OFFICERS 1975 - 76

President — Mr. B. D. BELL, Wildlife Service, Dept. of Internal Affairs,
Private Bag, Wellington

Acting Vice-President — Mrs J. B. HAMEL, 42 Ann Street, Roslyn,
Dunedin

Editor — Mr. E. W. DAWSON, P.O. Box 41-002, Eastbourne

Treasurer — Mr. H. W. M. HOGG, P.O. Box 3011, Dunedin

Secretary — Mr. P. D. GAZE, P.O. Box 30466, Lower Hutt

Council Members:

Mr. F. H. BOYCE, 19 Marybank Road, Nelson

Dr. P. C. BULL, 131 Waterloo Road, Lower Hutt

Mr. R. W. JACKSON, 9 Kenrick Road, Rotorua

Mr. F. C. KINSKY, National Museum, Private Bag, Wellington

Mr. D. V. MERTON, Wildlife Service, Dept. of Internal Affairs,
Private Bag, Wellington

Mrs. S. M. REED, 4 Mamaku Street, Auckland 5

Mr. R. R. SUTTON, Lorneville Post Office, Invercargill

Conveners and Organisers:

Rare Birds Committee: Mr. F. C. KINSKY, National Museum,
Private Bag, Wellington

Beach Patrol: Mr. C. R. VEITCH, Wildlife Service, Dept. of Internal
Affairs, P.O. Box 2220, Auckland

Card Committee: Mr. B. D. BELL, Wildlife Service, Dept. of Internal
Affairs, Wellington

Field Investigation Committee: Mr. B. D. BELL

Librarian: Miss A. J. GOODWIN, R.D. 1, Clevedon

Nest Records: Mr. D. E. CROCKETT, 21 McMillan Ave., Kamo,
Whangarei

Recording (including material for classified summarised notes):

Mr. A. T. EDGAR, Inlet Road, Kerikeri

Representative on Member Bodies' Committee of Royal Society of N.Z.:
Mr. B. D. BELL

SUBSCRIPTIONS AND MEMBERSHIP

Annual Subscription: Ordinary membership \$6; Husband/Wife membership \$9; Life membership \$120 (age over 30); Junior membership (age under 20) \$4.50; Family membership (one *Notornis* per household) other members of a family living in one household where one is already a member \$3; Institutional subscriptions \$10; overseas subscriptions 75 cents extra.

Subscriptions are payable on a calendar year basis at the time of application for membership and on receipt of invoice each January. Prompt payment of subscription will ensure continued receipt of *Notornis*.

Applications for membership, changes of address and letters of resignation should be sent to the Treasurer.

Editorial matters only should be addressed to the Editor. Exchanges and library subscriptions should be referred to the Treasurer.

[Registered with POHQ, Wellington, as a magazine]

VOLUME 22

Part 1 March 1975
 Part 2 June 1975

Part 3 September 1975
 Part 4 December 1975

CONTENTS OF VOL. 22
1975

	Page
OSNZ Officers 1975-76	ii
Contents	iii
Part 1	
CROCKETT, D. E. Kermadec Islands Expedition Reports: The Wedge-tailed Shearwater (<i>Puffinus p. pacificus</i>) in the northern Kermadescs	1
BROWN, B.; CHILD, P. Notes on a field trip to Fiji	10
GUEST, R. Forest-dwelling birds of the Wairau Catchment, Marlborough	23
IMBER, M. J.; RUSS, R. Some foods of the Wandering Albatross	27
WATLING, R. J. Observations on the ecological separation of two introduced congeneric mynahs (<i>Acridotheres</i>) in Fiji	37
CRAWFORD, R. D. Post-incubation activity of Adelie Penguins	54
ROBERTSON, C. J. R. Preliminary report on bird banding in New Zealand 1973-74	58
Short Notes	
GARRETT, W.; GARRETT, N. The Banded Dotterel in New Caledonia	57
SIBSON, R. B. Some thoughts on the diet of the South Island Pied Oystercatcher	66
CHILD, P. The Central Otago Wood-Swallows	67
EDGAR, A. T. Banding of Welcome Swallows in Tasmania	68
CROCKETT, D. E.; KEARNS, M. P. Northern Little Blue Penguin mortality in Northland	69
HABRAKEN, A. M. A crested Tern in the Firth of Thames	69
SIBSON, R. B. The bills of Starlings	72
COMETTI, R. H. Brown Teal on Kawau Island	73
JENKINS, J. A. F.; SIBSON, R. B. A pigeon among the shags	76
DERKSEN, D. V. Unreported method of stone-collecting by the Adelie Penguin	77
REED, S. Gannet diving on car	79
SIBSON, R. B. Some data from poached Godwits	79
JACKSON, R. W. White-winged Black Tern in Bay of Plenty	81
PALLISER, T. Black-fronted Dotterels at Rotorua	81
JACKSON, T. Another Gentoo Penguin	82
WRIGHT, A. Blue Petrel Ashore, Sawyers Bay, Otago Harbour Letters	82
SIBSON, R. B. Biographies in <i>Notornis</i>	83
BOURNE, W. R. P. Some seabird records in <i>Notornis</i>	84
HEPPLESTON, P. B. Oystercatcher etymology — a reply	87
SIBSON, R. B. Review of "The Fiat Book"	89
Review	
C.A.F. Classification of the Rallidae, by S. L. Olson	90
From the Editor's Desk	92
About our authors	97
Regional Representatives	100
Instructions for authors	inside front cover
The Society and its officers	inside back cover

Part 2

	Page
DAWSON, D. G.; BULL, P. C. Counting birds in New Zealand forests	101
TAYLOR, R. H. Some ideas on speciation in New Zealand parakeets	110
ST. PAUL, R. A bushman's seventeen years of noting birds. Introduction and Part A (Bellbird and Tui)	122
ZEIGLER, H. P. Some observations on the development of feeding in captive Kea (<i>Nestor notabilis</i>)	131
MOEED, A. Food of Skylarks and Pipits, Finches, and feral pigeons near Christchurch	135
CHILD, P. Observations of altitudes reached by some birds in central and northwest Otago	143
ROBERTS, P. E. Sea birds found dead in New Zealand in 1965 and 1966	151
Annual General Meeting 1975, Reports and Accounts	162
 Short Notes	
POWELL, W. J. First sightings of Nankeen Kestrel in Hawkes Bay	175
GIBSON, J. D. Streaked Shearwaters (<i>Calonectris leucomelas</i>) in the Coral Sea	176
WRIGHT, A. Buller's Mollymawks ashore in Otago	177
BARLOW, M.; SUTTON, R. R. Nest of Marsh Crake	178
CHILD, P. Unusual nest sites of House Sparrow and Paradise Duck	121
WRIGHT, A. Spotted Shag regurgitating shells and stones	130
BRATHWAITE, D. H.; VAN TETS, G. F. Taxonomy and nomenclature of the New Zealand Spur-winged Plover	180
 Letters	
CUNNINGHAM, J. M. Ornithological publications	182
FOX, N. C. Falcon killing Cattle Egret	183
SIBSON, R. B. Oystercatcher etymology	183
SCARLETT, R. J. Classification of the Rallidae	184
 Reviews	
J.M.C.; J.W.; T.G.L. Birds in New Zealand, by C. J. R. Robertson	185
J.W. Dictionary of birds in colour, by Bruce Campbell	186
About our authors	188
The Society and its officers	inside front cover
Instructions for authors	inside back cover

Part 3

	Page
BAKER, A. J. Age structure and sex ratio of live-trapped samples of South Island Pied Oystercatchers	189
HICKS, G. R. F. <i>et al.</i> An ecological reconnaissance of Korapuki Island, Mercury Islands	195
IMBODEN, C. A brief radio-telemetry study on Moreporks	221
VEITCH, C. R. Seabirds found dead in New Zealand in 1973	231
 Short Notes	
BROWN, B. Sight record of a Dunlin in New Zealand	241
ELLIS, B. A. Sighting of Grass Whistle-Ducks	244
ANDREW, I. G. Black-fronted Dotterel in the Manawatu	244
WELLER, M. W. Seasonal variation in estuary use by Brown Teal	246
NYE, P. A. Thrushes feeding on marine snails	248
CROCKETT, D. E. First record of the Antarctic Petrel in New Zealand	249
McFADZIEN, J. & M. Blackbird's nest used three times	250
DERKSEN, D. V. Southern Black-backed Gull at Cape Hallet, Antarctica	251
HARRISON, K. C. A White Heron north of Christchurch	252
TAYLOR, M. J. Do migrating flocks of Godwits and Knots bring other waders to New Zealand ?	253
GAZE, P. D. Brown Booby in Wellington Harbour	253
 Reviews	
J.W. N.Z. Albatrosses and Petrels, by P. C. Harper & F. C. Kinsky	256
E.W.D. Coastal ecology and land use at Aramoana	258
E.W.D. Scenic reserves in Canterbury, by L. W. McCaskill	260
R.B.S. The World of an Estuary, by H. Angel	261
About our authors	263
Regional Representatives	264
The Society and its officers	inside front cover
Instructions for authors	inside back cover

Part 4

	Page
WATT, J. P. C. Notes on Whero Island and other roosting and breeding stations of the Stewart Island Shag (<i>Leucocarbo carunculatus chalconotus</i>)	265
ST PAUL, R. A bushman's seventeen years of noting birds. Part B — N.Z. Pipit, Grey Warbler, N.I. Fantail and Silvereye	273
HAMILTON JUNIOR NATURALISTS' CLUB Nesting of Kokako (<i>Callaeas cinerea wilsoni</i>) at Te Rauamoa	283
MOEED, A. Diets of nestling Starlings and Mynas at Havelock North, Hawkes Bay	291
DILKS, P. J. The breeding of the feral pigeon (<i>Columba livia</i>) in Hawkes Bay	295
IMBER, M. J. Behaviour of petrels in relation to the moon and artificial lights	302
HARRISON, K.; HOWELL, P. Observations on a Cattle Egret (<i>Bubulcus ibis</i>) near Christchurch airport, July to October 1974	307
Classified Summarised Notes (Compiled by A. T. Edgar)	313
 Short Notes	
POWELL, W. J. Further sightings of Nankeen Kestrels in Hawkes Bay	341
ROBERTSON, C. J. R. Yellow-nosed Mollymawk recorded in the Chatham Islands	342
BARTLE, J. A. Further notes on Procellariiformes in Cook Strait	345
CHESHIRE, N. White form of the Southern Giant Petrel: further N.Z. records	347
SIBSON, R. B. Some thoughts on a difficult dotterel, <i>Charadrius mongolus</i>	347
FLACK, J. A. D. Display of the eyeline by the Chatham Island Warbler	294
LOVEGROVE, T. G. Bird notes from Hunua	306
TAYLOR, M. J. A dawn chorus	350
 Letter	
SMITH, G. A. Parakeet hybrids	351
 Obituary	
R.B.S. Henrietta Mary McKenzie, 1897-1975	353
 Reviews	
J.W. The Life of Birds, by Welty	355
E.W.D. Native birds of New Zealand, by D. H. Brathwaite	356
E.W.D. The N.Z. Environment 1968-1974. A bibliography	356
About our authors	357
XVIth International Ornithological Congress	359
The Society and its officers	inside front cover
Regional Representatives	inside back cover

INDEX OF AUTHORS, SUBJECTS AND SPECIES

Vol. 22

- About our authors, 97-99, 188, 263, 357-358
Acanthis flammea, see Redpoll
Acanthisitta chloris, see Rifleman
Accipiter rufitorques, see Goshawk, Fiji
Acridotheres fuscus, see Myna, Jungle
 fuscus javanicus, 38
 tristis, see Myna, Indian
Aenigmatolimnas, 90
Aestralata oliveri, 85
Alauda arvensis, see Skylark
Albatross, 22, 33, 35, 178, 188, 317
 Black-footed, 33
 Laysan, 33
 Light-mantled Sooty, 33, 168, 257, 314
 Northern Royal, 58, 59, 64, 178, 342
 Royal, 272, 359
 Southern Royal, 28, 59, 64, 98
 Wandering, 27-36, 59, 64, 168, 272, 314, 347
 Waved, 32, 33, 34, 35
Alectoris chukar, see Chukor
Amaurolimnas, 90
Anarhynchus frontalis, see Wrybill
Anas aucklandica chloris, see Teal, Brown
 clypeata, see Shoveler, Northern
 gibberifrons, see Teal, Grey
 platyrhynchos, see Mallard
 rhynchos, see Shoveler, New Zealand
 superciliosa, see Duck, Grey
ANDREW, I. G. Black-fronted Dotterel in the Manawatu, 244-246
Annual General Meeting 1975, 162
Anous minutus, see Noddy, White-capped
 stolidus, see Noddy, Common
Anthornis melanura, see Bellbird
Anthus novaeseelandiae, see Pipit
Anurolimnas, 90
Aplonis tabuensis, see Starling, Polynesian
Apteryx australis, see Kiwi
Aptornis, 90
Apus pacificus, see Swift, Fork-tailed
Aramides, 90
Aramidopsis, 90
Ardea novaehollandiae, see Heron, White-faced
Ardeola ibis coromanda, see Egret, Cattle
Arenaria interpres, see Turnstone
Artamus leucorhynchus, see Wood Swallow, White-breasted
Atlantisia, 90

- Auklet, Cassin's, 202
Aythya novaeseelandiae, see Scaup, New Zealand
- BAKER, A. J. Age structure and sex ratio of live trapped samples of South Island Pied Oystercatchers (*Haematopus ostralegus finschi*), 189-194
- BARLOW, M.; SUTTON, R. R. Nest of Marsh Crake, 178-180
- BARTLE, J. A. Further notes on Procellariformes occurring in Cook Strait, 345-346
- Beach Patrol Scheme 1974, 172-173
- Bellbird, 24, 25, 62, 103, 104, 105, 106, 122, 124-130, 143, 169, 210, 306, 338, 339, 356
- Bird Books, 243
- Bird Distribution Mapping Scheme, Annual Report for 1974, 173-174
- Bittern, Australian, 168, 318
- Blackbird, 26, 62, 106, 121, 149, 169, 210, 229, 239, 250-251, 280, 337, 350
- Booby, Blue-faced, 19-20
 Brown, 19, 253-255
 Red-footed, 19
- Botaurus stellaris*, see Bittern, Australian
- Bowdleria punctata*, see Fernbird
- Branta canadensis*, see Goose, Canada
- Brathwaite, D. H.; Van Tets, G. F. The Taxonomy and Nomenclature of New Zealand Spur-winged Plovers, 180-181
- Broad-bill, Blue-crested, 12
 Vanikoro, 12, 18
- BROWN, B. Sight Record of a Dunlin in New Zealand, 241-243
- BROWN, B.; CHILD, P. Notes on a Field Trip to Fiji, 10-22
- Budgerigar, 112, 351
- Bulbul, Red-vented, 12, 13, 51, 99
- Bubulcus ibis coromandus*, see Egret, Cattle
- BULL, P. C., see DAWSON, D. G. & BULL, P.C.
- Bunting, Cirl, 170, 339
- Cacatua galerita*, see Cockatoo, White
- Cacomantis pyrrhophanus*, see Cuckoo, Fan-tailed
- Calidris acuminata*, see Sandpiper, Sharp-tailed
 alba, see Sanderling
 alpina, see Dunlin
 alpina alpina, see Dunlin, Northern
 a. sakhalina, 243
 a. schinzii, see Dunlin, Southern
 canutus, see Knot
 ferruginea, 242, 243, see Sandpiper, Curlew
 mauri, see Sandpiper, Western
 melanotos, see Sandpiper, Pectoral
 ruficollis, see Stint, Red-necked
- Callaeas cinerea wilsoni*, see Kokako, North Island
- Calonectris leucomelas*, see Shearwater, Streaked
- Canirallus*, 90
- Card Committee Report, 170
- Carduelis carduelis*, see Goldfinch
 chloris, see Greenfinch

- Chaetura caudacuta*, see Swift, Spine-tailed
Chaffinch, 26, 62, 106, 150, 170, 210, 239, 273, 308, 338, 339, 350
Chalcites lucidus, see Cuckoo, Shining
Charadrius alexandrinus, 348
 bicinctus, see Dotterel, Banded
 dubius, 348
 hiaticula, 348
 leschenaulti, 348, see Dotterel, Large Sand
 melanops, see Dotterel, Black-fronted
 mongolus, see Dotterel, Mongolian
 obscurus, see Dotterel, New Zealand
 veredus, see Dotterel, Oriental
- CHESHIRE, N. White form of the Southern Giant Petrel, further
 New Zealand Records, 347
- CHILD, P. The Central Otago Woodswallows, 67-68
 Unusual Nest Sites of House Sparrow and Paradise Duck,
 121
 Observations on altitudes reached by some birds in Central
 and North-west Otago, 143-150
- CHILD, P., see BROWN, B. & CHILD, P.
- Chlidonias hybrida*, see Tern, Black-fronted
 leucopterus, see Tern, White-winged Black
- Chukor, 60, 147, 168, 321
- Circus approximans*, see Harrier, Swamp
 approximans gouldi, see Harrier, Australasian
- Clytorhynchus nigrogularis*, see Shrikebill, Black-faced
- Cockatiel, 332
- Cockatoo, White, 331
- Cockerel, 350
- Collocalia spodiopygia*, see Swiftlet, White-rumped
- Columba livia*, see Pigeon, Carrier or Feral
 vitiensis, see Pigeon, White-throated
- COMETTI, R. H. Brown Teal on Kawau Island, 73-76
- Coot, 90
 Australian, 169, 322
- Cormorant, White-breasted, 130
- Corrigenda, 91
- Corvus frugilegus*, see Rook
- Coturnicops*, 90
- Crake, Marsh, 167, 168, 178-180, 244, 322
 Spotless, 168, 174, 244, 322, 336, 350
- Crane, 253
- CRAWFORD, R. D. Post Incubation Activity of Adelie Penguins, 54-57
- Crecopsis*, 90
- Creeper, Brown, 25, 26, 62, 143, 169, 336-337
- Crex*, 90
- Crex crex*, 90
- CROCKETT, D. E. Kermadec Islands Expedition Reports. The Wedge-tailed Shearwater (*Puffinus p. pacificus*) in the northern Kermadecs, 1-9.
 First record of the Antarctic Petrel in New Zealand, 249-250
- CROCKETT, D. E.: KEARNS, M. P. Northern Little Blue Penguin mortality in Northland, 69-72

- Cuckoo, 143
 Fan-tailed, 11, 12, 21
 Long-tailed, 14, 24, 25, 169, 195, 210, 277, 333
 Shining, 26, 62, 169, 195, 210, 276, 294, 333, 350
- Curlew, 53
 Long-billed, 325
- Cyanolimnas*, 90
- Cyanoramphus auriceps auriceps*, see Parakeet, Yellow-crowned
 a. forbesi, see Parakeet, Chatham Islands Yellow-crowned, or Forbes
 malherbi, see Parakeet, Orange-fronted
 novaezelandiae chathamensis, see Parakeet, Chatham Islands Red-crowned
 n. cooki, see Parakeet, Norfolk Island
 n. cyanurus, see Parakeet, Kermadec Islands
 n. erythrotis, see Parakeet, Macquarie Island
 n. hochstetteri, see Parakeet Antipodes Island
 n. novaezelandiae, see Parakeet, New Zealand or Red-crowned
 n. saissetti, see Parakeet, New Caledonian
 n. subflavescens, see Parakeet, Lord Howe Islands
 ulietanus, 113
 unicolor, see Parakeet, Antipodes Island
 zealandicus, 113
- Cygnus atratus*, see Swan, Black
 olor, see Swan, Mute
- Dabchick, New Zealand, 168
- Dacelo gigas*, see Kookaburra
- Daption capensis*, 158, 161, 236, 237, see Pigeon, Cape
- DAWSON, D. G.; BULL, P.C. Counting birds in New Zealand forests, 101-109
- Demigretta sacra*, see Heron, Reef
- Dendrocygna eytoni*, see Duck, Plumed Whistling
- DERKSEN, D. V. Unreported method of stone collecting by the Adelie Penguin, 77-78
- Southern Black-backed Gull (*Larus dominicanus*) at Cape Hallett, Antarctica, 251-252
- Diaphorapteryx*, 90
- DILKS, P. J. The breeding of the Feral Pigeon (*Columba livia*) in Hawkes Bay, 295-301
- Diomedea*, 158, 160, 342
 bulleri, 157, 235, see Mollymawk, Buller's
 cauta, 235
 cauta cauta, 158, 160, 236, 237, 314, see Mollymawk, White-capped
 cauta salvini, 160, 235, see Mollymawk, Salvin's
 chlororhynchus, see Mollymawk, Yellow-nosed
 chrysostoma, 157, 236, 237, see Mollymawk, Grey-headed
 epomophora epomophora, 235, see Albatross, Southern Royal
 e. sanfordi, see Albatross, Northern Royal
 exulans, 157, 236, 237, see Albatross Wandering
 immutabilis, see Albatross, Laysan

- Diomedea* — continued
irrorata, see Albatross, Waved
melanophris, 160, 235, See Mollymawk, Black-browed
nigripes, see Albatross, Black-footed
 Dotterel, Banded, 57, 61, 66, 81, 144, 148, 169, 245, 261, 324, 347, 348
 Black-fronted, 81, 169, 244-246, 325
 Large Sand, 324, 348, 349
 Mongolian, 324, 347-349
 New Zealand, 61, 65, 169, 239, 241, 243, 324
 Oriental, 325
 Dove, Barbary, 331
 Crimson-crowned Fruit, 21
 Golden, 12, 20
 Malay Turtle, 17, 331
 Many-coloured Fruit, 12, 17
 Dowitcher, Short-billed, 193
Dryolimnas, 90
muelleri, 90
pectoralis, 90
 Duck, 261
 Blue, 146, 168, 320, 356
 Grass Whistle, 244
 Grey, 17, 22, 60, 65, 154, 168, 239, 314, 319
 Grey, Mallard Cross, 168, 319
 Mallard, 22, 168, 239, 314
 Paradise, 60, 65, 121, 143, 146, 168, 178, 319, 358
 Plumed Whistling, 172, 244
 Shoveler, 314
Ducula pacifica, see Pigeon, Pacific
 Dunlin, 172, 241-243
 Northern, 243
 Southern, 243
 Eagle, 172
 White-tailed, 53
 EDGAR, A. T. Banding of Welcome Swallows in Tasmania, 68
 Egret, 313
 Cattle, 162, 171, 183, 307-312, 360
 Little, 162, 307, 360
Egretta alba, see Heron, White
garzetta, see Egret, Little
sacra, see Heron, Reef
 ELLIS, B. A. Sighting of Grass Whistle Ducks, 244
Emberiza cirlus, see Bunting, Cirl
citrinella, see Yellowhammer
Eolophus roseicapillus, see Galah
Erolia alpina pacifica, see Sandpiper, Red-backed
minutilla, see Sandpiper, Least
ptilocnemis, see Sandpiper, Rock
Eudynamis taitensis, see Cuckoo, Long-tailed
Eudyptes pachyrhynchus pachyrhynchus, 157, see Penguin, Fiordland crested
Eudyptula albosignata, 157, 236, 237
 minor, 158, 161, 236, 237, see Penguin, Little Blue
Eulabeornis, 90

- Falco conchroides*, see Kestrel, Nankeen
novaeseelandiae, see Falcon, New Zealand
peregrinus, see Falcon, Peregrine
 Falcon, New Zealand, 26, 128, 146, 168, 170, 175, 183, 275, 300, 320-321
 Peregrine, 11, 12, 98
 Fantail, 72, 81, 103, 104, 106, 169, 210, 276, 320, 333, 337, 350, 356
 North Island, 62, 124, 169, 277-279
 South Island, 24, 25, 62
 Spotted, 12, 21
 Fernbird, 336
 North Island, 169
 South Island, 169
 Stewart Island, 169
 Field Investigation Committee, 170-171
 Finch, 175, 176, 279, 320
 Gouldian, 187
 Strawberry, 12
 Zebra, 351
 Fine Bird Books, 243
Finschia novaeseelandiae, see Creeper, Brown
 FLACK, J. A. D. Display of the eyeline by the Chatham Island
 Warbler (*Gerygone albofrontata*, 294)
 Flycatcher, Pied, 253
 Slaty, 12, 18
 Fody, Madagascar, 37
Foudia madagascariensis, see Fody, Madagascar
Foulchcio carunculata, see Honeyeater, Wattled
 carunculata procerior, 18
 Fowl, Domestic, 310
 Feral, 17
Fregata ariel, see Frigate Bird, Lesser
Fregetta grallaria, see Storm Petrel, White-bellied
 Frigate Bird, Lesser, 20
Fringilla coelebs gengleri, see Shaffinch
 Fringillid, 52
 From the Editor's Desk, 92-96
Fulica, 90
 atra, 90, see Coot, Australian
 Fulmar, 32
 Antarctic, 151, 153, 154, 238, 239, 249
Fulmarus glacialis, see Fulmar
 glacialoides, 157, 236, 237, see Fulmar, Antarctic
- Galah, 331
Gallus gallus, see Fowl, Domestic
Gallicrex, 90
Gallinula, 90
 ventralis, 90
Gallinule, 90
Gallirallus, 90
 australis australis, see Weka, Western
 a. greyi, see Weka, North Island
 a. hectori, see Weka, Buff

- Gallirallus* — continued
dieffenbachii, 90
modestus, 90
philippensis, 90
- Gannet, Australian, 60, 64, 79, 168, 187, 209, 253, 255, 316
- GARRETT, W.; GARRETT, N. The Banded Dotterel in New Caledonia, 57
- GAZE, P. D. Brown Booby in Wellington Harbour, 253-255
- Gelochelidon nilotica*, see Tern, Gull-billed
- Gerygone albofrontata*, see Warbler, Chatham Island
igata, see Warbler, Grey
- GIBSON, J. D. Streaked Shearwaters (*Calonectris leucomelas*) in the Coral Sea, 176-177
- Godwit, 253
 Bar-tailed, 67, 72, 79-81, 143, 148, 239, 245, 261, 326
 Black-tailed, 326
 Hudsonian, 326
- Goldfinch, 62, 138-141, 145, 150, 170, 239, 339, 350
- Goose, Canada, 60, 98, 168, 318
 Domestic, 168
- Goshawk, Fiji, 12, 20
- Grebe, Australian Little, 162, 314
 Crested, 162, 168, 314, 359
 Hoary-headed, 162, 314, 360
 Southern Crested, see Crested
- Greenfinch, 62, 138-141, 145, 150, 170, 187, 336, 339, 350
- Greenshank, 326
- Grouse, Sharp-tailed, 357
- GUEST, R. Forest-dwelling birds of the Wairau Catchment, Marlborough, 23-26
- Guillemot, 85
- Gull, 329, 335
 Black-backed, or Southern Black-backed, 26, 61, 65, 66, 69, 143, 146, 148, 169, 209, 244, 251-253, 261, 315, 324, 328, 329
 Black-billed, 61, 66, 148, 169, 209, 329
 Red-billed, 61, 65, 66, 75, 99, 169, 209, 238, 358, 359
- Gygis alba*, see Tern, White
- Gymnorhina tibicen hypoleuca*, see Magpie, White-backed
tibicen tibicen, see Magpie, Black-backed
- Gyrfalcon, 53
- HABRAKEN, A. M. A Crested Tern in the Firth of Thames, 69
- Habroptila*, 90
- Haematopus*, 183-184
chathamensis, 230, see Oystercatcher, Chatham Island
finschi, 184, see Oystercatcher, South Island Pied
reischeki, 66
unicolor, 66, 230, see Oystercatcher, Variable
- Halcyon chlora*, see Kingfisher, Collared
sancta, see Kingfisher
- Halobaena caerulea*, 157, 236, 237, see Petrel, Blue
- HAMILTON JUNIOR NATURALISTS' CLUB Nesting of Kokako (*Callaeas cinerea wilsoni*) at Te Rauamoa. Edited by H. R. McKenzie, 283-290.

- HARDY, G. S., see HICKS, G. R. F., McCOLL, H. P., MEADS, M.J. & ROSER, R. J.
- Harrier, Australasian, 26, 60, 124, 143, 146, 154, 168, 210, 212, 239, 275, 321, 322, 324, 341
 Swamp, 11, 12, 17
- HARRISON, K. C. A White Heron north of Christchurch, 252-253
- HARRISON, K. C.; HOWELL, P. Observations on a Cattle Egret (*Bulbus ibis*) near Christchurch airport, July to October, 1974, 307-312
- Hawfinch, 187
- Hemiphaga novaeseelandiae*, see Pigeon, New Zealand
n. chathamensis, see Pigeon, Chatham Island
- Heron, Blue or Reef, 17, 60, 72, 168, 170, 209, 313
 Nankeen Night, 360
 White, 252-253, 307, 313, 360
 White-faced, 76, 146, 168, 183, 252, 310, 311, 312, 318
- Heteralocha acutirostris*, see Huia
- HICKS, G. R. F.; McCOLL, H. P.; MEADS, M. J.; HARDY, G. S.; & ROSER, R. J. An ecological reconnaissance of Korapuki Island, Mercury Islands, 195-220
- Himantornis*, 90
- Himantopus*, 184
himantopus, see Stilt, Pied
novaeseelandiae, see Stilt, Black
- Hirundo neoxena*, see Swallow, Welcome
tahitica, see Swallow, Pacific
- Honeyeater, Giant Forest, 11, 12
 Orange-breasted, 12
 Wattled, 12, 14, 18, 19, 21, 51
- HOWELL, P., see HARRISON, K. & HOWELL, P.
- Huia, 72
- Hummingbird, 187
- Hydroprogne caspia*, 157, 160, 236, 237, see Tern, Caspian
- Hylochelidon nigricans*, see Martin, Tree
- Hymenolaimus malacorhynchus*, see Duck, Blue
- Hypotaenidia*, 90
- Ibis, 313
 Glossy, 162, 360
 White, 162, 360
- IMBER, M. J. Behaviour of Petrels in relation to the moon and artificial lights, 302-306
- IMBER, M. J. & RUSS, R. Some foods of the Wandering Albatross (*Diomedea exulans*), 27-36
- IMBODEN, C. A brief radio-telemetry study on Moreparks, 221-230
- Jackdaw, 253
- JACKSON, R. W. White-winged Black Tern in the Bay of Plenty, 81
- JACKSON, T. Another Gentoo Penguin, 82
- JENKINS, J. A. F.; SIBSON, R. B. A Pigeon among the Shags, 76-77
- Kaka, 106, 169, 187
 North Island, 124, 126, 306, 332
 South Island, 24, 25, 332

- Kakapo, 162, 358
 Kakariki, 306
 Kea, 24, 25, 61, 131-134, 143, 149, 169, 332, 357
 KEARNS, M.P., see CROCKETT, D. E. & KEARNS, M. P.
 Kereru, 76
 Kestrel, Nankeen, 175, 176, 313, 341-342, 360
 Kingfisher, 12, 149, 169, 210, 334, 335
 White-collared, 13, 18
 Kiwi, 229, 313
 Great Spotted, 168
 Little Spotted, 59
 North Island, 59, 168
 Stewart Island, 168
 Knot, 79, 239, 241, 242, 243, 245, 253, 327
 Kokako, 145, 283-290, 306, 340
 Kookaburra, 334
- Lalage maculosa*, see Triller, Polynesian
 Lapwing, 253
 European, 263
Larus, 235
 bulleri, 157, 160, 236, 237, see Gull, Black-billed
 dominicanus, 158, 161, 236, 237, 239, see Gull, Southern Black-backed
 novaehollandiae, 158, 161, 236, 237, 239
 scopulinus, see Gull, Red-billed
Laterallus, 90
 Leghorn, White, 309
 LETTERS, Biographies in Notornis, R. B. Sibson, 83
 Some seabird records in Notornis, W. R. P. Bourne, 84-87
 Oystercatcher etymology — a reply, P. B. Heppleston, 87-88
 Review of "The Fiat Book," R. B. Sibson, 89
 Ornithological publications, J. M. Cunningham, 182
 Falcon killing Cattle Egret, N. C. Fox, 183
 Oystercatcher etymology, R. B. Sibson, 183-184
 Classification of the Rallidoe, R. J. Scarlett, 184
 Parakeet hybrids, G. A. Smith, 351-352
Leucocarbo carunculatus chalconotus, 235, see Shag, Stewart Island
 carunculatus onslowi, 235, see Shag, Chatham Island
Limicola falcinellus, see Sandpiper, Broad-billed
Limnodromus griseus. see Dowitcher, Short-billed
Limosa haemastica, see Godwit, Hudsonian
 lapponica, see Godwit, Bar-tailed
Lobibyx miles, see Plover, Masked
 m. miles, 181
 m. harterti, 181
 novaehollandiae, see Plover, Spur-winged
 n. gracemerii, 181
 n. novaehollandiae, 181
Lophortyx californica. see Quail, Californian
 Lorikeet, Red-throated, 14
 Lory, Collared, 12, 18
 LOVEGROVE, T. G. Bird Notes from Hunua, 306

- Macronectes giganteus*, 157, 161, 236, 237, 257, see Nelly or Petrel,
Giant
halli, 257, see Petrel, Northern Giant
- Magpie, 75, 153, 154, 170, 239, 275, 308, 350
Black-backed, 340
White-backed, 63, 145, 150, 170, 340
- Mallard, 60, 153, 154, 319, 350
Hybrid, 60
- Martin, Tree, 335
- Mayrornis lessoni*, see Flycatcher, Slaty
- McCOLL, H. P., see HICKS, G. R. F.; MEADS, M. J.; HARDY, G. S.,
& ROSER, R. J.
- McFADZIEN, J. & M. Blackbird's nest used three times, 250-251
- McKENZIE, H. R. Editor of papers, p.p. 122-30, 273-282, 283-290
- Moa, 86
- MOEED, A. Food of Skylarks and Pipits, finches and Feral Pigeons
near Christchurch, 135-142
Diets of nestlings of Starlings and Mynas at Havelock
North, Hawke's Bay, 291-294
- Mohoua ochrocephala*, see Yellowhead
- Mollymawk, 178, 256
Black-browed, 32, 59, 64, 168, 239
Buller's, 59, 177-178, 239, 257, 314, 342
Grey-headed, 32, 59, 168
Salvin's, 345
White-capped, 28, 345
Yellow-faced, 257, 342-344
- Morepork, 26, 62, 65, 126, 154, 169, 195, 210, 221-230, 333-334
- Murre, 85
- Muttonbird, 185, 265
- Myiagra vanikorensis*, see Broadbill, Vanikoro
- Myna, Indian, 12, 18, 37-53, 63, 65, 170, 239, 275, 291-294, 340, 350, 357
Jungle, 12, 13, 21, 37-53
- Nelly, 315
Southern, 72
- Neocrex, 90
- Nesoclopeus*, 90
- Nescophalaris*, 90
- Nestor, m. meridionalis*, see Kaka, South Island
m. septentrionalis, see Kaka, North Island
notabilis, see Kea
- Nest Record Scheme Report for year ended 30 April, 1975, 167-170
- Ninox novaezealandiae*, see Morepork
- Noddy, Common, 16, 20
White-capped, 316, 331
- NOTES AND NEWS
- Wildlife at Work, 22
 - Beech Forests, 22
 - Birds of the Gambia, 26
 - Resignation of President, 36
 - A Naturalists' Tour in Iceland, 53
 - Avian anatomy, 82
 - Emu for Disposal, 89

Notes and News — continued

Wildlife Tour, 91
Ornithological Society Car Stickers, 91
 The Constitution, 91
 Index to *Notornis*, 99
 New from Wildlife, 358
 Summer School of Ornithology, January, 1975, 358
 XVIth International Ornithological Congress, 359
 Photographs of Australian Birds, 359
 Request for information on 1975 influx of Australian species, 360

Notornis, 61, 355

Numenius madagascariensis, see Curlew, Long-billed
phaeopus hudsonicus, see Whimbrel, American
p. variegatus, see Whimbrel, Asiatic
 NYE, P. A. Thrushes feeding on Mud Snails, 248-249
Nymphicus hollandicus, see Cockatiel

OBITUARY, Henrietta Mary McKenzie, 1897-1975, R.B.S., 353

Oceanites oceanicus, 235*Oceanodroma*, 187

Owl, Barn, 18, 98

Laughing, 145

Little, 169

Tawny, 227

Oystercatcher, 87-88, 93-96, 153, 183-184, 230, 239, 359

Black, 61, 169

Chatham Island, 169, 323

Faroese, 184

South Island Pied, 61, 65, 66-67, 76, 79, 143, 144, 147,
 148, 169, 189-194, 239, 261, 262, 323

Variable, 61, 66, 72, 169, 323, 357

Pachycephala pectoralis, see Whistler, Golden*Pachyptila*, 153, 158, 161, 202*belcheri*, 158, 160, 172, 236, 237*crassirostris*, 235, see Prion, Fulmar*desolata*, 158, 160, 172, 236, 237, see Prion, Antarctic*salvini*, 157, 161, 172, 236, 237, see Prion, Lesser Broad-billed*turtur*, 158, 161, 172, 236, 237, see Prion, Fairy*vittata*, 158, 161, 172, 236, 237, see Prion, Broad-billed

PALLISER, T. Black-fronted Dotterels at Rotorua, 81

Parakeet, 105, 106, 110-121, 188, 356

Antipodes Island, 110, 113-115

Antipodes Island Red-crowned, 110, 113-115

Chatham Island Red-crowned, 110, 113, 116-120, 169, 333

Chatham Island Yellow-crowned, 110, 111, 113, 115-120

Forbes', see Parakeet, Chatham Island Yellow-crowned

Hybrid Chatham Island Red-crowned x Forbes', 118-120

Kermadec Islands, 332

Lord Howe, 112, 113

Macquarie, 112, 113

New Caledonia, 113

New Zealand, 61, 113, 114, 118, 169, 210, 332, 333, 351-352

Norfolk Island, 113

- Parakeet — continued
 Orange-fronted, 113
 Red-crowned, see Parakeet, New Zealand
 Tahitian, 113
 Yellow-crowned, 113, 114, 118, 119, 143, 169, 333, 351-352
- Pardirallus*, 90
Pareudiastes, 90
 Parrot, 187
 Yellow-breasted Musk, 12
 Parrot Finch, Red-headed, 12
 Partridge, 60
 Red-legged, 187
Passer domesticus, see Sparrow, House
 Peafowl, 310
Pelagodroma, 235
marina albiclinis, see Storm Petrel, Kermadec
m. maoriana, 157, 161, 236, 237
Pelecanoides urinatrix, 158, 161, 236, 237, see Petrel, Northern Diving
 Pelican, 253
 Penguin, 359
 Adelie, 54, 57, 77-78, 167, 168, 188, 251, 252, 359
 Blue, see Penguin, Little Blue
 Crested, see Penguin, Fiordland Crested
 Fiordland Crested, 59, 151, 153, 154, 314
 Gentoo, 82, 251
 Little Blue, 69-72, 153, 154, 168, 172, 196, 204, 205, 207, 231, 233, 238, 314
 New Zealand Crested, 168
 Northern Blue, 59
 Rockhopper, 59, 168
 Southern Blue, 59, 64
 White-flippered, 59, 64, 168
 Yellow-eyed, 59, 83, 314
- Petrel, 22, 29, 35, 82, 359
 Antarctic, 231, 238, 249-250
 Barau's, 304
 Black, 59, 98, 168, 304, 305, 345, 346, 358
 Black-capped, 3, 304
 Black-winged, 3, 6, 9, 97
 Blue, 59, 82, 151, 153, 154, 233, 249
 Chatham Islands, 168
 Cook's, 59, 98, 154, 213, 302, 305
 Diving, 60, 151, 152, 168, 196, 207, 209, 213, 233, 265, 268
 Gadfly, 256, 257
 Giant, 59, 64, 85, 86, 154, 168, 256, 257
 Gould's, 231, 238
 Grey, 249, 257
 Grey-faced, 28, 29, 34, 35, 59, 98, 154, 168, 195, 196, 205, 207, 208, 213, 233, 302, 304, 315
 Herald, 256
 Kerguelen, 84, 85, 233, 239, 249, 304, 315
 Kermadec, 3, 8, 168
 Mottled, 85
 Murphy's, 85

- Petrel — continued
 Northern Giant, 86
 Northern Diving, 152, 154
 Phoenix, 85
 Providence, 85
Pycroft's, 59, 151, 153, 154, 168, 196, 208-209
 Soft-plumaged, 84, 85, 172
 Southern Giant, 347
 Westland Black, 59, 313, 315, 345, 346
 White-chinned, 345, 346
 White-headed, 152, 154, 233, 249, 257
- Petroica*, 294
a. australis, see Robin, South Island
a. longipes, see Robin, North Island
m. toitoi, see Tit, Pied
m. macrocephala, see Tit, Yellow-breasted
multicolor, see Robin, Scarlet
traversi, see Robin, Black
- Phaethon lepturus*, 235, see Tropic Bird, White-tailed
rubericauda, see Tropic Bird, Red-tailed
- Phalacrocorax*, 235
carbo, 157, 160, 236, 237, see Shag, Black
fuscescens, see Cormorant, White-breasted
melanoleucus brevirostris, 157, 160, 236, 237, see Shag, Little
sulcirostris, 235, see Shag, Little Black
varius, 161, 236, 237, see Shag, Pied
- Phalarope, 53
- Pheasant, 61, 168, 239, 320, 350
- Phigys solitarius*, see Lory, Collared
- Phoebetria palpebrata*, 157, 236, 237, see Albatross, Light-mantled Sooty
- Pigeon, 17
 Carrier, 77
 Cape, 59, 64, 249, 315, 347
 Chatham Island, 331
 Feral, 77, 141-142, 295-301, 357
 New Zealand, 26, 76-77, 106, 143, 169, 253, 331
 Pacific, 16, 17, 21
 Peale's, 11, 12
 Rock, 153, 154, 169, 239, 331
 White-throated, 12, 17
- Pipilo erythrophthalmus*, see Towhee, Red-eyed
ocai, see Towhee, Mexican Collared
- Pipit, New Zealand, 62, 135-137, 142, 145, 149, 169, 185, 273-275, 336
 Tawny, 253
- Platycercus eximius*, see Rosella, Eastern
- Ploceinae, see Weaverbirds, African spp.
- Plover, Golden, 241, 242, 245, 253, 324
 Grey, 324
 Masked, 180-181
 Pacific Golden, 20, 53, 57
 Shore, 169
 Spur-winged, 61, 66, 147, 169, 180-181, 245, 261, 310, 320, 321, 323-324

- Plover — continued
 Wrybill, 169
- Pluvialis dominica*, see Plover, Pacific Golden
 squatarola, see Plover, Grey
- Podiceps cristatus*, see Grebe, Crested
 novaehollandiae, see Grebe, Australian Little
 poliocephalus, see Grebe, Hoary-headed
 rufopectus, see Dabchick, New Zealand
- Poephila guttata*, see Finch, Zebra
- Peliolimnas*, 90
- Porphyrio*, 90
 mantelli, 90
 melanotus, 90, see Pukeko
- Porzana*, 90
 pusilla affinis, 90, see Crake, Marsh
 tabuensis, 90, see Crake, Spotless
- POWELL, W. J. First sightings of Nankeen Kestrel in Hawke's Bay, 175-176
 Further sightings of Nankeen Kestrels in Hawke's Bay, 341-342
- Prion, 82, 172, 233, 328
 Antarctic, 249
 Broad-billed, 59, 265
 Fairy, 59, 64, 151, 152, 153, 154, 168, 238, 239, 265, 315
 Fulmar, 231, 238
 Lesser Broad-billed, 151, 153, 154
- Procellaria*, 187, 202
 aequinoctialis, 157, 235, see Petrel, White-chinned
 cinerea, 157, 160, 235, see Petrel, Grey
 parkinsoni, 235, see Petrel, Black
 westlandica, 235, see Petrel, Westland Black
- Procelsterna caerulea*, see Ternlet, Grey
- Prosthemadera novaeseelandiae*, see Tui
- Prunella modularis occidentalis*, see Sparrow, Hedge
- Pterodroma*, 202
 alba, see Petrel, Phoenix
 arminjoniana, 85
 barauii, see Petrel, Barau's
 brevirostris, 160, 236, 237, see Petrel, Kerguelen
 cooki, 157, 161, 236, 237, see Petrel, Cook's
 externa cervicalis, see Petrel, Black-capped
 hasitata, see Petrel, Black-capped
 hypoleuca nigripennis, see Petrel, Black-winged
 inexpectata, 157, 160, 236, 237, see Petrel, Mottled
 lessoni, 157, 160, 236, 237, see Petrel, White-headed
 leucoptera, 235, see Petrel, Gould's
 macroptera, see Petrel, Grey-faced
 mollis, see Petrel, Soft-plumaged
 neglecta, see Petrel, Kermadec
 nigripennis, see Petrel, Black-winged
 pycrofti, 157, see Petrel, Pycroft's
 solandri, see Petrel, Providence
 ultima, see Petrel, Murphy's
- Ptilinopus luteovirens*, see Dove, Golden
 perousii, see Dove, Many-coloured Fruit

Ptilinopus — continued

porphyraceus, see Dove, Crimson-crowned Fruit

Ptychoramphus aleuticus, see Auklet, Cassin's

Puffinus, 158, 160, 203

assimilis, 157, 160, 236, 237, see Shearwater, Little or Allied

bulleri, 158, 161, 236, 237, see Shearwater, Buller's

carneipes, 158, 161, 236, 237, see Shearwater, Flesh-footed

gavia, 158, 161, 236, 237, see Shearwater, Fluttering

griseus, 158, 161, 236, 237, see Shearwater, Sooty

huttoni, 158, 160, 236, 237, see Shearwater, Hutton's

newelli, see Shearwater, Newell's

pacificus, 157, 160

p. chlorohynchus, see Shearwater, Wedge-tailed

p. cuneatus, see Shearwater, Wedge-tailed

p. pacificus, see Shearwater, Wedge-tailed

puffinus, see Shearwater, Manx

p. newelli, see Shearwater, Manx

tenuirostris, 158, 161, 236, 237, see Shearwater, Short-tailed

Pukeko, 61, 75, 153, 168, 239, 261, 322, 350, 359

Pycnonotus cafer, see Bulbul, Red-vented

Pygoscelis adeliae, see Penguin, Adelie

papua, see Penguin, Gentoo

Pyramidula, 90 [error for *Pyramida*]

Quail, Brown, 168, 321

Californian, 61, 168, 239, 321, 350

REVIEWS

C.A.F. A classification of the Rallidae, 90-91

J.M.C. Birds in New Zealand, 185

J.W. Birds in New Zealand, 185, 186

T.G.L. Birds in New Zealand, 186

J.W. A dictionary of birds in colour, 186-187

J.W. New Zealand Albatrosses and Petrels, an identification guide, 256-257

E.W.D. Scenic reserves of Canterbury, 258-259

E.W.D. Coastal ecology and land use at Aramoana, 260-261

R.B.S. The world of an estuary, 261-262

I.W. The life of birds, 355

E.W.D. Native Birds of New Zealand, 356

E.W.D. The New Zealand environment 1968-1974, 356

Rail, 90, 91

Banded, 17, 168, 321

Rallina, 90

Rallus, 90, *dieffenbachii*, 184

modestus, 184

philippensis, 184, see Rail, Banded

Rare Birds Committee Report for 1974-1975, 171-172

Redpoll, 26, 62, 106, 143, 150, 170, 339

REED, S. M. Gannet diving on car, 79

Rhipidura, 294

fuliginosa, see Fantail, South Island

f. placabilis, see Fantail, North Island

spilodera, see Fantail, Spotted

- Rifleman, 162, 170, 276, 334-335, 356
 North Island, 62, 169
 South Island, 26, 62, 65, 143, 169
- ROBERTS, P. E. Seabirds found dead in New Zealand in 1965 and 1966, 151-161
- ROBERTSON, C. J. R. Yellow-nosed Mollymawk (*Diomedea chlororhynchos*) recorded in the Chatham Islands, 342-344
- Robin, 106, 170, 280, 356, 359
 Black, 22, 62, 120
 North Island, 169, 337
 Scarlet, 12, 14
 South Island, 24, 25, 62, 149, 167, 169, 337, 358
- Rock, 63, 340, 342
- Rosella, 112
 Eastern, 239, 332
- ROSER, R. J., see HICKS, G. R. F.; McCOLL, H. P.; MEADS, M. J.; & HARDY, G. S.
- Rougetius*, 90
- RUSS, R., see IMBER, M. J. & RUSS, R.
- Saddleback, 359
 North Island, 63
 South Island, 63, 170, 185
- Sanderling, 328
- Sandpiper, Broad-billed, 242
 Curlew, 241, 242, 243, 328
 Least, 193
 Pectoral, 328
 Red-backed, 243
 Rock, 243
 Sharp-tailed, 253, 328
 Terek, 327
 Western, 242
- Sarothrura*, 90
- Scaup, New Zealand, 60, 146, 320
- Shag, 253
 Black, 146, 168, 209, 316, 317
 Blue, 266, 318
 Chatham Island, 168, 317
 King, 168
 Little, 72, 76, 209, 245, 271, 317
 Little Black, 168, 317, 360
 Pied, 60, 168, 209, 271, 316-317
 Pitt Island, 168, 318
 Spotted, 60, 130, 168, 238, 317, 356
 Stewart Island, 72, 265-272
 White-throated, 168
- Shearwater, Allied, 168, 233
 Buller's, 60, 64, 152, 153, 154, 315
 Flesh-footed, 168, 196, 204, 205, 315
 Fluttering, 151, 152, 154, 168, 196, 205, 207, 208, 233, 316
 Hutton's, 60, 152, 154, 304
 Little or Allied, 196, 205, 207

- Shearwater — continued
 Manx, 85, 355
 Newell's 304
 Norfolk Island Little, 60
 North Island Little, 60, 64
 Short-tailed, 6, 151, 152, 154, 238
 Sooty, 32, 60, 151, 152, 154, 168, 195, 196, 204, 205, 206,
 208, 238, 266, 316
 Streaked, 176-177
 Wedge-tailed, 1-9, 59
 Shelduck, Paradise, 22, 66, 358, 359
 Shoveler, New Zealand, 60, 65, 168, 170, 319-320, 358, 359
 Northern, 319
 Shrikebill, Black-faced, 14
 Fiji, 12
 SIBSON, R. B. Some thoughts on the diet of the South Island Pied
 Oystercatcher, 66-67
 The bills of Starlings, 72-73
 Some data from poached Godwits, 79-81
 Some thoughts on a difficult dotterel, *Charadrius*
 mongolus, 347-349
 Silvereye, 24, 25, 62, 103, 104, 105, 106, 108, 124, 150, 210, 276,
 279-282, 338, 350
 Skua, 76
 Antarctic, 61, 65
 Arctic, 72, 151, 329
 Pomarine, 91, 329
 South Polar, 359
 Southern, 61, 65, 91, 169, 249, 266, 328-329
 Skylark, 135-137, 142, 149, 169, 273, 320, 335, 350
 Snipe, Chatham Island, 169
 Sparrow, Hedge, 62, 149, 169, 210, 266, 273, 336
 House, 62, 65, 121, 125, 138-141, 154, 170, 175, 239, 331, 339
 Spoonbill, Royal, 143, 146, 313, 360
 ST. PAUL, R. A bushman's seventeen years of noting birds.
 Part A. Edited by H. R. McKenzie, 122-130.
 Part B. Edited by H. R. McKenzie, 273-282.
 Starling, 62, 65, 72-73, 121, 125, 150, 154, 170, 210, 239, 266, 291-294,
 333, 339-340, 350
 Polynesian, 12, 13, 18, 21
Sterna albifrons, see Tern, Little
 bergii, see Tern, Crested
 fusacata, see Tern, Sooty
 nereis, see Tern, Fairy
 paradisea, see Tern, Arctic
 striata, 157, 161, 236, 237, see Tern, White-fronted
 sumatrana, see Tern, Black-naped
Stercorarius, 235
 parasiticus, 160, 238, see Skua, Arctic
 pomarinus, see Skua, Pomarine
 skua lonnbergi, 235, see Skua, Southern
Stictocarbo punctatus featherstoni, see Shag, Pitt Island
 p. punctatus, 157, 160, 236, 237, see Shag Spotted
 p. steadi, see Shag, Blue

- Stilt, 184, 230
 Black, 65, 66, 169, 328
 Pied, 61, 66, 67, 81, 148, 169, 239, 246, 261, 328
- Stint, Red-necked, 241, 242, 245, 328
- Stitchbird, 170
- Storm Petrel, White-bellied, 316
 White-faced, 60, 64, 168, 265
- Streptopelia chinensis*, see Dove, Malay Turtle
 risoria, see Dove, Barbary
- Strix aluco*, see Owl, Tawny
- Sturnus vulgaris*, see Starling
- Sula bassan serrator*, 158, 161, 236, 237
 dactylatra, see Booby, Blue-faced
 leucogaster plotus, see Booby, Brown
 serrator, see Gannet, Australasian
 sula, see Booby, Red-footed
- SUTTON, R. R., see BARLOW, M. & SUTTON, R. R.
- Swallow, Pacific, 18
 Welcome, 68, 75, 169, 335-336, 340
- Swan, Black, 60, 65, 153, 154, 168, 239, 318, 358
 Mute, 168, 318
- Swift, Fork-tailed, 334
 Spine-tailed, 10, 19, 334
- Swiftlet, White-rumped, 11-13, 18
- Synoicus ypsilophorus*, see Quail, Brown
- Tadorna variegata*, see Duck, Paradise
- Takahe, 22, 91, 99
- Tattler, 327
 Siberian, 20, 327
 Wandering, 327
- TAYLOR, M. J. Do migratory flocks of Godwits and Knots bring other waders to New Zealand, 253
 A dawn chorus, 350
- TAYLOR, R. H. Some ideas on speciation in New Zealand Parakeets, 110-121
- Teal, Black, 168
 Brown, 22, 60, 73-76, 168, 246-247, 319
 Grey, 60, 65, 99, 168, 319
- Tern, 186
 Antarctic, 169
 Arctic, 330
 Black-fronted, 61, 66, 148, 162, 167, 169, 330
 Black-naped, 21
 Caspian, 61, 65, 69, 148, 167, 169, 170, 171, 330
 Crested, 20, 69, 171
 Fairy, 61, 169, 330
 Gull-billed, 330
 Little, 330
 Roseate, 336
 Sooty, 3, 6, 61, 316, 331
 White, 21, 169
 White-fronted, 61, 69, 167, 169, 209, 328, 329, 330, 331, 356
 White-winged Black, 81, 169, 172, 330

- Ternlet, Grey, 169, 172, 316
Thalassoica antarctica, 235, see Petrel, Antarctic
Thinornis, 187
 Thrush, Island, 12, 13
 Song, 26, 62, 65, 106, 149, 153, 169, 239, 248-249, 350
 Tit, 103, 104, 106, 339
 Black, 358
 Chatham Island, 169
 Pied or North Island, 62, 169, 306, 337
 Yellow-breasted or South Island, 24-25, 169, 337
 Tomtit, see Tit
Totanus melanoleucus, see Yellowlegs, Greater
 Towhee, Mexican Collared, 38
 Red-eyed, 38
 Treasurer's report for year ended 31st December 1974, 163-166
Tribonyx, 90
 Triller, Polynesian, 12, 20, 51
Tringa brevipes, see Tattler, Siberian
 incana, 20, see Tattler, Wandering
 nebularia, see Greenshank
 Tropic Bird, 19, 347
 Red-tailed, 316
 White-tailed, 19, 60, 231, 238
 Tui, 24, 25, 62, 65, 78, 106, 122, 124-130, 169, 210, 333, 334, 338-339
Turdus merula, see Blackbird
 philomelos, see Thrush, Song
 poliocephalus, see Thrush, Island
 Turnstone, 20, 57, 245, 327
Tyto alba, see Owl, Barn

Uria, 85

Vanellus miles, 81
 vanellus, see Lapwing, European
 VEITCH, C. R. Seabirds found dead in New Zealand in 1973, 231-240
Vini amabilis, see Lory, Red-throated
Vitia ruficapilla, see Warbler, Fiji
 r. badiceps, 13

 Warbler, Chatham Island, 169, 294
 Fiji, 11, 12, 13
 Grey, 24, 25, 62, 65, 103, 104, 106, 124, 143, 169, 170, 210,
 275-277, 294, 337, 350
 WATLING, D. Observations on the ecological separation of two introduced congeneric Mynas (*Acridotheres*) in Fiji, 37-53
 WATT, J. P. C. Notes on Whero Island, and other roosting and breeding stations of the Stewart Island Shag (*Leucocarbo carunculatus chalconotus*), 265-272
 Waxeye, 334
 Weaver birds, African, 177
 Weka, 90, 106
 Buff, 322
 North Island, 61, 168, 321

- Weka — continued
 South Island, 168
 Stewart Island, 61
 Western, 26, 61, 321
- WELLER, M. W. Seasonal variation in estuary use by Brown Teal (*Anas castanea chlorotis*) on Great Barrier Island, 246-247
- Whimbrel, American, 326
 Asiatic, 325
- Whistleduck, Grass, 162, 360
- Whistler, Golden, 11, 12, 21
- White-eye, 169
 Grey-backed, 12, 14, 21, 51
 Layard's, 12, 14
- Whitehead, 124, 169, 276, 278
- Wood-swallow, 67-68
 Masked, 67
 White-breasted, 12, 68
 White-browed, 67-68
- Wren, Bush, 145
 Rock, 143, 149, 169, 335
- WRIGHT, A. Blue Petrel ashore, Sawyers Bay, Otago Harbour, 82
 Spotted Shag regurgitating shells and stones, 130
 Buller's Mollymawks ashore in Otago, 177-178
- Wrybill, 66, 187, 241, 245, 325
- Xenicus gilviventris*, see Wren, Rock
- Xenus cinereus*, see Sandpiper, Terek
- Yellowhammer, 62, 138-141, 145, 150, 170, 239
- Yellowhead, 25, 26, 169, 337
- Yellowlegs, Greater, 193
- ZEIGLER, H. P. Some observations on the development of feeding in captive Kea (*Nestor notabilis*), 131-134
- Zosterops explorator*, see White-eye, Layard's
 lateralis, see White-eye, Grey-backed, or Silvereye

COMPILED BY —
 T. G. LOVEGROVE,
 BOX 56,
 WAIPU