


NOTORNIS

Journal of the Ornithological Society
of New Zealand



Volume 35 - 1988

ISSN 0029-4470

OFFICERS 1988-89

President – B. BROWN, 20 Redmount Place, Red Hill, Papakura
Vice-President – D. E. CROCKETT, 21 McMillan Ave., Kamo, Whangarei
Editor – B. D. HEATHER, 10 Jocelyn Crescent, Silverstream
Treasurer – W. L. ORMOND, P.O. Box 18430, Glen Innes, Auckland 5
Secretary – SUE TRIGGS, P.O. Box 12397, Wellington

Council Members:

BEN D. BELL, Zoology Dept., Victoria University, Private Bag, Wellington
BRIAN D. BELL, 9 Ferry Road, Seatoun, Wellington
B. J. GILL, Auckland Institute & Museum, Private Bag, Auckland
J. M. HAWKINS, 772 Atawhai Drive, Nelson
D. J. ONLEY, Little Totara Farm, Private Bag, Westport
H. A. ROBERTSON, Ecology Division, DSIR, Lower Hutt
P. M. SAGAR, 38A Yardley Street, Christchurch 4

Conveners and Organisers:

Rare Birds Committee: Secretary, ROB GUEST, 79 Slacks Road,
Palmerston North
Beach Patrol: R. G. POWLESLAND, P.O. Box 12397, Wellington
Librarian: K. R. BARROW, 67A Taylor Road, Mangere Bridge, Auckland
Nest Records: H. A. ROBERTSON, Ecology Division,
DSIR, Private Bag, Lower Hutt
Banding Liaison Officer: P. C. BULL, 131A Waterloo Road, Lower Hutt
Reviews Editor: D. G. MEDWAY, 25A Norman Street, New Plymouth

Classified Summarised Notes –

North Island: B. R. KEELEY, 41 De Vere Crescent, Hamilton
South Island: P. D. GAZE, 25 Richmond Avenue, Nelson
S.W. Pacific Island Records: J. L. MOORE, 32 Brook St., Lower Hutt
Editor of *OSNZ news*: P. SAGAR, 38A Yardley St., Christchurch 4

CONTENTS OF VOLUME 35

1988

Part 1: March 1988

SAGAR, P.M. Some characteristics of Red-crowned Parakeets on the Poor Knights Islands.....	1
BOMFORD, M. Breeding of the Banded Dotterel, <i>Charadrius bicinctus</i> , on the Cass River Delta, Canterbury.....	9
DAVIS, L.S., WARD, G.D., SADDLEIR, R.M.F.S. Foraging by Adélie Penguins during the incubation period.....	15
VAN'T WOUTD, B.D., DOBBS, R.A. Wetland wildlife tracks	27
VAN TETS, G.F., MEREDITH, C.W., FULLAGAR, P.J., DAVIDSON, P.M. Osteological differences between <i>Sula</i> and <i>Morus</i> , and a description of an extinct new species of <i>Sula</i> from Lord Howe and Norfolk Islands, Tasman Sea.....	35
CLOUT, M.N., GAZE, P.D., HAY, J.R. Clutch overlap by a New Zealand Pigeon.....	59
HOLDAWAY, R.N. The New Zealand passerine list: What if Sibley and Ahlquist are right?.....	63
GALES, R. Sexing adult Blue Penguins by external measurements	71
TARBURTON, M.K. Calls of the White-rumped Swiftlet.....	77
Short Notes	
VAN HEEZIK, Y. Diet of Adélie Penguins during the incubation period at Cape Bird, Ross Island, Antarctica.....	23
RINKE, D. Group sizes of Red Shining Parrots on 'Eua, Kingdom of Tonga.....	57
O'DONNELL, C.F.J. Southern Crested Grebes on a lowland coastal lake in winter.....	75
JACKSON, W.R., OLSEN, M. A study of Cattle Egret numbers in the Horowhenua.....	83
COOK, P. Predators together.....	85
Notice.....	86
Letter.....	87

Part 2: June 1988

McLEAN, I. G. Breeding behaviour of the Long-tailed Cuckoo on Little Barrier Island.....	89
WORTHY, T. H. A re-examination of the moa genus <i>Megalapteryx</i>	99
HAFTORN, S.; MEHLUM, F.; BECH, C. Size variation in the Snow Petrel <i>Pagodroma nivea</i>	109
BELLINGHAM, M.; DAVIS, A. Forest bird communities in Western Samoa.....	117
RASMUSSEN, P. Moults of rectrices and body plumage of Blue-eyed and King Shags (<i>Phalacrocorax atriceps</i> and <i>P. albiventer</i>) and phenology of moults	129
POWLESLAND, R. G.; IMBER, M. J. OSNZ Beach Patrol Scheme: information and instructions.....	143
Short Notes	
HEMMINGS, A. D. Red-billed Gulls feeding on ngaio at the Mokohinau Islands.....	116
O'DONNELL, C.; DILKS, P. First record of the Australian Little Bittern (<i>Ixobrychus minutus</i>) in New Zealand.....	153
BARLOW, M.; Brooding of a Banded Dotterel fledgling.....	158
WEST, J. A. Bird counts on the Chatham Islands.....	159
Reviews	
A field guide to Australian bird song.....	162
The unknown music of birds.....	162
Obituary. Charles Alexander Fleming (1916-1987).....	164

Part 3: September 1988

WARHAM, J. Vocalisations of <i>Procellaria</i> petrels	169
HEATHER, B.D. A South Island puzzle - where have all the Dabchicks gone?	185
TABORSKY, M. Kiwis and dog predation: observations in Waitangi State Forest	197
JENKINS, J.A.F. The distribution of Buller's Shearwater (<i>Puffinus bulleri</i>) in New Zealand coastal waters and in the Tasman Sea	203
WILSON, P.R., TAYLOR, R.H., THOMAS B.W. Effect of topography on seasonal distribution of forest birds in the Ohikanui, Lower Buller and Inangahua Valleys, North Westland	217
Short Notes	
PLANT, A. R. Soft-plumaged Petrels (<i>Pterodroma mollis</i>) in New Zealand waters	184
EASON, D. Breeding of Great Spotted Kiwis in captivity	191
STURMER, A. T., GRANT, A. D. Female kiwis incubating	193
BARLOW, M. Spur-winged Plover longevity record	195
FLUX, J.E.C., THOMPSON C. F. Birds taking insects from car radiators	202
GALBREATH, R., MISKELLY, C. M. The Hakawai	215
FEGLEY, S. M. Feeding behaviour of Bellbirds (<i>Anthornis melanura</i>) in a native and an introduced forest	244
HEMMINGS, A.D., CHAPPELL, R.G. Nesting of White-faced Heron at the Chatham Islands	245
O'DONNELL, C.F.J. Black Stilts nesting at Lake Ellesmere	247

Part 4: December 1988

HAWKINS, J.M. The Farewell Spit gannetry - A new sea level colony	249
WALTERS, M. Probable validity of <i>Rallus nigra</i> Miller, an extinct species from Tahiti	265
MISKELLY, C.M. The Little Barrier Island snipe	273
Classified Summarised Notes, North Island	285
Classified Summarised Notes, South Island	311
Short Notes	
HADDEN, D. A six-egg clutch of Yellow-breasted Tit	260
SIBSON, R.B. A black-tailed Australasian Gannet and others with variable tails at Muriwai	261
FOX, N.C. A taxonomic redescription of the New Zealand Falcon <i>Falco novaeseelandiae</i> Gmelin, 1788	270
BEAUCHAMP, A.J. Status of the weka <i>Gallirallus australis</i> on Cape Brett, Bay of Islands	282
KAUFMANN, G. Development of Spotless Crake chicks	324
MALONEY, R. A Ruff at Lake Wainono	328
Review	284

INDEX OF AUTHORS AND SPECIES
Vol 35

- Acanthis flammea*, see Redpoll
Acanthisitta chloris, 64, see Rifleman
 c. chloris, see Rifleman, South Island
 c. granti, see Rifleman, North Island
Acanthisittidae, 64, 68, see Wren, New Zealand spp.
Acanthisittides, 64
Acanthizidae, 67, 70
Acanthizinae, 65, 70
Accentor, 68
Accipiter fasciatus, see Goshawk, Brown
Acridotheres tristis, 66, see Myna, Indian
Aerodramus spodiopygius, see Swiftlet, White-rumped
 s. assimilis, see Swiftlet, White-rumped
 s. chillagoensis, see Swiftlet, White-rumped
 s. terraereginae, see Swiftlet, White-rumped
 unicolor, see Swiftlet, Indian Edible-nest
 vanikorensis, see Swiftlet, Mossy-nest
Alauda arvensis, 66, see Skylark
Audubonidae, 66, 68
Albatross, 145, 147, 149, 182
 Black-footed, 148
 Chatham Island, see Mollmawk, Chatham Island
 Northern Royal, 312
 spp., 212, 286
 Wandering, 286
 Yellow-nosed, 148
Alectoris rufa, see Partridge, Red-legged
'Aleva, see Cuckoo, Long-tailed
Anarhynchus frontalis, see Wrybill
Anas aucklandica chlorotis, see Teal, Brown
 gibberifrons, see Teal, Grey
 platyrhynchos, see Mallard
 rhynchotis, see Shoveler, New Zealand
 superciliosa, see Duck, Grey
 s. pelewensis, see Duck, Pacific Black
Anomalopterygidae, 108
Anomalopteryx didiformis, 100, 104-106, 108, see Moa, Little Bush
 oweni, 99
Anthochaera carunculata, 65
Anthornis melanura, 65, see Bellbird
Anthus, 68, *n. novaeseelandiae*, see Pipit, New Zealand
Aplonis atrifusca, see Starling, Samoan
 tabuensis brevirostris, see Starling, Polynesian
Apterygidae, 63, see Kiwi spp.
Apteryx australis, see Kiwi, Brown
 a. australis, see Kiwi, South Island Brown
 a. lawryi, see Kiwi, Stewart Island Brown

- a. mantelli*, see Kiwi, North Island Brown
haastii, see Kiwi, Great Spotted
owenii, see Kiwi, Little Spotted
Apus apus, see Swift, Common
melba, see Swift, Alpine
Ardea novaehollandiae, see Heron, White-faced
Arenaria interpres, see Turnstone
Artamini, 65, 67
Artamus personatus, 65
superciliosus, 65
Aythya novaeseelandiae, see Scaup, New Zealand
- BARLOW, M.; Brooding of a Banded Dotterel fledgling, 158-159
Spur-winged Plover longevity record, 195-196
BEAUCHAMP, A.J.; Status of the weka (*Gallirallus australis*) on Cape
Brett, Bay of Islands, 282-284
BECH, C.; see HAFTORN, S.; MEHLUM, F.; BECH, C.
Bellbird, 95, 96, 217, 225-228, 236, 239-241, 244-245, 308
BELLINGHAM, M.; DAVIS, A. Forest bird communities in Western
Samoa, 117-128
- Bird, Bush spp., 167
Bird of Providence, see Petrel, Providence
Bittern, 27, 29, Australian Little, 153-157
Australasian, 32, 185, 291, 314
Least, 154
New Zealand Little, 154
Yellow, 154
- Blackbird, 160, 168, 225, 226, 232, 233, 236, 239, 240, 308, 322
BOMFORD, M.; Breeding of the Banded Dotterel (*Charadrius
bicinctus*) on the Cass River Delta, Canterbury, 9-14
- Booby, Brown, 148
Masked, 35-55, 148, 264
spp., 35-37
Tasman, 35-37
- Botaurus stellaris poiciloptilus*, see Bittern, Australasian
Bowdleria, 64, *punctata*, see Fernbird
p. punctata, see Fernbird, South Island
Branta canadensis, see Goose, Canada
Breaksea Devil, see Hakawai, or Snipe, Stewart Island
Broadbill, Samoan, 119-125, 127
Bubulcus ibis, see Egret, Cattle
Bulbul, Red-vented, 125, 127
Bunting, Grl, 309, 322
- Cacatua galerita*, see Cockatoo, White
Calidris acuminata, see Sandpiper, Sharp-tailed
alba, see Sanderling
canutus, see Knot
ferruginea, see Sandpiper, Curlew

- melanotos*, see Sandpiper, Pectoral
ruficollis, see Stint, Red-necked
Callaeas, 67, *cinerea*, 67, see Kokako
 c. wilsoni, see Kokako, North Island
Callaeatid spp., 64, 68
Callaeatidae, 67, 68
Calonectris, 183, *diomedea*, see Shearwater, North Atlantic
Campephagidae, 68
Carduelidae, 68
Carduelini, 67
Carduelis carduelis, 67, see Goldfinch
 chloris, 67, see Greenfinch
 flammea, 67, see Redpoll
Catharacta maccormicki, see Skua, Antarctic
Cecropis ariel, 66
Centrocercus urophasianus, see Grouse, Sage
Chaetura caudacuta, see Swift, Spine-tailed
 pelagica, see Swift, Chimney
Chaffinch, 160, 161, 225, 226, 232, 233, 236, 309, 323
Charadrius alexandrinus, see Plover, Kentish
 bicinctus, see Dotterel, Banded
 leschenaultii, see Dotterel, Large Sand
 melanops, see Dotterel, Black-fronted
 mongolus, see Dotterel, Mongolian
 obscurus, see Dotterel, New Zealand
 spp., 14
Chlidonias leucopterus, see Tern, White-winged Black
Chrysococcyx lucidus, see Cuckoo, Shining
Circus approximans, see Harrier, Australasian
CLASSIFIED SUMMARISED NOTES, North Island, 1 July 1986 to
 30 June 1987, compiled by B.R. Keeley, 285-310
CLASSIFIED SUMMARISED NOTES, South Island, 1 July 1986 to
 30 June 1987, compiled by P.D. Gaze, 311-323
CLOUT, M.N.; GAZE, P.D.; HAY, J.R. Clutch overlap by a New
 Zealand Pigeon, 59-62
Cockatoo, White, 305
Coenocorypha a. aucklandica, see Snipe, Auckland Island
 a. barrierensis, see Snipe, Little Barrier
 a. iredalei, see Snipe, Stewart Island
 pusilla, see Snipe, Chatham Island
Collocalia, see Swiftlet
 spodiopygia, see Swiftlet, White-rumped
Columba livia, see Pigeon, Rock
 vitiensis, see Pigeon, White-throated
Columbidae, 61
COOK, P. Predators together, 85-86
Coot, Australian, 295, 316
Coracina novaehollandiae, 65
Cormorant, 139, Cape, 139
 spp., 129-142

- Corvi, 67
 Corvida, 64, 67, 68
 Corvidae, 65, 68
 Corvinae, 65
 Corvini, 65
 Corvoidea, 65
Corvus frugilegus, see Rook
 moriorum, 65
 Cracticidae, 68
 Cracticini, 67
 Crane, Marsh, 295, 315
 Sora, 324, 327
 Spotless, 27, 29, 265-267, 295, 324-327
Creadion, 67, *carunculatus*, see Saddleback
 Creeper, Brown, 70, 89, 95-97, 232, 234-236, 240, 322
 Cuckoo, Channel-billed, 306
 Long-tailed, 89-98, 122, 127, 161, 238, 306, 321
 Shining, 96, 160, 226, 234, 235, 238, 306, 321
 Curlew, 279, 280, Far-Eastern, 280, 299, 317
Cyanoramphus a. auriceps, see Parakeet, Yellow-crowned
 a. forbesi, see Parakeet, Forbes'
 novaezealandiae, see Parakeet, Red-crowned
 n. chathamensis, see Parakeet, Chatham Island
 Red-crowned
 n. chathamensis x *a. forbesi*, 7
 n. novaezealandiae, see Parakeet, Red-crowned
Cygnus atratus, see Swan, Black
 olor, see Swan, Mute

 Dabchick, 185-191, 285-286, New Zealand, 312
Dacelo gigas, see Kookaburra
 novaezealandiae, see Kookaburra
Daption, 87-88, *capense*, 87, see Pigeon, Cape
Daption capense, 87
 DAVIDSON, P.M., see VAN TETS, G.F.; MEREDITH, C.W.;
 FULLAGAR, P.J.; DAVIDSON, P.M.
 DAVIS, A., see BELLINGHAM, M.; DAVIS, A.
 DAVIS, L.S.; WARD, G.D.; SADLEIR, R.M.F.S. Foraging by
 Adélie Penguins during the incubation period, 15-23
 Dicrurinae, 65, 67, 68
Didunculus strigirostris, see Pigeon, Tooth-billed
Dinornis, 107, *novaezealandiae*, see Moa, Large Bush
Diomedea cauta, 286
 chlororhynchus, see Mollymawk, Yellow-nosed
 chrysostoma, see Mollymawk, Grey-headed
 epomophora sanfordi, see Albatross, Northern Royal
 exulans, 182, see Albatross, Wandering
 nigripes, 182
 Diomedidae, 151
 DOBBS, R.A., see VAN'T WOUTD, B.D.; DOBBS, R.A.

- Dotterel, Banded, 9-14, 158-159, 280, 298, 316-317
 Black-fronted, 298, 317
 Large Sand, 298
 Mongolian, 298
 New Zealand, 280, 297-298, 300, 316
 Dove, Barbary, 305
 Crimson-crowned Fruit, 120-125, 127
 Friendly Ground, 124, 126, 127
 Friendly Quail, see Dove, Friendly Ground
 Malay Spotted, 305
 Many-coloured Fruit, 121, 122, 124, 127
 Dowitcher, Asiatic, 300
 Duck, Blue, 186, 237, 240, 293, 321
 Brown, 188
 Grey, 185, 293, 314-315
 Mountain, see Duck, Blue
 Pacific Black, 122, 123, 125, 127
 sp., 27, 31, 32
Ducula p. pacifica, see Pigeon, Pacific
 EASON, D. Breeding of Great Spotted Kiwis in captivity, 191-193
 Egret, Cattle, 83-85, 185, 290-291, 313
 Little, 167, 290, 313
Egretta alba, see Heron, White
 garzetta, see Egret, Little
 sacra, see Heron, Reef
Emberiza cirrus, 67, see Bunting, Cirl
 citrinella, 67, see Yellowhammer
 Emberizidae, 68
 Emberizinae, 67
 Eopsaltriidae, 65, 68, 70
Erythrura cyaneovirens, see Parrot Finch, Red-headed
Eudynamis scolopacea, see Koel
 taitensis, see Cuckoo, Long-tailed
Eudyptes chrysocome, see Penguin, Rockhopper
 pachyrhynchus, see Penguin, Fiordland Crested
 robustus, see Penguin, Snares Crested
 sclateri, see Penguin, Erect-crested
Eudyptula minor, see Penguin, Blue
 m. minor, see Penguin, Southern Blue
 m. novaehollandiae, see Penguin, Fairy
Falco, 270-272, *australis*, see Falcon, New Zealand
 brunnea, see Falcon, New Zealand
 cenchroides, see Kestrel, Nankeen
 ferox, see Falcon, New Zealand
 harpe, see Falcon, New Zealand
 novaezeelandiae, see Falcon, New Zealand
 novae Seelandiae, see Falcon, New Zealand
 novaezeelandiae, see Falcon New Zealand

- Falcon, Bush, see Falcon, New Zealand
Eastern, see Falcon, New Zealand
New Zealand, 236, 238, 270-272, 294, 315
Southern, see Falcon, New Zealand
- Falcones, 270
- Falconidae, 270
- Falconiformes, 270
- Fantail, 70, 95, 96
Chatham Island, 160
North Island, 308
Samoan, 119-125, 127
South Island, 225, 226, 229, 230, 236, 240, 322
- FEGLEY, S.M. Breeding behaviour of Bellbirds (*Anthornis melanura*) in
a native and an introduced forest, 244-245
- Fernbird, 28, 31, 70, 236
North Island, 307
South Island, 238, 322
- Fiaui, see Pigeon, White-throated
- Finschia*, 64, 68, 70, *novaeeseelandiae*, see Creeper, Brown
- FLUX, J.E.C.; THOMPSON, C.F. Birds taking insects from car
radiators, 202
- Flycatcher, 68, Australasian spp., 64, 70
Fantail spp., 70
Monarch spp., 68, 70
New Zealand spp., 165
Old World spp., 64
- Foulehaio carunculata*, see Honeyeater, Wattled
- Fowl, Jungle, 125, 127
- FOX, N.C. A taxonomic redescription of the New Zealand Falcon
(*Falco novaeeseelandiae*) Gmelin 1788, 270-272
- Fregata ariel*, see Frigate Bird, Lesser
minor, see Frigate Bird, Great
- Fregatta grallaria*, see Storm Petrel, White-bellied
- Frigate Bird, 147, Great, 139
Lesser, 289
- Fringilla coelebs*, 67, see Chaffinch
- Fringillidae, 67, 68
- Fringillinae, 67
- Fringillini, 67
- Fringilloidea, 67
- Fuia, see Starling, Samoan
- Fulica*, 327, *atra australis*, see Coot, Australian
- FULLAGAR, P.J., see VAN TETS, G.F.; MEREDITH, C.W.;
FULLAGAR, P.J.; DAVIDSON, P.M.
- Fulmar, Antarctic, 145, 286
- Fulmarus glacialis*, see Fulmar, Antarctic
- GALBREATH, R. The Hakawai, 215-216
- GALES, R. Sexing adult Blue Penguins by external measurements, 71-75

- Gallicolumba stairii*, see Dove, Friendly Ground
Gallinago minima, 267
 pusilla, 273-275, see Snipe, New Zealand
 sp., see Snipe sp.
Gallirallus australis, see Weka
 a. australis, see Weka, Western
 a. hectori, see Weka, Eastern Buff
 philippensis, see Rail, Banded
Gallus gallus, see Fowl, Jungle
Gannet, 145, 147, 149, 165, 319, 320
 Australasian, 36-45, 55, 249-260, 261-164, 287, 312
 Cape, 264
 North Atlantic, 55, 264
 spp., 35-57
GAZE, P.D., see CLOUT, M.N.; GAZE, P.D.; HAY, J.R.
GAZE, P.D. Classified Summarised Notes, South Island, 1 July 1986
 to 30 June 1987, 311-323
Gelochelidon nilotica, see Tern, Gull-billed
Gerygone, 68, *albofrontata*, 65, see Warbler, Chatham Island
 igata, 65, see Warbler, Grey
Godwit, 304, American Black-tailed, 299
 Asiatic Black-tailed, 299
 Black-tailed, 317
 Bar-tailed, 280, 299-300, 317-318, 328
Goldfinch, 234, 235, 238, 309, 323
Goose, 27, Canada, 292, 314
Goshawk, Brown, 79
GRANT, A.D., see STURMER, A.T.; GRANT, A.D.
Grebe, Australian Little, 185, 190, 286, 312
 Crested, 186
 Hoary-headed, 185, 190, 286, 312
 Southern Crested, 75-76, 185, 311
Greenfinch, 95, 202, 238, 309, 323
Greenshank, 300, 318
Grouse, Sage, 97
Gull, 145, 147, 149, 259, 287, 303, 319
 Black-backed, 148, 238, 250, 259, 287, 302, 319
 Black-billed, 250, 302-304, 319
 Red-billed, 116, 246, 250, 259, 302, 304, 319
 Southern Black-backed, see Gull, Black-backed
Gymnomyza samoensis, see Ma'o
Gymnorhina tibicen, 65
 t. hypoleuca, see Magpie, White-backed
 t. tibicen, see Magpie, Black-backed

HADDEN, D. A six-egg clutch of Yellow-breasted Tit, 260
Haematopus ostralegus finschi, see Oystercatcher, South Island Pied
 unicolor, see Oystercatcher, Variable

- HAFTORN, S; MEHLUM, F.; BECH, C. Size variation in the Snow Petrel, (*Pagodroma nivea*), 109-116
- Hakawai, 215-216, see also Snipe, Stewart Island
- Halcyon recurvirostris*, see Kingfisher, Flat-billed
- sancta vagans*, see Kingfisher, New Zealand
- Harpa australis*, see Falcon, New Zealand
- ferox*, see Falcon, New Zealand
- novae zealandiae*, see Falcon, New Zealand
- Harpe brunneus*, see Falcon, New Zealand
- novae-zealandiae*, see Falcon, New Zealand
- Harrier, 27, 85-86, 160, 195, 235, 236, 240, 303
- Australasian, 238, 293-294, 315
- Hawk, Bush, see Falcon, New Zealand
- Quail, see Falcon, New Zealand
- HAWKINS, J.M. The Farewell Spit gannetry - A new sea level colony, 249-260
- HAY, J.R. see CLOUT, M.N.; GAZE, P.D.; HAY, J.R.
- HEATHER, B.D. A South Island puzzle - where have all the Dabchicks gone? 185-191
- Hemiphaga novaeseelandiae*, see Pigeon, New Zealand
- HEMMINGS, A.D. Red-billed Gulls feeding on ngaio at the Mokohinau Islands, 116
- HEMMINGS, A.D.; CHAPPELL, R.G. Nesting of White-faced Herons at the Chatham Islands, 245-247
- Heron, 27, Reef, 246, 247, 290, 313
- White, 289-290, 313
- White-faced, 29, 32, 245-247, 289, 313
- Heteralocha acutirostris*, 67
- Hieracidea brunnea*, see Falcon, New Zealand
- novae zealandiae*, see Falcon, New Zealand
- Himantopus h. leucocephalus*, see Stilt, Pied
- novaezealandiae*, see Stilt, Black
- Hirundinidae, 66, 68
- Hirundo tahitica*, 66
- t. neoxena*, see Swallow, Welcome
- Hokioi, see Hakawai, and also Snipe, Stewart Island
- HOLDAWAY, R.N. The New Zealand Passerine List; What if Sibley and Ahlquist are right? 63-70
- Honeyeater, 217, 241, Cardinal, 119-125, 127
- Wattled, 119-125, 127
- Hydroprogne caspia*, see Tern, Caspian
- Hylochelidon nigricans*, 66
- Hymenolaimus malacorhynchus*, see Duck, Blue
- Hypotriorchis novaezealandiae*, see Falcon, New Zealand
- Iao, see Honeyeater, Wattled
- Ibis, Glossy, 314
- Ieracidea novae zealandiae*, see Falcon, New Zealand

IMBER, M.J., see POWLESLAND, R.G.; IMBER, M.J.

Ixobrychus cinnamomeus, see Bittern, Least

minutus, see Bittern, Australian Little

novaezealandiae, see Bittern, New Zealand Little

sinensis, see Bittern, Yellow

JACKSON, W.R.; OLSEN, M. A study of Cattle Egret Numbers in the Horowhenua, 83-85

JENKINS, J.A.F. Distribution of Buller's Shearwater (*Puffinus bulleri*) in New Zealand coastal waters and in the Tasman Sea, 203-215

Kaka, North Island, 306

South Island, 234, 236, 237, 240, 241, 320-321

Kakapo, 97

KAUFMANN, G. Development of Spotless Crake chicks, 324-327

Kea, 234-236, 238, 321

KEELEY, B.R. Classified Summarised Notes, North Island, 1 July 1986 to 30 June 1987, 285-310

Kestrel, Nankeen, 294, 315

Kingfisher, Flat-billed, 120-125, 127

New Zealand, 234, 235, 238, 306-307, 321

Kiwi, 63, 104, 191-194, 197-202, 242

Great Spotted, 191-193, 237, 240, 311

Little Spotted, 237, 311

North Island Brown, 192-194, 197-202, 285

South Island Brown, 237

Stewart Island Brown, 193-194

Knot, 280, 300, 318, 328

Koel, 97

Kokako, 104, North Island, 310

Kookaburra, 179, 307

Lalage maculosa, see Triller, Polynesian

sharpei, see Triller, Samoan

sueurii, 65

Larus bulleri, see Gull, Black-billed

dominicanus, see Gull, Black-backed

novaezealandiae scopulinus, see Gull, Red-billed

LETTER: Classical origin of the name *Daption* Stephens, 87-88

Leucocarbo carunculatus chalconotus, see Shag, Stewart Island

Limnodromus semipalmatus, see Dowitcher, Asiatic

Limosa haemastica, see Godwit, American Black-tailed

lapponica, see Godwit, Bar-tailed

limosa, see Godwit, Black-tailed, see also Godwit, Asiatic Black-tailed

Lophortyx californica, see Quail, California

Lory, Blue-crowned, 125-127

Lulu, see Owl, Barn

Lupe, see Pigeon, Pacific

Macronectes sp., see Petrel, Giant

Magpie, 294, 310, Black-backed, 310
White-backed, 323

Maho, see Rail, Black

Malagash, see Gannet, Cape

Mallard, 292, 314

MALONEY, R. A Ruff at Lake Wainono, 328

Maluridae, 70

Malurinae, 68

Manu ai pa'u la'au, see Parrot Finch, Red-headed

Manuali'i, see Swampphen, Purple

Manuma, see Dove, Many-coloured Fruit

Manume'a, see Pigeon, Tooth-billed

Manu palagi, see Bulbul, Red-vented

Manutagi, see Dove, Crimson-crowned Fruit

Ma'o, 120-127

McLEAN, I.G. Breeding behaviour of the Long-tailed Cuckoo on
Little Barrier Island, 89-98

Megadyptes antipodes, see Penguin, Yellow-eyed

Megalapteryx, 99-108

benhami, 99-101, 104-107

didimus, 99-101, 103-108, see Moa, Upland

Megalurinae, 66

Megalurus, 64, *punctatus*, 66, see Fernbird

MEHLUM, F., see HAFTORN, S.; MEHLUM, F.; BECH, C.

Meliphagidae, 65, 68

Meliphagoidea, 64

MEREDITH, C.W., see VAN TETS, G.F.; MEREDITH, C.W.;
FULLAGAR, P.J.; DAVIDSON, P.M.

MISKELLY, C.M. The Hakawai, 216

The Little Barrier Snipe, 273-281

Miti tai, see Starling, Polynesian, see also Triller, Samoan

Miti vao, see Triller, Polynesian

Moa, 99-108, Heavy-footed, 104

Large Bush, 104

Little Bush, 104

Upland, 104, 105

Moa'aivao, see Fowl, Jungle

Mohoua, 64, 68, 70

albicilla, 65, 70, see Whitehead

ochrocephala, 65, 70, see Yellowhead

Mohouinae, 70

Mohouini, 65

Mollymawk, Chatham Island, 148

Grey-headed, 264

sp., 286

Yellow-nosed, 264, 286

- Monarchidae, 70
Monarchinae, 67
Monarchini, 65
Morepork, 237, 306, 321
Morus, 35-57, see Gannet, spp.
 bassanus, 37, 39, 41, see Gannet, North Atlantic
 capensis, 39, 41
 serrator, 36-45, see Gannet, Australasian
Motacillidae, 68
Motacillinae, 66
Muscicapae, 67
Muscicapidae, 63, 66-68, 70
Muscicapoidae, 66, 67
Myiagra albibentris, see Broadbill, Samoan
 cyanoleuca, 65
Myna, 294, Indian, 310
 Jungle, 125
Myzomela cardinalis, see Honeyeater, Cardinal

Nesierax australis, see Falcon, New Zealand
 n. novae-seelandiae, see Falcon, New Zealand
 n. pottsii, see Falcon, New Zealand
 novaezealandiae, see Falcon, New Zealand
 pottsii, see Falcon, New Zealand
 sp., see Falcon, New Zealand
Nestor meridionalis, see Kaka
 m. meridionalis, see Kaka, South Island
 notabilis, see Kea
Nesophylax ater, see Rail, Henderson Island
 niger, see Rail, Extinct Tahiti
Ninox novaeseelandiae, see Morepork
Noddy, Common, 148
 White-capped, 168
NOTICE: Invitation to publish in Current Ornithology, 86
Notiomystis cincta, 65, see Stitchbird
Numenius madagascariensis, see Curlew, Far-eastern
 phaeopus hudsonicus, see Whimbrel, American
 p. variegatus, see Whimbrel, Asiatic

OBITUARY: Charles Alexander Fleming (1916-1987), 164-168
Oceanites oceanicus, see Storm Petrel, Wilson's
O'DONNELL, C.F.J., Southern Crested Grebes on a lowland coastal
 lake in winter, 75-76
O'DONNELL, C.F.J. Black Stilts nesting at Lake Ellesmere, 247-248
O'DONNELL, C.F.J.; DILKS, P. First record of the Australian Little
 Bittern (*Ixobrychus minutus*) in New Zealand,
 153-157
Oligomyodi, 67

OLSEN, M., see JACKSON, W.R.; OLSEN, M.

Oreolini, 65

Oscine, 68, 69

Owl, Barn, 121-123, 127

Oystercatcher, South Island Pied, 295, 316

Variable, 280, 295-296, 316

Pachycephala flavifrons, see Whistler, Samoan

Pachycephalinae, 65, 68, 70

Pachyornis elephantopus, see Moa, Heavy-footed

mappini, 106, 107

Pachyptila belcheri, see Prion, Thin-billed

desolata, see Prion, Antarctic

salvini, see Prion, Salvin's

spp., see Prion spp.

turtur, 182, see Prion, Fairy

vittata, see Prion, Broad-billed

Pagodroma nivea, see Petrel, Snow

n. major, 109-111, 114

n. minor, 109, 111, 114

n. nivea, 110

Palaeocorax, 67

Parakeet, 234-236, 240, 321

Chatham Island Red-crowned, 7

Forbes', 7

Hybrid Red x Yellow-crowned, 1, 5, 7

Red-crowned, 1-8, 95, 160, 161, 306

Yellow-crowned, 1, 7, 237, 306, 321

Pardalotidae, 65, 67, 68

Pareudiastes pacificus, see Woodrail, Samoan

Parrot, 104, Red Shining, 57-58

Parrot Finch, Red-headed, 120-123, 125, 127

Partridge, Red-legged, 294

Passer domesticus, 66, see Sparrow, House

Passeres, 67

Passeri, 67

Passerida, 66-68

Passeridae, 66-68

Passeriformes, 64-67

Passerinae, 66

Passerine, spp., 63-70

Passeroidea, 66, 67

Pavo cristatus, see Peafowl

Peafowl, 294

Pe'ape'a, see Swiftlet, White-rumped

Pediunker, see Petrel, Grey

Pelagodroma marina, see Storm Petrel, White-faced

Pelecaniform spp., 130, 140

Pelecanoididae, 151

- Pelecanus bassanus*, 36
 piscator, 36
Pelican, Australian, 148
Penguin, 15-23, 145, 147
 Adélie, 15-23, 23-26, 143, 148
 Blue, 71-75, 285, 311
 Chinstrap, 15, 21, 22, 148
 Emperor, 148
 Erect-crested, 311
 Fairy, 71-75
 Fiordland Crested, 311
 Gentoo, 15, 21, 22, 148
 King, 148
 Macaroni, 148
 Magellanic, 148
 Pygoscelid spp., 15, 22
 Rockhopper, 148, 311
 Royal, 148
 Snarers Crested, 311
 Southern Blue, 71-74
 Yellow-eyed, 21, 25
Petrel, 109-116, 143, 145, 147, 169-183
 Black, 169, 170, 172, 175, 178, 181, 182, 287
 Black sp., 287
 Black-winged, 286
 Chatham Island, 148
 Cook's, 286, 287
 Diving, 145, 147
 Giant, 286
 Gould's, 143, see also Petrel, New Caledonian
 Grey, 169-174, 181, 182
 Grey-faced, 286
 Juan Fernandez, 148
 Kerguelen, 286
 Mottled, 312
 New Caledonian, 143, 148
 Parkinson's, see Petrel, Black
 Phoenix, 148
 Providence, 143, 148
 Pycroft's, 148
 Snow, 109-116, 148
 Soft-plumaged, 148, 184
 South Georgian Diving, 148
 Stejneger's, 143, 148
 Westland Black, 169, 170, 178-183, 212
 White-chinned, 169, 170, 173-179, 181-183
 White-naped, 148

- Petroica*, 68, 70, *australis*, see Robin
 a. australis, see Robin, South Island
 a. longipes, see Robin, North Island
 macrocephala, 65, see Tomtit
 m. chathamensis, see Tit, Chatham Island
 m. macrocephala, see Tit, Yellow-breasted
 m. toitoi, see Tit, Pied
 multicolor, see Robin, Scarlet
 traversi, 65, see Robin, Black
- Phaethon aethereus*, see Tropicbird, Red-billed
 lepturus, see Tropicbird, White-tailed
- Phalacrocoracidae, see Cormorant spp.
- Phalacrocorax albiventer*, see Shag, King
 a. purpurascens, see Shag, Macquarie Island King
 atriceps, see Shag, Blue-eyed
 brevirostris, see Shag, Little
 carbo, see Shag, Black, or Cormorant
 melanoleucos, see Shag, Little
 m. brevirostris, see Shag, Little
 neglectus, see Cormorant, Cape
 sulcirostris, see Shag, Little Black
 varius, see Shag, Pied
 Phasianus colchicus, see Pheasant
 Pheasant, 31, 283, 294
 Philesturnus, 67, 68, *carunculatus*, 67, see Saddleback
- Philomachus pugnax*, see Ruff
- Pigeon, 179, Cape, 87-88, 286
 Chatham Island, 161
 Feral, see Pigeon, Rock
 New Zealand, 59-62, 225, 226, 232, 236, 241, 305, 319, 320, 322
 Pacific, 120-125
 Rock, 61, 305, 320
 Tooth-billed, 123, 124, 126, 127
 White-throated, 119-125
- Pintado, Cape, see Pigeon, Cape
- Pipit, 68, 234, 236, 238
 New Zealand, 307, 322
- PLANT, A.R. Soft-plumaged Petrels (*Pterodroma mollis*) in New Zealand waters, 184
- Platalea regia*, see Spoonbill, Royal
- Platycercus eximius*, see Rosella, Eastern
- Plegadis falcinellus*, see Ibis, Glossy
- Ploceidae, 67, 68
- Plover, Charadrius spp., 14
 Grey, 297
 Kentish, 14
 Least Golden, 280, 297, 316, 318
 Spur-winged, 195-196, 296-297, 316, 318

- Pluvialis fulva*, see Plover, Least Golden
 squatarola, see Plover, Grey
Podiceps cristatus australis, see Grebe, Southern Crested
 c. cristatus, see Grebe, Crested
 minor, see *Podiceps rufopectus*
 poliocephalus, see Grebe, Hoary-headed
 rufopectus, see Dabchick, New Zealand
Poliolimnas cinereus tannensis, see Rail, White-browed
Polymyodi, 64
Porphyrio p. melanotus, see Pukeko
Porzana, 327, *atra*, 266
 carolina, see Crake, Sora
 flavirostra, 324
 pusilla, see Crake, Marsh
 tabuensis, 265
 t. plumbea, see Crake, Spotless
 t. tabuensis, see Rail, Sooty
POWLESLAND, R.G.; IMBER, M.J. OSNZ Beach Patrol Scheme:
 information and instructions, 143-153
Prion, 151, 165, 182
 Antarctic, 145
 Broad-billed, 312
 Fairy, 152
 Lesser Broad-billed, see Prion, Salvin's
 Salvin's, 145, 287
 spp., 147, 287
 Thin-billed, 145
Procellaria, 169-183, *aequinoctialis*, see Petrel, White-chinned
 cinerea, see Petrel, Grey
 parkinsoni, see Petrel, Black
 westlandica, see Petrel, Westland Black
Procellariidae, 151
Procellariiformes, 109
Prosopiea spp., 57-58
 tabuensis see Parrot, Red Shining
Prosthemadera novaeseelandiae, 65, see Tui
Prunella modularis, 66, see Sparrow, Hedge
Prunellidae, 68
Prunellinae, 66
Pterodroma brevirostris, see Petrel, Kerguelen
 cookii, see Petrel, Cook's
 inexpectata, see Petrel, Mottled
 leucoptera caledonica, see Petrel, New Caledonian
 longirostris, see Petrel, Stejneger's
 macroptera, see Petrel Grey-faced
 molliis, see Petrel, Soft-plumaged
 nigripennis, see Petrel, Black-winged
 solandri, see Petrel, Providence

- Ptilinopus perousii*, see Dove, Many-coloured Fruit
porphyraceus, see Dove, Crimson-crowned Fruit
 Ptilinorhynchidae, 67
Puffinus, 183, *assimilis*, see Shearwater, Little
 bulleri, see Shearwater, Buller's
 carneipes, 182, see Shearwater, Flesh-footed
 gavia, see Shearwater, Fluttering
 griseus, 182, see Shearwater, Sooty
 nativitatis, see Shearwater, Christmas Island
 pacificus, see Shearwater, Wedge-tailed
 puffinus, 182, see Shearwater, Manx
 Pukeko, 27, 33, 295, 315
 Puna'e, see Woodrail, Samoan
 Pycnonotidae, 66, 68
Pycnonotus cafer, 66
 c. bengalensis, see Bulbul, Red-vented
Pygoscelis adeliae, see Penguin, Adélie
 antarctica, see Penguin, Chinstrap
 papua, see Penguin, Gentoo
 Quail, Brown, 283, 294
 California, 283, 294
 Rail, 104, 265-269
 Banded, 27, 28, 30, 34, 121-125, 127, 294-295
 Black, 265
 Extinct Tahiti, 265-269
 Henderson Island, 266-269
 Miller's, 266, 268
 Otaheite, 267, 268
 Sooty, 122, 123, 125, 127, 265-269
 Tabuan, 267, 268
 Virginia, 324
 White-browed, 122, 123, 125, 127
Rallus, 327, *limicola*, see Rail, Virginia
 minutus, 265, 266
 nigra, 265-269
 philippensis, see Rail, Banded
 tabuensis, see Rail, Tabuan
 tahitiensis, see Rail, Otaheite
 RASMUSSEN, P.C. Moults of rectrices and body plumage of Blue-eyed and King Shags (*Phalacrocorax atriceps* and *P. albiventer*) and phenology of moults, 129-142
 Redpoll, 160, 226, 234-236, 238, 309
 REVIEW: Arnold, G. Drawing Birds – An RSPB Guide (John Busby), 284
Rhipidura, 68, 70, *fuliginosa*, 65, see Fantail
 f. fuliginosa, see Fantail, South Island
 f. penitus, see Fantail, Chatham Island
 nebulosa, see Fantail, Samoan

- Rhipidurinae, 70
Rhipidurini, 65
Rifleman, 217, North Island, 307
 South Island, 225, 226, 229-230, 232, 236, 239, 240, 321
RINKE, P. Group sizes of Red Shining Parrots on 'Eua, Kingdom of Tonga, 57-58
Roa, see Kiwi, Great Spotted
Robin, 93-96, 104, 260
 Australian spp., 68, 70
 Black, 160
 North Island, 308
 Scarlet, 120-127
 South Island, 225, 226, 231-233, 236, 239, 240, 321, 322
Rook, 310, 323
Rosella, Eastern, 306
Ruff, 328

Saddleback, 104, 277, 278
SADLEIR, R.M.F.S., see DAVIS, L.S.; WARD, G.D.; SADLEIR, R.M.F.S.
SAGAR, P.M. Some characteristics of Red-crowned Parakeets on the Poor Knights Islands, 1-8
Sanderling, 301
Sandpiper, Buff-breasted, 97
 Curlew, 301, 319
 Marsh, 300
 Pectoral, 301, 318
 Sharp-tailed, 280, 301, 318, 328
 Terek, 300, 318
Scaup, New Zealand, 75, 185, 293, 315
Scolopacis gallinulae, see *Gallinago minima*
Scythrops novaehollandiae, see Cuckoo, Channel-billed
Seabird, 143-153, 165, 167
Segasegamau'u, see Honeyeater, Cardinal
Segavao, see Lory, Blue-crowned
Se'u, see Fantail, Samoan
Shag, 129-142, 145, 147, 149
 Black, 76, 139, 238, 288, 312
 Blue-eyed, 129-142
 King, 129-142
 Little, 76, 238, 288-289, 312
 Little Black, 85, 288, 312
 Macquarie Island King, 139
 Pied, 288, 291, 312
 Spotted, 289, 313
 spp., 27
 Stewart Island, 313

- Shearwater, 145, 147, 169, 171, 179, 183, 287
 Buller's, 143, 149, 203-215, 287
 Calonectris spp., 169
 Christmas Island, 143, 148
 Cory's, 148
 Flesh-footed, 287, 312,
 Fluttering, 287
 Hutton's, 143
 Little, 287
 Manx, 143, 148
 North Atlantic, 143
 Pink-footed, 148
 Puffinus spp., 169
 Sooty, 145, 179, 287
 Wedge-tailed, 148, 214
- Shelduck, Chestnut-breasted, 185, 292, 314
 Paradise, 292, 314
- Shoemaker, see Petrel, White-chinned
- Shorebird, 167
- Shoveler, New Zealand, 293, 315
- SIBSON, R.B. A black-tailed Australasian Gannet and others with
 variable tails at Muriwai, 261-264
- Silvereye, 68, 95, 96, 160, 165, 217, 225-228, 236, 239, 240, 308, 322
- Skua, 145, 147, 174
 Antarctic, 143, 148
 Arctic, 302, 319
 Long-tailed, 148
 Pomarine, 148, 302
 Southern Great, 148, 246, 247, 302, 319
 sp., 302, 319
- Skylark, 160, 235, 238, 307, 321
- Snipe, 160, 273-281
 Auckland Island, 275, 277
 Chatham Island, 160, 273
 Little Barrier, 273-281
 New Zealand, 273-281
 sp., 318
 Stewart Island, 215-216, 275, 276
- Sparrow, 68, 308, 309
 Hedge, 160, 234-236, 238, 240, 307
 House, 95, 202, 294, 307
- Spoonbill, Royal, 291, 314
- Starling, European, 160, 309, 323
 Polynesian, 120-125, 127
 Samoan, 119-125, 127
- Stercorarius parasiticus*, see Skua, Arctic
 pomarinus, see Skua, Pomarine
 skua, see Skua, Southern Great
 skua lonnbergi, see Skua, Southern Great

- Sterna albifrons*, see Tern, Little
 albostrata, see Tern, Black-fronted
 bergii, see Tern, Crested
 hirundo, see Tern, Common
 paradisaea, see Tern, Arctic
 striata, see Tern, White-fronted
Stictocarbo punctatus, see Shag, Spotted
Stilt, 27, 300, Black, 247-248, 301-302, 319
 Pied, 30, 247, 248, 280, 301, 302, 319, 328
Stint, Red-necked, 301, 319
Stitchbird, 94, 95, 277
Storm Petrel, 145, 147, 151, Black-bellied, 148
 Grey-backed, 148
 Leach's, 148
 Oceanodroma spp., 181
 White-bellied, 148, 312
 White-faced, 287
 Wilson's, 148, 287
Streptopelia chinensis, see Dove, Malay Spotted
 risoria, see Dove, Barbary
Strigops habroptilus, see Kakapo
STURMER, A.T.; GRANT, A.D. Female kiwis incubating, 193-195
Sturnidae, 66, 68
Sturnii, 66
Sturnus vulgaris, 66, see Starling
Suboscine, 68
Sula, 35-37, see Booby spp.
 abbotti, 36-48
 arvernensis, 48
 bassana, see Gannet, North Atlantic
 bassana serrator, see Gannet, Australasian
 brewsteri, 37
 capensis, see Gannet, Cape
 dactylatra, 37-53, 55, see Booby, Masked
 gossi, 37
 guano, 48
 humeralis, 48
 leucogaster, 39, 41, 47
 neboxii, 37, 39, 41, 47
 phosphata, 48
 piscator, 37
 pohli, 48
 ronzoni, 48
 sula, 37, 39, 41, 47
 tasmani, 35-57
 universitatis, 48
 variegata, 39, 41, 47
 willetti, 48
Sulidae, 35-57

Swallow, Welcome, 303, 307, 321-322
Swamphen, Purple, 122, 123
Swan, 27, 259, Black, 188, 257, 291, 314
 Mute, 291

Swift, Alpine, 81
 Chimney, 81
 Common, 78, 81
 Mossy-nest, 77
 Spine-tailed, 321

Swiftlet, 77, White-rumped, 77-83, 120-125

Sylviidae, 66, 68, 70

Sylviinae, 68

Sylvioidea, 66

Synoicus ypsilophorus, see Quail, Brown

TABORSKY, M. Kiwis and dog predation: observations in Waitangi
 State Forest, 197-202

Tachybaptus novaehollandiae, see Grebe, Australian Little

Tadorna tadornoides, see Shelduck, Chestnut-breasted
 variegata, see Shelduck, Paradise

Taiko, Chatham Island, 148

TARBURTON, M.K. Calls of the White-rumped Swiftlet, 77-83

Tattler, Siberian, 300, 318

 sp., 318

 Wandering, 318

TAYLOR, R.H., see WILSON, P.R.; TAYLOR, R.H.; THOMAS, B.W.

Teal, Black, 188

 Brown, 283, 293, 315

 Grey, 293, 315

 Tern, 145, 147, 149, 319

 Antarctic, 148

 Arctic, 148, 304

 Black-fronted, 303, 304, 320

 Caspian, 250, 259, 302-304, 320

 Common, 148, 304

 Crested, 148, 304

 Fairy, 148

 Gull-billed, 148, 303

 Little, 304, 320

 Sooty, 148

 Whiskered, 148

 White, 148

 White-fronted, 250, 259, 302-305, 320

 White-winged Black, 148, 303, 320

Ternlet, Grey, 148

THOMAS, B.W., see WILSON, P.R.; TAYLOR, R.H.; THOMAS, B.W.

THOMPSON, C.F., see FLUX, J.E.C.; THOMPSON, C.F.

Thrush, 68, Island, 122-124, 126, 127

 Song, 95, 160, 225, 226, 232, 233, 240, 308

- Ti'otala, see Kingfisher, Flat-billed
Tit, Chatham Island, 160, 161
 Pied, 260, 308
 Yellow-breasted, 225, 226, 230, 231, 236, 239, 240, 260
Tolai fatu, see Broadbill, Samoan
Tolai ula, see Robin, Scarlet
Toloo, see Duck, Pacific Black
Tomtit, 70, 95, 96
 Chatham Island, see Tit, Chatham Island
Traversia lyalli, 64, 67
Triller, Polynesian, 120-125, 127
 Samoan, 121-124, 126, 127
Tringa brevipes, see Tattler, Siberian
 incana, see Tattler, Wandering
 nebularia, see Greenshank
 stagnatilis, see Sandpiper, Marsh
Tropicbird, 147 Red-billed, 140
 Red-tailed, 148
 White-tailed, 125, 140, 143, 148
Tryngites subruficollis, see Sandpiper, Buff-breasted
Tu'aimeo, see Dove, Friendly Ground
Tui, 94, 96, 104, 160, 161, 217, 225-228, 233, 236, 239-241, 294,
 308-309, 322
Turdidae, 67
Turdinae, 66, 68
Turdoidea, 67
Turdus merula, 66, see Blackbird
 philomelos, 66, see Thrush, Song
 poliocephalus samoensis, see Thrush, Island
Turnagra, 64, 67, 68, *capensis*, 67
 tanagra, 67
Turnagridae, 67
Turnstone, 300, 318
Tutulili, see Thrush, Island
Tyranni, 64, 67, 68
Tyto alba lulu, see Owl, Barn

Vai, see Rail, White-browed
Vanellus miles novaehollandiae, see Plover, Spur-winged
VAN HEEZIK, Y. Diet of Adélie Penguins during the incubation
 period at Cape Bird, Ross Island, Antarctica, 23-26
VAN TETS, G.F.; MEREDITH, C.W.; FULLAGAR, P.J.;
 DAVIDSON, P.M.
 Osteological differences between *Sula* and *Morus*,
 and a description of an extinct new species of *Sula*
 from Lord Howe and Norfolk Islands, Tasman
 Sea, 35-57
VAN'T WOUTD, B.D.; DOBBS, R.A. Wetland wildlife tracks, 27-34
Vasavasa, see Whistler, Samoan

Ve'a, see Rail, Banded

Vini australis, see Lory, Blue-crowned

Wader, 259, 328

Arctic migrant spp., 274, 280

WALTERS, M. Probable validity of *Rallus nigra* Miller – an extinct species from Tahiti, 265-269

Warbler, 68, Australian spp., 70

Chatham Island, 70, 160, 161

Grey, 70, 96, 217, 225, 226, 229, 230, 236, 239, 240, 308, 322

WARD, G.D. see DAVIS, L.S.; WARD, G.D.; SADLEIR, R.M.F.S.

WARHAM, J. Vocalisations of *Procellaria* petrels, 169-183

Weaver, 68

Weka, 226, 234-236, 282-284

Eastern Buff, 159, 160

Western, 238, 315

WEST, J.A. Bird counts on the Chatham Islands, 159-161

Whimbrel, American, 317

Asiatic, 299, 317

sp., 299

Whistler, Samoan, 119-124, 127

White-eye, Samoan, 117, 123, 124, 126, 127

Whitehead, 70, 89-96, 308

WILSON, P.R.; TAYLOR, R.H.; THOMAS, B.W. Effect of topography on seasonal distribution of forest birds in the Ohikanui, Lower Buller and Inangahua Valleys, North Westland, 217-243

Woodrail, Samoan, 117, 123-124, 126, 127

WORTHY, T.H. A re-examination of the Moa genus *Megalapteryx*, 99-108

Wren, 104, New Zealand spp., 63

Rock, 321

Wrybill, 11, 298-299, 317, 328

Xenicus, 67, *gilviventris*, 64, see Wren, Rock
longipes, 64

Xenus cinereus, see Sandpiper, Terek

Yellowhammer, 309

Yellowhead, 70, 89, 95, 96, 322

Zosteropidae, 66, 68

Zosterops lateralis, 66, see Silvereye

samoensis, see White-eye, Samoan

Compiled by TIM LOVEGROVE, 47 Pupuke Road, Birkenhead, Auckland, 10