


NOTORNIS

Journal of the Ornithological Society
of New Zealand



Volume 36 - 1989

ISSN 0029-4470

OFFICERS 1989-90

President – BRIAN D. BELL, 9 Ferry Street, Seatoun, Wellington
Vice-President – D. E. CROCKETT, 21 McMillan Ave., Kamo, Whangarei
Editor – B. D. HEATHER, 10 Jocelyn Crescent, Silverstream
Treasurer – B. GLASS, c/o Sunset Offices, Rata Street, Helensville
Secretary – SUE TRIGGS, P.O. Box 12397, Wellington

Council Members:

BEN D. BELL, Zoology Dept., Victoria University, Private Bag, Wellington
B. J. GILL, Auckland Institute & Museum, Private Bag, Auckland
J. HAWKINS, 772 Atawhai Drive, Nelson
F. NIEUWLAND, 38 Berkley Avenue, Hamilton
D. J. ONLEY, c/o P.O. Waiholo, Otago
H. A. ROBERTSON, 30 Deller Grove, Silverstream
P. M. SAGAR, 38A Yardley Street, Christchurch 4

Conveners and Organisers:

Rare Birds Committee: Secretary, ROB GUEST, 79 Slacks Road,
Palmerston North
Beach Patrol: R. G. POWLESLAND, P.O. Box 12397, Wellington
Librarian: K. R. BARROW, 67A Taylor Road, Mangere Bridge, Auckland
Nest Records: H. A. ROBERTSON, 30 Deller Grove, Silverstream
Banding Liaison Officer: P. C. BULL, 131A Waterloo Road, Lower Hutt
Reviews Editor: D. G. MEDWAY, 25A Norman Street, New Plymouth

Classified Summarised Notes –

North Island: GRAEME TAYLOR, 25 Harrybrook Rd, Green Bay,
Auckland
South Island: C. F. J. O'DONNELL, Dept of Conservation, Private Bag,
Christchurch
S.W. Pacific Island Records: J. L. MOORE, 32 Brook St., Lower Hutt
Editor of OSNZ news: P. SAGAR, 38A Yardley St., Christchurch 4

CONTENTS OF VOLUME 36

1989

Part 1: March 1989

PIERCE, R. J.; MALONEY, R. F. Responses of Harriers in the MacKenzie Basin to the abundance of rabbits	1
PIERCE, R. J. Breeding and social patterns of Banded Dotterels (<i>Charadrius bicinctus</i>) at Cass River	13
RASCH, G. Cavity nesting in Stitchbirds and the use of artificial nest sites	27
TARBURTON, M. K. Subspeciation in the Red-tailed Tropicbird	39
BROADY, P. A.; ADAMS, C. J.; CLEARY, P. J.; WEAVER, S.D. Ornithological observations at Edward VII Peninsula, Antarctica, in 1987-88	53
O'DONNELL, C. F. J.; DILKS, P. J. Sap-feeding by the Kaka (<i>Nestor meridionalis</i>) in South Westland, New Zealand	65
Short Notes	
HUGHEY, K. F. D. The status of the Red-capped Dotterel in New Zealand	24
WORTHY, T. H. Mummified moa remains from Mt Owen, northwest Nelson	36
SEDDON, P. Copulation in the Yellow-eyed Penguin	50
CLARK, G. S. Cape Pigeons breeding and Westland Black Petrels seen at Chatham Islands	51
GALBREATH, R; DOWDING, J. E. Genetics of polymorphism in the Little Shag	62
O'DONNELL, C. F. J.; DILKS, P. J. Feeding on fruits and flowers by insectivorous forest birds	72
BARLOW, M. Establishment of the Black-fronted Dotterel in Southland	76
Review	79

Part 2: June 1989

GILL, B. J. Bird counts in regenerated urban forest at Auckland Domain	81
WHITESIDE, A. J. The behaviour of Bitterns and their use of habitat	89
McLEAN, I. G. Feeding behaviour of the Fantail (<i>Rhipidura fuliginosa</i>)	99
HAYES, L. M. Feeding behaviour of New Zealand Kingfishers at an estuary in winter	107
ELLIOTT, G. The distribution of Banded Rails and Marsh Crakes in coastal Nelson and the Marlborough Sounds	117
POWLESLAND, R. G. Seabirds found dead on New Zealand beaches in 1986 and a review of <i>Pachyptila</i> species recoveries since 1960	125
PLANT, A. R. Incubation and early chick-rearing in the Grey-backed Storm Petrel (<i>Garrodia nereis</i>)	141
van HEEZIK, Y. M. Diet of the Fiordland Crested Penguin during the post-guard phase of chick growth	151
Short Notes	
MALONEY, R.; WATOLA, G. A second Grey Phalarope at Lake Wainono	88
SIBSON, R. B. Morepork hunting House Sparrows	95
FRITH, C. and D.; WATLING, D. Notes on the nesting, parental care, and taxonomy of the Silktail (<i>Lamprolia victoriae</i>) of Fiji	96
BECKON, W. N. An undescribed form of owl in Fiji	114
HAWKE, D. Grey-backed Storm Petrel at Doubtful Sound, Fiordland	123
MORRIN, P. Possum in a kiwi burrow	148
PLANT, A. R.; QALO, K. M.; VERERUSA, K.; WATLING, D. A Tahiti Petrel (<i>Pseudobulweria rostrata</i>) from Gau Island, Fiji	149
WEST, J.; IMBER, M. J. Surveys of South Georgian Diving Petrels (<i>Pelecanoides georgicus</i>) on Codfish Island	157
ELLER, G. J. Grey Ternlets in the Andaman Sea	159
TAYLOR, T. B. S. Unusual nesting site for Little Shag	160
Review. Where to find birds in Australia	124
Obituary. C. F. Parkin	140

Part 3: September 1989

STEADMAN, D. W. A new species of starling (Sturnidae, <i>Aplonis</i>) from an archaeological site on Huahine, Society Islands	161
SAGAR, P. M. and J. L. The effects of wind and sea on the feeding of Antarctic Terns at the Snares Islands, New Zealand	171
TENNYSON, A. J. D.; MISKELLY, C. M. "Dark-faced" Rockhopper Penguins at the Snares Islands	183
WORTHY, T. H. Moas of the Subalpine Zone	191
Classified Summarised Notes, North Island	197
Classified Summarised Notes, South Island	223

Short Notes

WORTHY, T. H. Number of presacral vertebrae in <i>Dinornis</i>	170
SIBSON, R. B. Starlings quick to find a new source of food	182
HAWKE, D. Gould's Petrel from Dunedin City	189
WORTHY, T. H. The glossohyal and thyroid bone of <i>Aptornis</i> <i>otidiformes</i>	248

Part 4: December 1989

TARBURTON, M. K. Feeding behaviour of the Black-fronted Dotterel	249
JOHNSTONE, R. M.; NIVEN, B. E. Sexing Grey-faced Petrels by discriminant analysis of measurements	261
LANGHAM, N. P. The stratification of passerines in Fijian forests	267
GIBB, J. A; BULL, P. C.; McEWEN, W. M.; SEWELL, I. J. The bird fauna of Niue compared with those of Tonga, Samoa, the Southern Cooks, and Fiji	285
POWLESLAND, R. G. Seabirds found dead on New Zealand beaches in 1987, and a review of <i>Procellaria</i> species recoveries since 1960	299
FITZGERALD, B. M.; ROBERTSON, H. A.; WHITAKER, A. H. Vertical distribution of birds mist-netted in a mixed lowland forest in New Zealand	311
Short Notes	
BOURKE, P. An albinistic Fantail	260
LANGLANDS, P. Petrels at sea off South Westland in June-July	266
MILLENER, P. R. The only flightless passerine; the Stephens Island wren (<i>Traversia lyalli</i> : Acanthisittidae)	280
GRANT, P. A 1973 record of Chestnut-breasted Shelducks	284
OLSEN, M. California Quail distracts a stoat	310
GREENE, T. Antiparasitic behaviour in New Zealand parakeets (<i>Cyanoramphus</i> species)	322
TENNYSON, A. J. D.; TAYLOR, G. A. More distribution records of Buller's Shearwater in New Zealand waters	323
McLENNAN, J.; McCANN, T. Incubation by female Great Spotted Kiwis	325
GREENE, T. Forbes' Parakeet on Chatham Island	326
TAYLOR, M. Silvereyes hunting insects on the wing	328

INDEX OF AUTHORS AND SPECIES

VOL 36

- Acanthisitta chloris*, see Rifleman
 c. chloris, see Rifleman, South Island
 c. granti, see Rifleman, North Island
Acanthisittid spp., 280-284
Acridotheres fuscus, see Myna, Jungle
 tristis, see Myna, Indian
Acrocephalus aequinoctialis pistor, see Warbler, Christmas Island
 atyphus atyphus, see Warbler, Tuamotu
 kerearako, see Warbler, Cook Islands
 l. luscinia, see Warbler, Nightingale
 mendanae aquilonis, see Warbler, Marquesas
 m. mendanae, see Warbler, Marquesas
 syrinx, 164
ADAMS, C.J., see BROADY, P.A.; ADAMS, C.J.; CLEARY, P.J.;
 WEAVER, S.D.
Aerodramus sawtelli, see Swiftlet, Atiu
Alauda arvensis, see Skylark
Albatross, 79, 198
 Black-footed, 80
 Light-mantled Sooty, 128, 129, 266, 301
 Northern Royal, 224
 Royal, 127, 266, 301
 Wandering, 127, 198, 266, 301
Alcedo althis, see Kingfisher, European
Alectoris chukar, see Chukor
 rufa, see Partridge, Red-legged
Amokura, see Tropicbird, Red-tailed
Anarhynchus frontalis, see Wrybill
Anas chlorotis, see Teal, Brown
 gibberifrons, see Teal, Grey
 platyrhynchos, see Mallard
 rhynchoitis, see Shoveler, New Zealand
 superciliosa, see Duck, Grey
Anomalopteryx didiformis, see Moa
 parvus, see Moa
Anous minutus, see Noddy, White-capped
 stolidus, see Noddy, Common
 tenuirostris, see Noddy, White-capped
Anthornis melanura, see Bellbird
Anthus novaeseelandiae, see Pipit, New Zealand
Aplonis atrifusca, see Starling, Samoan
 cantoroides, see Starling, Singing
 cinerascens, see Starling, Rarotonga
 diluvisialis, see Starling, Huahine
 mavornata, see Starling, Mauke

- metallica*, see Starling, Metallic
- minor*, see Starling, Lesser Glossy
- mysolensis*, see Starling, Moluccan
- opacus*, see Starling, Micronesian
- panayensis*, see Starling, Greater Glossy
- pelzelni*, see Starling, Ponape
- striatus*, see Starling, Striated
- tabuensis*, see Starling, Polynesian
- Aptenodytes forsteri*, see Penguin, Emperor
- patagonicus*, see Penguin, King
- Apteryx australis*, see Kiwi, Brown
- haastii*, see Kiwi, Great Spotted
- owenii*, see Kiwi, Little Spotted
- Aptornis otidiformis*, 248
- Ardea novaehollandiae*, see Heron, White-faced
- Arenaria interpres*, see Turnstone
- Artamus leucorhynchus*, see Wood Swallow, White-breasted
- Athene noctua*, see Owl, Little
- Atrichornis rufescens*, see Scrubbird, Rufous
- Avocet, Red-necked, 25
- Aythya novaeseelandiae*, see Scaup, New Zealand
- BARLOW, M. Establishment of the Black-fronted Dotterel in Southland, 76-78
- BECKON, W.M. An undescribed form of owl in Fiji, 114-116
- Bellbird, 220-221, 246, 311-319
- Bird, Forest spp., 295, 311-321
 - Land spp., 164, 168, 295
 - Native spp., 11
 - Prey spp., 4, 6, 7, 10, 11
 - Wetland spp., 295
- Bird of Paradise, 97, 98
- Bittern, Australasian, 89-95, 131, 203, 228
 - European, 89, 94
- Blackbird, 6, 81, 83, 84, 86, 87, 131, 220, 246, 304, 311-318
- Bluebird, Eastern, 34
- Booby, 164, Blue-faced, 289
 - Brown, 199, 289
 - Red-footed, 289
- Botaurus stellaris poiciloptilus*, see Bittern, Australasian
- s. stellaris*, see Bittern, European
- BOURKE, P., An albinistic fantail, 260
- Bowdleria punctata*, see Fernbird
 - p. punctata*, see Fernbird, South Island
 - p. vealeae*, see Fernbird, North Island
 - p. wilsoni*, see Fernbird, Codfish Island
- Branta canadensis*, see Goose, Canada
- Broadbill, Blue-crested, 267, 270-278
 - Micronesian, 164

- Samoa, 292, 294
Vanikoro, 267, 270-275, 278
BROADY, P.A.; ADAMS, C.J.; CLEARY, P.J.; WEAVER, S.D.
Ornithological observations at King Edward VII Peninsula,
Antarctica, in 1987-88, 53-61
Bubulcus ibis, see Egret, Cattle
Bulbul, Red-vented, 291
BULL, P.C., see GIBB, J.A.; BULL, P.C.; McEWEN, W.M.; SEWELL, I.J.
Bunting, Cirl, 246-247

Cacatua galerita, see Cockatoo, White
 roseicapilla, see Galah
Calidris acuminata, see Sandpiper, Sharp-tailed
 alba, see Sanderling
 canutus, see Knot
 ferruginea, see Sandpiper, Curlew
 melanotos, see Sandpiper, Pectoral
 ruficollis, see Stint, Red-necked
 tenuirostris, see Knot, Great
Callaeas cinerea wilsoni, see Kokako, North Island
Carduelis carduelis, see Goldfinch
 chloris, see Greenfinch
 flammea, see Redpoll
Chaetoptila sp., 164
Chaetura caudacuta, see Swift, Spine-tailed
Chaffinch, 6, 81, 83-85, 87, 221, 247, 311, 313-315
Charadriiform spp., 4
Charadrius, 13-23
 a. alexandrinus, see Plover, Kentish
 bicinctus, see Dotterel, Banded
 dubius, see Plover, Little Ringed
 hiaticula, see Plover, Ringed
 leschenaultii, see Dotterel, Large Sand
 melanops, see Dotterel, Black-fronted
 melodus, see Plover, Piping
 mongolus, see Dotterel, Mongolian
 montanus, see Plover, Mountain
 morinellus, see Dotterel, Eurasian
 obscurus, see Dotterel, New Zealand
 ruficapillus, see Dotterel, Red-capped
 tricoloris, see Plover, Three-banded
 veredus, see Dotterel, Oriental
 vociferus, see Kildeer
Chlidonias leucopterus, see Tern, White-winged Black
Chrysococcyx lucidus, see Cuckoo, Shining
Chukor, 206
Cicadabird, 164
Circus approximans, see Harrier, Australasian
 eylesi, see Harrier, Extinct

- macrourus*, see Harrier, Pallid
pygargus, see Harrier, Montagu's
 CLARK, G.S. Cape Pigeons breeding and Westland Black Petrels seen at Chatham Islands, 51-52
 CLASSIFIED SUMMARISED NOTES, North Island, 1 July 1987 to 30 June 1988, compiled by B.R. Keeley, 197-222
 CLASSIFIED SUMMARISED NOTES, South Island, 1 July 1987 to 30 June 1988, compiled by C.F. O'Donnell and J.A. West, 223-247
 CLEARY, P.J., see BROADY, P.A.; ADAMS, C.J.; CLEARY, P.J.; WEAVER, S.D.
Cleptornis marchei, see Honeyeater, Golden
Clytorhynchus, 97, *nigrogularis*, see Shrikebill, Black-faced
 vitiensis, see Shrikebill, Fiji
Cnemiornis, 248
 Cockatoo, White, 217, 242
Coenocorypha aucklandica pusilla, see Snipe, Chatham Island
Collocalia spodiopygia, see Swiftlet, White-rumped
Columba livia, see Pigeon, Feral
 vitiensis, see Pigeon, White-throated
 Coot, 205, Australian, 207, 233
 Extinct, 192
Coracina tenuirostris, see Cicadabird
Corvus frugilegus, see Rook
 Crane, 117-123
 Marsh, 117-123, 207, 233
 Spotless, 118, 122, 207, 233, 290, 294
 White-browed, 290
 Creeper, Brown, 72-75, 99, 245
 Cuckoo, Fan-tailed, 218
 Long-tailed, 218, 243, 291, 293, 319
 Oriental, 243
 Shining, 81, 85-87, 218, 243, 319
 Cuckoo-shrike, Pied, see Triller, Polynesian
Cuculus pyrrhophanus, see Cuckoo, Fan-tailed
 saturatus, see Cuckoo, Oriental
 Curlew, Bristle-thighed, 290
 Eastern, 290
 Far-eastern, 211, 236
Cyanoramphus a. auriceps, see Parakeet, Yellow-crowned
 a. forbesi, see Parakeet, Forbes'
 malherbi, see Parakeet, Orange-fronted
 novaezelandiae chathamensis, see Parakeet, Chatham Island Red-crowned
 n. novaezelandiae, see Parakeet, Red-crowned
 spp., see Kakariki
 unicolor, see Parakeet, Antipodes Island

Cygnus atratus, see Swan, Black
olor, see Swan, Mute

Dabchick, New Zealand, 79, 198

Dacelo novaeguineae, see Kookaburra

Daption capense australe, see Pigeon, Cape

Didunculus strigirostris, see Pigeon, Tooth-billed

DILKS, P.J., see O'DONNELL, C.F.J.; DILKS, P.J. (two papers)

Dinornis giganteus, see Moa

novaezealandiae, see Moa

parvus, see Moa

struthoides, see Moa

Dinornithidae, 170

Diomedea bulleri, see Mollymawk, Buller's

c. cauta, see Mollymawk, White-capped

c. salvini, see Mollymawk, Salvin's

cauta subsp., 127, 301

chlororhynchos, see Mollymawk, Yellow-nosed

chrysostoma, see Mollymawk, Grey-headed

epomophora, see Albatross, Royal

e. sanfordi, see Albatross, Northern Royal

exulans, see Albatross, Wandering

melanophrys, see Mollymawk, Black-browed

m. impavida, see Mollymawk, New Zealand Black-browed

spp., 128, 129

Dotterel, Banded, 6, 13-23, 24, 26, 78, 88, 131, 210, 235, 239, 256

Black-fronted, 76-78, 210, 235-236, 249-259

Eurasian, 21, 22, 257

Large Sand, 210, 235

Mongolian, 210, 235

New Zealand, 131, 209, 234, 257

Oriental, 235

Red-capped, 24-26

Dove, Cook Islands Fruit, 290, 294, 295

Crimson-crowned Fruit, 290, 294, 298

Friendly Ground, 290

Malay Spotted, 85

Purple-capped Fruit, 288

DOWDING, J.E. Genetics of polymorphism in the Little Shag

(reply to note by R. Galbreath), 63-64

Review: New Zealand Birds: a Sound Guide; Vol. 1.

by L.L. McPherson, 79-80

Duck, 6, 94, 198, 232, Blue, 205, 231

Finsch's, 192

Grey, 131, 204, 230, 289, 304

spp., 131, 304

Ducula pacifica, see Pigeon, Pacific

- Egret, Cattle, 131, 202, 203, 228, 304
Little, 202, 228
- Egretta alba*, see Heron, White
garzetta, see Egret, Little
sacra, see Heron, Reef
- ELLER, G. Grey Ternlets in the Andaman Sea, 159-160
- ELLIOT, G. The distribution of Banded Rails and Marsh Crakes in coastal Nelson and the Marlborough Sounds, 117-123
- Emberiza cirius*, see Bunting, Cirl
citrinella, see Yellowhammer
- Emeidae, 170
- Emeus*, see Moa
- Erythrura cyanovirens*, see Parrotfinch, Red-headed
kleinschmidtii, see Parrotfinch, Pink-billed
trichroa, see Parrotfinch, Blue-faced
- Eudynamys taitensis*, see Cuckoo, Long-tailed
- Eudyptes chrysocome*, see Penguin, Rockhopper
c. chrysocome, see Penguin, Western Rockhopper
c. filholi, see Penguin, Eastern Rockhopper
c. moseleyi, see Penguin, Moseley's Rockhopper
chrysolophus, see Penguin, Macaroni
pachyrhynchus, see Penguin, Fiordland Crested
robustus, see Penguin, Snares Crested
sclateri, see Penguin, Erect-crested
- Eudyptula minor*, see Penguin, Blue
m. albosignata, see Penguin, White-flipped
m. subspp., see Penguin, Blue subspp.
- Euryanas finschi*, see Duck, Finsch's
- Euryapteryx curtus*, see Moa
geranoides, see Moa
gravis, see Moa
- Falco cenchroides*, see Kestrel, Nankeen
novaeseelandiae, see Falcon, New Zealand
peregrinus, see Falcon, Peregrine
- Falcon, New Zealand, 192, 206, 232
Peregrine, 289
- Fantail, 99-106, 328
Chatham Island, 246
Grey, 320
North Island, 81, 83, 84, 86, 87, 99-106, 220, 260, 311, 313-315, 319
Rufous, 164
Samoan, 292, 294
South Island, 72-75, 244
Spotted, 267, 270-272, 274-278, 319
- Fernbird, 99, Codfish Island, 245
North Island, 219-220

- South Island, 245
- sp., 245
- Finch, spp., 221, 247
- Finschia novaeseelandiae*, see Creeper, Brown
- FITZGERALD, B.M.; ROBERTSON, H.A.; WHITAKER, A.H.
 - Vertical distribution of birds mistnetted in a mixed lowland forest in New Zealand, 311-321
- Flycatcher, 106, 267, 296, 328
 - Monarchine spp., 97, 98, 161
 - Rarotonga, 292, 294-296
 - Slaty, 267, 270-272, 274, 276, 277
- Foulehaio carunculata*, see Honeyeater, Wattled
- Fowl, Domestic, 232
 - Feral, 287-289, 294
 - Jungle, see Fowl, Feral
- Fregata ariel*, see Frigate Bird, Lesser
- minor, see Frigate Bird, Great
- Fregetta grallaria*, see Storm Petrel, White-bellied
- tropica, see Storm Petrel, Black-bellied
- Friarbird, Gilolo, 164
- Frigate Bird, sp., 201
 - Great, 289
 - Lesser, 289
- Fringilla coelebs*, see Chaffinch
- FRITH, C.; FRITH, D.; WATLING, D. Notes on the nesting, parental care, and taxonomy of the Silktail (*Lamprolia victoriae*) of Fiji, 96-98
- FRITH, D., see FRITH, C.; FRITH, D.; WATLING, D.
- Fulica atra australis*, see Coot, Australian
- chathamensis prisca, see Coot, Extinct
- Fulmar, 79, Antarctic, 128, 129, 302, 303
- Fulmarus glacialis*, see Fulmar, Antarctic
- GALBREATH, R. Genetics of polymorphism in the Little Shag, 62-63
- Galah, 217
- Gallicolumba stairii*, see Dove, Friendly Ground
- Gallinago hardwicki*, see Snipe, Japanese
- sp., see Snipe sp.
- Gallirallus australis*, see Weka
 - a. australis, see Weka, Western
 - a. scotti, see Weka, Stewart Island
 - philippensis, see Rail, Banded
 - p. assimilis, see Rail, Banded
- Gallus gallus*, see Fowl, Feral
- Gannet, 128, 129, Australasian, 199, 216, 225-226, 302, 303
- Garrodia nereis*, see Storm Petrel, Grey-backed
- Gelochelidon nilotica*, see Tern, Gull-billed
- Gerygone albofrontata*, see Warbler, Chatham Island
- igata, see Warbler, Grey

- GIBB, J.A.; BULL, P.C.; McEWEN, W.M.; SEWELL, I.J. The bird fauna of Niue compared with those of Tonga, Samoa, the Southern Cooks and Fiji, 285-298
- GILL, B.J. Bird counts in regenerated urban forest at Auckland Domain, 81-87
- Glareola maldivarum*, see Pratincole, Oriental
- Godwit, 205, 212, Asiatic Black-tailed, 211, 236
Bar-tailed, 131, 211-212, 236-237, 290, 304
Black-tailed, 257
Hudsonian, 211, 236
- Goldfinch, 6, 83, 85, 87, 221, 247, 304
- Goose, Canada, 131, 204, 229-230, 304
Domestic, 131, 304
- GRANT, P. A 1973 record of Chestnut-breasted Shelducks, 284
- Grebe, 79, Australian Little, 198, 224
Hoary-headed, 224
Southern Crested, 224
- GREENE, T. Antiparasitic behaviour in New Zealand parakeets (*Cyanoramphus* species), 322-323
Forbes' Parakeet on Chatham Island, 326-327
- Greenfinch, 6, 83, 85, 87, 221, 247, 304
- Greenshank, 212, 237
- Gull, 181
Black-backed, 6, 128, 129, 206, 214, 217, 240, 256, 302, 303
Black-billed, 127, 215, 240-241, 302, 303
Red-billed, 128, 129, 179, 202, 211, 214-216, 240, 302, 303
Southern Black-backed, see Gull, Black-backed
spp., 302, 303
- Gygis alba*, see Tern, White
- Gymnomyza samoensis*, see Ma'o
- viridis*, see Honeyeater, Giant Forest
- Gymnorhina tibicen*, see Magpie
- t. hypoleuca*, see Magpie, White-backed
- Haematopus chathamensis*, see Oystercatcher, Chatham Island
- ostralegus finschi*, see Oystercatcher, South Island Pied
- unicolor*, see Oystercatcher, Variable
- Halcyon chloris*, see Kingfisher, White-collared
- recurvirostris*, see Kingfisher, Flat-billed
- ruficollis*, see Kingfisher, Mangaia
- sancta vagans*, see Kingfisher, New Zealand
- tuta*, see Kingfisher, Chattering
- Halobaena caerulea*, see Petrel, Blue
- Harrier, Australasian, 1-12, 112, 131, 203, 206, 222, 228, 232, 256, 289, 304
Extinct, 192
Montagu's, 10
Palearctic spp., 10
Pallid, 10

- HAWKE, D. Grey-backed Storm Petrel at Doubtful Sound, Fiordland, 123
Gould's Petrel from Dunedin City, 189-190
- HAYES, L.M. Feeding behaviour of New Zealand Kingfishers at an estuary in winter, 107-113
- Heahea, see Triller, Polynesian
- Hemiphaga novaeseelandiae*, see Pigeon, New Zealand
- Henga, see Lory, Blue-crowned
- Heron, 164, Nankeen Night, 228
Reef, 202, 228, 289, 293, 294
White, 131, 201, 227-228
White-faced, 131, 201, 202, 227
- Himantopus h. leucocephalus*, see Stilt, Pied
novaezealandiae, see Stilt, Black
spp., see Stilt
- Hirundo rustica*, see Swallow, Barn
tahitica, see Swallow, Pacific
t. neoxena, see Swallow, Welcome
- Honeyeater, 27-36, 267, 296
Cardinal, 164, 292, 294
Giant Forest, 270-272, 274, 277, 278
Golden, 164
Orange-breasted, 267, 270-272, 274-278
Wattled, 164, 270, 271, 275-278, 292
- HUGHEY, K.F.D. The status of the Red-capped Dotterel in New Zealand, 24-26
- Hydrobates pelagicus*, see Storm Petrel, British
- Hydroprogne caspia*, see Tern, Caspian
- Hylochelidon nigricans*, see Martin, Australian Tree
- Hymenolaimus malacorhynchus*, see Duck, Blue
- Ibis, Glossy, 203, 228
- JOHNSTONE, R.M.; NIVEN, B.E. Sexing Grey-faced Petrels by discriminant analysis of measurements, 261-265
- Kaka, North Island, 217-218, 304
South Island, 65-71, 232, 242
- Kakapo, 69, 192
- Kakariki, 31
- Kalangi, see Shearwater, Wedge-tailed
- Kale, see Swampphen, Purple
- Kea, 69, 232, 242-243
- KEELEY, B.R. Classified Summarised Notes, North Island, 1 July 1987 to 30 June 1988, 197-222
- Kestrel, Nankeen, 25, 206, 232
- Kildeer, 21, 22
- Kingfisher, 164, Chattering, 291, 295
European, 113

- Flat-billed, 291, 294
- Forest spp., 296
- Giant, 113
- Mangaia, 291, 295
- New Zealand, 31, 83-87, 107-113, 131, 218, 243-244, 304, 311, 313-315
- Rarotonga, 294
- White-collared, 291
- Kiu, see Plover, Golden
- Kiu-tahi, see Tattler, Wandering
- Kiwi, 79, 148-149
 - Brown, 192, 197
 - Great Spotted, 192, 223, 325-326
 - Little Spotted, 148, 325
 - North Island Brown, 79, 325
 - Stewart Island Brown, 148-149
- Knot, 131, 211, 212-213, 238, 304
 - Great, 213
- Kokako, North Island, 222
- Kookaburra, 219
- Kulukulu, see Dove, Purple-capped Fruit
- Lalage aurea*, see Triller, Moluccan
- maculosa*, see Triller, Polynesian
- m. whitmeei*, see Tiller, Polynesian (Niue subsp.)
- sharpei*, see Triller, Samoan
- Lampromia v. victoriae*, see Silktail, Taveuni
- v. kleinschmidti*, see Silktail, Vanua Levu
- Landbird, spp., 288, 293
- LANGHAM, N.P. The stratification of passerines in Fijian forests, 267-279
- LANGLANDS, P. Petrels at sea off South Westland in June-July, 266
- Lapwing, 257
- Larus bulleri*, see Gull, Black-billed
- dominicanus*, see Gull, Black-backed
- novaeahollandiae scopulinus*, see Gull, Red-billed
- spp., see Gull, spp.
- Leucocarbo carunculatus chalconotus*, see Shag, Stewart Island
- Limosa haemastica*, see Godwit, Hudsonian
- lapponica*, see Godwit, Bar-tailed
- limosa*, see Godwit, Black-tailed
- limosa melanuroides*, see Godwit, Asiatic Black-tailed
- Lophortyx californica*, see Quail, California
- Lory, 296, Blue-crowned, 288, 291, 294
 - Tahiti, 291, 295
- Lugensa brevirostris*, see Petrel, Kerguelen
- Lulu, see Owl, Barn
- Lupe, see Pigeon, Pacific

- Macronectes giganteus*, see Petrel, Southern Giant
 halli, see Petrel, Northern Giant
 spp., see Petrel, Giant spp.
- Magpie, 85, 131, 217, 304
 Black-backed, 247
 White-backed, 247
- Mallard, 131, 204, 230, 304
- MALONEY, R.F., see PIERCE, R.J.; MALONEY, R.F.
- MALONEY, R.F.; WATOLA, G. A second Grey Phalarope at Lake Wainono, 88
- Manucodia*, 97
- Ma'o, 292, 294
- Martin, Australian Tree, 244
- Mayrornis lessoni*, see Flycatcher, Slaty
- McCANN, T., see McLENNON, J.; McCANN, T.
- McEWEN, W.M., see GIBB, J.A.; BULL, P.C.; McEWEN, W.M.; SEWELL, I.J.
- McLEAN, I.G. Feeding behaviour of the Fantail (*Rhipidura fuliginosa*), 99-106
- McLENNON, J.; McCANN, T. Incubation by female Great Spotted Kiwis, 325-326
- Megaceryle maxima*, see Kingfisher, Giant
- Megadyptes antipodes*, see Penguin, Yellow-eyed
- Megalapteryx didinus*, see Moa, Upland
 hectori, see Moa
- Megapode, Niuafo'ou, 289, 294
- Megapodius pritchardii*, see Megapode, Niuafo'ou
- Meliphagidae, see Honeyeater
- Metabolus*, 97
- MILLENER, P.R. The only flightless passerine: the Stephens Island Wren (*Traversia lyalli*: Acanthisittidae), 280-284
- MISKELLY, C.M., see TENNYSON, A.J.D.; MISKELLY, C.M.
- Miti, see Starling, Polynesian
- Moa, 36-38, 170, 191-196, 248
 Crested, 192, 193, 195
 Upland, 192, 195
- Moa, see Fowl, Feral
- Moho braccatus*, see O'o, Kauai
- Mohoua albicilla*, see Whitehead
 novaeeseelandiae, see Creeper, Brown
 ochrocephala, see Yellowhead
- Mollymawk, 79, 198, Black-browed, 127, 224, 266, 301
 Buller's, 127, 179, 224, 266, 301
 Grey-headed, 128, 129, 266, 302, 303
 New Zealand Black-browed, 198
 Salvin's 127, 179, 198, 224, 266, 301
 Shy, see Mollymawk, White-capped
 White-capped, 128, 129, 224, 266, 302, 303
 Yellow-nosed, 125, 127, 130, 198, 224

Monarcha, 97

Monarchidae, see Flycatcher, Monarchine spp.

Morepork, 85, 95, 131, 218, 243, 304, 311, 313-315

MORRIN, P. Possum in a kiwi burrow, 148-149

Myiagra albiventris, see Broadbill, Samoan

azureocapilla, see Broadbill, Blue-crested

oceanica, 164

spp., see Flycatcher, Monarchine spp.

vanikorensis, see Broadbill, Vanikoro

Myna, Indian, 34, 85, 87, 131, 221, 292, 294, 304

Jungle, 292

Myzomela cardinalis, see Honeyeater, Cardinal

jugularis, see Honeyeater, Orange-breasted

Nesofregatta albigularis, see Storm Petrel, White-throated

Nestor meridionalis, see Kaka

m. meridionalis, see Kaka, South Island

notabilis, see Kea

Ngongo, see Noddy, Common

Ninox novaeseelandiae, see Morepork

NIVEN, B.E., see JOHNSTONE, R.M.; NIVEN, B.E.

Noddy, Black, see Noddy, White-capped

Common, 287, 290, 294

Grey, see Ternlet, Grey

White-capped, 125, 127, 290

Non-passerine bird spp., 161

Notiomystis cincta, see Stitchbird

Numenius arquata, see Curlew, Eastern

madagascariensis, see Curlew, Far-eastern

minutus, see Whimbrel, Little

phaeopus hudsonicus, see Whimbrel, American

p. variegatus, see Whimbrel, Asiatic

tahitiensis, see Curlew, Bristle-thighed

Nycticorax caledonicus, see Heron, Nankeen Night

OBITUARY: C.F. Parkin (1903-1988), by R.B. Sibson, 140

Oceanites oceanicus, see Storm Petrel, Wilson's

Oceanodroma castro, see Storm Petrel, Madeiran

leucorhoa, see Storm Petrel, Leach's

O'DONNELL, C.F.J.; DILKS, P.J. Sap-feeding by the kaka (*Nestor meridionalis*) in South Westland, New Zealand, 65-71

O'DONNELL, C.F.J.; DILKS, P.J. Feeding on fruits and flowers by insectivorous forest birds, 72-76

O'DONNELL, C.F.J.; WEST, J.A. Classified Summarised Notes, South Island 1 July 1987 to 30 June 1988, 223-247

OLSEN, M. California Quail distracts a stoat, 310

O'o, Kauai, 27

Ostrich, 325

- Owl, Barn, 95, 114-116, 288, 291, 294, 296
Grass, 114, 115
Little, 243
Masked, 115, 116
Sooty, 115, 116
- Oystercatcher, 118, Chatham Island, 234
South Island Pied, 131, 207, 233-234, 304
spp., 131
Variable, 131, 206, 208, 234, 304
- Pachycephala flavifrons*, see Whistler, Samoan
pectoralis, see Whistler, Golden
simplex, see Whistler, Brown
- Pachyornis australis*, see Moa, Crested
elephantopus, see Moa
- Pachyptila belcheri*, see Prion, Thin-billed
crassirostris, see Prion, Fulmar
c. pyramidalis, see Prion, Fulmar
desolata, see Prion, Antarctic
salvini, see Prion, Salvin's
spp., see Prion, spp.
turtur, see Prion, Fairy
vittata, see Prion, Broad-billed
- Pagodroma nivea*, see Petrel, Snow
- Paradisaeidae, see Bird of Paradise
- Parakeet, Antipodes Island, 323
Chatham Island Red-crowned, 322, 326, 327
Forbes', 326, 327
Orange-fronted, 323
Red-crowned, 218, 243, 322-323
sp., 218, 322-323
Yellow-crowned, 243, 245, 322
- Parrot, 161, 164, 323
New Zealand, spp., 65-71
Red-breasted Musk, 291
- Parrotfinch, Blue-faced, 164
Pink-billed, 269
Red-headed, 269, 276-278, 292
- Partridge, Red-legged, 206
- Passer domesticus*, see Sparrow, House
- Passerine, Extinct spp., 161-169
Fijian spp., 266-279
Flightless spp., 280-284
New Zealand Forest spp., 72-75, 99-106
spp., 4, 6, 7, 20, 81-87, 96-99, 131, 161, 164, 293, 295,
296, 304
- Pekapeka, see Swiftlet, White-rumped
- Pelagodroma marina*, see Storm Petrel, White-faced

- Pelecanoides georgicus*, see Petrel, South Georgian Diving
urinatrix, see Petrel, Diving
- Penguin, 79, Adélie, 50, 60
Blue, 141, 142, 145, 146, 197
Blue subspp., 128, 129, 223, 302, 303
Eastern Rockhopper, 183-185, 187
Emperor, 60, 79
Erect-crested, 50, 188, 301
Eudyptid spp., 151-156
Fiordland Crested, 127, 151-156, 188, 301
Gentoo, 155
Jackass, 50
King, 79, 155
Little Blue, see Penguin, Blue
Macaroni, 155, 188
Magellanic, 80
Moseley's Rockhopper, 80, 183, 187, 188
Northern Rockhopper, see Moseley's Rockhopper
Rockhopper, 183-189, 301
Royal, 50
Snarers Crested, 179, 185, 187, 188
Subtropical Rockhopper, see Moseley's Rockhopper
Western Rockhopper, 183, 184, 186-188
White-flipped, 127, 223, 301
Yellow-eyed, 50-51, 127, 223, 301
- Petrel, 164, 181, 295
Antarctic, 55-59, 301
Black, 127, 199, 299, 301, 305-307
Black-winged, 127, 301
Blue, 128, 129, 302, 303
Chatham Island, 80
Cook's, 128, 129, 199, 225, 302, 303
Diving, 128, 129, 179, 225, 302, 303
Gadfly spp., 79
Giant spp., 128, 129, 224, 302, 303
Gould's, 80, 189-190
Grey, 127, 225, 301, 304-306
Grey-faced, 128, 129, 198, 261-266, 302, 303
Herald, 289, 293
Kerguelen, 125, 128, 129, 299, 301-303
Kermadec, 127, 130, 299, 300
Mottled, 127, 225, 302, 303
New Caledonian, 191
Northern Giant, 198, 266
Phoenix, 79, 289, 293
Providence, 79
Pycroft's, 80, 127, 301
Snow, 55-59

- South Georgian Diving, 157-158
- Southern Giant, 198, 266
- spp., 128, 129, 266, 301
- Stejneger's, 80
- Tahiti, 149-150, 289
- Westland Black, 50-51, 127, 266, 301, 305, 306
- White-chinned, 51, 127, 199, 301, 305, 307-308
- White-headed, 128, 129, 266, 302, 303
- White-naped, 125, 127
- Petroica australis*, see Robin
 - a. australis*, see Robin, South Island
 - a. longipes*, see Robin, North Island
 - m. macrocephala*, see Tit, Yellow-breasted
 - m. toitoi*, see Tit, Pied
 - multicolor*, see Robin, Scarlet
 - traversi*, see Robin, Black
- Phaethon lepturus*, see Tropicbird, White-tailed
 - rubricauda*, see Tropicbird, Red-tailed
 - r. melanorhynchos*, 39-49
 - r. roseotincta*, 39-49
 - r. rothschildi*, 39-49
 - r. rubricauda*, 39-49
 - r. westralis*, 39-49
- Phalacrocorax brevirostris*, see Shag, Little
 - carbo*, see Shag, Black
 - melanoleucos brevirostris*, see Shag, Little
 - spp., see Shag, spp.
 - sulcirostris*, see Shag, Little Black
 - varius*, see Shag, Pied
- Phalarope, Grey, 88
- Phalaropus fulicarius*, see Phalarope, Grey
- Phasianus colchicus*, see Pheasant
- Pheasant, 206, 304
- Philemon gilolensis*, see Friarbird, Gilolo
- Philesturnus carunculatus*, see Saddleback
- Philomachus pugnax*, see Ruff
- Phoebastria palpebrata*, see Albatross, Light-mantled Sooty
- PIERCE, R.J.; MALONEY, R.F. Responses of Harriers in the MacKenzie Basin to the abundance of rabbits, 1-12
- PIERCE, R.J. Breeding and social patterns of Banded Dotterels (*Charadrius bicinctus*) at Cass River, 13-23
- Pigeon, 161, 164, 296
 - Cape, 51, 128, 129, 179, 198, 225, 266, 302, 303
 - Feral, 85, 87, 131, 217, 290, 304
 - New Zealand, 83-85, 87, 217, 242, 304, 318
 - Pacific, 287, 294
 - Rock, see Pigeon, Feral
 - Snares Cape, 79

- Tooth-billed, 290, 294
 - White-throated, 290
- Pipit, New Zealand, 219, 232, 245, 304
- PLANT, A.R. Incubation and early chick-rearing in the Grey-backed Storm Petrel (*Garrodia nereis*), 141-147
- PLANT, A.R.; QALO, K.M.; VERERUSA, K.; WATLING, D. A Tahiti Petrel (*Pseudobulweria rostrata*) from Gau Island, Fiji, 149-150
- Platalea regia*, see Spoonbill, Royal
- Platycercus eximius*, see Rosella, Eastern
- Plegadis falcinellus*, see Ibis, Glossy
- Plover, 13-23, 259
 - Charadrius* spp., 21
 - Eurasian Golden, 21
 - Golden, 213, 257, 287, 290
 - Grey, 209, 290
 - Kentish, 21, 22, 257
 - Least Golden, 209, 234
 - Little Ringed, 21, 257
 - Mountain, 21, 22
 - New Zealand Shore, 236
 - Piping, 21, 22
 - Ringed, 21, 22, 257
 - Spur-winged, 118, 208-209, 216, 234
- Pluvialis apricaria*, see Plover, Eurasian Golden
- dominica*, see Plover, Golden
 - fulva*, see Plover, Least Golden
 - squatarola*, see Plover, Grey
- Podiceps cristatus*, see Grebe, Southern Crested
- poliocephalus*, see Grebe, Hoary-headed
 - rufopectus*, see Dabchick, New Zealand
- Poliolimnas cinereus*, see Crake, White-browed
- Pomarea dimidiata*, see Flycatcher, Rarotonga
- Porphyrio melanotus*, see Pukeko
 - porphyrio*, see Swamphen, Purple
- Porzana pusilla*, see Crake, Marsh
 - tabuensis*, see Crake, Spotless
- POWLESLAND, R.G. Seabirds found dead on New Zealand beaches in 1986, and a review of *Pachyptila* species recoveries since 1960, 125-140
- POWLESLAND, R.G. Seabirds found dead on New Zealand beaches in 1987, and a review of *Procellaria* species recoveries since 1960, 299-310
- Pratincole, Oriental, 239
- Prion, 125, 128, 129, 131-138, 147
 - Antarctic, 128, 129, 131-135, 199, 302, 303
- Broad-billed, 128, 129, 131-134, 141, 142, 145, 146, 225, 232, 302, 303
- Fairy, 125, 128, 129, 131, 132, 136, 137, 179, 302, 303

- Fulmar, 128, 129, 131, 132, 136-138, 301
Narrow-billed, 125, 128-132, 135, 136, 302, 303
Salvin's, 128, 129, 131-135, 301
spp., 128, 129, 225, 266
Procellaria aequinoctialis, see Petrel, White-chinned
 cinerea, see Petrel, Grey
 parkinsoni, see Petrel, Black
 spp., 299, 301, 304-308
 westlandica, see Petrel, Westland Black
Procellariidae, 127
Procellariiformes, 143, 261, 288
Procelsterna cerulea, see Ternlet, Grey
Prosopelia tabuensis, see Parrot, Red-breasted Musk
Prothemadera novaeseelandiae, see Tui
 n. chathamensis, see Tui, Chatham Island
Prunella modularis, see Sparrow, Hedge
Pseudobulweria rostrata, see Petrel, Tahiti
Pterodroma alba, see Petrel, Phoenix
 arminjoniana, see Petrel, Herald
 axillaris, see Petrel, Chatham Island
 cervicalis, see Petrel, White-naped
 cookii, see Petrel, Cook's
 inexpectata, see Petrel, Mottled
 lessonii, see Petrel, White-headed
 leucoptera, see Petrel, Gould's
 l. leucoptera, see Petrel, Gould's
 l. caledonica, see Petrel, New Caledonian
 longirostris, see Petrel, Stejneger's
 macroptera gouldi, see Petrel, Grey-faced
 magentae, see Taiko, Chatham Island
 neglecta, see Petrel, Kermadec
 nigripennis, see Petrel, Black-winged
 pycrofti, see Petrel, Pycroft's
 solandri, see Petrel, Providence
 spp., see Petrel spp.
Ptilinopus porphyraceus, see Dove, Crimson-crowned Fruit
 rarotongensis, see Dove, Cook Islands Fruit
Ptiloris, 97
Puffinus assimilis, see Shearwater, Little
 bulleri, see Shearwater, Buller's
 carneipes, see Shearwater, Flesh-footed
 gavia, see Shearwater, Fluttering
 gavia/huttoni, 127, 301
 griseus, see Shearwater, Sooty
 huttoni, see Shearwater, Hutton's
 lherminieri, see Shearwater, Audubon's
 pacificus, see Shearwater, Wedge-tailed
 spp., see Shearwater spp.
 tenuirostris, see Shearwater, Short-tailed

Pukeko, 131, 207, 233, 304

Pycnonotus cafer, see Bulbul, Red-vented

Pygoscelis adeliae, see Penguin, Adélie

QALO, K.M., see PLANT, A.R.; QALO, K.M.; VERERUSA, K.;
WATLING, D.

Quail, Brown, 206

California, 206, 232, 304, 310

Rail, 161, 164

Banded, 117-123, 206-207, 232, 287, 290, 294, 296

Flightless spp., 281

Guam, 120

Rallus owstoni, see Rail, Guam

philippensis, see Rail, Banded

RASCH, G. Cavity nesting in Stitchbirds and the use of artificial nest
sites, 27-36

Raptor, 1-12

Recurvirostra novaehollandiae, see Avocet, Red-necked

Redpoll, 6, 221, 247

REVIEWS: Dowding, J. New Zealand Birds: a Sound Guide; volume 1.

North Island Brown Kiwi to Blue Petrel

(L. McPherson), 79-80

Latham, P.C.M. Where to find birds in Australia

(John Bransbury), 124

Rhinocryptid spp., 280

Rhipidura fuliginosa, see Fantail

f. penitus, see Fantail, Chatham Island

f. placabilis, see Fantail, North Island

nebulosa, see Fantail, Samoan

rufifrons, see Fantail, Rufous

spilodera, see Fantail, Spotted

Rifleman, 105, 281

North Island, 29, 219, 311, 313-315

South Island, 72-75, 244

ROBERTSON, H.A., see FITZGERALD, B.M.; ROBERTSON,

H.A.; WHITAKER, A.H.

Robin, 99, 105, Black, 246

North Island, 220

Scarlet, 270-272, 275-278, 292, 320

South Island, 246

Rook, 222, 247

Rosella, Eastern, 85-87, 218, 243

Ruff, 239

Saddleback, 29, 101

SAGAR, J.L. see SAGAR, P.M.; SAGAR, J.L.

SAGAR, P.M.; SAGAR, J.L. The effect of wind and sea on the feeding of
Antarctic Terns at the Snares Islands, New Zealand, 171-182

- Sanderling, 213, 239, 290
Sandpiper, Curlew, 213, 238
Marsh, 212, 237
Pectoral, 213, 238, 290
Sharp-tailed, 213, 238
Spotted, 21
Terek, 212, 237
Sapsucker, 70
Scaup, New Zealand, 205, 231-232
Scrubbird, Rufous, 283
Seabird, 125-140, 164, 261-266, 288, 295-297, 299-310
SEDDON, P. Copulation in the Yellow-eyed Penguin, 50-51
SEWELL, I.J., see GIBB, J.A.; BULL, P.C.; McEWEN, W.M.; SEWELL, I.J.
Shag, 205, Black, 127, 199-200, 226, 302, 303
Little, 62-64, 127, 160, 200-201, 226, 301
Little Black, 127, 200, 226, 301
Pied, 128, 129, 200, 203, 226, 302, 303
Spotted, 128, 129, 201, 226-227, 302, 303
spp., 127
Stewart Island, 125, 128-131, 226, 301
White-breasted, 160
Shearwater, 164, 240, 295
Audubon's, 289
Buller's, 128, 129, 199, 302, 303, 323-324
Flesh-footed, 128, 129, 199, 302, 303
Fluttering, 128, 129, 199, 302, 303
Hutton's, 128, 129, 225, 302, 303
Little, 128, 129, 199, 302, 303
Short-tailed, 125, 128-131, 146, 302, 303
Sooty, 128, 129, 142, 171, 179, 181, 199, 225, 302, 303
spp., 128, 129, 302, 303
Wedge-tailed, 285, 286, 288, 289, 294, 301
Shelduck, Chestnut-breasted, 230, 284
Paradise, see Duck, Paradise, 204, 230, 304
Shorebird, 288, 295
Shoveler, New Zealand, 205, 231, 304
Shrikebill, 296, Black-faced, 269, 275-277
Fiji, 267, 270-279, 292
Sialia sialis, see Bluebird, Eastern
SIBSON, R.B. Morepork hunting House Sparrows, 95
Starlings quick to find a new source of food, 182
Silktail, 96-98, 267, 274-277, 279
Taveuni, 270-273, 275, 276, 278
Vanua Levu, 269-273, 275-279
Silvereye, 81, 83, 84, 86, 87, 99, 131, 206, 220, 221, 232, 245, 246,
311-318, 320, 328
Skua, Arctic, 127, 214, 217, 240, 301
Pomarine, 214, 239
South Polar, 55, 56, 59, 60

- Southern, 127, 239, 240, 301
Southern Great, see Skua, Southern
sp., 214
Skylark, 6, 85, 131, 219, 221, 244
Snipe, Chatham Island, 238
Japanese, 238
sp., 238
Sparrow, Hedge, 85, 86, 219, 245, 311, 313-316
House, 85, 87, 95, 221, 304, 328
Sphyrapicus, see Sapsucker
Spoonbill, Royal, 203, 229, 304
Starling, *Aplonis* spp., 161-169
European, 34, 85, 87, 131, 182, 218, 221, 232, 247, 292, 304
Greater Glossy, 164, 167, 168
Huahine, 161-169
Lesser Glossy, 164, 167, 168
Mauke, 161, 168
Metallic, 164, 167, 168
Micronesian, 164, 167, 168
Moluccan, 164, 167, 168
Polynesian, 164-166, 168, 267, 270-272, 278, 288, 292-294
Ponape, 164, 166, 168
Rarotonga, 161, 164-166, 168, 292, 294, 295
Samoan, 161, 164-166, 168, 292, 294
Singing, 164, 167, 168
Striated, 164, 166, 168
STEADMAN, D.W. A new species of Starling (*Sturnidae*, *Aplonis*) from an
archeological site on Huahine, Society Islands, 161-169
Stercorarius parasiticus, see Skua, Arctic
pomarinus, see Skua, Pomarine
skua, see Skua, South Polar
skua lonnbergi, see Skua, Southern
Sterna albifrons sinensis, see Tern, Eastern Little
albostrata, see Tern, Black-fronted
bergii, see Tern, Crested
dougalli, see Tern, Roseate
forsteri, see Tern, Forster's
fuscata, see Tern, Sooty
hirundo, see Tern, Common
nereis, see Tern, Fairy
paradisaea, see Tern, Arctic
sandvicensis, see Tern, Sandwich
striata, see Tern, White-fronted
sumatrana, see Tern, Black-naped
vittata bethunei, see Tern, Antarctic
Sternidae, 127
Stictocarbo punctatus, see Shag, Spotted
Stilt, 1, Black, 4, 214, 232, 239
Pied, 88, 118, 131, 212-214, 239

- Stint, Red-necked, 131, 213, 238
Stitchbird, 27-36, 140
Storm Petrel, Black-bellied, 143, 145
 British, 145
 Grey-backed, 123, 127, 141-147, 266
 Leach's, 145
 Madeiran, 145
 White-bellied, 299, 301
 White-faced, 128, 129, 143-147, 302, 303
 White-throated, 144, 289
 Wilson's, 58-59, 143, 145
Streptopelia chinensis, see Dove, Malay Spotted
Strigops habroptilus, see Kakapo
Sturnidae, 161-169
Sturnus vulgaris, see Starling, European
Sula bassana serrator, see Gannet, Australasian
 dactylatra, see Booby, Masked
 leucogaster, see Booby, Brown
 sula, see Booby, Red-footed
Swallow, Barn, 164
 Pacific, 291
 Welcome, 85, 219, 244
 Swamphen, Purple, 287, 290, 294
Swan, Black, 131, 203-204, 229, 304
 Mute, 203, 229, 304
Swift, Spine-tailed, 218
Swiftlet, 159, 296, Atiu, 291, 295
 White-rumped, 288, 291, 294, 296
Synoicus ypsilophorus, see Quail, Brown

Tachybaptus novaehollandiae, see Grebe, Australian Little
Tadorna tadornoides, see Shelduck, Chestnut-breasted
 variegata, see Shelduck, Paradise
Taiko, Chatham Island, 51, 79, 141
Taketake, see Tern, White
TARBURTON, M.K. Speciation in the Red-tailed Tropicbird, 39-49
 Feeding behaviour of the Black-fronted
 Dotterel, 249-259
Tattler, Siberian, 212, 237
 sp., 212, 237
 Wandering, 212, 287, 290
TAYLOR, G.A. see TENNYSON, A.J.D.; TAYLOR, G.A.
TAYLOR, M. Silvereyes hunting insects on the wing, 328
TAYLOR, T.B.S. Unusual nesting site for Little Shag, 160
Teal, Brown, 205
 Grey, 198, 205, 230-231
TENNYSON, A.J.D.; MISKELLY, C.M. "Dark-faced" Rockhopper
 Penguins at the Snares Islands, 183-189

- TENNYSON, A.J.D.; TAYLOR, G.A. More distribution records for
Buller's Shearwaters in New Zealand waters,
323-324
- Tern, 164, 181, 199, 240, 295
Antarctic, 171-182
Arctic, 171, 216
Black-fronted, 6, 216, 239, 241
Black-naped, 159, 290
Caspian, 127, 215-216, 239, 241-242, 301
Common, 171, 174, 180, 216, 290
Crested, 216, 290
Eastern Little, 216
Fairy, 216
Forster's, 171, 180
Gull-billed, 215
Little, 127, 130, 242
Roseate, 171, 290
Sandwich, 171, 174, 180
Sooty, 127, 290
White, 48, 125, 127, 130, 287, 288, 291, 293, 294, 296
White-fronted, 128, 129, 141, 214-217, 239, 240, 242
White-winged Black, 215, 241
- Ternlet, Grey, 127, 159-160, 290, 293
- Thalassoica antarctica*, see Petrel, Antarctic
- Thinornis novaeseelandiae*, see Plover, New Zealand Shore
- Thrush, 168, Ground, see Thrush, Island
Island, 164, 267, 270, 271, 275-278, 291, 296
Song, 83, 84, 86, 87, 131, 220, 246, 311, 313-315
- Tit, Pied, 220, 311, 313-315, 320
Yellow-breasted, 72-75, 246
- Tomtit, see Tit
- Traversia lyalli*, see Wren, Stephens Island
- Triller, Moluccan, 164
Niue, 298
Polynesian, 164, 270, 271, 275, 288, 292-294, 298
Samoan, 292, 294
- Tringa brevipes*, see Tattler, Siberian
flavipes, see Yellowlegs, Lesser
incana, see Tattler, Wandering
macularia, see Sandpiper, Spotted
melanoleucos, see Yellowlegs
nebularia, see Greenshank
stagnatilis, see Sandpiper, Marsh
- Tropicbird, 164, 295, 296
Red-tailed, 39-49, 289, 294, 299, 301, 302, 304
White-tailed, 127, 130, 287-289, 293, 294
- Tuaki, see Tropicbird, White-tailed
- Tui, 83-85, 87, 131, 221, 246, 304, 311, 313-315, 319
Chatham Island, 246

- Turdus merula*, see Blackbird
 philomelos, see Thrush, Song
 poliocephalus, see Thrush, Island
 ulietensis, 168
Turkey, Domestic, 131
Turnstone, 131, 212, 237-239, 290
Tyto alba, see Owl, Barn
 a. lulu, see Owl, Barn
 capensis, see Owl, Grass
 novaehollandiae, see Owl, Masked
 tenebricosa, see Owl, Sooty

Vanellus miles novaehollandiae, see Plover, Spur-winged
 vanellus, see Lapwing
van HEEZIK, Y.M. Diet of the Fiordland Crested Penguin during the
 post-guard phase of chick growth, 151-156
Veka, see Rail, Banded
VERERUSA, K., see PLANT, A.R.; QALO, K.M.; VERERUSA, K.;
 WATLING, D.
Vini australis, see Lory, Blue-crowned
 peruviana, see Lory, Tahiti
Vitia ruficapilla, see Warbler, Fiji

Wader, 206, 259, 288, 293, 295
Warbler, Chatham Island, 246
 Christmas Island, 164
 Cook Islands, 164, 292, 295
 Fiji, 270-272, 274-277
 Grey, 72-75, 81, 83-87, 99, 218, 220, 245, 304, 311,
 313-315, 328
 Marquesas, 164
 Nightingale, 164
 Tahiti, 163, 164
 Tuamotu, 164
WATLING, D., see FRITH, C.; FRITH, D.; WATLING, D.
WATLING, D., see PLANT, A.R.; QALO, K.M.; VERERUSA, K.;
 WATLING, D.
WATOLA, G., see MALONEY, R.; WATOLA, G.
WEAVER, S.D., see BROADY, P.A.; ADAMS, C.J.; CLEARY, P.J.;
 WEAVER, S.D.
Weka, 118, 192, 281
 North Island, 207
 Stewart Island, 158
 Western, 131, 233, 304
WEST, J.; IMBER, M. Surveys of South Georgian Diving Petrels
 (*Pelecanoides georgicus*) on Codfish Island, 157-158
Whimbrel, American, 236
 Asiatic, 211, 236
 Little, 211
 sp., 211, 236

- Whistler, 296, Brown, 164
 Golden, 267, 270-272, 274-277, 292
 Samoan, 292, 294
- White-eye, 267, 296
 Bridled, 164
 Grey-backed, 270-272, 274-278
 Layard's, 270-272, 274-277
 Samoan, 292, 294
- Whitehead, 74, 75, 100, 220, 311, 313-315
- WHITESIDE, A.J. The behaviour of Bitterns and their use of habitat,
 89-95
- Woodpecker, 70
- Wood Swallow, White-breasted, 164, 275, 278
- WORTHY, T.H. Mummified moa remains from Mt. Owen, northwest
 Nelson, 36-38
 Number of presacral vertebrae in *Dinornis*, 170
 Moas of the subalpine zone, 191-196
 The glossohyal and thyroid bone of *Aptornis*
 otidiformes, 248
- Wren, Bush, 281
 Rock, 192, 244, 281-283
 Stephens Island, 280-284
- Wren-thrush, Central American, 280
- Wrybill, 26, 210-211, 236, 304
- Xenicus gilviventris*, see Wren, Rock
 longipes, see Wren, Bush
- Xenus cinereus*, see Sandpiper, Terek
- Yellowhammer, 6, 85, 221, 246
- Yellowhead, 72-75, 243, 245
- Yellowlegs, 290, Lesser, 212, 237
- Zeledonia coronata*, see Wren-thrush, Central American
- Zosterops conspicillata*, see White-eye, Bridled
 explorator, see White-eye, Layard's
 lateralis, see Silvereye, see also White-eye, Grey-backed
 samoensis, see White-eye, Samoan
- Compiled by TIM LOVEGROVE, 47 Pupuke Road, Birkenhead,
 Auckland, 10.