


NOTORNIS

Journal of the Ornithological Society
of New Zealand



Volume 38 – 1991

ISSN 0029-4470

OFFICERS 1990-91

President – BRIAN D. BELL, P.O. Box 12397, Wellington
Vice-President – D. E. CROCKETT, 21 McMillan Ave., Kamo, Whangarei
Editor – B. D. HEATHER, 10 Jocelyn Crescent, Silverstream
Treasurer – MARK NEE, P.O. Box 12397, Wellington
Secretary – R. A. EMPSON, Box 12397, Wellington

Council Members:

HAZEL HARTY, P.O. Box 316, Drury
J. HAWKINS, 772 Atawhai Drive, Nelson
F. NIEUWLAND, 38 Berkley Avenue, Hamilton
D. J. ONLEY, 49 Bernera St, RD1, Waikouaiti, Otago
R.G. POWLESLAND, P.O. Box 12397, Wellington
H. A. ROBERTSON, 30 Deller Grove, Silverstream
P. M. SAGAR, 38A Yardley Street, Christchurch 4

Conveners and Organisers:

Rare Birds Committee: Secretary, ROB GUEST, 79 Slacks Road,
Palmerston North
Beach Patrol: R. G. POWLESLAND, P.O. Box 12397, Wellington
Librarian: K. R. BARROW, C/o Auckland Institute & Museum, Private
Bag, Auckland.
Nest Records: H. A. ROBERTSON, 30 Deller Grove, Silverstream
Banding Liaison Officer: J. HAWKINS, 772 Atawhai Drive, Nelson
Reviews Editors: GABOR LOVEI & JOHN COCKREM, c/o Flock House,
Private Bag 1900, 5452 Bulls.
CSN North Island: GRAEME TAYLOR, Dept of Conservation,
P.O. Box 10420, Wellington.
CSN South Island: C. F. J. O'DONNELL, Dept of Conservation,
Private Bag, Christchurch
S.W. Pacific Island Records: J. L. MOORE, 32 Brook St, Lower Hutt
Editor of OSNZ news: P. SAGAR, 38A Yardley St, Christchurch 4

CONTENTS OF VOLUME 38

1991

Part 1: March 1991

TOMKINS, R. J.; MILNE, B. J. Differences among Dark-rumped Petrel (<i>Pterodroma phaeopygia</i>) populations within the Galapagos Archipelago	1
CLOUT, M. N.; KARL, B. J.; GAZE, P. D. Seasonal movements of New Zealand Pigeons from a lowland forest reserve	37
MELVILLE, D. S. Primary moult in Black-browed and Shy Mollymawks	51
LO, P. L. Diet of the White-faced Heron on Manawatu pastures	63
HAYES, L. M. Behaviour of New Zealand Kingfishers feeding chicks	73
BEICHLER, U. Status and acoustical demarcation of pigeons of Western Samoa	81
Short Notes	
DARBY, J. T. A second Magellanic Penguin in New Zealand	36
BATTLE, P. F. Northern Shovelers near Wanganui	48
TENNYSON, A. J. D.; TAYLOR, G. A. Variation in leg colour of Black-winged Petrels	59
IMBER, M. J.; MERTON, D. V.; WEST, J. A.; TENNYSON, A. J. D. Juan Fernandez Petrels prospecting at the Chatham Islands	60
COOPER, W. Harrier attacking Black-billed Gull	72
MILLER, P. & K. Bitterns using mangroves	79
BATTLE, P. F.; JOWETT, C. A White-faced Heron reacts to a cat	80
McCLELLAND, P.J.; MOORE, P.J. A new species for the Auckland Islands	80
SHAW, W. B. Harrier attacks Dabchick and Welcome Swallows attack Falcon	86
Reviews	87

Part 2: June 1991

DOWDING, J.E.; CHAMBERLIN, S.P. Annual movement patterns and breeding-site fidelity of the New Zealand Dotterel (<i>Charadrius obscurus</i>)	89
COOPER, W.J. Birds of Centre Island	103
TENNYSON, A.J.D. The Black-winged Petrel on Mangere Island, Chatham Islands	111
Van HEEZIK, Y.M. A comparison of Yellow-eyed Penguin growth rates across fifty years: Richdale revisited	117
BARKER, R.J. Seasonal changes in cock Pheasant calling behaviour in two Wanganui Pheasant populations	125
RINKE, D.R. Birds of 'Ata and Late, and additional notes on the avifauna of Niuafo'ou, Kingdom of Tonga	131
Short Notes	
ELLER, G.J.; HASLETT, C.M.; SIBSON, R.B. Pink-eared Duck at Mangere	109
HADDEN, D. Injury feigning at Yellowhammer's nest	124
LUTTRELL, J; FALKNER, M. Spurwings retrieve their eggs ..	151
HOLDAWAY, R.N. Sibley <i>et al</i> 's (1988) classification of living birds applied to the New Zealand list	152
HEATHER, B.D. Cattle Egret numbers in New Zealand, 1986 to 1990	165
Letters	170

Part 3: September 1991

LAWRENCE, S.B.; GAY, C.G. Behaviour of fledgling New Zealand Falcons (<i>Falco novaeseelandiae</i>)	173
McLEAN, I.G.; RUSS, R.B. The Fiordland Crested Penguin survey, Stage I: Doubtful to Milford Sounds	183
SAGAR, P.M. Aspects of the breeding and feeding of Kerguelen and Antarctic Terns at the Kerguelen Islands	191
ELLIOTT, G.; WALKER, K.; BUCKINGHAM, R. The Auckland Island Rail	199
STAHL, J.-C.; BARTLE, J.A. Distribution, abundance and aspects of the pelagic ecology of Barau's Petrel (<i>Pterodroma barau</i>) in the South-west Indian Ocean	211
BAILEY, S.F. Vocalisations of sympatric shrikebills (<i>Clytorhynchus</i>) on Viti Levu, Fiji	227
MURIE, J.O.; DAVIS, L.S.; McLEAN, I.G. Identifying the sex of Fiordland Crested Penguins by morphometric characters...	233
Short Notes	
PHILIPSON, W.R. An early sighting of the Welcome Swallow ...	190
DOWDING, J.E. Cattle Egrets on Stewart Island	209
BROWN, K. North Island Kokako with orange wattles	226
MOON, G. The feeding of New Zealand Kingfisher chicks	232
HAILMAN, J.P.; HAILMAN, E.D. Bellbirds feeding on sap of black beech	238
GUEST, R. 1990 report on rare birds in New Zealand	240
MEDWAY, D.G. Further comments on J.R. Forster's observations of helicoidal intestines in the Procellariidae	244
FOREMAN, G. New Zealand Dotterels breeding in northern Hawke's Bay	246
COLBOURNE, R. Further evidence of female incubation and family grouping in Brown Kiwis	248
MacDONALD, C.; GILL, B.J. Shining Cuckoo eating an egg	250
Reviews	251

Part 4: December 1991

WALKER, K.; MOORE, P.; ELLIOTT, G. The Auckland Island Banded Dotterel has apparently increased	257
Classified Summarised Notes, North Island.....	267
Classified Summarised Notes, South Island.....	315
Short Notes	
LANGLANDS, P.A. Buller's Shearwaters foraging around fishing vessels	266
HAWKE, D. Seabirds in neritic water along South Island south coast in October 1988	342
PARRISH, R. Buller's Mollymawk hooked.....	344

INDEX OF AUTHORS AND SPECIES VOL 38

- Acanthisitta chloris*, see Rifleman
c. chloris, see Rifleman, South Island
c. granti, see Rifleman, North Island
Acanthisittidae, 153
Acanthisittides, 159
Accentor, 160
Accipiter, see Goshawk
Accipitrada, 157
Accipitridae, 157
Accipitrinae, 157
Acridotheres fuscus, see Myna, Jungle
tristis, see Myna, Indian
Actitis, see Sandpiper
Adzebill, 156, 161
Aegotheles, see Owlet-nightjar
novaezealandiae, see Owlet-nightjar
savesi, see Owlet-nightjar, New Caledonian
Aegotheli, 155
Aegothelidae, 155
Aerodramus spodiopygius, see Swiftlet, White-rumped
Alauda arvensis, see Skylark
Alaudidae, 160
Albatross, 158, 172, 344
 Light-mantled Sooty, 158, 270
 Royal, 316
 Southern Royal, 253
 spp., 51-59, 270
 Wandering, 253, 269, 316
 Waved, 53
Alcedini, 154
Alcedinides, 154
Alcedininae, see Kingfisher, Fishing spp.
Alcedo atthis, see Kingfisher, European
Alectoris chukar, see Chukor
rufa, see Partridge, Red-legged
Anarhynchus frontalis, see Wrybill
Anas, see Duck
 aucklandica, see Teal, Auckland Island
 a. chlorotis, see Teal, Brown
 clypeata, see Shoveler, Northern
 gracilis, see Teal, Grey
 platyrhynchus, see Mallard
 rhynchotis variegata, see Shoveler, New Zealand
 superciliosa, see Duck, Grey
Anatidae, 154, 161
Anatinae, 154, 162
Anatini, 154, 162

- Anhinga*, see Darter
Anhingidae, 157
Anis, 163
Anomalopteryginae, 153
Anomalopteryx, see Moa
Anous, see Noddy
 minutus, see Noddy, White-capped
 stolidus, see Noddy, Common
Anseres, 161
Anserides, 154
Anseriformes, 154
Anserimorphae, 154
Anserinae, 161
Anserini, 154, 161
Anthochaera, see Honeyeater
Anthornis melanura, see Bellbird
Anthus novaeseelandiae, see Pipit, New Zealand
Aphelocoma, see Jay
Aplonis tabuensis, see Starling, Polynesian
Apodidae, 155
Apodiformes, 155
Apodimorphae, 155
Aptenodytes patagonicus, see Penguin, King
Apterornis, see *Aptornis*
Apterygidae, 153
Apteryx, see Kiwi
 a. australis, see Kiwi, South Island Brown
 a. lawryi, see Kiwi, Stewart Island Brown
 a. mantelli, see Kiwi, North Island Brown
 haastii, see Kiwi, Great Spotted
 owenii, see Kiwi, Little Spotted
Aptornis, see Adzebill
Aptornithi, 153, 156
Aptornithidae, 156
Apus, see Swift
Ardea novaehollandiae, see Heron, White-faced
Ardeidae, 158
Ardeoidea, 158
Ardeola, see *Bubulcus*
Arenaria interpres, see Turnstone
Artamini, 159
Artamus, see Woodswallow
Athene noctua, see Owl, Little
Avocet, 156
Aythya novaeseelandiae, see Scaup, New Zealand
Aythiini, 162

BAILEY, S.F. Vocalisations of sympatric Shrikebills (*Clytorhynchus*) on Viti Levu, Fiji, 227-231

- Barbet, 162
BARKER, R.J. Seasonal changes in cock Pheasant calling behaviour in two Wanganui Pheasant populations, 125-130
BARTLE, J.A., see STAHL, J. -C.; BARTLE, J.A.
Bartramia, see Sandpiper, Upland
BATTLE, P.F. Northern Shovelers near Wanganui, 48-50
BATTLE, P.F.; JOWETT, C. A White-faced Heron reacts to a cat, 80
BEICHLE, U. Status and acoustical demarcation of pigeons of Western Samoa, 81-86
Bellbird, 159, 238-239, 253, 255, 312, 337, 340
 Poor Knights, 253
Bird, Forest spp., 146, 180
 Land spp., 132, 145, 146
Bittern, 158
 Australian Little, 252
 Australasian, 79, 281-282, 323
 Black, 161
 New Zealand Little, 158, 161, 254
Biziura, see Duck, Musk
Blackbird, 75, 108, 180, 181, 287, 310, 340
Booby, Abbott's, 145, 146
 Brown, 138, 275, 319
 Masked, 131, 138, 148, 275-276
 Red-footed, 136, 138, 149
 spp., 134, 146, 147
Botaurus stellaris poiciloptilus, see Bittern, Australasian
Bowdleria punctata, see Fernbird
 p. punctata, see Fernbird, South Island
 p. vealeae, see Fernbird, North Island
 p. wilsoni, see Fernbird, Codfish Island
Branta canadensis, see Goose, Canada
Broadbill, 159
BROWN, K. North Island Kokako with orange wattles, 226
Bubulcus ibis, see Egret, Cattle
BUCKINGHAM, R., see ELLIOTT, G.; WALKER, K.;
 BUCKINGHAM, R.
Bulbul, 160
 Red-vented, 144, 150, 310
Bunting, 160
 Cirl, 313, 341
Cabalus, 161
Cacatua galerita, see Cockatoo, Sulphur-crested
Cahow, 211
Calidris, see Sandpiper
 acuminata, see Sandpiper, Sharp-tailed
 alba, see Sanderling
 canutus, see Knot
 ferruginea, see Sandpiper, Curlew
 melanotos, see Sandpiper, Pectoral

- pusilla*, see Sandpiper, Semi-palmated
- ruficollis*, see Stint, Red-necked
- Callaeas cinerea wilsoni*, see Kokako, North Island
- Callaeatidae, 159
- Callipepla californica*, see Quail, California
- Calonectris*, see Shearwater
- Calyptrorhynchus magnificus*, see Cockatoo, Red-tailed
- Capellirallus*, see Snipe-rail, New Zealand
- Carduelini*, 160
- Carduelis carduelis*, see Goldfinch
- chloris*, see Greenfinch
- flammea*, see Redpoll
- Casuarii, 153
- Catharacta*, see Skua
- skua lonnbergi*, see Skua, Southern
- Cecropis*, see Martin
- Cereopsis*, see Goose, Cape Barren
- Ceryle rudis*, see Kingfisher, Pied
- Cerylida, 154
- Chaffinch, 108, 179, 181, 251, 313, 341
- CHAMBERLIN, S.P., see DOWDING, J.E.; CHAMBERLIN, S.P.
- Charadrii, 156
- Charadriiida, 156
- Charadriidae, 156
- Charadriides, 156
- Charadriinae, 156
- Charadriioidea, 156
- Charadrius*, see Plover or Dotterel
- alexandrinus*, see Plover, Kentish
- b. bicinctus*, see Dotterel, Banded
- b. exilis*, see Dotterel, Auckland Island Banded
- dubius*, see Plover, Little Ringed
- leschenaultii*, see Dotterel, Large Sand
- marginatus*, see Plover, White-fronted
- melanops*, see Dotterel, Black-fronted
- melodus*, see Plover, Piping
- mongolus*, see Dotterel, Mongolian
- obscurus*, see Dotterel, New Zealand
- vociferus*, see Killdeer
- Chenonetta*, see Duck, Australian Wood
- Chlidonias leucopterus*, see Tern, White-winged Black
- Chloroceryle amazona*, see Kingfisher, Amazon
- Chrysococcyx l. lucidus*, see Cuckoo, Shining
- Chukor, 252, 327
- Ciconii, 157
- Ciconiida, 158
- Ciconiides, 157
- Ciconiiformes, 152, 156

- Circus approximans*, see Harrier, Australasian
eylesi, see Goshawk, Extinct
- CLASSIFIED SUMMARISED NOTES, North Island, 1 July 1989 to 30 June 1990, compiled by G.A. Taylor and G.R. Parrish, 267-314
- CLASSIFIED SUMMARISED NOTES, South Island, 1 July 1989 to 30 June 1990, compiled by C.F. O'Donnell and J.A. West, 315-341
- CLOUT, M.N.; KARL, B.J.; GAZE, P.D. Seasonal movements of New Zealand Pigeons from a lowland forest reserve, 37-47
- Clytorhynchus nigrogularis*, see Shrikebill, Black-faced
vitiensis, see Shrikebill, Fiji
- Cnemioornis*, see Goose, Extinct New Zealand
- Cnemioornithidae, 161
- Cockatiel, 310
- Cockatoo, Red-tailed, 88
Sulphur-crested, 307, 335
White, see Cockatoo, Sulphur-crested
- Coenocorypha*, see Snipe, New Zealand
a. aucklandica, see Snipe, Auckland Island
pusilla, see Snipe, Chatham Island
- COLBOURNE, R. Further evidence of female incubation and family grouping in Brown Kiwis, 248-249
- Coliae, 162
- Colinus*, see Quail
- Columba livia*, see Pigeon, Rock
vitiensis, see Pigeon, White-throated
- Columbiformes, 155
- Columbidae, 155
- COOPER, W.J. Harrier attacking Black-billed Gull, 72
- COOPER, W.J. Birds of Centre Island, 103-109
- Coot, Australian, 288, 327-328
- Coraciae, 154, 162
- Coracii, 154
- Coraciidae, 154
- Coraciiformes, 154
- Coraciimorphae, 154
- Coracina*, see Cuckoo-shrike
novaehollandiae, see Cuckoo-shrike, Black-faced
- Coracioidea, 154
- Cormorant, 152, 157, 170-171, 252
Kerguelen, 196
- Corvida, 159, 163
- Corvidae, 159
- Corvinae, 159
- Corvini, 159
- Corvus frugilegus*, see Rook
- Coturnix*, see Quail
- Crake, 156
Marsh, 288, 327
Spotless, 140, 288

- Crane, 152, 155
Creadion, see *Philesturnus*
Creeper, Brown, 159, 163, 339
Crotophaginae, 163
Cuckoo, 162, 253
 Channel-billed, 155
 Long-tailed, 143, 155, 309, 337
 Old World spp., 155
 Pallid, 244
 Shining, 80, 155, 244, 250-251, 308-309, 337
Cuckoo-shrike, 159
 Black-faced, 244
Cuculida, 155
Cuculidae, 155
Cuculides, 155
Cuculiformes, 155
Cuculimorphae, 155
Cuculoidea, 155
Cuculus pallidus, see Cuckoo, Pallid
Curlew, 156
 Eastern, 299, 330
Currawong, 159
Cyanoramphus, see Parakeet
 auriceps, see Parakeet, Yellow-crowned
 novaezealandiae, see Parakeet, Red-crowned
 n. chathamensis, see Parakeet, Chatham Island Red-crowned
 sp., see Parakeet, sp.
Cyginae, 154
Cygini, 161
Cygnus atratus, see Swan, Black
 olor, see Swan, Mute
Dabchick, New Zealand, 86, 254, 268-269
Dacelo novaeguineae, see Kookaburra
Dacelonidae, 154
Daceloninae, see Kingfisher, Forest spp.
Dacelonoidea, 154
Daption capense, see Pigeon, Cape
DARBY, J.T. A second Magellanic Penguin in New Zealand, 36
DAVIS, L.S., see MURIE, J.O.; DAVIS, L.S.; McLEAN, I.G.
Dendrocygna eytoni, see Duck, Grass Whistling
Dendrocygnidae, 154
Dendrocygninae, 161
Diaphorapteryx, see Rail, Giant Chatham Island
Dicrurinae, 159
Didunculus strigirostris, see Pigeon, Tooth-billed
Dinornis, see Moa
Dinornithi, 153
Dinornithidae, 153, 160, 161

Diomedea, see Albatross*bulleri*, see Mollymawk, Buller's*cauta*, see Mollymawk, White-capped or Shy*c. cauta*, see Mollymawk, White-capped or Shy*c. eremita*, see Mollymawk, Chatham Island*c. salvini*, see Mollymawk, Salvin's*c. steadi*, see Mollymawk, New Zealand White-capped*chlororhynchos*, see Mollymawk, Yellow-nosed*chrysostoma*, see Mollymawk, Grey-headed*epomophora*, see Albatross, Royal*exulans*, see Albatross, Wandering*irrorata*, see Albatross, Waved*melanophrys*, see Mollymawk, Black-browed*m. impavida*, see Mollymawk, New Zealand Black-browed*m. melanophrys*, see Mollymawk, Black-browed

Diomedeaenae, 158

Dotterel, 124, 156

Auckland Island Banded, 253, 257-265

Banded, 99, 106, 243, 247, 257-265, 293-294, 295, 329

Black-fronted, 255, 294-295, 329-330

Large Sand, 243, 295, 329

Mongolian, 243, 295

New Zealand, 89-102, 246-247, 292-293, 329

Dove, 145

Barbary, 307

Crimson-crowned Fruit, 81-82, 84, 136, 142, 147

Friendly Ground, 83, 85, 131, 134, 136, 141-142, 148, 149

Fruit spp., 149

Ground spp., 146, 149

Malay Spotted, see Dove, Spotted

Many-coloured Fruit, 82, 84, 131, 142, 147, 149

Purple-crowned Fruit, see Dove, Crimson-crowned Fruit

Shy ground, see Dove, Friendly Ground

Spotted, 155, 307

DOWDING, J.E., Cattle Egrets on Stewart Island, 209-210

DOWDING, J.E.; CHAMBERLIN, S.P. Annual movement patterns and breeding site fidelity of the New Zealand Dotterel (*Charadrius obscurus*), 89-102

DOWDING, J. New Zealand birds: A Sound Guide, Vols 4, 5, 6 & 7 (L. McPherson), 253-254

Dowitcher, 156

Asiatic, 253

Dryolimnas, see Rail

Duck, 154, 162, 204

Australian Wood, 154, 162

Blue, 154, 161, 253, 284, 325

Dabbling spp., 162

Extinct New Zealand Forest, 154, 160, 161

Extinct New Zealand Pink-eared, 110

- Grass Whistling, 154, 161, 241-242
- Grey, 139, 284-285, 325
- Grey/Mallard Hybrid, 285
- Mallard, 48, 109, 110, 242, 284, 285, 324-325
- Musk, 154, 162
- Pink-eared, 109-110, 154, 161, 242, 253
- Plumed Whistling, see Duck, Grass Whistling
- Stiff-tailed, 154, 162
- Torrent spp., 161
- Ducula pacifica*, see Pigeon, Pacific
- Dunnock, 160
- Dupetor flavicollis*, see Bittern, Black
- Eagle, 152
 - Extinct, 157
 - Extinct Chatham Island Sea, 157
- Egret, Cattle, 68, 158, 165-169, 209-210, 280-281, 282, 322-323
 - Intermediate, 241
 - Little, 279, 322
- Egretta alba*, see Heron, White
 - garzetta*, see Egret, Little
 - intermedia*, see Egret, Intermediate
 - n. novaehollandiae*, see Heron, White-faced
 - sacra*, see Heron, Reef
- Eki'aki, see *Sterna* spp.
- ELLER, G.J.; HASLETT, C.M.; SIBSON, R.B. Pink-eared Duck at Mangere, 109-110
- ELLIOTT, G.; WALKER, K.; BUCKINGHAM, R. The Auckland Island Rail, 199-209
- ELLIOTT, G., see WALKER, K.; MOORE, P.; ELLIOTT, G.
- Emberiza cirius*, see Bunting, Cirl
 - citrinella*, see Yellowhammer
- Emberizinae, 160
- Emberizini, 160
- Emeidae, 153, 160, 161
- Emeus*, see Moa
- Eoaves, 153, 162
- Eopsaltriidae, 159
- Eudynamys taitensis*, see Cuckoo, Long-tailed
- Eudyptes chrysocome*, see Penguin, Rockhopper
 - pachyrhynchus*, see Penguin, Fiordland Crested
 - robustus*, see Penguin, Snares Crested
 - spp., see Penguin, Crested spp.
- Eudyptula minor*, see Penguin, Blue
- Euleucocarbo*, see Cormorant
- Euryanas*, see Duck, Extinct New Zealand Forest
- Euryanatinae, 161
- Euryapteryx*, see Moa
- *Eurystomus*, see Roller

- Falco*, see Falcon
 cenchroides, see Kestrel, Nankeen
 novaeseelandiae, see Falcon, New Zealand
Falcon, 157
 New Zealand, 86, 173-182, 202, 252, 261, 286-287, 326
 Peregrine, 173
Falconida, 157
Falconidae, 157
Falconides, 157
FALKNER, M. Spurwings retrieve their eggs, 151
Fantail, Chatham Island, 339
 New Zealand, 107
 North Island, 311
 South Island, 339
Fernbird, 160, 161, 252
 Chatham Island, 252
 North Island, 310-311
 South Island, 338
Finch, 326
 Old World spp., 160
Finschia, see *Mohoua*
FOREMAN, G. New Zealand Dotterels breeding in northern Hawke's Bay,
 246-247
Foulehaio carunculata, see Honeyeater, Wattled
Fowl, Domestic, 180
 Red Jungle, 140, 149
Fratercula arctica, see Puffin
Fregata, see Frigatebird
 ariel, see Frigatebird, Lesser
 minor, see Frigatebird, Greater
Fregatidae, 158
Fregatta grallaria, see Storm Petrel, White-bellied
Frigatebird, 158, 162
 Greater, 131, 138-139, 278
 Lesser, 131, 138-139, 278
 spp., 134, 146, 147
Fringilla coelebs, see Chaffinch
Fringillidae, 160
Fringillinae, 160
Fulica atra, see Coot, Australian
Fulmar, 158
 Antarctic, 104, 316
Fulmarus glacialis, see Fulmar, Antarctic
Gallicolumba stairi, see Dove, Shy Ground
Galliformes, 154
Gallinago, see Snipe
Gallinula, see Moorhen
Gallinule, 145

- Gallirallus*, see Rail
 australis, see Weka
 a. australis, see Weka, Western
 owstoni, see Rail, Guam
- Galloanserae, 154
- Gallomorphae, 154
- Gallus gallus*, see Fowl, Domestic, or Fowl, Red Jungle
- Gamebird, spp., 125-130
 Upland spp., 162
- Gannet, 152, 157, 161, 162
 Australasian, 105, 275, 282, 318-319
- Garrodia nereis*, see Storm Petrel, Grey-backed
- GAY, C.G., see LAWRENCE, S.B.; GAY, C.G.
- GAZE, P.D., see CLOUT, M.N.; KARL, B.J.; GAZE, P.D.
- Gelochelidon nilotica*, see Tern, Gull-billed
- Geopsittacus occidentalis*, see Parrot, Night
- Gerygone albofrontata*, see Warbler, Chatham Island
 igata, see Warbler, Grey
- GILL, B.J., see MacDONALD, C.; GILL, B.J.
- GILL, B.J. Review: Distribution and taxonomy of the birds of the world
 (C.G. Sibley and B.L. Monroe), 251-252
- Glareola*, see Pratincole
- Glareolidae, 156
- Glareolinae, 156
- Godwit, 156, 298
 American Black-tailed, see Godwit, Hudsonian
 Asiatic Black-tailed, 49, 300
 Bar-tailed, see Godwit, Eastern Bar-tailed
 Black-tailed sp., 300
 Eastern Bar-tailed, 299, 300, 330, 331
 Hudsonian, 300, 330
- Goldfinch, 108, 124, 313, 341
- Goose, 279
 Canada, 80, 154, 161, 242, 247, 283, 324
 Cape Barren, 154, 161
 Extinct New Zealand, 154, 160, 161
- Goshawk, Extinct, 161
- Grebe, 152, 157, 162
 Australasian Little, 269
 Crested, 255, 316
 Southern Crested, see Grebe, Crested
- Greenfinch, 108, 313, 341
- Greenshank, 301, 331
- Grui, 155
- Gruida, 155
- Gruidae, 155
- Gruides, 155
- Gruiformes, 155
- Gruoidea, 155

Grus, see Crane

GUEST, R. 1990 report on rare birds in New Zealand, 240-244

Gull, 152, 157, 253

Black-backed, 106, 181, 213, 247, 275, 302, 304, 323, 333

Black-billed, 72, 247, 303, 304, 306, 334

Red-billed, 107, 243, 247, 301, 302-303, 334

Southern Black-backed, see Gull, Black-backed

Gygis alba, see Tern, White

Gymnorhina tibicen, see Magpie, Australian

HADDEN, D. Injury feigning at Yellowhammer's nest, 124

Haematopodini, 156

Haematopus ostralegus finschi, see Oystercatcher, South Island Pied

unicolor, see Oystercatcher, Variable

HAILMAN, E.D., see HAILMAN, J.P.; HAILMAN, E.D.

HAILMAN, J.P.; HAILMAN, E.D. Bellbirds feeding on sap of black beech, 238-239

Halcyon, see Kingfisher

chloris, see Kingfisher, White-collared

sancta vagans, see Kingfisher, New Zealand

senegalensis, see Kingfisher, Senegal

Haliaeetus, see Sea Eagle, Extinct Chatham Island

Hallstroma sp., see Petrel, Dark-rumped

Halobaena caerulea, see Petrel, Blue

Hapolorhynchus, see *Gerygone*

Harpagornis, see Eagle, Extinct

Harrier, 157

Australasian, 72, 86, 106, 139, 145, 179, 181, 286, 312, 326

Swamp, see Harrier, Australasian

HASLETT, C.M., see ELLER, G.J.; HASLETT, C.M.; SIBSON, R.B.

Hawk, 152, 162

HAWKE, D. Seabirds in neritic water along South Island south coast in October 1988, 342-344

HAYES, L.M. Behaviour of New Zealand Kingfishers feeding chicks, 73-79

HEATHER, B.D. Cattle Egret numbers in New Zealand, 1986-1990, 165-169

Helekosi, see Frigatebird spp.

Hemiphaga novaeeseelandiae, see Pigeon, New Zealand

chathamensis, see Pigeon, Chatham Island

Heron, 152, 158,

Nankeen Night, 158

Pacific Reef, see Heron, Reef

Reef, 139, 279-280, 322

White, 241, 279, 321-322

White-faced, 63-71, 75, 80, 106, 252, 278-279, 280, 321, 330

Heteralocha, see Huia

Heteroscelus incanus, see *Tringa incana*

- Himantopus h. leucocephalus*, see Stilt, Pied
 novaezealandiae, see Stilt, Black
Hirundapus, see Swift, Spine-tailed
Hirundinidae, 160
Hirundo neoxena, see Swallow, Welcome
 tahitica, see Swallow, Pacific
HOCKEN, A.G. (Letter): Reference: Siegel-Causey, D. "Gastroliths assist digestion in shags", 170
HOLDAWAY, R.N. Sibley *et al's* (1988) classification of living birds applied to the New Zealand list, 152-164
Honeyeater, 159, 162
 Wattled, 136, 144-145, 147
Huia, 159, 252, 253
Hydrobatinae, 158
Hydroprogne, see Tern, Caspian
Hylochelidon, see *Cecropia*
Hymenolaimus malacorhynchos, see Duck, Blue
Ibis, 152
 Australian White, 158
 Glossy, 158, 282, 323
IMBER, M.J.; MERTON, D.V.; WEST, J.A.; TENNYSON, A.J.D. Juan Fernandez Petrels prospecting at the Chatham Islands, 60-62
Ixobrychus, see Bittern, New Zealand Little
Jay, 163
JOWETT, C., see BATTLELEY, P.F.; JOWETT, C.
Kaka, 155
 North Island, 307-308
 South Island, 336
Kakapo, 155, 252, 253, 335
Kapatoka, see Booby spp.
KARL, B.J., see CLOUT, M.N.; KARL, B.J.; GAZE, P.D.
Kea, 155, 253, 336
Kestrel, European, 87
 Nankeen, 242, 287, 327
Killdeer, 99
Kingfisher, 154, 162, 253
 Amazon, 79
 Belted, 79
 European, 79
 Fishing spp., 79
 Forest spp., 79
 Giant, 79
 New Zealand, 73-79, 232, 309, 337
 Pied, 79
 Sacred, 252
 Senegal, 79
 White-collared, 136, 143

- Kiwi, 153, 162
 Brown, 248-249
 Great Spotted, 248, 316
 Little Spotted, 268, 316
 North Island Brown, 248, 268
 South Island Brown, 248, 249, 315
 Stewart Island Brown, 248, 249, 316
- Knot, 156
 Lesser, 298, 331-332
- Kokako, 159
 North Island, 226, 314
- Kookaburra, 154, 309
- Lafu, see *Pterodroma* spp.
- Lalage maculosa*, see Triller, Polynesian
- LANGLANDS, P. Buller's Shearwaters foraging around fishing vessels, 266
- Laridae, 157
- Larinae, 157
- Larini, 157
- Laroidea, 156
- Larus*, see Gull
 bulleri, see Gull, Black-billed
 dominicanus, see Gull, Black-backed
 novaehollandiae, see Gull, Red-billed
- LAWRENCE, S.B.; GAY, C.G. Behaviour of fledgling New Zealand Falcons (*Falco novaeseelandiae*), 173-182
- LAWRENCE, S.B. Review: The Kestrel (Andrew Village), 87
- LETTERS: HOCKEN, A.G. Reference: Siegel-Causey, D. "Gastroliths assist digestion in shags", 170
 SIEGEL-CAUSEY, D. Reply to letter by Hocken, A.G., 170-171
 TICKELL, W.L.N. Dr. L.E. Richdale, 172
- Leucocarbo campbelli colensoi*, see Shag, Auckland Island
 carunculatus, see Shag, King
 chalconotus, see Shag, Stewart Island
 onslowi, see Shag, Chatham Island
- Limicola*, see Sandpiper, Broad-billed
- Limnodromus*, see Dowitcher
- Limosa*, see Godwit
 lapponica baueri, see Godwit, Eastern Bar-tailed
 limosa haemastica, see Godwit, Black-tailed
 l. melanuroides, see Godwit, Asiatic Black-tailed
- LO, P.L. Diet of the White-faced Heron on Manawatu pastures, 63-71
- Lobibyx*, see Plover, Spur-winged
- Lophortyx californica*, see *Callipepla californica*
- Lorikeet, Blue-crowned, 131, 142-143, 147, 149, 150
- Lugensa brevirostris*, see Petrel, Kerguelen
- LUTTRELL, J. Spurwings retrieve their eggs, 151

- MacDONALD, C.; GILL, B.J. Shining Cuckoo eating an egg, 250-251
Macronectes, see Petrel, Giant
 halli, see Petrel, Northern Giant
Magpie, 159
 Australian, 179, 314, 341
Malacorhyncheae, 161
Malacorhynchus membranaceus, see Duck, Pink-eared
 scarletti, see Duck, Extinct New Zealand Pink-eared
Mallard, see Duck, Mallard
Martin, 160
McCLELLAND, P.J.; MOORE, P.J.; A new species for the Auckland Islands, 80
McLEAN, I.G.; RUSS, R.B. The Fiordland Crested Penguin survey, Stage 1: Doubtful to Milford Sounds, 183-190
McLEAN, I.G., see MURIE, J.O.; DAVIS, L.S.; McLEAN, I.G.
MEDWAY, D.G. Further comments on J.R. Forster's observations of helicoidal intestines in the Procellariidae, 244-245
Megaceryle alcyon, see Kingfisher, Belted
 maxima, see Kingfisher, Giant
Megadyptes antipodes, see Penguin, Yellow-eyed
Megaegotheles, see *Aegotheles*
Megalapteryx, see Moa
Megalurinae, 160
Megalurus, see *Bowdleria*
Megapode, Niuafo'ou, 131, 132, 136, 139-140, 146, 147, 149
Megapodius pritchardii, see Megapode, Niuafo'ou
Meliagris gallopavo, see Turkey, Wild
Meliphagid, 238
Meliphagidae, 159, 162
Meliphagoidea, 159
MELVILLE, D.S. Primary moult in Black-browed and Shy Mollymawks, 51-59
Merganettae, 161
Merganser, 154, 162
Mergini, 162
Mergus, see Merganser
MERTON, D.V., see IMBER, M.J.; MERTON, D.V.; WEST, J.A.; TENNYSON, A.J.D.
Microcarbo, see Cormorant
MILLER, K., see MILLER, P.; MILLER, K.
MILLER, P.; MILLER, K., Bitterns using mangroves, 79
MILNE, B.J., see TOMKINS, R.J.; MILNE, B.J.
Moa, 153, 160, 161
Mohoua albicilla, see Whitehead
 novaeseelandiae, see Creeper, Brown
 ochrocephala, see Yellowhead
Mohouini, 159
Mollymawk, 51-59
 Black-browed, 51-59, 269, 316

- Buller's, 104, 270, 316, 344
 - Chatham Island, 53, 240
 - Grey-headed, 269
 - New Zealand Black-browed, 53, 56
 - New Zealand White-capped, 53, 56
 - Salvin's, 53, 54, 240, 316
 - Shy, see Mollymawk, White-capped
 - spp., 51-59
 - White-capped, 30, 51-59, 240, 269, 316
 - Yellow-nosed, 51, 54, 55, 270
- Monarchini, 159
- MOON, G. The feeding of New Zealand Kingfisher chicks, 232
- MOORE, P.J., see McCLELLAND, P.J.; MOORE, P.J.
- MOORE, P.J., see WALKER, K.J.; MOORE, P.J.; ELLIOTT, G.P.
- Moorhen, 156
- Morepork, 107, 155, 286, 309, 337
- Morus serator*, see *Sula serrator*
- Motacillinae, 160
- Mousebird, 162
- MURIE, J.O.; DAVIS, L.S.; McLEAN, I.G. Identifying the sex of
Fiordland Crested Penguins by morphometric characters, 233-238
- Muscicapidae, 159
- Muscicapoidae, 159
- Myiagra*, see Broadbill
- Myna, 159
 - Common, 232, 314
 - Jungle, 131, 134, 142, 144, 150
- Neoaves, 154, 162
- Neornithes, 153
- Nesocarbo*, see Cormorant
- Nesofregatta fuliginosa*, see Storm Petrel, Polynesian
- Nesolimnas*, see *Rallus philippensis dieffenbachii*
- Nestor*, see Kaka and Kea
 - m. meridionalis*, see Kaka, South Island
 - m. septentrionalis*, see Kaka, North Island
 - notabilis*, see Kea
- Ngongo, see Noddy, spp.
- Ngutu 'enga, see Myna, Jungle
- Ngutulei, see Booby spp.
- Ninox novaeseelandiae*, see Morepork
- Noddy, 157
 - Black, see Noddy, White-capped
 - Blue-grey, see Ternlet, Grey
 - Brown, see Noddy, Common
 - Common, 141, 220, 243
 - spp., 134, 149
 - White-capped, 136, 141, 243
- Notiomystis cincta*, see Stitchbird
- Notornis mantelli*, see *Porphyrio mantelli*

- Numenius madagascariensis*, see Curlew, Far-eastern
 phaeopus, see Whimbrel, sp.
 p. hudsonicus, see Whimbrel, American
 p. variegatus, see Whimbrel, Asiatic
Nycticorax caledonicus, see Heron, Nankeen Night
Oceanites oceanicus, see Storm Petrel, Wilson's
Oceanodroma castro, see Storm Petrel, Band-rumped
 leucorhoa, see Storm Petrel, Leach's
O'DONNELL, C.F.J.; WEST, J.A. Classified Summarised Notes, South
 Island 1 July 1989 to 30 June 1990, 315-341
Olor, see Swan
Oreolini, 159
Oriole, 159
ORMOND, W.L. Review: Parrots of the World (J.M. Forshaw), 87-88
Owl, 162, 253
 Barn, 143, 155, 244
 Laughing, 155
 Little, 155, 337
Owlet-nightjar, 162
 Extinct New Zealand, 155, 160
 New Caledonian, 160
Oxyura, see Duck, Stiff-tailed
Oxyurinae, 154
Oxyurini, 162
Oystercatcher, 124, 156
 Chatham Island, 328
 South Island Pied, 75, 254, 288-289, 328
 Variable, 92, 106, 246, 289-291, 306, 328
Pachyanas, 154, 162
Pachycephala melanops, see Whistler, Tongan
Pachycephalinae, 159
Pachyornis, see Moa
Pachyplichas, see Wren, New Zealand
Pachyptila, see Prion
 belcheri, see Prion, Thin-billed
 sp., see Prion, sp.
 turtur, see Prion, Fairy
 vittata, see Prion, Broad-billed
Papasula abbotti, see Booby, Abbott's
Parakeet, 155
 Barraband's, 88
 Chatham Island Red-crowned, 336
 Red-crowned, 308, 336
 sp., 308, 336-337
 Yellow-crowned, 308, 336
PARRISH, G.R., see TAYLOR, G.A; PARRISH, G.R.
PARRISH, G.R. Buller's Mollymawk hooked, 344

- Parrot, 87-88, 145, 155, 162, 163, 253
 Night, 88
 Superb, 88
Partridge, 154
 Red-legged, 327
Passer domesticus, see Sparrow, House
Passerae, 153, 155, 162
Passeri, 159
Passerida, 159, 163
Passeridae, 160
Passeriformes, 159, 253
Passerimorphae, 153, 155, 162
Passerine, 144, 146, 147, 152, 162, 163, 180, 250
 Australo-Papuan spp., 152
 Insectivorous spp., 149
Passeroidea, 160
Pavo, see Peafowl
Peafowl, 154
Pelagodroma marina, see Storm Petrel, White-faced
Pelecanidae, 158
Pelecaninae, 158
Pelecanoidea, 158
Pelecanoides urinatrix, see Petrel, Diving
Pelecanus, see Pelican
Pelican, 152, 158
Penguin, 158, 162, 163, 233-238
 Adelie, 237
 Blue, 105, 186, 188, 233, 236, 237, 275, 318
 Crested spp., 233, 237
 Fiordland Crested, 183-190, 233-238, 318
 Galapagos, 36, 241
 Jackass, 36
 King, 318
 Magellanic, 36, 233, 237, 241
 Peruvian, 36
 Rockhopper, 318
 Snares Crested, 183, 233
 Yellow-eyed, 105, 108, 109, 117-123, 172, 183, 318
Perdix, see Partridge
Petrel, 152, 162, 163, 204, 211-225, 244-245
 Antarctic, 158, 213, 244, 245
 Barau's, 211-225
 Black, 272
 Black-capped, 2, 14, 30, 33, 223
 Black-winged, 59, 60, 111-116, 137, 145, 274, 317
 Blue, 158, 342
 Bonin, 115
 Cahow, 33
 Chatham Island, 116, 317

- Common Diving, see Petrel, Diving
- Cook's, 115, 273-274, 317
- Dark-rumped, 1-35, 211, 221, 223
- Diving, 158, 272, 318, 343
- Gadfly spp., 1-35
- Giant, 158, 273, 317
- Gould's, 30
- Grey, 244, 245
- Grey-faced, 220, 223, 274
- Herald, 30, 137, 223
- Juan Fernandez, see Petrel, Stejneger's
- Kerguelen, 158, 161, 223
- Kermadec, 2, 60, 62
- Mottled, 244, 245, 317
- Murphy's, 223
- New Caledonian, 241
- Northern Giant, 104
- Providence, 223
- Pycroft's, 115, 241, 252
- Soft-plumaged, 30, 220, 223, 241
- spp., 111-116, 137, 146, 147, 244, 253, 255
- Stejneger's, 30, 60-62, 223, 241
- Tahiti, 30, 158, 161
- Westland, 255, 272
- Westland Black, see Petrel, Westland
- White-headed, 244, 245, 274
- White-naped, 60, 61
- Petroica*, see Robin, Australian spp.
 - australis*, see Robin
 - a. australis*, see Robin, South Island
 - a. longipes*, see Robin, North Island
 - macrocephala chathamensis*, see Tomtit, Chatham Island
 - m. macrocephala*, see Tomtit, Yellow-breasted
 - m. toitoi*, see Tomtit, Pied
 - traversi*, see Robin, Black
- Phaethon lepturus*, see Tropicbird, White-tailed
- rubricauda*, see Tropicbird, Red-tailed
- Phaethontida, 157
- Phaethontidae, 157
- Phalacrocoracidae, 152, 157, 170
- Phalacrocoracoidea, 157
- Phalacrocorax*, see Shag or Cormorant
 - carbo*, see Shag, Black
 - melanoleucos*, see Shag, Little
 - sulcirostris*, see Shag, Little Black
 - varius*, see Shag, Pied
 - verrucosus*, see Cormorant, Kerguelen
- Phalarope, 156
- Phalaropus*, see Phalarope

- Phasianida, 154
Phasianidae, 154
Phasianoidea, 154
Phasianus colchicus, see Pheasant, Ring-necked
Pheasant, 125-130, 154
 Ring-necked, 287
Philesturnus carunculatus rufusater, see Saddleback, North Island
PHILIPSON, W.R., An early sighting of the Welcome Swallow, 190
Philomachus, see Ruff
Phoebastria palpebrata, see Albatross, Light-mantled Sooty
Picae, 162
Pigeon, 81-86, 145, 152, 162, 253
 Cape, 104, 158, 266, 273, 317
 Chatham Island, 335
 Feral, see Pigeon, Rock
 Fruit spp., 146
 New Zealand, 37-47, 107, 155, 181, 307, 335
 Pacific, 82, 84, 142
 Rock, 81, 155, 307, 326
 Tooth-billed, 81, 82, 83, 85, 86
 White-throated, 82, 83, 85
Piopio, 159
 North Island, 233
 South Island, 254
Pipit, 160
 New Zealand, 107, 310, 338
Platalea flavipes, see Spoonbill, Yellow-billed
 regia, see Spoonbill, Royal
Platycercus eximius, see Rosella, Eastern
Plegadis falcinellus, see Ibis, Glossy
Plover, 156, 163
 Grey, 296
 Kentish, 99
 Little Ringed, 100
 New Zealand Shore, 156, 252, 330
 Pacific Golden, 141, 296, 329
 Piping, 99
 Spur-winged, 80, 106, 151, 156, 296-297, 328-329
 White-fronted, 100
Pluvialis, see Plover
 fulva, see Plover, Pacific Golden
 squatarola, see Plover, Grey
Podiceps cristatus australis, see Grebe, Crested
Podicipedida, 157
Podicipedidae, 157
Poliocephalus rufopectus, see Dabchick, New Zealand
Polytelis swainsonii, see Parrot, Superb
Porphyrio mantelli, see Takahe
 porphyrio, see Swamphen, Purple

- p. melanotus*, see Pukeko
Porzana pusilla affinis, see Crane, Marsh
tabuensis plumbea, see Crane, Spotless
 Pratincole, 156
 Prion, 158, 172
 Broad-billed, 104, 111, 114, 273, 317, 326, 343
 Fairy, 111, 114, 115, 180, 273, 317, 343
 sp., 104, 273, 342
 Thin-billed, 273
Procellaria, see Petrel
 antarctica, see *Thalassoica antarctica*
 cinerea, see Petrel, Grey
 haesitata, see *Procellaria cinerea*
 inexpectata, see *Pterodroma inexpectata*
 leucocephala, see *Pterodroma lessonii*
 parkinsoni, see Petrel, Black
 tristis, see *Puffinus griseus*
 westlandica, see Petrel, Westland
 Procellariidae, 158, 244-245
 Procellariiformes, 1-35, 146
 Procellariinae, 158, 162
 Procellarioidea, 158
Procelsterna cerulea albivitta, see Ternlet, Grey
Prothemadera novaeseelandiae, see Tui
 n. chathamensis, see Tui, Chatham Island
Prunella modularis, see Sparrow, Hedge
 Prunellinae, 160
Pseudobulweria rostrata, see Petrel, Tahiti
 Psittacidae, 155
 Psittaciformes, 155
 Psittacimorphae, 155
Pterodroma arminjoniana, see Petrel, Herald
 axillaris, see Petrel, Chatham Island
 barau, see Petrel, Barau's
 cahow, see Cahow
 cervicalis, see Petrel, White-naped
 cookii, see Petrel, Cook's
 externa, see Petrel, Juan Fernandez
 hasitata, see Petrel, Black-capped
 heraldica, see Petrel, Herald
 hypoleuca, see Petrel, Bonin
 inexpectata, see Petrel, Mottled
 lessonii, see Petrel, White-headed
 leucoptera, see Petrel, Gould's
 l. caledonica, see Petrel, New Caledonian
 longirostris, see Petrel, Stejneger's
 macroptera gouldi, see Petrel, Grey-faced
 mollis, see Petrel, Soft-plumaged
 neglecta, see Petrel, Kermadec

- nigripennis*, see Petrel, Black-winged
- p. phaeopygia*, see Petrel, Dark-rumped
- p. sandwichensis*, see Petrel, Dark-rumped
- pycrofti*, see Petrel, Pycroft's
- rostrata*, see Petrel, Tahiti
- solandri*, see Petrel, Providence
- spp., see Petrel spp.
- ultima*, see Petrel, Murphy's
- Ptilinopus porphyraceus*, see Dove, Crimson-crowned Fruit
- perousii*, see Dove, Many-coloured Fruit
- Puffin, 121
- Puffinus assimilis*, see Shearwater, Little
- bulleri*, see Shearwater, Buller's
- carneipes*, see Shearwater, Flesh-footed
- gavia*, see Shearwater, Fluttering
- griseus*, see Shearwater, Sooty
- huttoni*, see Shearwater, Hutton's
- lherminieri*, see Shearwater, Audubon's
- nativitatis*, see Shearwater, Christmas
- pacificus*, see Shearwater, Wedge-tailed
- tenuirostris*, see Shearwater, Short-tailed
- Pukeko, 288, 327
- Pycnonotidae, 160
- Pycnonotus cafer*, see Bulbul, Red-vented
- Pygoscelis adeliae*, see Penguin, Adelie
- Quail, 154
 - Brown, 287
 - California, 287, 327
- Rail, 149, 156, 162, 163, 253
 - Auckland Island, 199-209, 261
 - Banded, 140, 147, 148, 161, 253, 287-288, 327
 - Chatham Island, 161
 - Dieffenbach's, 161
 - Giant Chatham Island, 156
 - Guam, 147
 - Lewin's, 199, 205
- Ralli, 156
- Rallidae, 156
- Rallus modestus*, see Rail, Chatham Island
- pectoralis*, see Rail, Lewin's
- p. brachypus*, see Rail, Lewin's
- p. clelandi*, see Rail, Lewin's
- p. muelleri*, see Rail, Auckland Island
- p. pectoralis*, see Rail, Lewin's
- philippensis*, see Rail, Banded
- p. dieffenbachi*, see Rail, Dieffenbach's
- Ratitae, 153
- Ratite, 162

Recurvirostra, see Avocet

Recurvirostrinae, 156

Recurvirostrini, 156

Redpoll, 108, 313, 341

Redshank, 100

REVIEWS: Lawrence, S.B. The Kestrel (Andrew Village), 87

Ormond, W.L. Parrots of the World (J.M. Forshaw), 87-88

Gill, B.J. Distribution and taxonomy of the birds of the world
(C.G. Sibley and B.L. Monroe), 251-252

Dowding, J. New Zealand birds: A Sound Guide, Vols 4, 5,
6 & 7 (L. McPherson), 253-254

Warham, J. The Manx Shearwater (M. Brooke), 256

Rhipidura, see Fantail

fuliginosa, see Fantail, New Zealand

f. fuliginosa, see Fantail, South Island

f. penitus, see Fantail, Chatham Island

f. placabilis, see Fantail, North Island

Rhipidurini, 159

Rifleman, 159, 162

North Island, 253, 309

South Island, 253, 337

RINKE, D. Birds of 'Ata and Late, and additional notes on the avifauna
of Niua fo'ou, Kingdom of Tonga, 131-151

Robin, Australian spp., 159

Black, 340

North Island, 253, 312

South Island, 339-340

Roller, 154, 162

Rook, 159, 314, 341

Rosella, 155

Crimson, 253

Eastern, 308

Rostratula benghalensis australis, see Snipe, Painted

b. benghalensis, see Snipe, Painted

Ruff, 156, 253

RUSS, R.B., see McLEAN, I.G.; RUSS, R.B.

Saddleback, 159, 252

North Island, 314

SAGAR, P.M. Aspects of the breeding and feeding of Kerguelen and
Antarctic Terns at the Kerguelen Islands, 191-198

Sanderling, 298

Sandpiper, Broad-billed, 156

Curlew, 298, 332

Marsh, 301, 331

Pectoral, 298, 332

Semi-palmated, 100

Sharp-tailed, 298, 332

Terek, 301, 331

Upland, 156

- Sapsucker, Yellow-bellied, 239
Scaup, 154, 162
 New Zealand, 286, 326
Sceloglaux, see Owl, Laughing
Scolopacida, 156
Scolopacidae, 156
Scolopacinae, 156
Scolopacoidea, 156
Scythrops, see Cuckoo, Channel-billed
Seabird, 1-35, 51-59, 61-62, 111-116, 134, 145, 146, 149, 170-171, 172, 204,
 211-225, 254, 342-344
Shag, 157, 162, 163, 170-171, 252
 Auckland Island, 80, 242
 Black, 105, 179, 276, 320
 Blue, 106
 Chatham Island, 321
 King, 320
 Little, 277-278, 320
 Little Black, 105, 254, 280, 302, 320
 Macquarie Island, 253
 Patagonian spp., 170-171
 Pied, 105, 255, 276-277, 280, 320
 Pitt Island, 321
 Spotted, 106, 321
 spp., 152
 Stewart Island, 104, 105-106, 109, 321
SHAW, W.B. Harrier attacks Dabchick and Welcome Swallows attack
 Falcon, 86
Shearwater, 158, 244-245
 Audubon's, 137, 145, 220
 Buller's, 61, 251, 266, 270-271
 Christmas Island, 241
 Flesh-footed, 266, 270, 271, 317
 Fluttering, 270, 271-272, 275, 317, 335
 Hutton's, 272, 318
 Little, 272
 Manx, 256
 Short-tailed, 271
 Sooty, 60, 104, 111, 113, 244, 245, 266, 271, 317, 343
 spp., 137, 146, 147, 255
 Wedge-tailed, 131, 137, 220, 241
Shelduck, 154, 161
 Chestnut-breasted, 324
 Paradise, 283-284, 324
Shoveler, New Zealand, 48-50, 109, 110, 242, 285, 325
 Northern, 48-50, 242, 286
Shrikebill, Black-faced, 227-231
 Fiji, 227-231
 Lesser, see Shrikebill, Fiji

- SIBSON, R.B., see ELLER, G.J.; HASLETT, C.M.; SIBSON, R.B.
SIEGEL-CAUSEY, D. Letter: Gastroliths assist digestion in shags, (reply to A.G. Hocken), 170-171
Silvereye, 108, 160, 180, 181, 232, 312, 340
Skua, 157, 253
 Arctic, 275, 301-302, 333
 Brown, see Skua, Southern
 Pomarine, 220, 302, 333
 Southern, 61, 106, 113, 115, 202, 261, 301, 333
 Southern Great, see Skua, Southern
 sp., 302, 333
Skylark, 107, 160, 309, 338
Snipe, Auckland Island, 200, 201, 204
 Chatham Island, 253, 331
 New Zealand, 156
 Painted, 253
 Snares Island, 205
Snipe-rail, New Zealand, 156
Sparrow, 153
 Hedge, 107, 310, 338
 House, 75, 108, 180, 287, 313
 Old World spp., 160
Spheniscidae, 158
Spheniscus demersus, see Penguin, Jackass
 humboldti, see Penguin, Peruvian
 magellanicus, see Penguin, Magellanic
 mendiculus, see Penguin, Galapagos
Sphyrapicus varius, see Sapsucker, Yellow-bellied
Spoonbill, Royal, 158, 282, 323
 Yellow-billed, 241
STAHL, J. -C.; BARTLE, J.A. Distribution, abundance and aspects of the pelagic ecology of Barau's Petrel (*Pterodroma barau*) in the South-west Indian Ocean, 211-225
Starling, 75, 108, 159
 European, 144, 145, 180, 313, 341
 Polynesian, 136, 143-144, 147, 149, 150
Stercorariini, 157
Stercorarius parasiticus, see Skua, Arctic
 pomarinus, see Skua, Pomarine
Sterna albifrons sinensis, see Tern, Eastern Little
 albostrata, see Tern, Black-fronted
 anaethetus, see Tern, Bridled
 bergii, see Tern, Crested
 caspia, see Tern, Caspian
 fuscata, see Tern, Sooty
 hirundo, see Tern, Common
 h. longipennis, see Tern, Eastern Common
 nereis davisae, see Tern, New Zealand Fairy
 paradisaea, see Tern, Arctic

- spp., 134
- striata*, see Tern, White-fronted
- virgata*, see Tern, Kerguelen
- vittata*, see Tern, Antarctic
- Sternini, 157
- Stictocarro featherstoni*, see Shag, Pitt Island
- punctatus*, see Shag, Spotted
- steadi*, see Shag, Blue
- Stilt, 156
 - Black, 291, 333
 - Hybrid, 292
 - Pied, 247, 254, 280, 291, 292, 300, 332-333
- Stint, Red-necked, 298-299, 332
- Stitchbird, 159
- Stork, 152
- Storm Petrel, 158
 - Band-rumped, 29
 - Grey-backed, 111, 315
 - Leach's, 6
 - Polynesian, 145, 146
 - White-bellied, 275
 - White-faced, 275, 318
 - Wilson's, 274
- Streptopelia chinensis*, see Dove, Malay Spotted
- Strigi, 155
- Strigida, 155
- Strigidae, 155
- Strigiformes, 155
- Strigimorphae, 155
- Strigops habroptilus*, see Kakapo
- Struthioniformes, 153
- Sturnidae, 159
- Sturnini, 159
- Sturnus vulgaris*, see Starling, European
- Sula dactylatra*, see Booby, Masked
- leucogaster*, see Booby, Brown
- serrator*, see Gannet, Australasian
- sula*, see Booby, Red-footed
- Sulida, 157
- Sulidae, 157
- Suloidea, 157
- Swallow, 160
 - Pacific, 252
 - Welcome, 86, 189, 252, 286, 309-310, 338
- Swampphen, Purple, 140, 156
- Swan, 154, 161
 - Black, 283, 324
 - Mute, 283, 323

Swift, 155, 162, 253

Spine-tailed, 155

Swiftlet, White-rumped, 143

Sylviidae, 160

Sylvioidea, 160

Syonicus ypsilophorus, see Quail, Brown

Tachybaptus novaehollandiae, see Grebe, Australian Little

Tadorna tadornoides, see Shelduck, Chestnut-breasted

variegata, see Shelduck, Paradise

Tadorneae, 161

Tadorninae, 161

Tadornini, 161

Takahe, 161, 327

Tattler, 156

Siberian, 301, 331

sp., 301, 331

Wandering, 141, 301, 331

TAYLOR, G.A. see TENNYSON, A.J.D.; TAYLOR, G.A.

TAYLOR, G.A.; PARRISH, G.R. Classified Summarised Notes, North Island 1 July 1989 to 30 June 1990, 267-314

Teal, Auckland Island, 325

Brown, 285

Grey, 109, 110, 242, 285, 325

TENNYSON, A.J.D.; TAYLOR, G.A. Variation in leg colour of Black-winged Petrels, 59

TENNYSON, A.J.D., see IMBER, M.J.; MERTON, D.V.; WEST, J.A.; TENNYSON, A.J.D.

TENNYSON, A.J.D. The Black-winged Petrel on Mangere Island, Chatham Islands, 111-116

Tern, 157, 162, 253

Antarctic, 191-198

Arctic, 254, 306

Black-fronted, 304, 334-335

Bridled, 220, 253

Caspian, 157, 247, 304-305, 334

Common, 243

Crested, 141

Eastern Common, 306

Eastern Little, 306, 335

Fairy, (see also Tern, White), 253

Gull-billed, 157, 304, 334

Kerguelen, 191-198

Little, see Tern, Eastern Little

New Zealand Fairy, 306

Sooty, 107, 220

spp., 141, 256

White, 141, 149, 157, 243

White-fronted, 107, 247, 275, 301, 302, 305-306, 333, 335

- White-winged Black, 49, 303, 334
Ternlet, Grey, 131, 141, 148, 157, 307
Thalassoica antarctica, see Petrel, Antarctic
Thinornis novaeseelandiae, see Plover, New Zealand Shore
Threskiornis molucca, see Ibis, White
Threskiornithidae, 158
Threskiornithoidea, 158
Thrush, 159
 North Island, see Piopio, North Island
 Song, 107, 181, 310, 340
 South Island, see Piopio, South Island
TICKELL, W.L.N. Letter: Dr L.E. Richdale, 172
Tit, Auckland Island, see Tomtit, Auckland Island
Todiramphus sanctus, see *Halcyon sancta*
TOMKINS, R.J.; MILNE, B.J. Differences among Dark-rumped Petrel
 (*Pterodroma phaeopygia*) populations within the Galapagos
 Archipelago, 1-35
Tomtit, Auckland Island, 253
 Chatham Island, 339
 North Island, 311
 South Island, 339
Toucan, 162
Traversia lyalli, see Wren, Stephens Island
Tricholimnas sylvestris, see Woodhen, Lord Howe
Triller, 159
 Polynesian, 144, 147
Tringa, see Sandpiper
 brevipes, see Tattler, Siberian
 incana, see Tattler, Wandering
 nebularia, see Greenshank
 stagnatilis, see Sandpiper, Marsh
 terek, see Sandpiper, Terek
 totanus, see Redshank
Tringinae, 156
Tropicbird, 157, 162
 Red-tailed, 138, 241, 275
 White-tailed, 138, 210
Tui, 108, 159, 179, 312-313, 340
 Chatham Island, 340
Turdinae, 159
Turdus merula, see Blackbird
 philomelos, see Thrush, Song
Turkey, Wild, 287
Turnagra capensis, see Piopio
Turnagridae, 153, 159
Turnstone, 106, 156, 253, 297, 331
Tyranni, 159
Tyto alba, see Owl, Barn
Tytonida, 155

Tytonidae, 155

van HEEZIK, Y.M. A comparison of Yellow-eyed Penguin growth rates
across fifty years: Richdale revisited, 117-123

Vanellus miles novaehollandiae, see Plover, Spur-winged

Vini australis, see Lorieet, Blue-crowned

Vulture, New World spp., 152, 153

Wader, 89-102, 152, 253, 256, 306

Wagtail, 160

WALKER, K., see ELLIOTT, G.; WALKER, K.; BUCKINGHAM, R.

WALKER, K.; MOORE, P.; ELLIOTT, G. The Auckland Island Banded
Dotterel has apparently increased, 257-265

Warbler, Chatham Island, 252, 339

Grass spp., 160

Grey, 107, 250, 251, 311, 339

WARHAM, J. Review: The Manx Shearwater (M. Brooke), 256

Waterbird, 162

Waterfowl, 152, 161-162

Wattlebird, 159

Weka, 185, 186, 187, 189, 338

Western, 327

WEST, J.A.; see IMBER, M.J.; MERTON, D.V.; WEST, J.A.;
TENNYSON, A.J.D.

WEST, J.A., see O'DONNELL, C.F.J.; WEST, J.A.

Whimbrel, 156

American, 299

Asiatic, 299, 330

sp., 299, 330

Whistler, Tongan, 131, 136, 145, 147, 149

Whitehead, 311

Woodhen, Lord Howe, 148

Woodpecker, 162, 239

Woodswallow, 159

Wren, New Zealand spp., 159, 253

Rock, 253, 255, 337-338

Stephens Island, 159, 252

Wrybill, 99, 156, 295-296, 330

Xenicus, see Wren, New Zealand spp.

gilviventris, see Wren, Rock

Xenus cinereus, see Sandpiper, Terek

Yellowhammer, 108, 124, 160, 163, 313, 340

Yellowhead, 159, 338

Zelornis, see Moa

Zosteropidae, 160

Zosterops lateralis, see Silvereye

Compiled by TIM LOVEGROVE, 47 Pupuke Road, Birkenhead,
Auckland, 10