


NOTORNIS

Journal of the Ornithological Society
of New Zealand



Volume 42 - 1995

ISSN 0029-4470

OFFICERS 1994-95

President – BRIAN BELL, P.O. Box 12397 Wellington

Vice-President – DAVID CROCKETT, 21 McMillan Ave., Kamo, Whangarei

Notornis Editorial Panel: – GÁBOR L. LÖVEL, Editor, 16 Margaret St.,

Palmerston North 5301; JOHN E. DOWDING, P.O. Box 36-559,

Northcote, Auckland; PAUL M. SAGAR, 38A Yardley St., Christchurch 8004

Treasurer – MARK NEE, P.O. Box 12397, Wellington

Secretary – RAEWYN EMPSON, P.O. Box 12397, Wellington

Council Members

TENICK DENNISON 129 Renall St., Masterton

HAZEL HARTY, P.O. Box 316, Drury

JENNY HAWKINS, Black Horse Quarry, RD1, Nelson

TIM LOVEGROVE, 47 Pupuke Rd., Auckland 10

RALPH POWLESLAND, P.O. Box 12397, Wellington

HUGH ROBERTSON, 30 Deller Grove, Silverstream

PAUL SAGAR, 38A Yardley St., Christchurch 8004

Conveners and Organisers

Rare Birds Committee: Secretary, JOHN DAVENPORT, 214 Maungatapu Rd., Tauranga 3001

Beach Patrol: GRAEME TAYLOR, P.O. Box 12397, Wellington

Librarian: KATHY BARROW, c/o Auckland Institute & Museum, Private Bag 92018, Auckland

Nest Records: HUGH A. ROBERTSON, 30 Deller Grove, Silverstream

Banding Liaison Officer: JENNY HAWKINS, Black Horse Quarry, RD1, Nelson

Reviews Editors: KEITH WOODLEY, Miranda Naturalists' Trust R.D.1, Pokeno

Bird Slide Librarian: PAUL CUMING, 82 Morrinsville Rd., Hamilton

CSN North Island: RICHARD PARRISH, 145 Church St., Whangarei

South Island: COLIN O'DONNELL, Dept of Conservation, Private Bag, Christchurch

S.W. Pacific Island Records: J. L. MOORE, 32 Brook St., Lower Hutt

Editor of *OSNZ News*: TONY CROCKER, 117 Paparoa St., Christchurch

SUBSCRIPTIONS AND MEMBERSHIP

Annual Subscription: Ordinary Member \$40 [US\$25, UK£15]; Husband & Wife Members \$60; Junior Member (under 20) \$20; Family Member (one *Notornis* per household), being other family of a member in the same household as a member, \$20; Supporting \$80 minimum; Institution \$80 [US\$50, UK£30]; Corporate \$200; Life (over 30 years old) \$800. Overseas member and overseas institution \$10.00 extra (postage).

Overseas subscriptions may be paid by VISA or Mastercard.

Applications for membership, changes of address, resignations and advice on non-delivery of *Notornis* and *OSNZ News* should be sent to: –

Membership Secretary, Hazel Harty, P.O. Box 316, Drury, South Auckland;

Phone/Fax: (09) 294 8334

Exchanges and library subscriptions should be sent to the Treasurer.

CONTENTS OF VOLUME 42

1995

Part 1: March 1995

CONTENTS

GENEVOIS, F.; BRETAGNOLLE, V. Sexual dimorphism of voice and morphology in the Thin-billed Prion (<i>Pachyptila belcheri</i>).	1
GREENE, B.S. Kokako (<i>Callaeas cinerea</i>) in the Hunua Range, Auckland, 1992-1994	11
GILL, B.J. Notes on the birds of Wallis and Futuna, South-West Pacific.....	17
SIM, D.; POWLESLAND, R.G. Recoveries of Black Shags (<i>Phalacrocorax carbo</i>) banded in Wairarapa, New Zealand	23
GASTON, A.J.; SCOFIELD, P. Birds and tuatara on North Brother Island, Cook Strait, New Zealand	27
Short Notes	
CLARK, G.; AMEY, J.; McALLISTER, G. Unexpectedly large number of Wandering Albatrosses (<i>Diomedea exulans</i>) breeding on Antipodes Island, New Zealand	42
ROBINSON, A.C. Breeding pattern in the Banded Rail (<i>Gallirallus philippensis</i>) in Western Samoa	46
BOURNE, W.R.P. Could the Black-toed Petrel (<i>Procellaria melanopus</i>) have been Murphy's Petrel (<i>Pterodroma ultima</i>)?.....	48
Reviewers of manuscripts, 1994.....	50
Instructions to authors	51

Part 2: June 1995

Classified Summarised Notes South Island, 1 July 1992 - 30 June 1993	53
INNES, J.; HAY, R. The nesting of the North Island Kokako (<i>Callaeas cinerea wilsoni</i>) - review of accounts from 1880 to 1989	79
PETTYT, C. Behaviour of seabirds around fishing trawlers in New Zealand waters	99
BEAUCHAMP, A.J. The status of the New Zealand Pipit (<i>Anthus novaeseelandiae</i>) in the Wellington region	117
WALKER, K.; ELLIOTT, G.; NICHOLLS, D.; MURRAY, D.; DILKS, P. Satellite tracking of Wandering Albatross (<i>Diomedea exulans</i>) from the Auckland Islands: preliminary results	127
Short Notes	
BOURNE, W.R.P. Notes on a gadfly petrel <i>Pterodroma</i> sp. collected off the Antipodes Islands	78
ELLIOTT, G.; RASCH, G. Yellowhead (<i>Mohoua ochrocephala</i>) survey in the Eglinton Valley, November 1992	94
BARLOW, M. Habitats and factors affecting breeding success at eleven Caspian Tern (<i>Sterna caspia</i>) colonies in New Zealand	138
BUNIN, J.S. Preliminary observations of behavioural interactions between Takahe (<i>Porphyrio mantelli</i>) and Pukeko (<i>P. porphyrio</i>) on Mana Island	140

Part 3: September 1995

Classified Summarised Notes North Island, 1 July 1993 - 30 June 1994	145
DAY, T.D. Bird species composition and abundance in relation to native plants in urban gardens, Hamilton, New Zealand	175
MOORHOUSE, R.J.; GREENE, T.C. Identification of fledgling and juvenile Kaka (<i>Nestor meridionalis</i>)	187
MILLER, P.; PIERCE, R. Distribution and decline of the North Island Brown Kiwi (<i>Apteryx australis mantelli</i>)	203
Short Notes	
TURBOTT, E.G.; BELL, B.D. A census of Spotted Shags (<i>Stictocarbo punctatus punctatus</i>) breeding on Banks Peninsula in 1960	197
TENNYSON, A.; PIERCE, R. The presence of Pycroft's Petrel (<i>Pterodroma pycrofti</i>) and other petrels on Mauitaha Island, New Zealand	212
GILL, B.J.; HUNT, G.R.; SIRGUOANT, S. Red-vented Bulbuls (<i>Pycnonotus cafer</i>) in New Caledonia	214
Review	174
Reviews	216

Part 4: December 1995

WILLIAMS, M. Social structure, dispersion and breeding of the Auckland Island Teal	219
Classified Summarised Notes, South Island, 1 July 1993 to 30 June 1994	263
Short Notes	
COSSEE, R.O. New Zealand-banded Sooty Tern (<i>Sterna fuscata</i>) breeds in the Seychelles	280
CROSSLAND, A.C. A probable case of intraspecific killing in Turnstones (<i>Arenaria interpres</i>)	281
MARSH, N. Nankeen Night Herons (<i>Nycticorax caledonicus</i>) on the Whanganui River	282
Reviewers of manuscripts, 1995	284

INDEX OF AUTHORS AND SPECIES
VOL 42

- Acanthis flammea*, see *Carduelis flammea*
Acanthisitta chloris, see Rifleman
 c. chloris, see Rifleman, South Island
 c. granti, see Rifleman, North Island
Accipitridae, 174
Acridotheres tristis, see Myna, Common
Alauda arvensis, see Skylark
Albatross, Auckland Island Wandering, 127-137
 Light-mantled Sooty, 55, 106, 148, 264
 Northern Royal, 54, 102
 Royal, 38, 54, 100, 103, 147, 264
 Snowy Wandering, 127, 134, 135
 Southern Royal, 54, 102
 spp., 2, 99
 Wandering, 8, 38, 42-46, 54, 102, 147
Alectoris chukar, see Chukor
AMEY, J., see CLARK, G.; AMEY, J.; McALLISTER, G.
Anarhynchus frontalis, see Wrybill
Anas a. aucklandica, see Teal, Auckland Island
 a. chlorotis, see Teal, Brown
 a. nesiotis, see Teal, Campbell Island
 castanea, see Teal, Chestnut
 clypeata, see Shoveler, Northern
 gibberifrons, see *Anas gracilis*
 gracilis, see Teal, Grey
 platyrhynchos, see Mallard
 rhynchotis variegata, see Shoveler, New Zealand
 superciliosa, see Duck, Grey
Anatini, 219-262
Anous stolidus, see Noddy, Common
 tenuirostris, see Noddy, Lesser
Anseriformes, 216
Anthornis melanura, see Bellbird
Anthus novaeseelandiae, see Pipit, New Zealand
Aplonis tabuensis, see Starling, Polynesian
Apteryx a. australis, see Kiwi, South Island Brown
 a. mantelli, see Kiwi, North Island Brown

- haastii*, see Kiwi, Great Spotted
owenii, see Kiwi, Little Spotted
Apus pacificus, see Swift, Fork-tailed
Ardea novaehollandiae, see Heron, White-faced
Arenaria interpres, see Turnstone
Artamidae, 216
Athene noctua, see Owl, Little
Aythya novaeseelandiae, see Scaup, New Zealand
- BARLOW, M. Habitats and factors affecting breeding success at eleven Caspian Tern (*Sterna caspia*) colonies in New Zealand, 138-139
BEAUCHAMP, A.J. The status of the New Zealand Pipit (*Anthus novaeseelandiae*) in the Wellington Region, 117-125
BELL, B.D., see TURBOTT, E.G.; BELL, B.D.
Bellbird, 75, 172, 279
Bird of Prey spp., 174
Bittern, Australasian, 60, 153, 268
 sp., 283
Blackbird, 40, 74, 157, 171, 175, 179, 180, 183, 185, 270, 278
Booby, Blue-faced, see Booby, Masked
 Brown, 17-19
 Masked, 150
 Red-footed, 17-19, 21
 spp., 17
Botaurus stellaris poiciloptilus, see Bittern, Australasian
BOURNE, W.R.P. Could the Black-toed Petrel (*Procellaria melanopus*) have been Murphy's Petrel (*Pterodroma ultima*) ? 48-49
 Notes on a gadfly petrel *Pterodroma* sp. collected off the Antipodes Islands, 78
Bowdleria punctata, see Fernbird
 p. punctata, see Fernbird, South Island
 p. vealeae, see Fernbird, North Island
 p. wilsoni, see Fernbird, Codfish Island
Branta canadensis, see Goose, Canada
BRETAGNOLLE, V., see GENEVOIS, F.; BRETAGNOLLE, V.
Bubulcus ibis, see Egret, Cattle
Bulbul, Red-vented, 214-215
Bulweria bulwerii, see Petrel, Bulwer's

BUNIN, J.S. Preliminary observations of behavioural interactions between
Takahe (*Porphyrio mantelli*) and Pukeko (*P. porphyrio*) on Mana
Island, 140-143

Bunting, Cirl, 76, 173, 279

Cacatua galerita, see Cockatoo, Sulphur-crested
roseicapilla, see Galah

Calidris acuminata, see Sandpiper, Sharp-tailed
alba, see Sanderling

canutus, see Knot

ferruginea, see Sandpiper, Curlew

melanotos, see Sandpiper, Pectoral

minuta, see Stint, Little

ruficollis, see Stint, Red-necked

tenuirostris, see Knot, Great

Callaeas cinerea wilsoni, see Kokako, North Island

Callipepla californica, see Quail, California

Calonectris diomedea, see Shearwater, Cory's

Caracara, 217

Carduelis carduelis, see Goldfinch

chloris, see Greenfinch

flammea, see Redpoll

Catharacta macormicki, see Skua, South Polar

skua lonnbergi, see Skua, Brown

Cereopsis novaehollandiae, see Goose, Cape Barren

Chaffinch, 40, 76, 171, 173, 179, 213, 279

Charadrius bicinctus, see Dotterel, Banded

leschenaultii, see Dotterel, Large Sand

melanops, see Dotterel, Black-fronted

mongolus, see Dotterel, Mongolian

obscurus, see Dotterel, New Zealand

veredus, see Dotterel, Oriental

Chicken, Domestic, see Fowl, Domestic

Chlidonias leucopterus, see Tern, White-winged Black

Chrysococcyx l. lucidus, see Cuckoo, Shining

Chukor, 64, 157

Circus approximans, see Harrier, Australasian

eylesi, see Goshawk, Extinct

CLARK, G.; AMEY, J.; McALLISTER, G. Unexpectedly large numbers of

- Wandering Albatrosses (*Diomedea exulans*) breeding on Antipodes Island,
New Zealand, 42-46
- CLASSIFIED SUMMARISED NOTES, North Island, 1 July 1993 to 30
June 1994, compiled by G.R. Parrish and W.J. Lock, 145-173
- CLASSIFIED SUMMARISED NOTES, South Island, 1 July 1992 to 30
June 1993, compiled by C.F.J. O'Donnell and J.A. West, 53-77
- CLASSIFIED SUMMARISED NOTES, South Island, 1 July 1993 to 30
June 1994, compiled by C.F.J. O'Donnell, 263-279
- Clytorhynchus vitiensis*, see Shrikebill, Fiji
- Cockatoo, Sulphur-crested, 169, 276
- Collocalia spodiopygia*, see Swiftlet, White-rumped
- Columba livia*, see Pigeon, Rock
- Coot, Australian, 65, 158, 270
- Cormorant, spp., 111
- Corvus frugilegus*, see Rook
- COSSEE, R.O. New Zealand-banded Sooty Tern (*Sterna fuscata*) breeds in
the Seychelles, 280
- Cracid, spp., 217
- Crake, Marsh, 65, 158, 270
- Spotless, 65, 158
- Creeper, Brown, 75, 277, 278-279
- CROSSLAND, A. A probable case of intraspecific killing in Turnstones
(*Arenaria interpres*), 281-282
- Crow, Extinct New Zealand, 91
- Cuckoo, Long-tailed, 18, 73, 170, 277
- Shining, 73, 170, 213, 277
- Curlew, Bristle-thighed, 18, 20
- Eastern, 68, 164, 273
- Far-eastern, see Curlew, Eastern
- Cyanoramphus auriceps*, see Parakeet, Yellow-crowned
- novaezelandiae*, see Parakeet, Red-crowned
- sp., see Parakeet, sp.
- Cygnus atratus*, see Swan, Black
- olor*, see Swan, Mute
- Dabchick, New Zealand, 147, 264
- Dacelo novaeguineae*, see Kookaburra
- Daption capense*, see Pigeon, Cape
- c. australe*, see Pigeon, Cape

- DAY, T.D. Bird species composition and abundance in relation to native plants in urban gardens, Hamilton, New Zealand, 175-186
- Dendrocygna eytoni*, see Duck, Grass Whistling
- Dicruridae, 216
- DILKS, P., see WALKER, K.; ELLIOTT, G.; NICHOLLS, D.; MURRAY, D.; DILKS, P. Satellite tracking of Wandering Albatross (*Diomedea exulans*) from the Auckland Islands: Preliminary results, 127-137
- Diomedea*, see Albatross or Mollymawk
- b. bulleri*, see Mollymawk, Buller's
 - b. platei*, see Mollymawk, Northern Buller's
 - cauta*, see Mollymawk, White-capped or Shy
 - c. cauta*, see Mollymawk, White-capped or Shy
 - c. eremita*, see Mollymawk, Chatham Island
 - c. salvini*, see Mollymawk, Salvin's
 - c. steadi*, see Mollymawk, New Zealand White-capped
 - chlororhynchos*, see Mollymawk, Yellow-nosed
 - chrysostoma*, see Mollymawk, Grey-headed
 - epomophora*, see Albatross, Royal
 - e. epomophora*, see Albatross, Southern Royal
 - e. sanfordi*, see Albatross, Northern Royal
 - exulans antipodensis*, see Albatross, Antipodes Island
 - Wandering
 - e. chionoptera*, see Albatross, Snowy Wandering
 - e. exulans*, see Albatross, Wandering
 - e. gibsoni*, see Albatross, Auckland Island Wandering
 - melanophrys*, see Mollymawk, Black-browed
 - m. impavida*, see Mollymawk, New Zealand Black-browed
 - m. melanophrys*, see Mollymawk, Black-browed
- Dotterel, Banded, 67, 68, 160-161, 272, 281
- Black-fronted, 67, 161, 216, 272
 - Large Sand, 67, 161
 - Mongolian, 161, 272
 - New Zealand, 66, 160, 271
 - Oriental, 161
- Dove, 157
- Crimson-crowned Fruit, 18, 20
 - Shy ground, 18
 - Spotted, 168

- Duck, Blue, 62, 155, 269
 Grass Whistling, 61
 Grey, 18, 19, 63, 155
 Mallard, see Mallard
 Muscovy, 22
 Plumed Whistling, see Duck, Grass Whistling
 spp., 142, 237, 257
 Steamer spp., 259
- Ducula david*, see Pigeon, Extinct Giant
 pacifica, see Pigeon, Pacific
- Dunnock, see Sparrow, Hedge
- Eagle, Haast's, 91
 spp., 217
- Egret, Cattle, 60, 153, 267
 Little, 60, 152, 267
- Egretta alba*, see Heron, White
 garzetta, see Egret, Little
 s. sacra, see Heron, Reef
- ELLIOTT, G.; RASCH, G. Yellowhead (*Mohoua ochrocephala*) survey in
 the Eglinton Valley, November 1992, 94-98
- ELLIOTT, G., see WALKER, K.; ELLIOTT, G.; NICHOLLS, D.;
 MURRAY, D.; DILKS, P.
- Elseyornis*, see *Charadrius melanops*
- Emberiza cirrus*, see Bunting, Cirl
 citrinella, see Yellowhammer
- Eudynamys taitensis*, see Cuckoo, Long-tailed
- Eudyptes pachyrhynchus*, see Penguin, Fiordland Crested
 robustus, see Penguin, Snares Crested
- Eudyptula minor*, see Penguin, Blue
- Falco cenchroides*, see Kestrel, Nankeen
 novaeseelandiae, see Falcon, New Zealand
- Falcon, New Zealand, 64, 91, 157, 270
 Peregrine, 174
 spp., 217
- Fantail, Chatham Island, 75
 North Island, 172, 175, 179, 180, 184, 185

- South Island, 75
- spp., 216
- Fernbird, Codfish Island, 278
 - North Island, 171-172
 - South Island, 74, 278
- Finschia*, see *Mohoua*
- Foulehaio carunculata*, see Honeyeater, Wattled
- Fowl, Domestic, 21
- Fregata ariel*, see Frigatebird, Lesser
 - minor*, see Frigatebird, Greater
- Fregatta tropica*, see Storm Petrel, Black-bellied
- Frigatebird, Greater, 18, 19
 - Lesser, 18, 19
- Fringilla coelebs*, see Chaffinch
- Fulica atra australis*, see Coot, Australian
- Fulmar, Antarctic, 108, 149
 - Northern 6, 112
- Fulmarus glacialis*, see Fulmar, Northern
 - glacialoides*, see Fulmar, Antarctic
- Galah, 169, 276
- Gallicolumba stairi*, see Dove, Shy Ground
- Galliform spp., 216
- Gallinago hardwickii*, see Snipe, Japanese
- Gallirallus australis*, see Weka
 - a. australis*, see Weka, Western
 - a. greyi*, see Weka, North Island
 - a. hectori*, see Weka, Buff
 - philippensis godsoni*, see Rail, Banded
- Gallus gallus*, see Fowl, Domestic
- Gannet, Australasian, 39, 56, 57-58, 113, 139, 150, 266, 275
 - spp., 112
- GASTON, A.J.; SCOFIELD, P. Birds and tuatara on North Brother Island, Cook Strait, New Zealand, 27-41
- Gelochelidon nilotica*, see Tern, Gull-billed
- GENEVOIS, F.; BRETAGNOLLE, V. Sexual dimorphism of voice and morphology in the Thin-billed Prion (*Pachyptila belcheri*), 1-10
- Gerygone albofrontata*, see Warbler, Chatham Island
 - igata*, see Warbler, Grey

- GILL, B.J. Notes on the birds of Wallis and Futuna, South-west Pacific, 17-22
- GILL, B.J.; HUNT, G.R.; SIRGOUANT, S. Red-vented Bulbuls (*Pycnonotus cafer*) in New Caledonia, 214-215
- Godwit, Asiatic Black-tailed, 165
 Bar-tailed, see Godwit, Eastern Bar-tailed
 Eastern Bar-tailed, 18, 69, 164-165, 274
 Hudsonian, 165
- Goldfinch, 40, 76, 173, 179, 279
- Goose, Canada, 39, 62, 155, 268
 Cape Barren, 62, 269
- Goshawk, Extinct, 91
- Grebe, Australasian Crested, 54, 264
 Australasian Little, 54, 147, 264
 Southern Crested, see Grebe, Australasian Crested
- GREENE, B.S. Kokako (*Callaeas cinerea*) in the Hunua Range, Auckland, 1992-1994, 11-16
- GREENE, T.C., see MOORHOUSE, R.J.; GREENE, T.C.
- Greenfinch, 40, 76, 179, 279
- Greenshank, 69, 274
- Grouse, spp., 217
- Gull, Black-backed, 40, 57, 70, 111, 138, 166, 234, 245, 257, 274, 275
 Black-billed, 70, 166-167, 275
 Red-billed, 27, 38, 40, 55, 70, 111, 138, 139, 149, 166, 274, 281
 Southern Black-backed, see Gull, Black-backed
 spp., 112, 142, 152, 275
- Gygis alba*, see Tern, White
- Gymnorhina tibicen*, see Magpie, Australian
- Haematopus chathamensis*, see Oystercatcher, Chatham Island
 ostralegus finschi, see Oystercatcher, South Island Pied
 unicolor, see Oystercatcher, Variable
- Halcyon chloris*, see Kingfisher, White-collared
 sancta, see Kingfisher, Sacred
 sancta vagans, see Kingfisher, New Zealand
- Halcyonidae, 216
- Halobaena caerulea*, see Petrel, Blue
- Harpagornis moorei*, see Eagle, Haast's

- Harrier, Australasian, 18, 39, 64, 91, 157, 270
- Hawk, 217
- HAY, R., see INNES, J.; HAY, R.
- Hemiphaga novaeseelandiae*, see Pigeon, New Zealand
- Heron, Nankeen Night, 282-283
- Reef, 18, 19, 60, 152, 267
- White, 59-60, 152, 267
- White-faced, 39, 59, 60, 152, 153, 216, 266, 267
- Himantopus h. leucocephalus*, see Stilt, Pied
- h. x novaezelandiae*, see Stilt, Hybrid
- novaezelandiae*, see Stilt, Black
- Hirundapus caudacutus*, see Swift, Spine-tailed
- Hirundo tahitica neoxena*, see Swallow, Welcome
- Honeyeater, Wattled, 18, 21
- HUNT, G.R., see GILL, B.J.; HUNT, G.R.; SIRGOUANT, S.
- Hydrobates pelagicus*, see Storm Petrel, British
- Hydrobatidae, 2, 48
- Hymenolaimus malacorhynchos*, see Duck, Blue
- Ibis, Glossy, 60-61, 154, 268
- INNES, J.; HAY, R. The nesting of the North Island Kokako (*Callaeas cinerea wilsoni*) - review of accounts from 1880-1989, 79-93
- Instructions to authors, 51-52
- Kaka, 187-196
- North Island, 169, 187-196, 213
- South Island, 72, 94, 96-98, 187, 190, 276
- Kea, 72, 187, 188, 193, 195, 276
- Kestrel, Nankeen, 157
- Kingfisher, Collared, see Kingfisher, White-collared
- New Zealand, 73, 171, 179, 182, 186, 277
- Sacred, 21
- White-collared, 18
- Kiwi, Great Spotted, 54, 263
- Little Spotted, 147
- North Island Brown, 146, 203-211
- South Island Brown, 54
- Stewart Island Brown, 54

- Knot, Great, 163
 Lesser, 68, 162, 273
Kokako, 279
 North Island, 11-16, 79-93
Kookaburra, 170
- Lalage maculosa*, see Triller, Polynesian
Larus bulleri, see Gull, Black-billed
 dominicanus, see Gull, Black-backed
 novaehollandiae scopulinus, see Gull, Red-billed
Leucocarbo carunculatus, see Shag, New Zealand King
 chalconotus, see Shag, Stewart Island
 onslowi, see Shag, Chatham Island
Limicola falcinellus, see Sandpiper, Broad-billed
Limosa haemastica, see Godwit, Hudsonian
 lapponica baueri, see Godwit, Eastern Bar-tailed
 limosa melanuroides, see Godwit, Asiatic Black-tailed
LOCK, W.J., see PARRISH, G.R.; LOCK, W.J.
Lophortyx californica, see *Callipepla californica*
Lory, Blue-crowned, 17, 18, 20, 21
Lugensa brevirostris, see Petrel, Kerguelen
- Macronectes giganteus*, see Petrel, Southern Giant
 halli, see Petrel, Northern Giant
 spp., see Petrel, Giant spp.
Magpie, Australian, 59, 64, 77, 117, 157, 173, 179, 216, 279
 White-backed, see Magpie, Australian
Mallard, 62, 155, 269
McALLISTER, G., see CLARK, G.; AMEY, J.; McALLISTER, G.
Megadyptes antipodes, see Penguin, Yellow-eyed
Megaegotheles novaezealandiae, see Owllet-nightjar, New Zealand
Megapode, spp., 217
Merganser, Auckland Island, 220, 259
Mergus australis, see Merganser, Auckland Island
MILLER, P.R.; PIERCE, R.J. Distribution and decline of the North Island
 Brown Kiwi (*Apteryx australis mantelli*) in Northland, 203-211
Mohoua albicilla, see Whitehead
 novaezeelandiae, see Creeper, Brown
 ochrocephala, see Yellowhead

- Mollymawk, Black-browed, 38, 54, 103-105, 113, 114, 147, 264
Buller's, 55, 103, 104, 106, 113, 114, 148, 264
cauta subspp., 104
Chatham Island, 105
Grey-headed, 105, 148
New Zealand Black-browed, 147
New Zealand White-capped, 147
Salvin's, 55, 103, 105, 147, 264
Shy, 55, 103, 104, 106, 114
spp., 45, 102, 111, 113
White-capped, 38, 104-105
Yellow-nosed, 148
- MOORHOUSE, R.J.; GREENE, T.C. Identification of fledgling and
juvenile Kaka (*Nestor meridionalis*), 187-196
- Morepork, 73, 91, 277
- Morus serator*, see Gannet, Australasian
- MURRAY, D., see WALKER, K.; ELLIOTT, G.; NICHOLLS, D.;
MURRAY, D.; DILKS, P.
- Myna, Common, 173, 179
- Nestor m. meridionalis*, see Kaka, South Island
m. septentrionalis, see Kaka, North Island
notabilis, see Kea
- NICHOLLS, D., see see WALKER, K.; ELLIOTT, G.; NICHOLLS, D.;
MURRAY, D.; DILKS, P.
- Ninox novaeseelandiae*, see Morepork
- Noddy, Common, 18, 20
Lesser, 18, 20
sp., 20
- Notiomystis cincta*, see Stitchbird
- Numenius madagascariensis*, see Curlew, Eastern
minutus, see Whimbrel, Little
phaeopus, see Whimbrel, sp.
p. hudsonicus, see Whimbrel, American
p. variegatus, see Whimbrel, Asiatic
sp., see Whimbrel sp.
tahitiensis, see Curlew, Bristle-thighed
- Nycticorax caledonicus*, see Heron, Nankeen Night

- Oceanites nereis*, see Storm Petrel, Grey-backed
 oceanicus, see Storm Petrel, Wilson's
- O'DONNELL, C.F.J. Classified Summarised Notes, South Island, 1 July
 1993 to 30 June 1994, 263-279
- O'DONNELL, C.F.J.; WEST, J.A. Classified Summarised Notes, South
 Island, 1 July 1992 to 30 June 1993, 53-77
- Owl, Barn, 18
 Laughing, 91
 Little, 73, 277
 spp., 174
- Owlet-nightjar, Extinct New Zealand, 91
- Oystercatcher, Chatham Island, 66
 South Island Pied, 65, 66, 158-159, 270-271, 281
 Variable, 40, 66, 159, 271, 281
- Pachyptila belcheri*, see Prion, Thin-billed
 crassirostris, see Prion, Fulmar
 desolata, see Prion, Antarctic
 salvini, see Prion, Salvin's
 spp., see Prion, spp.
 turtur, see Prion, Fairy
 vittata, see Prion, Broad-billed
- Palaeocorax moriorum*, see Crow, Extinct New Zealand
- Parakeet, Red-crowned, 72, 170, 276
 spp., 72, 170
 Yellow-crowned, 72, 94, 96-98, 170, 277
- Pardalotidae, 216
- PARRISH, G.R.; LOCK, W.J. Classified Summarised Notes, North Island, 1
 July 1993 to 30 June 1994, 145-173
- Partridge, spp., 217
- Passer domesticus*, see Sparrow, House
- Passerine, Introduced spp., 117, 142
- Pavo cristatus*, see Peafowl
- Peafowl, 65, 158
- Pelagodroma marina*, see Storm Petrel, White-faced
- Penguin, Blue, 31, 39, 57, 150, 266
 Chinstrap, 57
 Fiordland Crested, 57, 150

- Little Blue, see Penguin, Blue
- Snares Crested, 102
- Snares Island, see Penguin, Snares Crested
- spp., 216, 234
- Yellow-eyed, 57, 266
- Petrel, Antarctic, 6
 - Black, 149
 - Black-toed, 48-49
 - Blue, 2, 265
 - Bulwer's, 2
 - Burrowing spp., 2, 27-41
 - Collared, 49
 - Common Diving, 8, 27, 29, 31-39, 55, 56, 107, 149, 212, 213, 265, 275
 - Cook's, 57, 110, 150, 265
 - Diurnal spp., 2
 - Diving, see Petrel, Common Diving
 - Gadfly spp., 78
 - Giant spp., 2, 6, 8, 39, 103, 108, 149, 265
 - Grey, 103, 107-108, 114, 149
 - Grey-faced, 2, 6, 8, 36, 150, 212, 213
 - Herald, 49, 78
 - Kerguelen, 56
 - Kermadec, 48, 49, 78
 - Mottled, 48, 49, 57, 109-110, 265
 - Murphy's, 48-49
 - Northern Giant, 39, 56, 108, 109, 149
 - Phoenix, 78
 - Providence, 49
 - Pycroft's, 36, 149, 212-213
 - Snow, 6, 8
 - Soft-plumaged, 49, 57, 78
 - Southern Giant, 48, 56, 108, 109, 149, 265
 - spp., 1-10, 99, 212-214, 228, 229, 233, 234, 244, 251, 258
 - Westland, 8, 39, 56, 108, 149, 265
 - White-chinned, 39, 56, 103, 108, 114
 - White-headed, 78, 110, 265

- Petroica a. australis*, see Robin, South Island
a. longipes, see Robin, North Island
m. macrocephala, see Tomtit, South Island
m. toitoi, see Tomtit, North Island
- Petroicidae, 216
- PETYT, C. Behaviour of seabirds around fishing trawlers in New Zealand subantarctic waters, 99-115
- Phaethon lepturus*, see Tropicbird, White-tailed
rubricauda, see Tropicbird, Red-tailed
- Phalacrocorax carbo*, see Shag, Black
melanoleucos, see Shag, Little
spp., see Shag or Cormorant spp.
sulcirostris, see Shag, Little Black
varius, see Shag, Pied
- Phalarope, Grey, 274
- Phalaropus fulicarius*, see Phalarope, Grey
- Phasianus colchicus*, see Pheasant, Ring-necked
- Pheasant, Ring-necked, 270
spp., 217
- Philesturnus carunculatus rufusater*, see Saddleback, North Island
- Phoebastria palpebrata*, see Albatross, Light-mantled Sooty
- PIERCE, R.J., see MILLER, P.J.; PIERCE, R.J.
- PIERCE, R.J., see TENNYSON, A.; PIERCE, R.J.
- Pigeon, Cape, 8, 39, 56, 103, 108, 111, 113, 149, 265
Domestic, see Pigeon, Rock
Extinct Giant, 19
Feral, see Pigeon, Rock
New Zealand, 71, 168, 179, 276
Pacific, 18, 22
Racing, see Pigeon, Rock
Rock, 22, 37, 72, 157, 173
- Pipit, New Zealand, 40, 74, 117-125, 171, 278
- Platalea regia*, see Spoonbill, Royal
- Platycercus elegans*, see Rosella, Crimson
eximius, see Rosella, Eastern
- Plegadis falcinellus*, see Ibis, Glossy
- Plover, Hooded, 216
Least Golden, see Plover, Pacific Golden

- Pacific Golden, 18, 20, 67, 162, 272
Spur-winged, 67, 162, 272
Pluvialis fulva, see Plover, Pacific Golden
Podiceps cristatus australis, see Grebe, Southern Crested
Poliocephalus rufopectus, see Dabchick, New Zealand
Porphyrio mantelli, see Takahe
 porphyrio, see Swamphen, Purple
 p. melanotus, see Pukeko
Porzana pusilla affinis, see Crake, Marsh
 tabuensis plumbea, see Crake, Spotless
POWLESLAND, R.G., see SIM, D.; POWLESLAND, R.G.
Prion, Antarctic, 2, 109
 Broad-billed, 57, 149, 265
 Dove, see Prion, Antarctic
 Fairy, 2, 27, 29, 31-34, 36-39, 56, 109, 149, 265
 Fulmar, 2
 Salvin's, 57
 spp., 2, 99, 103, 109, 114
 Thin-billed, 1-10
Procellaria aequinoctialis, see Petrel, White-chinned
 cinerea, see Petrel, Grey
 melanopus, see Petrel, Black-toed
 parkinsoni, see Petrel, Black
 westlandica, see Petrel, Westland
Procellariiformes, 1-10, 99-115
Prothemadera novaeseelandiae, see Tui
Prunella modularis, see Sparrow, Hedge
Pterodroma alba, see Petrel, Phoenix
 arminjoniana, see Petrel, Herald
 cookii, see Petrel, Cook's
 heraldica, see Petrel, Herald
 inexpectata, see Petrel, Mottled
 lessonii, see Petrel, White-headed
 leucoptera brevipes, see Petrel, Collared
 macroptera, see Petrel, Grey-faced
 macroptera gouldi, see Petrel, Grey-faced
 magentae, see Taiko, Chatham Island
 mollis, see Petrel, Soft-plumaged

- neglecta*, see Petrel, Kermadec
pycrofti, see Petrel, Pycroft's
solandri, see Petrel, Providence
spp., see Petrel spp.
- Ptilinopus porphyraceus*, see Dove, Crimson-crowned Fruit
Puffinus assimilis, see Shearwater, Little
 a. haurakiensis, see Shearwater, North Island Little
 bulleri, see Shearwater, Buller's
 carneipes, see Shearwater, Flesh-footed
 gavia, see Shearwater, Fluttering
 griseus, see Shearwater, Sooty
 huttoni, see Shearwater, Hutton's
 puffinus, see Shearwater, Manx
 tenuirostris, see Shearwater, Short-tailed
- Pukeko, 65, 140-143, 158, 270
Pycnonotus cafer, see Bulbul, Red-vented
Pygoscelis antarctica, see Penguin, Chinstrap
- Quail, Brown, 157
 California, 64, 157, 270
 spp., 217
- Rail, Banded, 18, 19, 46-48
Rallidae, 259
Rallus philippensis, see Rail, Banded
Raptor spp., 174
RASCH, G., see ELLIOTT, G; RASCH, G.
Ratite spp., 216
Redpoll, 40, 76
Reviewers of manuscripts, 1994, 50; 1995, 284
REVIEWS:
Lawrence, S. Raptor conservation today. Proceedings of the 4th World
 Conference on Birds of Prey and Owls, Berlin, Germany, 10-17 May
 1992 (B.U. Meyberg, R.D. Chancellor, Eds.), 174
Gill, B.J. The Taxonomy and Species of Birds of Australia and its
 Territories. Royal Australian Ornithologists Union Monograph 2,
 1994 (L. Christidis, W.E. Bowles), 216-217
Brazil, M. Handbook of the Birds of the World, vol. 2. New World Vultures
 to Guineafowl. (J. del Hoyo, A. Elliott, J. Sargatal, Eds.), 217-218

- Rhipidura fuliginosa*, see Fantail, New Zealand
 f. fuliginosa, see Fantail, South Island
 f. penita, see Fantail, Chatham Island
 f. placabilis, see Fantail, North Island
- Rifleman, North Island, 171
 South Island, 73, 277
- Robin, North Island, 172
 South Island, 75, 94-97, 279
 spp., 216
- ROBINSON, A.C. Breeding pattern of the Banded Rail (*Gallirallus philippensis*) in Western Samoa, 46-48
- Rook, 77, 173, 279
- Rosella, Crimson, 169
 Eastern, 72, 170, 276
- Saddleback, North Island, 173
- Sanderling, 68
- Sandpiper, Broad-billed, 163
 Common, 69, 274
 Curlew, 68, 163, 273
 Marsh, 69, 165, 274
 Pectoral, 68, 163, 273
 Sharp-tailed, 68, 163, 273
 Terek, 69, 165
- Scaup, New Zealand, 63-64, 156-157, 269
- Sceloglaux albifacies*, see Owl, Laughing
- SCOFIELD, P., see GASTON, A.J.; SCOFIELD, P.
- Seabird spp., 1-10, 18-19, 23-26, 27-41, 99-115, 212-213
- Shag, Black, 23-26, 58, 150-151, 266
 Blue, 197
 Chatham Island, 59
 Little, 58, 151, 266
 Little Black, 58, 151, 266
 New Zealand King, 39, 58
 Pied, 39, 58, 151
 Pitt Island, 59
 Spotted, 57-59, 152, 197-202, 266, 275
 spp., 142
 Stewart Island, 58-59, 111, 266

- Shearwater, Buller's, 39, 55, 113, 148, 264
 Cory's, 6
 Flesh-footed, 39, 55, 57, 148, 212, 213
 Fluttering, 27, 36, 38, 55-57, 148, 212, 213, 264
 Hutton's, 39, 56, 107, 264
 Little, 39, 107, 265
 Manx, 8
 North Island Little, 212, 213
 Short-tailed, 148
 Sooty, 39, 55, 103, 106-108, 113, 114, 212, 213, 264
 spp., 114, 275
- Shelduck, Chestnut-breasted, 62
 Paradise, 62, 155, 269
- Shoveler, New Zealand, 63, 156, 269
 Northern, 156
- Shrikebill, Fiji, 18, 21
- Silvereye, 75, 172, 175, 179, 180, 184-186
 Green-backed, 215
- SIM, D.; POWLESLAND, R.G. Recoveries of Black Shags (*Phalacrocorax carbo*) banded in Wairarapa, New Zealand, 23-26
- SIRGOUANT, S., see GILL, B.J.; HUNT, G.R.; SIRGOUANT, S.
- Skua, Arctic, 40, 70, 138, 166, 274-275
 Brown, 48, 111, 138, 165, 234, 245, 257, 258, 274
 Pomarine, 70, 166, 275
 South Polar, 166, 274
 spp., 70, 112, 166, 274
 Subantarctic, see Skua, Brown
- Skylark, 40, 73, 112, 117, 124, 278
- Snipe, Japanese, 273
- Sparrow, Hedge, 40, 171, 278
 House, 40, 76, 173, 175, 179, 180, 183, 185, 186
- Spoonbill, Royal, 61, 154, 267, 268
- Starling, 40, 64, 76, 175, 179, 180, 183, 185
 Polynesian, 18, 21
- Stercorarius parasiticus*, see Skua, Arctic
 pomarinus, see Skua, Pomarine
 spp., see Skua spp.
- Sterna albifrons sinensis*, see Tern, Eastern Little
 albostrata, see Tern, Black-fronted

- anaetheta*, see Tern, Bridled
- bergii*, see Tern, Crested
- caspia*, see Tern, Caspian
- dougalli*, see Tern, Roseate
- fuscata serrata*, see Tern, Sooty
- hirundo longipennis*, see Tern, Eastern Common
- nereis davisae*, see Tern, New Zealand Fairy
- striata*, see Tern, White-fronted
- sumatrana*, see Tern, Black-naped
- vittata*, see Tern, Antarctic
- Stictocarbo featherstoni*, see Shag, Pitt Island
 - p. punctatus*, see Shag, Spotted
 - p. steadi*, see Shag, Blue
- Stilt, Australasian Pied, see Stilt, Pied
 - Black, 66, 160, 271
 - Hybrid, 66, 160
 - Pied, 66, 159, 271
- Stint, Little, 68
 - Red-necked, 68, 163, 273
- Stitchbird, 172
- Storm Petrel, Black-bellied, 110-111, 265
 - British, 8
 - Grey-backed, 110, 150
 - spp., 2, 48, 99, 113
 - White-faced, 110, 150, 265
 - Wilson's, 110
- Streptopelia chinensis*, see Dove, Spotted
- Sturnus vulgaris*, see Starling, European
- Sula dactylatra*, see Booby, Masked
 - leucogaster*, see Booby, Brown
 - sula*, see Booby, Red-footed
- Swallow, Welcome, 40, 74, 112, 171, 179, 182, 186, 278
- Swamphen, Purple, 18, 20
- Swan, Black, 61-62, 154-155, 268
 - Mute, 61, 154, 268
- Swift, Fork-tailed, 170
 - Spine-tailed, 170, 277
- Swiftlet, White-rumped, 18, 21
- Synoicus ypsilophorus*, see Quail, Brown

Tachybaptus novaehollandiae, see Grebe, Australian Little

Tachyeres, see Duck, Steamer spp.

Tadorna tadornoides, see Shelduck, Chestnut-breasted
variegata, see Shelduck, Paradise

Taiko, Chatham Island, 78

Takahe, 140-143

Tattler, Siberian, 69, 165, 274, 281

sp., 69, 165

Wandering, 18, 20

Teal, Auckland Island, 219-262

Brown, 63, 156, 220, 258

Campbell Island, 220, 258, 259

Chestnut, 156, 220, 258, 269

Grey, 63, 156, 258, 269

TENNYSON, A; PIERCE, R. The presence of Pycroft's Petrel (*Pterodroma pycrofti*) and other petrels on Mauitaha Island, New Zealand, 212-214

Tern, Antarctic, 112, 276

Black-fronted, 70-71, 167, 275

Black-naped, 18, 20

Bridled, 18

Caspian, 71, 138-139, 167, 275, 280

Crested, 18

Eastern Common, 168

Eastern Little, 71, 168, 276

Gull-billed, 167

Little, see Tern, Eastern Little

New Zealand Fairy, 168

Roseate, 280

Sooty, 280

spp., 166, 275

White, 18, 20

White-fronted, 40, 55, 70, 71, 111, 168, 275-276, 280

White-winged Black, 70, 167, 275

Thalassoica antarctica, see Petrel, Antarctic

Thinornis rubicollis, see Plover, Hooded

Thrush, Song, 74, 112, 171, 179, 278

Tit, see Tomtit

Todiramphus sanctus, see *Halcyon sanctus*

Tomtit, North Island, 172

South Island, 75, 279

Pied, see Tomtit, North Island

Yellow-breasted, see Tomtit, South Island

Triller, Polynesian, 18, 21

Tringa brevipes, see Tattler, Siberian

flavipes, see Yellowlegs, Lesser

hypoleucos, see Sandpiper, Common

incana, see Tattler, Wandering

nebularia, see Greenshank

stagnatilis, see Sandpiper, Marsh

terek, see Sandpiper, Terek

Tropicbird, Red-tailed, 18

White-tailed, 18, 19

Tube-nose spp., 1-10, 27-41, 48-49, 54-57, 78, 99-115, 127-137, 147-150,
212-214, 264-265

Tui, 13, 76, 173, 175, 186, 279

TURBOTT, E.G.; BELL, B.D. A census of Spotted Shags (*Stictocarbo p.
punctatus*) breeding on Banks Peninsula in 1960, 197-202

Turdus merula, see Blackbird

philomelos, see Thrush, Song

Turnstone, 18, 20, 67-68, 162, 272, 281-282

Tyto alba, see Owl, Barn

Vanellus miles novaehollandiae, see Plover, Spur-winged

Vini australis, see Lory, Blue-crowned

WALKER, K.; ELLIOTT, G.; NICHOLLS, D.; MURRAY, D.; DILKS, P.
Satellite tracking of Wandering Albatross (*Diomedea exulans*) from
the Auckland Islands: Preliminary results, 127-137

Warbler, Chatham Island, 75

Grey, 75, 171, 172, 175, 179, 180, 184, 185

spp., 216

Waterfowl, 217-262

Weka, Buff, 65

North Island, 158, 188

Western, 65, 270

WEST, J.A., see O'DONNELL, C.F.J.; WEST, J.A.

Whimbrel, American, 164

Asiatic, 68-69, 164, 273

sp., 18, 69, 164

Little, 164

Whitehead, 172

WILLIAMS, M. Social structure, dispersion and breeding of the Auckland
Island Teal, 219-262

Wren, Rock, 73, 277

Wrybill, 67, 161, 272

Xenicus gilviventris, see Wren, Rock

Xenus cinereus, see *Tringa terek*

Yellowhammer, 40, 76, 173, 279

Yellowhead, 74, 94-98, 278

Yellowlegs, Lesser, 165

Zosterops lateralis, see Silvereye

xanthochroa, see Silvereye, Green-backed

Compiled by TIM LOVEGROVE, 47 Pupuke Road, Birkenhead, Auckland 10,
New Zealand