


NOTORNIS

**Journal of the Ornithological Society
of New Zealand**



Volume 43 – 1996

ISSN 0029-4470

OFFICERS 1995-96

President:
Vice-Presidents:
North Island:
South Island:
Secretary:
Treasurer:
Council Members:

CHRISTOPHER J.R. ROBERTSON - P.O. Box 12397, Wellington

DAVID CROCKETT - 21 McMillan Ave., Kamo, Whangarei
PAUL M. SAGAR, 38a Yardley St., Christchurch 8004
RAEWYN EMPSON - P.O. Box 12397, Wellington
MARK NEE - P.O. Box 12397, Wellington
TONY CROCKER - 117 Paparoa Street, Christchurch
HAZEL HARTY - P.O. Box 316, Drury
GÁBOR L. LÖVEI - 16 Margaret Street, Palmerston North 5301
RALPH POWLESLAND - P.O. Box 12397, Wellington
HUGH A. ROBERTSON - 30 Deller Grove, Silverstream
STELLA ROWE - 1 Corrin St., Hamilton

EDITORS

NOTORNIS
Editorial Board:

GÁBOR L. LÖVEI - 16 Margaret Street, Palmerston North 5301
JOHN E. DOWDING - P.O. Box 36-559 Northcote, Auckland 1330
PAUL M. SAGAR - 38a Yardley St., Christchurch 8004
TONY CROCKER - 117 Paparoa St., Christchurch 8005
KEITH WOODLEY - Miranda Naturalist Trust, R.D.1, Pokeno

CONVENORS & ORGANISERS

Rare Birds:
Beach Patrol:
Nest Records:
Moult Records:
Classified Summarised
Notes: North Island:
South Island:
SW Pacific Islands:
Banding Liason Officer:

JOHN DAVENPORT - 214 Maungatapu Rd., Tauranga 3001
GRAEME TAYLOR - P.O. Box 12397, Wellington
HUGH A. ROBERTSON - 30 Deller Grove, Silverstream, Wellington
BEN D. BELL - School of Biol. Sci., Victoria Univ., P.O. Box 600, Wellington

G. RICHARD PARRISH - 145 Church St., Whangarei
COLIN O'DONNELL - D.o.C., Private Bag, Christchurch
J.L. MOORE - 32 Brook St., Lower Hutt
CHRIS N. CHALLIES - 22a Highfield Pl., Christchurch 4

LIBRARIANS

Books & Journals:

Bird Slides:

KATHY BARROW - c/- Auckland Institute & Museum, Private Bag
92018, Auckland
PAUL CUMING - 82 Morrinsville Rd., Hamilton

SUBSCRIPTIONS & MEMBERSHIP

Ordinary Member \$40 overseas US\$35 (inc.postage); Full-time Student Member, \$20; Family Member living in a household with an Ordinary or Life Member or Fellow \$20 (do not receive publications); Institution/ Group Member, \$80, overseas US\$65 (inc. postage); Corporate Member, \$200; Life Member (30 years and over) \$800. Overseas subscriptions can be paid by VISA or Mastercard. Applications for membership, changes of address, resignations and advice on non-delivery of Notornis and OSNZ News should be sent to the Membership Secretary: HAZEL HARTY, P.O. Box 316 Drury, South Auckland; Phone/Fax (09) 294 8334

CONTENTS OF VOLUME 43

1996

Part 1: March 1996

New Zealand White-capped Mollymawks (<i>Diomedea cauta stadi</i>) breeding with Black-browed Mollymawks (<i>D. melanophrys melanophrys</i>) at Antipodes Islands, New Zealand • CLARK, G.; ROBERTSON, C.J.R.	1
First seen or first heard? A useful distinction when counting forest birds • GIBB, J.A.	7
The extraordinary bill dimorphism of the Huia (<i>Heteralocha acutirostris</i>): sexual selection or intersexual competition? • MOORHOUSE, R.J.	19
Distribution and abundance of the Tanga'eo or Mangaia Kingfisher (<i>Halcyon tuta ruficollaris</i>) • ROWE, S.; EMPSON, R.	35
Observations on the breeding behaviour of the Tanga'eo or Mangaia Kingfisher (<i>Halcyon tuta ruficollaris</i>) • ROWE, S.; EMPSON, R.	43
Short Notes	
The bill and foraging behaviour of the Huia (<i>Heteralocha acutirostris</i>): were they unique? • JAMIESON, I.G.; SPENCER, H.G.	14
A Barn Owl (<i>Tyto alba</i>) on Little Barrier Island • SMUTS-KENNEDY, C.; LOVEGROVE, T.	49
The calls of Murphy's Petrel (<i>Pterodroma ultima</i>) • BROOKE, M. DE L.	50
Tui (<i>Prosthemadera novaeseelandiae</i>) mimic parakeet calls at Raoul Island • ROBERTSON, C.J.R.	52
Instructions to Authors	54
Reviews	57

Part 2: June 1996

Weka (<i>Gallirallus australis</i>) and <i>Leiopelma</i> frogs - a risk assessment • A.J. BEAUCHAMP	59
New information on the distribution of three species of Southern Ocean gadfly petrels (<i>Pterodroma</i> spp.) • HOWELL, S.N.G.; AINLEY, G.; WEBB, S.; HARDESTY, D.; SPEAR, B.	71
Geographical variation in the bone length of Laughing Owls (<i>Sceloglaux albifacies</i>) • GILL, B.J.	85
A comparison of the effects of predation by Norway (<i>Rattus norvegicus</i>) and Polynesian rats (<i>R. exulans</i>) on the Saddleback (<i>Philesturnus carunculatus</i>) • LOVEGROVE, T.G.	91
 Short Notes	
Relatively infrequent seabird aggregation at nearshore fronts and tidal plumes at locations around Banks Peninsula, New Zealand • HAWKE, D.J.	66
The diet of Kakapo (<i>Strigops habroptilus</i>), Takahe (<i>Porphyrio mantelli</i>) and Pukeko (<i>P. porphyrio melanotus</i>) studied by faecal analysis. • TREWICK, S.	79
A fossil bone of the Rifleman (<i>Acanthisitta chloris</i>) from Cape Reinga • GILL, B.J.	113
 Reviews	 115

Part 3: September 1996

- Classified Summarised Notes. North Island, 1 July 1994 to 30 June 1995 **117**
• PARRISH, G.R.; LOCK, J.W.

- Kiore (*Rattus exulans*) predation on the eggs of the Little Shearwater **147**
(*Puffinus assimilis haurakiensis*) • BOOTH, A.M.; MINOT, E.O.;
FORDHAM, R.A.; INNES, J.G.

Short Notes

- Predation of Northern New Zealand Dotterels (*Charadrius obscurus*
aquilinus) by stoats • DOWDING, J.E.; MURPHY, E.C. **144**

- Notes on certain Cook Islands birds • GILL, B.J. **154**

- Red-tailed Tropicbird (*Phaethon rubricauda*) found near Pureora **158**
• POWLESLAND, R.G.

- Reviews** **159**

- Obituary** **163**

Part 4: December 1996

- Classified Summarised Notes. South Island and The Chatham Islands,
1 July 1994 to 30 June 1995. • O'DONNELL, C.F.J.; WEST, J.A. 165

- Seabirds found dead on New Zealand beaches in 1994 • TAYLOR, G.A. 187

- Breeding and survival of Snares Cape Pigeons (*Daption capense australe*)
at The Snares, New Zealand. • SAGAR, P.M.; TENNYSON, A.J.D.;
MISKELLY, C.M. 197

Short Notes

- Extended parental care of the Southern Black-backed Gull (*Larus
dominicanus*) • POWLESLAND, R.G. 196

- An observation of aggressive nest defence in the Pitt Island Shag
(*Stictocarbo featherstoni*) • SPENCER, H.G.; KENNEDY, M.; GRAY, R.D. 208

- A Pied Shag (*Phalacrocorax varius*) beating the surface of the water
while fishing • TAYLOR, M.J. 211

- Nesting of the Pied Shag (*Phalacrocorax varius*) at Makara Beach,
Wellington. • REESE, P.; POWLESLAND, R.; CORNICK, D. 212

- Blackbird (*Turdus merula*) predation on the endemic copper skink
(*Cyclodina aenea*) • BELL, B.D. 213

- Reviewers of Manuscripts** 218

- Errata** 219

INDEX OF AUTHORS AND SPECIES

VOL. 43

- Acanthisitta chloris*, see Rifleman
 c. chloris, see Rifleman, South Island
 c. granti, see Rifleman, North Island
Acridotheres tristis, see Myna, Indian
Acrocephalus karearako, see Warbler, Cook Islands
Adzebill, 89
AINLEY, D.G., see HOWELL, S.N.G.; AINLEY, D.G.; WEBB, S.; HARDESTY, B.D.; SPEAR, L.B.
Alauda arvensis, see Skylark
Albatross, Black-browed, see Mollymawk, Black-browed
 Chatham Island, see Mollymawk, Chatham Island
 Light-mantled Sooty, 120, 190
 Northern Royal, 119
 Royal, 76, 119, 166, 190
 Salvin's, see Mollymawk, Salvin's
 Southern Royal, 118
 sp., 108, 119, 190
 Wandering, 118, 166
Alectoris rufa, see Partridge, Red-legged
Anarhynchus frontalis, see Wrybill
Anas aucklandica chlorotis, see Teal, Brown
 castanea, see Teal, Chestnut
 chrypeata, see Shoveler, Northern
 gracilis, see Teal, Grey
 platyrhynchos, see Mallard
 rhynchotis variegata, see Shoveler, New Zealand
 supercilliosa, see Duck, Grey
Anous stolidus, see Noddy, Common
Anser sp., see Goose, Domestic
Anthornis melanura, see Bellbird
Anthus novaeseelandiae, see Pipit, New Zealand
Aplonis cinerascens, see Starling, Rarotonga
Apteryx, see Kiwi
 a. australis, see Kiwi, South Island Brown
 a. mantelli, see Kiwi, North Island Brown
 owenii, see Kiwi, Little Spotted
Aptornis, see Adzebill
Apus pacificus, see Swift, Fork-tailed

- Ardea novaehollandiae*, see Heron, White-faced
Arenaria interpres, see Turnstone
Athene noctua, see Owl, Little
Aythya australis, see Duck, White-eyed
 novaeseelandiae, see Scaup, New Zealand
- Babbler, Scimitar spp., 30
 Slender-billed Scimitar, 30
 spp., 30
- BEAUCHAMP, A.J. Weka (*Gallirallus australis*) and *Leiopelma* frogs - a risk assessment, 59-65
- BELL, Ben D. Blackbird (*Turdus merula*) predation on the endemic copper skink (*Cyclodina aenea*), 213-217
- Bellbird, 7, 8, 10-12, 109, 142, 185
- Bird, Forest spp., 7-13
- Bittern, Australasian, 125, 171, 216
- Blackbird, 7-11, 141, 194, 213-217
- Booby, Brown, 122
- BOOTH, A.M.; MINOT, E.O.; FORDHAM, R.A.; INNES, J.G. Kiore (*Rattus exulans*) predation on the eggs of the Little Shearwater (*Puffinus assimilis haurakiensis*), 147-153
- Botaurus stellaris poiciloptilus*, see Bittern, Australasian
- Bowdleria punctata*, see Fernbird
 p. punctata, see Fernbird, South Island
 p. stewartiana, see Fernbird, Stewart Island
 p. vealeae, see Fernbird, North Island
- Branta canadensis*, see Goose, Canada
- BROOKE, M. de L. The calls of Murphy's Petrel (*Pterodroma ultima*), 50-52
- Bubulcus ibis*, see Egret, Cattle
- Bulbul, Red-vented, 162
- Bunting, Cirl, 186
- Cacatua galerita*, see Cockatoo, Sulphur-crested
 roseicapilla, see Galah
- Calidris acuminata*, see Sandpiper, Sharp-tailed
 alba, see Sanderling
 alpina, see Dunlin
 canutus, see Knot, Lesser
 ferruginea, see Sandpiper, Curlew
 maurii, see Sandpiper, Western
 melanotos, see Sandpiper, Pectoral
 minuta, see Stint, Little

- ruficollis*, see Stint, Red-necked
tenuirostris, see Knot, Great
Callaeas cinerea, see Kokako
 c. wilsoni, see Kokako, North Island
Callaeidae, 14-18, 19-34, 219
Callipepla californica, see Quail, California
Campylorampus, see Scythebill spp.
Carduelis carduelis, see Goldfinch
 chloris, see Greenfinch
 flammea, see Redpoll
Catharacta maccormicki, see Skua, South Polar
 skua lonnbergi, see Skua, Southern
Centurus striatus, see Woodpecker, Hispaniolan
Cereopsis novaehollandiae, see Goose, Cape Barren
Chaffinch, 7, 8, 9, 11, 142, 186
Charadrius bicinctus, see Dotterel, Banded
 leschenaultii, see Dotterel, Large Sand
 melanops, see Dotterel, Black-fronted
 mongolus, see Dotterel, Mongolian
 obscurus, see Dotterel, New Zealand
 sp., see Dotterel, sp.
Chlidonias leucopterus, see Tern, White-winged Black
Chrysococcyx lucidus, see Cuckoo, Shining
Cinclocerthia ruficauda, see Trembler
Circus approximans, see Harrier, Australasian
CLARK, G.; ROBERTSON, C.J.R. New Zealand White-capped Mollymawks
 (*Diomedea cauta steadi*) breeding with Black-browed Mollymawks
 (*D. m. melanophrys*) at Antipodes Islands, New Zealand, 1-6
CLASSIFIED SUMMARISED NOTES, North Island, 1 July 1994 to 30 June 1995,
 compiled by Parrish, G.R. and Lock, J.W. 117-143
CLASSIFIED SUMMARISED NOTES, South Island and the Chatham Islands, 1
 July 1994 to 30 June 1995, compiled by O'Donnell, C.F.J and West, J.A.
 165-186
Cnemidornis, see Goose, Extinct New Zealand
Cockatoo, Sulphur-crested, 139, 181
Coenocorypha aucklandica iredalei, see Snipe, Stewart Island
Collocalia sawtelli, see Swiftlet, Atiu
 spodiopygia, see Swiftlet, White-rumped
Columba livia, see Pigeon, Rock
Coot, Australian, 129, 175
Cormorant, Black, see Shag, Black
 Brandt's, 208

- Double-crested, 208
- Galapagos, 208
- Great, see Shag, Black
- Little, see Shag, Little
- Pied, see Shag, Pied
- CORNICK, D., see REESE, P.; POWLESLAND, R.; CORNICK, D.
- Corvus frugilegus*, see Rook
- Crake, Henderson Island, 162
 - Marsh, 175
 - Spotless, 129, 175
- Creagrus furcatus* see Gull, Swallow-tailed
- Creeper, Brown, 184
- Cuckoo, Long-tailed, 8, 10, 41, 140, 155, 183, 216
 - Shining, 8, 10, 140, 182
 - spp., 12
- Cuculidae, 12
- Curlew, Bristle-thighed, 162
 - Eastern, 134, 178
 - spp., 17, 162
- Cyanomitra thomensis*, see Sunbird, Giant
- Cyanoramphus auriceps*, see Parakeet, Yellow-crowned
 - novaezealandiae*, see Parakeet, Red-crowned
 - n. chathamensis*, see Parakeet, Chatham Island Red-crowned
 - n. cyanurus*, see Parakeet, Kermadec Red-crowned
 - sp., see Parakeet, sp.
- Cygnus atratus*, see Swan, Black
 - olor*, see Swan, Mute
- Dabchick, New Zealand, 118
- Dacelo novaeguineae*, see Kookaburra
- Daption capense*, see Pigeon, Cape
 - c. australe*, see Pigeon, Snares Cape
 - c. capense*, see Pigeon, Cape
- Dendrocolaptidae, 30
- Dinornis*, see Moa
- Diomedea bulleri*, see Mollymawk, Buller's
 - cauta*, see Mollymawk, White-capped or Shy
 - c. cauta*, see Mollymawk, White-capped or Shy
 - c. eremita*, see Mollymawk, Chatham Island
 - c. salvini*, see Mollymawk, Salvin's
 - c. steadi*, see Mollymawk, New Zealand White-capped
 - cauta* subspp., see Mollymawk, Shy subspp.

- chlororhynchos*, see Mollymawk, Yellow-nosed
- chrysostoma*, see Mollymawk, Grey-headed
- epomophora*, see Albatross, Royal
- e. epomophora*, see Albatross, Southern Royal
- e. sanfordi*, see Albatross, Northern Royal
- exulans*, see Albatross, Wandering
- melanophrys*, see Mollymawk, Black-browed
- m. impavida*, see Mollymawk, New Zealand Black-browed
- m. melanophrys*, see Mollymawk, Black-browed
- Dotterel, Banded, 131-132, 145, 176
 - Black-fronted, 132, 177
 - Large Sand, 132, 177
 - Mongolian, 132
 - New Zealand, 131, 144-146, 176, 195
 - Northern New Zealand, 144-146
 - Southern New Zealand, 144
 - sp., 106
- Dove, Cook Islands Fruit, 155
 - Fruit spp., 162
 - Spotted, 139
- DOWDING, J.E.; MURPHY, E.C. Predation of Northern New Zealand Dotterels (*Charadrius obscurus aquilonius*) by stoats, 144-146
- Dowitcher, 17
- Drepanidinae, 17
- Drepaniidae, 30
- Duck, Blue, 127, 173
 - Grey, 8, 10, 127, 154, 173, 195
 - Paradise, see Shelduck, Paradise
 - White-eyed, 174
- Ducula pacifica*, see Pigeon, Pacific
- Dunlin, 133
- Dunnock, see Sparrow, Hedge
- Egret, Cattle, 124-125, 171, 195
 - Intermediate, 170
 - Little, 124, 170
- Egretta alba*, see Heron, White
 - garzetta*, see Egret, Little
 - intermedia*, see Egret, Intermediate
 - sacra*, see Heron, Reef
- Emberiza cirrus*, see Bunting, Cirl
- citrinella*, see Yellowhammer

EMPSON, R., see ROWE, S.; EMPSON, R. (Two papers)

Errata, 219

Eudynamys taitensis, see Cuckoo, Long-tailed

Eudyptes pachyrhynchus, see Penguin, Fiordland Crested
 sclateri, see Penguin, Erect-crested

Eudyptula minor, see Penguin, Blue

Euryapteryx geranoides, see Moa

Eurystomus orientalis, see Roller, Eastern Broad-billed

Falco cenchroides, see Kestrel, Nankeen

novaeseelandiae, see Falcon, New Zealand

Falcon, New Zealand, 8, 108, 128, 174, 216

 Peregrine, 161

Fantail, Chatham Island, 185

 North Island, 113, 141

 Samoan, 162

 South Island, 185

 spp., 7-11

Fernbird, North Island, 141

 South Island, 184

 Stewart Island, 60, 184

Flycatcher spp., 162

FORDHAM, R.A., see BOOTH, A.M.; MINOT, E.O.; FORDHAM, R.A.; INNES,
 J.G.

Fowl, Domestic, 147, 148, 150, 195, 216

Fregetta grallaria, see Storm Petrel, White-bellied

Frigatebird, Greater, 162

 Lesser, 162

Fringilla coelebs, see Chaffinch

Fulica atra australis, see Coot, Australian

Fulmar, Antarctic, 190

Fulmarus glacialis, see Fulmar, Antarctic

Galah, 139

Gallirallus australis, see Weka

a. australis, see Weka, Western

a. greyi, see Weka, North Island

a. scotti, see Weka, Stewart Island

Gallus gallus, see Fowl, Domestic

Gannet, Australasian, 122, 168, 191, 192, 194

Gelochelidon nilotica, see Tern, Gull-billed

Gerygone albofrontata, see Warbler, Chatham Island

igata, see Warbler, Grey

- GIBB, J.A. First seen or first heard? A useful distinction when counting forest birds, 7-13
- GILL, B.J. Geographical variation in the bone length of Laughing Owls (*Sceloglaux albifacies*), 85-90
A fossil bone of the Rifleman (*Acanthisitta chloris*) from Cape Reinga, 113-114
Notes on certain Cook Islands birds, 154-158
- Godwit, Asiatic Black-tailed, 135
Eastern Bar-tailed, 135, 179
spp., 17
- Goldfinch, 8, 142, 186
- Goose, Canada, 126, 172
Cape Barren, 172
Domestic, 172, 194, 216
Extinct New Zealand, 89
Hybrid, 172
- Goshawk, Red, 161
- GRAY, R.D., see SPENCER, H.G.; KENNEDY, M.; GRAY, R.D.
- Grebe, Australasian Crested, 166
Australasian Little, 118, 166
- Greenfinch, 8, 142, 186
- Greenshank, 135, 179
- Grouse, 79
- Gull, Black-backed, 7-11, 68, 69, 128, 136, 137, 138, 163, 168, 174, 180, 191-194, 196, 216
Black-billed, 136-137, 180, 181, 190, 194
Red-billed, 68, 69, 136, 145, 174, 180, 191, 192, 194, 216
Southern Black-backed, see Gull, Black-backed
spp., 190
Swallow-tailed, 76
- Gymnorhina tibicen*, see Magpie, Australian
- Haematopus chathamensis*, see Oystercatcher, Chatham Island
ostralegus finschi, see Oystercatcher, South Island
unicolor, see Oystercatcher, Variable
- Halcyon ruficollaris*, see Kingfisher, Mangaia
sancta, see Kingfisher, Sacred
s. vagans, see Kingfisher, New Zealand
tuta, see Kingfisher, Chattering
t. ruficollaris, see Kingfisher, Mangaia
- Halobaena caerulea*, see Petrel, Blue

- HARDESTY, B.D., see HOWELL, S.N.G.; AINLEY, D.G.; WEBB, S.; HARDESTY, B.D.; SPEAR, L.B.
- Harrier, Australasian, 8, 10, 96, 102, 106, 107, 108, 128, 174, 194, 216
- HAWKE, D.J. Relatively infrequent seabird aggregation at nearshore fronts and tidal plumes at locations around Banks Peninsula, New Zealand, 66-70
- Hemignathus procerus*, see Hawaiian Honeycreeper sp.
- Hemiphaga novaeseelandiae*, see Pigeon, New Zealand
- Hen, Domestic, see Fowl, Domestic
Tasmanian Native, 82
- Heron, Reef, 124, 154, 170
White, 124, 170
White-faced, 8, 10, 123-124, 170, 171, 216
- Heteralocha acutirostris*, see Huia
- Himantopus b. leucocephalus*, see Stilt, Australasian Pied
novaezealandiae, see Stilt, Black
sp., see Stilt, Hybrid
- Hirundo tabitica neoxena*, see Swallow, Welcome
- Honeycreeper, Hawaiian spp., 17, 30
- Honeyeater, spp., 162
- HOWELL, S.N.G.; AINLEY, D.G.; WEBB, S.; HARDESTY, B.D.; SPEAR, L.B.
New information on the distribution of three species of Southern Ocean gadfly petrels (*Pterodroma* spp.), 71-78
- Huia, 14-18, 19-34, 110, 219
- Hummingbird spp., 17
- Hymenolaimus malacorbhynchus*, see Duck, Blue
- Ibis, Glossy, 125, 171
- INNES, J.G., see BOOTH, A.M.; MINOT, E.O.; FORDHAM, R.A.; INNES, J.G.
- Instructions for Authors, 54-56
- JAMIESON, I.G.; SPENCER, H.G. The bill and foraging behaviour of the Huia (*Heteralocha acutirostris*): were they unique? 14-18
- Kaka, 7, 31, 89, 107
North Island, 139, 195
South Island, 181
- Kakapo, 57, 79-84, 110, 216
- Kea, 182
- KENNEDY, M., see SPENCER, H.G.; KENNEDY, M.; GRAY, R.D.
- Kestrel, Nankeen, 128
- Kingfisher, Chattering, 155, 156
Mangaia, 35-42, 43-48, 156

- New Zealand, 8, 10, 37, 140, 177, 183, 216
Sacred, see Kingfisher, New Zealand
- Kite, Letter-winged, 161
- Kiwi, Little Spotted, 60
North Island Brown, 118
South Island Brown, 166
- Knot, Great, 133, 160, 178
Lesser, 133, 177-178
- Kokako, 17, 20-23, 25-29, 219
North Island, 22, 107, 143
- Kookaburra, 140, 216
- Kuramo'o, see Lorikeet, Tahiti
- Larus bulleri*, see Gull, Black-billed
d. dominicanus, see Gull, Black-backed
novaehollandiae scopulinus, see Gull, Red-billed
spp., see Gull spp.
- Leucocarbo bourgainvillii*, see Shag, Guanay
bransfieldensis, see Shag, Antarctic
capensis, see Shag, Cape
carunculatus, see Shag, New Zealand King
chalconotus, see Shag, Stewart Island
georgianus, see Shag, South Georgian
onslowi, see Shag, Chatham Island
purpurascens, see Shag, Macquarie Island
- Limicola falcinellus sibiricus*, see Sandpiper, Eastern Broad-billed
- Limosa lapponica baueri*, see Godwit, Eastern Bar-tailed
limosa melanuroides, see Godwit, Asiatic Black-tailed
- LOCK, J.W., see PARRISH, G.R.; LOCK, J.W.
- Lorikeet, Tahiti, 155
- LOVEGROVE, T., see SMUTS-KENNEDY, C.; LOVEGROVE, T.
- LOVEGROVE, T.G. A comparison of the effects of predation by Norway
(*Rattus norvegicus*) and Polynesian rats (*R. exulans*) on the Saddleback
(*Philesturnus carunculatus*), 91-112
- Lugensa brevirostris*, see Petrel, Kerguelen
- Macronectes g. giganteus*, see Petrel, Southern Giant
sp., see Petrel, Giant
- Magpie, Australian, 7, 8, 10, 11, 186, 194, 216
- Mallard, 127, 173, 194
- Ma'o, 162
- Megadyptes antipodes*, see Penguin, Yellow-eyed

Megaegotheles novaezealandiae, see Owlet-nightjar, Extinct New Zealand

Megalapteryx didinus, see Moa

Meleagris gallopavo, see Turkey, Feral

Mimidae, 17

MINOT, E.O., see BOOTH, A.M.; MINOT, E.O.; FORDHAM, R.A.; INNES, J.G.

MISKELLY, C.M., see SAGAR, P.M.; TENNYSON, A.J.D.; MISKELLY, C.M.

Moa, 89

Moboua albicilla, see Whitehead

novaezeelandiae, see Creeper, Brown

ochrocephala, see Yellowhead

Mollymawk, 1-6

Black-browed, 1-6, 74, 76, 119, 166, 190

Buller's, 69, 119, 166, 187, 191-193

cauta subsp., 1-6, 190

Chatham Island, 5, 76

Grey-headed, 1, 4, 119, 190

New Zealand Black-browed, 2-5

New Zealand White-capped, 1-6, 191, 192

Salvin's, 5, 76, 119

Shy, (see also Mollymawk, White-capped), 1-6, 166

spp., 119

White-capped, 1-6, 119

White-capped Shy, see Mollymawk, New Zealand White-capped

Yellow-nosed, 119

MOORHOUSE, R.J. The extraordinary bill dimorphism of the Huia

(*Heteralocha acutirostris*): sexual selection or intersexual competition?

19-34

Morepork, 8, 9, 10, 49, 96, 102, 106, 107, 108, 140, 183, 216

Morus serator, see Gannet, Australasian

MURPHY, E.C., see DOWDING, J.E.; MURPHY, E.C.

Myna, Common, 35, 41, 43, 45-48, 53, 142, 216

Nectariniidae, 17

Nestor meridionalis, see Kaka

m. meridionalis, see Kaka, South Island

m. septentrionalis, see Kaka, North Island

notabilis, see Kea

Ninox novaezeelandiae, see Morepork

Noddy, Common, 154

Notiomystis cincta, see Stitchbird

Numenius madagascariensis, see Curlew, Far-eastern

minutus, see Whimbrel, Little

phaeopus, see Whimbrel, sp.

p. hudsonicus, see Whimbrel, American

p. variegatus, see Whimbrel, Asiatic

Obituary: Jenny Hawkins 1931-1996, B.D. Bell, 163-164

Oceanites oceanicus, see Storm Petrel, Wilson's

O'DONNELL, C.F.J.; WEST, J.A. Classified Summarised Notes, South Island and the Chatham Islands, 1 July 1994 to 30 June 1995, 165-186

Owl, Barn, 49-50

Laughing, 85-90, 110, 216

Little, 183, 216

Owlet-nightjar, Extinct New Zealand, 89

Oystercatcher, Chatham Island, 176

South Island Pied, 129-130, 175, 194

spp., 145

Variable, 130, 175-176, 195

Pachyornis mappini, see Moa

Pachyplichas, see Wren, Extinct New Zealand

Pachyptila belcheri, see Prion, Thin-billed

desolata, see Prion, Antarctic

salvini, see Prion, Salvin's

turtur, see Prion, Fairy

vittata, see Prion, Broad-billed

Parakeet, Chatham Island Red-crowned, 182

Kermadec Red-crowned, 52-53

Red-crowned, 60, 140, 182, 195

Red-fronted, see Parakeet, Red-crowned

sp., 182

Yellow-crowned, 140, 182

PARRISH, G.R.; LOCK, J.W. Classified Summarised Notes, North Island, 1 July 1994 to 30 June 1995, 117-143

Partridge, Red-legged, 128

Passer domesticus, see Sparrow, House

Pelagodroma marina, see Storm Petrel, White-faced

Pelecaniformes, 208-210

Pelecanoides georgicus, see Petrel, South Georgian Diving

urinatrix, see Petrel, Common Diving

Penguin, Blue, 59, 168, 191, 192, 194

Crested spp., 115

Erect-crested, 115, 122

Fiordland Crested, 59, 60, 115, 122, 168, 190

King, 115

- Rockhopper, 115
- Snares Crested, 115
- Spheniscus* spp., 115
- spp., 115
- Yellow-eyed, 115, 168, 190
- Petrel, Atlantic, 77
 - Black, 121, 190
 - Black-winged, 168
 - Blue, 76, 191-193
 - Chatham Island, 76
 - Common Diving, 66, 120, 147, 191-193
 - Cook's, 121, 147, 152, 168, 191, 192
 - De Filippi's, 74, 76
 - Diving, see Petrel, Common Diving
 - Fulmarine spp., 197-207
 - Gadfly spp., 50-52, 71-78, 152, 190
 - Giant, 69, 121, 167, 191, 192
 - Grey, 120, 190
 - Grey-faced, 121, 148, 191, 192
 - Herald, 50, 76, 77
 - Juan Fernandez, 76
 - Kerguelen, 71, 75, 121, 187, 191-193
 - Kermadec, 50, 76, 77, 154
 - Magenta, 71, 72, 75-77
 - Mottled, 59, 60, 168, 191, 192
 - Murphy's, 50-52, 74, 76, 154
 - Phoenix, 76, 77
 - Pycroft's, 121, 148, 190
 - Soft-plumaged, 76, 77, 187, 188, 190,
 - South Georgian Diving, 167
 - Southern Giant, 121, 167, 194
 - spp., 50-52, 108, 162
 - Stejneger's, 76
 - Tahiti, 76, 77
 - Westland, 121, 167, 190
 - White-chinned, 74, 76, 167
 - White-headed, 71, 72, 74-76, 191, 192
- Petroica a. australis*, see Robin, South Island
- a. longipes*, see Robin, North Island
- a. rakiura*, see Robin, Stewart Island
- m. macrocephala*, see Tomtit, South Island
- m. toitoi*, see Tomtit, North Island

- Phaethon aethereus*, see Tropicbird, Red-billed
 rubricauda, see Tropicbird, Red-tailed
Phalacrocoracidae, 208-210
Phalacrocoracinae, 208
Phalacrocorax auritus, see Shag, Double-crested
 carbo, see Shag, Black
 barrisi, see Cormorant, Galapagos
 melanoleucos brevirostris, see Shag, Little
 penicillatus, see Cormorant, Brandt's
 punctatus, see *Stictocarbo punctatus*
 sulcirostris, see Shag, Little Black
 varius, see Shag, Pied
Phasianus colchicus, see Pheasant, Ring-necked
Pheasant, Ring-necked, 195
Philesturnus c. carunculatus, see Saddleback, South Island
 c. rufusater, see Saddleback, North Island
Phoebastria palpebrata, see Albatross, Light-mantled Sooty
Phoeniculidae, 16, 30
Phoeniculus purpureus, see Woodhoopoe, African Green
 spp., 30
Picidae, 17
Piciformes, 30, 31
Picoides tridactylus, see Woodpecker, Three-toed
Pigeon, Cape, 74, 76, 121, 167, 191, 192, 197-207
 Feral, see Pigeon, Rock
 New Zealand, 7-11, 82, 138-139, 181
 Pacific, 155
 Rock, 128, 139, 195
 Snares Cape, 121, 197-207
 spp., 128, 162
Piopio, 109
Pipit, New Zealand, 141, 184, 216
Platalea regia, see Spoonbill, Royal
Platycercus eximius, see Rosella, Eastern
Plegadis falcinellus, see Ibis, Glossy
Plover, Grey, 132
 Pacific Golden, 132, 177
 Shore, 110
 Spur-winged, 8, 133, 177, 178, 194
Pluvialis fulva, see Plover, Pacific Golden
 squatarola, see Plover, Grey
Podiceps cristatus australis, see Grebe, Australasian Crested

- Poliiocephalus rufopectus*, see Dabchick, New Zealand
Pomatorhinus, see Babbler, Scimitar spp.
Porphyrio mantelli, see Takahe
 porphyrio melanotus, see Pukeko
Porzana pusilla affinis, see Crane, Marsh
 tabuensis plumbea, see Crane, Spotless
POWLESLAND, R.G. Red-tailed Tropicbird *Phaethon rubricauda* found near
 Pureora, 158-159
 Extended parental care of the Southern Black-backed Gull (*Larus dominicanus*), 196
POWLESLAND, R.G., see REESE, P.; POWLESLAND, R.; CORNICK, D.
Prion, Antarctic, 190
 Broad-billed, 168, 191, 192
 Fairy, 121, 167-168, 191-194
 Salvin's, 191, 192
 spp., 191-193
 Thin-billed, 191, 192
Procellaria aequinoctialis, see Petrel, White-chinned
 cinerea, see Petrel, Grey
 parkinsoni, see Petrel, Black
 westlandica, see Petrel, Westland
Procellariiformes, 66-70
Prosthemadera n. novaeseelandiae, see Tui
Prunella modularis, see Sparrow, Hedge
Pterodroma alba, see Petrel, Phoenix
 arminjoniana, see Petrel, Herald
 axillaris, see Petrel, Chatham Island
 brevirostris, see *Lugensa brevirostris*
 cookii, see Petrel, Cook's
 defilippiana, see Petrel, De Filippi's
 externa, see Petrel, Juan Fernandez
 incerta, see Petrel, Atlantic
 inexpectata, see Petrel, Mottled
 lessonii, see Petrel, White-headed
 longirostris, see Petrel, Stejneger's
 macroptera gouldi, see Petrel, Grey-faced
 magentae, see Petrel, Magenta
 mollis, see Petrel, Soft-plumaged
 neglecta, see Petrel, Kermadec
 nigripennis, see Petrel, Black-winged
 pycrofti, see Petrel, Pycroft's
 rostrata, see Petrel, Tahiti

- spp., see Petrel, Gadfly spp.
ultima, see Petrel, Murphy's
- Ptilinopus rarotongensis*, see Dove, Cook Islands Fruit
- Puffinus assimilis*, see Shearwater, Little
a. baurakiensis, see Shearwater, North Island Little
bulleri, see Shearwater, Buller's
carneipes, see Shearwater, Flesh-footed
gavia, see Shearwater, Fluttering
gavia/huttoni, see Shearwater, Fluttering/Hutton's
griseus, see Shearwater, Sooty
huttoni, see Shearwater, Hutton's
newelli, see Shearwater, Newell's
pacificus, see Shearwater, Wedge-tailed
puffinus, see Shearwater, Manx
spp., see Shearwater spp.
tenuirostris, see Shearwater, Short-tailed
- Pukeko, 79-84, 129, 175, 195, 216
- Quail, Brown, 129
California, 8, 10, 59, 128, 174
- Rail, Banded, 60, 129, 162, 174, 216
Rallus philippensis, see Rail, Banded
- Redpoll, 8, 142, 186
- REESE, P.; POWLESLAND, R.; CORNICK, D. Nesting of the Pied Shag
(*Phalacrocorax varius*) at Makara Beach, Wellington, 212-213.
- Reviewers of manuscripts 1996, 218
- REVIEWS:
- Gaze, P. Bird Conservation: the Science and the Action (J. Coulson, N.J. Crockford [Eds]), 57
- Schweigman, P. Birds to Watch 2. The World List of Threatened Birds (N.J. Collar, M.J. Crosby & A.J. Stattersfield), 58
- Tennyson, A. Penguins of the World. (P. Reilly), 115
- Crocker, T. A Directory of Wetlands in New Zealand (P. Cromarty & D.A. Scott [Eds]), 159-160
- Agnew, P. Australian Birds of Prey (P. Olsen), 160-161
- Taylor, M. Birds of Polynesia: Cassette Tape (L.B. McPherson), 161-162
- Rhinopomastus*, see Scimitar-bill sp.
- Rhipidura fuliginosa*, see Fantail
f. fuliginosa, see Fantail, South Island
f. penita, see Fantail, Chatham Island
f. placabilis, see Fantail, North Island
- Rifleman, North Island, 8, 10, 113-114, 140

- South Island, 183
- ROBERTSON, C.J.R. Tui (*Prosthemadera novaeseelandiae*) mimic parakeet calls at Raoul Island, 52-53
- ROBERTSON, C.J.R., see CLARK, G.; ROBERTSON, C.J.R.
- Robin, 109
- Black, 57
 - North Island, 59, 106, 142
 - South Island, 185
 - Stewart Island, 185
- Roller, Eastern Broad-billed, 183
- Rook, 143, 186
- Rosella, Eastern, 8, 10, 139, 182
- ROWE, S.; EMPSON, R. Distribution and abundance of the Tanga'eo or Mangaia Kingfisher (*Halcyon tuta ruficollaris*), 35-42
- ROWE, S.; EMPSON, R. Observations on the breeding behaviour of the Tanga'eo or Mangaia Kingfisher (*Halcyon tuta ruficollaris*), 43-48
- Saddleback, 17, 20-23, 25-29, 31, 91-112, 219
- North Island, 22, 59, 91-112, 143
 - South Island, 91, 92
- SAGAR, P.M.; TENNYSON, A.J.D.; MISKELLY, C.M. Breeding and survival of Snares Cape Pigeons *Daption capense australe* at The Snares, New Zealand, 197-207
- Sanderling, 133
- Sandpiper, Common, 135
- Curlew, 134, 178
 - Eastern Broad-billed, 134
 - Marsh, 135
 - Pectoral, 134, 178
 - Sharp-tailed, 134, 178
 - Terek, 136
 - Western, 160
- Scaup, New Zealand, 128, 174
- Sceloglaux albifacies*, see Owl, Laughing
- a. albifacies*, see Owl, South Island Laughing
 - a. rufifacies*, see Owl, North Island Laughing
- Scimitar-bill, 30
- Scolopacidae, 17
- Scythebill spp., 30
- Seabird spp., 1-6, 66-70, 71-78, 163, 187-196
- Shag, Antarctic, 208, 209
- Black, 8, 10, 122, 169, 190, 194, 208

- Blue, 170
- Cape, 208
- Chatham Island, 169, 208
- European, 208, 209
- Guanay, 208
- Little, 122, 123, 169, 190, 208, 209
- Little Black, 123, 169, 190
- Macquarie Island, 208, 209
- New Zealand King, 169
- Pelagic, 208
- Pied, 122-123, 169, 191, 192, 208, 211-213
- Pitt Island, 208-210
- Red-faced, 209
- Red-legged, 209
- Rock, 209
- South Georgian, 208, 209
- Spotted, 68, 69, 123, 169-170, 191, 192, 209
- Stewart Island, 169, 190
- Shearwater, Buller's, 66, 76, 120, 166, 191, 192
 - Flesh-footed, 120, 128, 148, 187, 191-194
 - Fluttering, 69, 120, 167, 191, 192
 - Fluttering/Hutton's, 190
 - Hutton's, 69, 120, 167, 191, 192
 - Little, 147-153, 167, 191, 192
 - Manx, 152, 204
 - Newell's, 187, 188, 190, 193
 - North Island Little, 147-153
 - Short-tailed, 120, 191, 192
 - Sooty, 120, 167, 191, 192
 - spp., 190
 - Wedge-tailed, 120, 188, 190
- Shelduck, Chestnut-breasted, 126, 173
 - Paradise, 7-11, 125, 172, 173, 195
- Shoveler, New Zealand, 127, 173, 195
 - Northern, 127
- Shrikebill, Lesser, 162
- Silvereye, 7-12, 142, 185
- Skua, Arctic, 136, 179
 - Arctic/Pomarine sp., 180
 - Brown, 136, 167, 179, 190
 - Long-tailed, 76, 136, 190
 - Pomarine, 179

- South Polar, 136
- Skylark, 184
- SMUTS-KENNEDY, C.; LOVEGROVE, T. A Barn Owl (*Tyto alba*) on Little
Barrier Island, 49-50
- Snipe, Stewart Island, 60
- Sparrow, Hedge, 8, 10, 141
House, 8, 59, 186
- SPEAR, L.B., see HOWELL, S.N.G.; AINLEY, D.G.; WEBB, S.; HARDESTY, B.D.;
SPEAR, L.B.
- SPENCER, H.G., see JAMIESON, I.G.; SPENCER, H.G.
- SPENCER, H.G.; KENNEDY, M.; GRAY, R.D. An observation of aggressive nest
defence in the Pitt Island Shag (*Stictocarbo featherstoni*), 208-210
- Spoonbill, Royal, 125-126, 171-172, 195
- Starling, 8, 186, 195, 216
Rarotonga, 156-157
- Stercorarius longicaudus*, see Skua, Long-tailed
parasiticus, see Skua, Arctic
pomarinus, see Skua, Pomarine
sp., see Skua, Arctic/Pomarine sp.
- Sterna albifrons sinensis*, see Tern, Eastern Little
albostrata, see Tern, Black-fronted
bergii, see Tern, Crested
caspia, see Tern, Caspian
fuscata, see Tern, Sooty
hirundo longipennis, see Tern, Eastern Common
nereis davisae, see Tern, New Zealand Fairy
paradisaea, see Tern, Arctic
striata, see Tern, White-fronted
- Stictocarbo aristotelis*, see Shag, European
featherstoni, see Shag, Pitt Island
gaimardi, see Shag, Red-legged
magellanicus, see Shag, Rock
pelagicus, see Shag, Pelagic
p. punctatus, see Shag, Spotted
p. steadyi, see Shag, Blue
urile, see Shag, Red-faced
- Stilt, Australasian Pied, 130, 176, 195
Black, 130-131, 176
Hybrid, 131, 176
- Stint, Little, 178
Red-necked, 134, 178
- Stitchbird, 109

- Storm Petrel, spp., 122
 White-bellied, 76
 White-faced, 122, 190
 Wilson's, 76, 122
Streptopelia chinensis, see Dove, Malay Spotted
Strigidae, 85
Strigops habroptilus, see Kakapo
Sturnus vulgaris, see Starling
Sula leucogaster, see Booby, Brown
Sunbird, Giant, 30
 spp., 17
Swallow, Welcome, 140, 184
Swan, Black, 126, 172, 194
 Mute, 126, 172
Swift, Fork-tailed, 183
Swiftlet, 'Atiu, 155-156
 White-rumped, 155
Synoicus ypsilophorus, see Quail, Brown

Tachybaptus novaehollandiae, see Grebe, Australian Little
Tadorna tadornoides, see Shelduck, Chestnut-breasted
 variegata, see Shelduck, Paradise
Takahe, 57, 79-84, 89
Tanga'eo, see Kingfisher, Mangaia
Tattler, Siberian, 135, 179
 Wandering, 162
TAYLOR, G.A. Seabirds found dead on New Zealand beaches in 1994, 187-196
TAYLOR, M.J. A Pied Shag (*Phalacrocorax varius*) beating the surface of the water while fishing, 211
Teal, Brown, 127, 173, 195
 Chestnut, 127
 Grey, 127, 173
TENNYSON, A.J.D., see SAGAR, P.M.; TENNYSON, A.J.D.; MISKELLY, C.M.
Tern, Arctic, 181
 Black-fronted, 66, 137, 174, 180, 216
 Caspian, 137, 181, 190
 Crested, 138
 Eastern Common, 138
 Eastern Little, 138, 187, 188, 190
 Gull-billed, 137, 180
 New Zealand Fairy, 138
 Sooty, 138, 188, 190, 193

- spp., 145, 162, 211
White-fronted, 68, 69, 137, 138, 163, 179, 180, 181, 191, 192, 194
White-winged Black, 137, 180
- Tetraonidae, 79
- Thinornis novaeseelandiae*, see Plover, Shore
- Thrush, Song, 7-11, 59, 141, 195, 215, 216
- Timaliidae, 30
- Tomtit, North Island, 8, 11, 141
South Island, 185
- Trembler, 17
- TREWICK, S. The diet of Kakapo (*Strigops habroptilus*), Takahe (*Porphyrio mantelli*) and Pukeko (*Porphyrio melanotus*) studied by faecal analysis, 79-84
- Tribonyx mortieri*, see Hen, Tasmanian Native
- Triller, Polynesian, 162
spp., 162
- Tringa brevipes*, see Tattler, Siberian
flavipes, see Yellowlegs, Lesser
hypoleucos, see Sandpiper, Common
nebularia, see Greenshank
stagnatilis, see Sandpiper, Marsh
terek, see Sandpiper, Terek
- Trochilidae, 17
- Tropicbird, Red-billed, 76
Red-tailed, 158-159, 162
- Tui, 7, 8, 10-12, 52-53, 142, 183, 185
- Turdus merula*, see Blackbird
philomelos, see Thrush, Song
- Turkey, Feral, 82
- Turnagra capensis*, see Piopio
- Turnstone, 133, 177, 179
- Tyto alba*, see Owl, Barn
- Vanellus miles novaehollandiae*, see Plover, Spur-winged
Vini peruwiana, see Lorikeet, Tahiti
- Wader, spp., 163
- Warbler, Chatham Island, 185
Cook Islands, 156
Grey, 7-11, 113, 141, 182, 184
spp., 162
- Wattlebird, 14-18, 19-34, 91-112

WEBB, S., see HOWELL, S.N.G.; AINLEY, D.G.; WEBB, S.; HARDESTY, B.D.;
SPEAR, L.B.

Weka, 59-65, 97, 102, 106, 108, 109, 216

North Island, 129

Stewart Island, 89, 175

Western, 60, 89, 175

WEST, J.A., see O'DONNELL, C.F.J.; WEST, J.A.

Whimbrel, American, 135

Asiatic, 134-135, 179

Little, 179

sp., 135, 179

Whistler, Samoan, 162

spp., 162

Whitehead, 7, 8, 10, 11, 59, 106, 141

Woodcreeper spp., 30

Woodhoopoe, African Green, 15, 16, 17, 30

spp., 30

Woodpecker, Hispaniolan, 31

spp., 17, 30, 31

Three-toed, 31

Wren, Bush, 110

Extinct New Zealand, 89

Rock, 184

Wrybill, 132, 177

Xenicus gilviventris, see Wren, Rock

longipes, see Wren, Bush

Xiphirhynchus superciliaris, see Babbler, Slender-billed Scimitar

Yellowhammer, 8, 142, 185

Yellowhead, 107, 184

Yellowlegs, Lesser, 160

Zosterops lateralis, see Silvereye

Compiled by TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland, 1309