


NOTORNIS

**Journal of the Ornithological Society
of New Zealand**



Volume 44 - 1997

ISSN 0029-4470

OFFICERS 1997-98

President:
Vice-Presidents:
North Island:
South Island:
Secretary:
Treasurer:
Council Members:

CHRISTOPHER J.R. ROBERTSON - P.O. Box 12397, Wellington
DAVID CROCKETT - 21 McMillan Ave., Kamo, Whangarei
KERRY-JANE WILSON, Lincoln University, P.O. Box 84, Lincoln
RAEWYN EMPSON - P.O. Box 12397, Wellington
MARK NEE - P.O. Box 12397, Wellington
TONY CROCKER - 118 Cones Rd., Ashley, R.D.2, Rangiora
HAZEL HARTY - P.O. Box 316, Drury
G.A. TAYLOR - P.O. Box 12397, Wellington
D. ONLEY - 49 Bernera St., c/- Post Office, Karitane
HUGH A. ROBERTSON - 30 Deller Grove, Silverstream
STELLA ROWE - 1 Corrin St., Hamilton

EDITORS

NOTORNIS
Editorial Board:

OSNZNews:
Book Reviews:

GÁBOR L. LÖVEI - 16 Margaret Street, Palmerston North 5301
D. ONLEY - 49 Bernera St., c/- Post Office, Karitane
PAUL M. SAGAR - 38a Yardley St., Christchurch 8004
TONY CROCKER - 118 Cones Rd., Ashley, R.D. 2, Rangiora
KEITH WOODLEY - Miranda Shorebird Centre, R.D.1, Pokeno

CONVENORS & ORGANISERS

Rare Birds:
Beach Patrol:
Nest Records:
Moult Records:

Classified Summarised
Notes: North Island:
South Island:
SW Pacific Islands:
Banding Liason Officer:

JOHN DAVENPORT - 214 Maungatapu Rd., Tauranga 3001
GRAEME TAYLOR - P.O. Box 12397, Wellington
HUGH A. ROBERTSON - 30 Deller Grove, Silverstream
BEN D. BELL - School of Biol. Sci., Victoria Univ., P.O. Box 600,
Wellington

ALAN TENNYSON - P.O. Box 467, Wellington
COLIN O'DONNELL - D.o.C., Private Bag, Christchurch
J.L. MOORE - 32 Brook St., Lower Hutt
CHRIS N. CHALLIES - 22a Highfield Pl., Christchurch 4

LIBRARIANS

Books & Journals:

Bird Slides:

KATHY BARROW - c/- Auckland Institute & Museum, Private Bag
92018, Auckland
PAUL CUMING - 82 Morrinsville Rd., Hamilton

SUBSCRIPTIONS & MEMBERSHIP

Ordinary Member \$45 overseas US\$40 (inc.postage); Full-time
Student Member, \$22.50; Family Member living in a household
with an Ordinary or Life Member or Fellow \$22.50 (do not receive
publications); Institution/Group Member, \$90, overseas US\$75
(inc. postage); Corporate Member, \$225; Life Member (30 years
and over) \$900. Overseas subscriptions can be paid by VISA or
Mastercard. Applications for membership, changes of address,
resignations and advice on non-delivery of Notornis and OSNZ
News should be sent to the Membership Secretary: HAZEL HARTY,
P.O. Box 316, Drury, South Auckland; Phone/Fax (09) 294 8334

CONTENTS OF VOLUME 44

1997

Part 1: March 1997

Population structure, morphometrics, moult, migration, and wintering of the Wrybill (<i>Anarchynchus frontalis</i>) • DAVIES, S.	1
Distribution of Sooty Shearwater (<i>Puffinus griseus</i>) breeding colonies along the Otago Coast, New Zealand, with indication of nationwide population trends • HAMILTON, S.A.; MOLLER, H.; ROBERTSON, C.J.R.	15
The decline of the North Island Weka (<i>Gallirallus australis greyi</i>) in the East Cape and Opotiki regions, North Island, New Zealand • BEAUCHAMP, A.J.	27
The Fiordland Crested Penguin (<i>Eudyptes pachyrhynchus</i>) survey. Stage V. Mainland coastline, Bruce Bay to Yates Point • MCLEAN, I.G.; ABEL, M.; CHALLIES, C.N.; HEPPELTHWAITE, S.; LYALL, J.; RUSS, R.B.	37
The breeding population of Spotted Shags (<i>Stictocarbo punctatus punctatus</i>) on Banks Peninsula: 36 years later • DOHERTY, J.L.; BRÄGER, S.	49
 Short Notes	
White-faced Storm Petrel (<i>Pelagodroma marina</i>) eating offal • MEDWAY, D.G.	26
Hard release of captive-reared New Zealand Pigeons (<i>Hemiphaga n. novaeseelandiae</i>) • POWLESLAND, R.G.; WILLANS, M.	57
 Review	36
Obituary	60
Instructions to Authors	62

Part 2: June 1997

Mortality, distribution, numbers and conservation of the Chatham Island Pigeon (<i>Hemiphaea novaeseelandiae chathamensis</i>) • GRANT, A.D.; POWLESLAND, R.G.; DILKS, P.J.; FLUX, I.A.; TISDALL, C.J.	65
Classified Summarised Notes, North Island 1 July 1995 to 30 June 1996 • PARRISH, G.R.; LOCK, J.W.	79
Fossil deposits in the Hodges Creek Cave System, on the northern foothills of Mt Arthur, Nelson, South Island, New Zealand • WORTHY, T.H.	111
 Short Notes	
Bird deaths from hip-chain cotton entanglement • BROWN, K.P.; MILLER, C.	109
The Chatham Island Mollymawk (<i>Diomedea eremita</i>) in Australia • REID, T.; JAMES, D.	125
 Fellows of the Ornithological Society of New Zealand	129
Reviews	133

Part 3: September 1997

- Body composition of Lesser Knots (*Calidris canutus rogersi*) preparing to take off on migration from northern New Zealand 137
 • BATTLE, P.F.; PIERSMA, T.

- The influence of Hoki fishing vessels on Westland Petrel (*Procellaria westlandica*) distribution at sea • FREEMAN, A.N.D. 159

- Sudden death of Weka (*Gallirallus australis*) on Kawau Island, New Zealand • BEAUCHAMP, A.J. 165

- Huia (*Heteralocha acutirostris*: Callaeidae) - like sexual bill dimorphism in some birds of paradise (Paradisaeidae) and its significance • FRITH, C.B. 177

- The diet of the Wrybill (*Anarhynchus frontalis*) and the Banded Dotterel (*Charadrius bicinctus*) on two braided rivers in Canterbury, New Zealand • HUGHEY, K.F.D. 185

Short Notes

- The first confirmed breeding by the Nankeen Night Heron (*Nycticorax caledonicus*) in New Zealand • MARSH, N.; LÖVEL, G.L. 152

- White-capped Albatross (*Thalassarche steadi*) breeding at Chatham Islands • ROBERTSON, C.J.R.; ROBERTSON, G.G. 156

- New and rare bird records for Raoul Island • CLIFFORD, H.J.; LAWRIE, D.A. 171

- The destruction by storm of the Australasian Gannet (*Morus serrator*) colony at Farewell Spit • COOK, W.A. 174

- Recent Literature 194

Part 4: December 1997

- Seabirds found dead on New Zealand beaches in 1995 201
 • G.A. TAYLOR
- Nest site characteristics of New Zealand Falcons (*Falco novaeseelandiae*) 213
 in a forested habitat • BAREA, L.P.; WAAS, J.R.; THOMPSON, K.
- Bird density and diversity in braided river beds in the Upper Waitaki 219
 Basin, South Island, New Zealand • MALONEY, R.F.; REBERGEN, A.L.;
 NILSSON, R.J.; WELLS, N.J.
- Observations on the breeding behaviour of the Takahe (*Porphyrio* 233
mantelli) on Mana Island • RYAN, C.
- A survey of historical Laughing Owl (*Sceloglaux albifacies*) specimens 241
 in museum collections • WORTHY, T.H.
- Successful translocations of Little Spotted Kiwi (*Apteryx owenii*) between 253
 offshore islands of New Zealand • COLBOURNE, R.M.; ROBERTSON, H.A.

Short Notes

- Plumage and bill morphology variations in a population of the Blue 259
 Penguin (*Eudyptula minor*) • HOCKEN, A.G.
- Observation of a Long-tailed Cuckoo (*Eudynamys taitensis*) as a 264
 predator of Tomtit (*Petroica macrocephala toitoi*) nestlings
 • BEAVEN, B.M.
- Predation of Yellow-eyed Penguins (*Megadyptes antipodes*) on mainland 265
 New Zealand by Hooker's sealion (*Phocarcos bookeri*)
 • SCHWEIGMAN, P.; DARBY, J.T.
- First record of a Black-faced Monarch (*Monarcha melanopsis*) 267
 in New Zealand • TENNYSON, A.

Obituary

270

INDEX OF AUTHORS AND SPECIES

VOL 44

- ABEL, M., see McLEAN, I.G.; ABEL, M.; CHALLIES, C.N.; HEPPELTHWAITE, S.;
LYALL, J.; RUSS, R.B.
- Acanthisitta chloris*, see Rifleman
 c. chloris, see Rifleman, South Island
 c. granti, see Rifleman, North Island
- Accipiter*, see Goshawk spp.
- Adzebill, 115, 121
- Aegotheles novaezealandiae*, see Owlet-nightjar, Extinct New Zealand
- Alauda arvensis*, see Skylark
- Albatross, Black-browed, see Mollymawk, Black-browed
 Buller's, see Mollymawk, Buller's
 Light-mantled Sooty, 82, 194, 204, 207, 209
 North Pacific spp., 194
 Northern Royal, 21, 81, 125, 156
 Pacific, see Mollymawk, Northern Buller's
 Sooty, 126
 Southern Royal, 81, 125
 spp., 194, 204
 Wandering, 81, 125, 126, 204, 237
 Waved, 194
 White-capped, see Mollymawk, White-capped
- Alectoris rufa*, see Partridge, Red-legged
- Anarhynchus frontalis*, see Wrybill
- Anas aucklandica chlorotis*, see Teal, Brown
 castanea, see Teal, Chestnut
 clypeata, see Shoveler, Northern
 gracilis, see Teal, Grey
 platyrhynchos, see Mallard
 rhynchotis variegata, see Shoveler, New Zealand
 superciliosa, see Duck, Grey
- Anomalopteryx didiformis*, see Moa, Little Bush
- Anser* sp., see Goose, Domestic
- Anthornis melanura*, see Bellbird
- Anthus novaeseelandiae*, see Pipit, New Zealand
- Apteryx australis*, see Kiwi, Brown
 a. australis, see Kiwi, South Island Brown
 a. mantelli, see Kiwi, North Island Brown
 baastii, see Kiwi, Great Spotted
 owenii, see Kiwi, Little Spotted
 sp., see Kiwi sp.

- Aptornis defossor*, see Adzebill
Ardea novaehollandiae, see Heron, White-faced
Arenaria interpres, see Turnstone
Athene albifacies, see Owl, Laughing
Aythya novaeseelandiae, see Scaup, New Zealand
- BAREA, L.P.; WAAS, J.R.; THOMPSON, K. Nest site characteristics of New Zealand Falcons (*Falco novaeseelandiae*) in a forested habitat, 213-218
 BATTLE, P.F.; PIERSMA, T. Body composition of Lesser Knots (*Calidris canutus rogersi*) preparing to take off on migration from northern New Zealand, 137-150
 BEAUCHAMP, A.J. The decline of the North Island Weka (*Gallirallus australis greyi*) in the East Cape and Opotiki Regions, North Island, New Zealand, 27-35
 Sudden death of Weka (*Gallirallus australis*) on Kawau Island, New Zealand, 165-170
 BEAVEN, B.M. Observation of a Long-tailed Cuckoo (*Eudynamis taitensis*) as a predator of Tomtit (*Petroica macrocephala toitoi*) nestlings, 264-265
 BELL, D., see ROBERTSON, C.J.R.; ROBERTSON, G.G.; BELL, D.
 Bellbird, 107, 117, 122, 200
 Bird of Paradise, 177-184
 Sicklebill spp., 177-184
 Superb, 177-184
 Twelve-wired, 181
 Yellow-breasted, 177-184
 Bittern, Australasian, 87
 Blackbird, 105, 106, 109, 110, 130, 200, 211
Botaurus stellaris poiciloptilus, see Bittern, Australasian
Bowdleria punctata vealeae, see Fernbird, North Island
 Bowerbird, 194
 BRAGER, S., see DOHERTY, J.L.; BRAGER, S.
Branta canadensis, see Goose, Canada
 BROWN, K.P.; MILLER, C. Bird deaths from hip-chain cotton entanglement, 109-110
Bubulcus ibis, see Egret, Cattle
 Bunting, Gird, 108
- Cacatua galerita*, see Cockatoo, Sulphur-crested
roseicapilla, see Galah
Calidris, see Sandpiper
 acuminata, see Sandpiper, Sharp-tailed
 alba, see Sanderling
 alpina, see Dunlin
 canutus, see Knot, Lesser
 c. canutus, see Knot, Lesser
 c. islandica, see Knot, Lesser

- c. rogersi*, see Knot, Lesser
- ferruginea*, see Sandpiper, Curlew
- melanotos*, see Sandpiper, Pectoral
- paramelanotus*, see Sandpiper, Cox's
- ruficollis*, see Stint, Red-necked
- tenuirostris*, see Knot, Great
- Callaeas c. cinerea*, see Kokako, South Island
- c. wilsoni*, see Kokako, North Island
- Callaeidae, 177, 182
- Callipepla californica*, see Quail, California
- Carduelis carduelis*, see Goldfinch
- chloris*, see Greenfinch
- flammea*, see Redpoll
- Catharacta skua lonnbergi*, see Skua, Brown
- Chaffinch, 108
- CHALLIES, C.N., see McLEAN, I.G.; ABEL, M.; CHALLIES, C.N.;
HEPPELTHWAITE, S.; LYALL, J.; RUSS, R.B.
- Charadrius*, see Plover or Dotterel
- bicinctus*, see Dotterel, Banded
- biaticula*, see Plover, Ringed
- leschenaultii*, see Dotterel, Large Sand
- melanops*, see Dotterel, Black-fronted
- mongolus*, see Dotterel, Mongolian
- obscurus*, see Dotterel, New Zealand
- Chionis* spp., see Sheathbill spp.
- Chlidonias leucopterus*, see Tern, White-winged Black
- Chrysococcyx l. lucidus*, see Cuckoo, Shining
- Circus approximans*, see Harrier, Australasian
- CLASSIFIED SUMMARISED NOTES, North Island 1 July 1995 to 30 June 1996,
compiled by G.R. Parrish and J.W. Lock, 79-109
- CLIFFORD, H.J.; LAWRIE, D.A. New and rare bird records for Raoul Island, 171-
173
- Cnemionis calcitrans*, see Goose, Extinct New Zealand
- Cockatoo, Sulphur-crested, 103
- COLBOURNE, R.M.; ROBERTSON, H.A. Successful translocations of Little
Spotted Kiwi (*Apteryx owenii*) between offshore islands of New
Zealand, 253-258
- Columba livia*, see Pigeon, Rock
- COOK, W.A. The destruction by storm of the Australasian Gannet (*Morus
serrator*) colony at Farewell Spit, 174-175
- Coot, Australian, 92
New Zealand Extinct, 118, 121
- Cormorant, Brandt's, 53, 54
spp., 219, 225, 226
- Corvoidea, 182

- Corvus frugilegus*, see Rook
 Crane, Spotless, 92
 Creeper, Brown, 133
 Cuckoo, 264
 Long-tailed, 105, 199, 212, 264-265
 Shining, 105
Cuculus canorus, see Cuckoo
 Curlew, Eastern, 98, 224
 Eskimo, 36
Cyanoramphus auriceps, see Parakeet, Yellow-crowned
 novaezealandiae, see Parakeet, Red-crowned
 sp., see Parakeet, sp.
Cygnus atratus, see Swan, Black
- Dabchick, New Zealand, 80, 271, 272
Dacelo novaeguineae, see Kookaburra
Daption capense, see Pigeon, Cape
 DARBY, J.T., see SCHWEIGMAN, P.; DARBY, J.T.
 DAVIES, S. Population structure, morphometrics, moult, migration, and
 wintering of the Wrybill (*Anarhynchus frontalis*), 1-14
 Dicruridae, 268
 DILKS, P.J., see GRANT, A.D.; POWLESLAND, R.G.; DILKS, P.J.; FLUX, I.A.;
 TISDALL, C.J.
Dinornis giganteus, see Moa
 novaezealandiae, see Moa, Large Bush
 struthoides, see Moa, Slender
Diomedea bulleri, see Mollymawk, Buller's
 b. bulleri, see Mollymawk, Southern Buller's
 c. cauta, see Mollymawk, White-capped or Shy
 c. eremita, see Mollymawk, Chatham Island
 c. salvini, see Mollymawk, Salvin's
 c. steadi, see Mollymawk, New Zealand White-capped
 chlororhynchus, see Mollymawk, Yellow-nosed
 chrysostoma, see Mollymawk, Grey-headed
 e. epomophora, see Albatross, Southern Royal
 e. sanfordi, see Albatross, Northern Royal
 exulans, see Albatross, Wandering
 melanophrys, see Mollymawk, Black-browed
 m. impavida, see Mollymawk, New Zealand Black-browed
 m. melanophrys, see Mollymawk, Black-browed
 sp., see Albatross or Mollymawk sp.
 DOHERTY, J.L.; BRAGER, S. The breeding population of Spotted Shags
 (*Stictocaro p. punctatus*) on Banks Peninsula: 36 years later, 49-56
 Dotterel, Banded, 1, 36, 95, 185-193, 211, 219, 222, 224-230
 Black-fronted, 36, 95, 224, 271, 272

- Eurasian, 36
- Large Sand, 95
- Mongolian, 95
- New Zealand, 1, 12, 13, 60, 94-95, 211
- sp., 1, 130
- Dove, Barbary, 103
- Spotted, 103
- Drepanornis*, see *Epimachus*
- Duck, Blue, 89, 91, 115
 - Finsch's, 111, 114-124, 200
 - Grey, 89, 169, 211, 224
 - Paradise, see Shelduck, Paradise
 - sp., 212
- Dunlin, 36, 147
- Eagle, Haast's, 115, 118, 120, 121
- Egret, Cattle, 87, 211, 271, 272
- Little, 86
- Egretta alba*, see Heron, White
- garzetta*, see Egret, Little
- sacra*, see Heron, Reef
- Election of Fellows, P.C. Bull, E.G. Turbott, 129-132.
- Emberiza cirrus*, see Bunting, Cirl
- citrinella*, see Yellowhammer
- Eopsaltridae, see Robin, Australasian spp.
- Epimachus*, see Bird of Paradise, Sicklebill spp.
 - albertisi*, see Sicklebill, Buff-tailed
 - bruijnii*, see Sicklebill, Pale-billed
 - fastuosus*, see Sicklebill, Black
 - meyeri*, see Sicklebill, Brown
- Eudromias morinellus*, see Dotterel, Eurasian
- Eudynamys taitensis*, see Cuckoo, Long-tailed
- Eudyptes pachyrhynchus*, see Penguin, Fiordland Crested
- Eudyptula albosignata*, see Penguin, Canterbury White-flippered
 - minor albosignata*, see Penguin, Blue
 - m. minor*, see Penguin, Blue
 - m. variabilis*, see Penguin, Blue
- Euryanas finschi*, see Duck, Finsch's
- Falco novaeseelandiae*, see Falcon, New Zealand
- Falcon, New Zealand, 91, 213-218
- Fantail, 133, 268
- North Island, 107
- Fernbird, North Island, 106-107
- Finch, spp., 133

- FLUX, I.A., see GRANT, A.D.; POWLESLAND, R.G.; DILKS, P.J.; FLUX, I.A.; TISDALL, C.J.
- Flycatcher, Satin, 268
- Fowl, Domestic, 211
- FREEMAN, A.N.D. The influence of Hoki fishing vessels on Westland Petrel (*Procellaria westlandica*) distribution at sea, 159-164
- Fregata ariel*, see Frigatebird, Lesser
- Frigatebird, Lesser, 201, 204, 205
- Fringilla coelebs*, see Chaffinch
- FRITH, C.B. Huia (*Heteralocha acutirostris*: Callaeidae) - like sexual bill dimorphism in some birds of paradise (Paradisaeidae) and its significance, 177-184
- Fulica atra australis*, see Coot, Australian
- prisca*, see Coot, New Zealand
- Fulmar, Antarctic, 83, 204
- Fulmarus glacialisoides*, see Fulmar, Antarctic
- Galah, 104
- Gallirallus australis*, see Weka
- a. greyi*, see Weka, North Island
- Gallus gallus*, see Fowl, Domestic
- Gannet, Australasian, 84, 174-175, 201, 206-208, 210, 211
- Gelochelidon nilotica*, see Tern, Gull-billed
- Gerygone igata*, see Warbler, Grey
- Godwit, Asiatic Black-tailed, 99
- Bar-tailed, 138
- Eastern Bar-tailed, 13, 98-99
- Goldfinch, 108
- Goose, Canada, 88-89, 224
- Domestic, 211
- Extinct New Zealand, 200
- Goshawk, spp., 216
- GRANT, A.D.; POWLESLAND, R.G.; DILKS, P.J.; FLUX, I.A.; TISDALL, C.J.
- Mortality, distribution, numbers and conservation of the Chatham Island Pigeon (*Hemiphaea novaeseelandiae chatthamensis*), 65-77
- Grebe, Australasian Little, 80
- Greenfinch, 106, 108, 130
- Greenshank, 99
- Gull, Black-backed, 54, 87, 100, 174, 206, 208, 210, 211, 219, 222, 224-226
- Black-billed, 100, 101, 206, 208, 219, 222, 224-230
- Red-billed, 100, 206, 208-210, 229, 237
- Southern Black-backed, see Gull, Black-backed
- sp., 130, 135, 136, 204, 222, 226
- Gymnorhina tibicen*, see Magpie, Australian

- Haematopus ostralegus finschi*, see Oystercatcher, South Island Pied
 unicolor, see Oystercatcher, Variable
- Halcyon sancta vagans*, see Kingfisher, New Zealand
- Halobaena caerulea*, see Petrel, Blue
- HAMILTON, S.A.; MOLLER, H.; ROBERTSON, C.J.R. Distribution of Sooty Shearwater (*Puffinus griseus*) breeding colonies along the Otago Coast, New Zealand, with indication of nationwide population trends, 15-25
- Harpagornis moorei*, see Eagle, Haast's
- Harrier, Australasian, 61, 91, 101, 102, 211, 216
- Hemiphaga novaeseelandiae chatthamensis*, see Pigeon, Chatham Island
 n. novaeseelandiae, see Pigeon, New Zealand
- HEPPELTHWAITE, S., see McLEAN, I.G.; ABEL, M.; CHALLIES, C.N.;
 HEPPELTHWAITE, S.; LYALL, J.; RUSS, R.B.
- Heron, Black-crowned Night, 152
 Nankeen Night, 87, 152-155
 Reef, 86-87
 White, 86
 White-faced, 86, 224
- Heteralocha acutirostris*, see Huia
- Himantopus b. leucocephalus*, see Stilt, Pied
 novaezelandiae, see Stilt, Black
 sp., see Stilt, Hybrid
- Hirundapus caudacutus*, see Swift, Spine-tailed
- Hirundo tabitica neoxena*, see Swallow, Welcome
- HOCKEN, A.G. Plumage and bill morphology variations in a population of the Blue Penguin (*Eudyptula minor*), 259-263
- HUGHEY, K.F.D. The diet of the Wrybill (*Anarhynchus frontalis*) and the Banded Dotterel (*Charadrius bicinctus*) on two braided rivers in Canterbury, New Zealand, 185-193
- Huia, 177, 178, 181-183
- Hymenolaimus malacorhynchus*, see Duck, Blue
- Ibis, Glossy, 88
- IMBER, M.J. (Compiler), Recent Literature, 194-200
- Instructions to authors, 62-64
- Jaeger, spp., 134-136 (see also Skua spp.)
- JAMES, D., see REID, T.; JAMES, D.
- Kagu, 197
- Kaka, 115
 North Island, 104
- Kakapo, 115, 117, 118, 119, 122, 198

- Kea, 115, 200
 Kereru, see Pigeon, New Zealand
 Kingfisher, New Zealand, 105, 212
 Kiwi, Brown, 115, 197
 Great Spotted, 115, 118, 197
 Little Spotted, 115, 253-258
 North Island Brown, 80
 sp., 114, 119, 197
 Knot, Great, 97
 Lesser, 13, 97, 137-150, 172-173
 Kokako, 115, 133
 North Island, 108
 Kookaburra, 105

Larus bulleri, see Gull, Black-billed
 d. dominicanus, see Gull, Black-backed
 novaehollandiae scopulinus, see Gull, Red-billed
 spp., see Gull, spp.
 LAWRIE, D.A., see CLIFFORD, H.J.; LAWRIE, D.A.
Leucocarbo carunculatus, see Shag, King
 chalconotus, see Shag, Stewart Island
Limosa lapponica baueri, see Godwit, Eastern Bar-tailed
 limosa melanuroides, see Godwit, Asiatic Black-tailed
Loboparadisea serica, see Bird of Paradise, Yellow-breasted
 LOCK, J.W., see PARRISH, G.R.; LOCK, J.W.
Lophorina superba, see Bird of Paradise, Superb
 LÖVEI, G.L., see MARSH, N.; LÖVEI, G.L.
Lugensa brevirostris, see Petrel, Kerguelen
 LYALL, J., see McLEAN, I.G.; ABEL, M.; CHALLIES, C.N.; HEPPELTHWAITE, S.;
 LYALL, J.; RUSS, R.B.

Macronectes giganteus, see Petrel, Southern Giant
 balli, see Petrel, Northern Giant
 sp., see Petrel, Giant
 Magpie, 104
 Australian, 109, 110, 211
 Mallard, 89, 211, 224
 MALONEY, R.F.; REBERGEN, A.L.; NILSSON, R.J.; WELLS, N.J. Bird density and
 diversity in braided riverbeds in the Upper Waitaki Basin, South Island,
 New Zealand, 219-232
 MARSH, N.; LÖVEI, G.L. The first confirmed breeding by the Nankeen Night
 Heron (*Nycticorax caledonicus*) in New Zealand, 152-155
 McLEAN, I.G.; ABEL, M.; CHALLIES, C.N.; HEPPELTHWAITE, S.; LYALL, J.; RUSS,
 R.B. The Fiordland Crested Penguin (*Eudyptes pachyrhynchus*) survey.
 Stage V: Mainland coastline, Bruce Bay to Yates Point, 37-47

- MEDWAY, D.G. White-faced Storm Petrel (*Pelagodroma marina*) eating offal, 26
Megadyptes antipodes, see Penguin, Yellow-eyed
Megalapteryx didinus, see Moa, Upland
MILLER, C., see BROWN, K.P.; MILLER, C.
Moa, 60, 114-118, 200
 Crested, 119-121
 Giant, 117, 118, 132
 Heavy-footed, 120
 Large Bush, 118, 119, 121, 122
 Little Bush, 118, 121, 122
 Slender, 118-120
 Stout-legged, 121
 Upland, 118, 119, 121
Moboua albicilla, see Whitehead
 ochrocephala, see Yellowhead
Mohua, see Yellowhead
MOLLER, H., see HAMILTON, S.A.; MOLLER, H.; ROBERTSON, C.J.R.
Mollymawk, Black-browed, 81, 125, 126, 204
 Buller's, 82, 125, 126, 156, 206, 208
 cauta subspp., 204
 Chatham Island, 81, 125-128
 Grey-backed, see Mollymawk, Salvin's
 Grey-headed, 81, 204
 New Zealand Black-browed, 81, 125, 126
 New Zealand White-capped, 81, 125, 156-158, 206, 208
 Northern Buller's, 156
 Salvin's, 81, 126, 204
 Shy, see Mollymawk, White-capped
 spp., 82, 194, 204
 Southern Buller's, 125, 126, 195
 White-capped, 81, 125-127, 156-158
 Yellow-nosed, 81
Monarch, Black-faced, 267-269
Monarcha melanopsis, see Monarch, Black-faced
Morepork, 105, 109, 134, 241, 244
Morus serrator, see Gannet, Australasian
Myiagra cyanoleuca, see Flycatcher, Satin
Myna, Common, 130, 212

Nestor meridionalis, see Kaka
 m. meridionalis, see Kaka, South Island
 m. septentrionalis, see Kaka, North Island
 notabilis, see Kea
NILSSON, R.J., see MALONEY, R.F.; REBERGEN, A.L.; NILSSON, R.J.; WELLS, N.J.
Ninox novaeseelandiae, see Morepork

- Notiomystis cincta*, see Stitchbird
Notornis mantelli, see *Porphyrio mantelli*
Numenius borealis, see Curlew, Eskimo
 madagascariensis, see Curlew, Eastern
 minutus, see Whimbrel, Little
 phaeopus, see Whimbrel
 p. hudsonicus, see Whimbrel, American
 p. variegatus, see Whimbrel, Asiatic
Nycticorax caledonicus, see Heron, Nankeen Night
 nycticorax, see Heron, Black-crowned, Night

 Obituaries: Elizabeth Raewyn Smith (1945-1996), R.N. Thomas, 60
 Gavin Arthur Terence Darke Woodward (1949-1996), R.N. Thomas, 60
 Barrie D. Heather (1931-1995), H. Robertson, 270-272
Oceanites nereis, see Storm Petrel, Grey-backed
 oceanicus, see Storm Petrel, Wilson's
 Owl, Laughing, 200, 241-252
 Owlet-nightjar, Extinct New Zealand, 118, 119, 122
 Oystercatcher, Canarian Black, 36
 South Island Pied, 93, 211, 219, 222, 224-227, 229, 230
 Variable, 12, 93

 Pachycephalidae, see Whistler, spp.
Pachyornis australis, see Moa, Crested
 elephantopus, see Moa, Heavy-footed
Pachyplichas yaldwyni, see Wren, South Island Stout-legged
Pachyptila belcheri, see Prion, Thin-billed
 desolata, see Prion, Antarctic
 salvini, see Prion, Salvin's
 sp., see Prion sp.
 turtur, see Prion, Fairy
 vittata, see Prion, Broad-billed
 Paradisaeidae, see Bird of Paradise
 Parakeet, Red-crowned, 104, 133
 sp., 104, 117, 122
 Yellow-crowned, 133, 199
 Parea, see Pigeon, Chatham Island
 Parotia, Carola's, 177-184
Parotia carolae, see Parotia, Carola's
 PARRISH, G.R.; LOCK, J.W. Classified Summarised Notes, North Island 1 July
 1995 to 30 June 1996, 79-109
 Partridge, Red-legged, 91
Passer domesticus, see Sparrow, House
 Passerine, spp., 133, 212
Pavo cristatus, see Peafowl
 Peafowl, 91, 169

- Pedionomus torquatus*, see Plains Wanderer
Pelagodroma marina, see Storm Petrel, White-faced
Pelecanoides urinatrix, see Petrel, Common Diving
Penguin, Adelie, 237
 Blue, 16, 40, 84, 206, 208, 211, 259-263
 Canterbury White-flipped, see Penguin, Blue
 Fiordland Crested, 37-47
 Yellow-eyed, 21, 204, 265-266
Petrel, Antarctic, 204, 207, 209
 Black, 61, 83, 204, 209, 210
 Black sp., 83, 204
 Black-winged, 84, 204
 Blue, 171, 206-209
 Common Diving, 83, 206-210
 Cook's, 206, 208
 Giant sp., 83, 171, 206, 208
 Great-winged, 126
 Grey, 83, 126, 194, 204
 Grey-faced, 84, 206-211
 Kerguelen, 83, 206, 208
 Kermadec, 201, 204, 205
 Magenta, 60, 66, 70
 Mottled, 206-209
 Northern Giant, 171
 Pycroft's, 84, 204
 Soft-plumaged, 204, 205
 Southern Giant, 83, 171, 194
 spp., 204
 Westland, 82, 159-164, 204
 White-chinned, 161, 204
 White-headed, 84, 206-208
Petroica a. australis, see Robin, South Island
 a. longipes, see Robin, North Island
 macrocephala toitoi, see Tomtit, North Island
Phalacrocorax aristotelis, see Shag, European
 carbo, see Shag, Black
 melanoleucos brevirostris, see Shag, Little
 penicillatus, see Cormorant, Brandt's
 sulcirostris, see Shag, Little Black
 varius, see Shag, Pied
Phasianus colchicus, see Pheasant, Ring-necked
Pheasant, Ring-necked, 91, 211
Philesturnus carunculatus, see Saddleback
Philomachus pugnax, see Ruff
Phoebastria fusca, see Albatross, Sooty
 palpebrata, see Albatross, Light-mantled Sooty

- PIERSMA, T., see BATTLE, P.F.; PIERSMA, T.
- Pigeon, Cape, 83, 126, 206, 208
- Chatham Island, 57, 65-77
- Feral, see Pigeon, Rock
- New Zealand, 57-59, 65, 74, 75, 103, 109, 154, 199, 211
- Rock, 103, 130, 211
- Piopio, New Zealand, 194
- Pipit, New Zealand, 106, 133
- Plains Wanderer, 36
- Platalea regia*, see Spoonbill, Royal
- Platycercus elegans*, see Rosella, Crimson
- eximius*, see Rosella, Eastern
- Plegadis falcinellus*, see Ibis, Glossy
- Plover, Grey, 96
- Pacific Golden, 96
- Ringed, 12, 13
- Shore, 12, 14, 96
- Spur-winged, 93, 96, 211, 224
- Pluvialis fulva*, see Plover, Pacific Golden
- squatarola*, see Plover, Grey
- Poliocephalus rufopectus*, see Dabchick, New Zealand
- Porphyrio mantelli*, see Takahe
- m. hochstetteri*, see Takahe, South Island
- porphyrio melanotus*, see Pukeko
- Porzana tabuensis*, see Crane, Spotless
- POWLESLAND, R.G.; WILLANS, M. "Hard release" of captive-reared New Zealand Pigeons (*Hemiphaga n. novaeseelandiae*), 57-59
- POWLESLAND, R.G., see GRANT, A.D.; POWLESLAND, R.G.; DILKS, P.J.; FLUX, I.A.; TISDALL, C.J.
- Prion, Antarctic, 206, 208
- Broad-billed, 206, 208
- Fairy, 83, 206, 208
- Salvin's, 206, 208
- sp., 84, 206
- Thin-billed, 206, 208
- Procellaria aequinoctialis*, see Petrel, White-chinned
- cinerea*, see Petrel, Grey
- parkinsoni*, see Petrel, Black
- sp., see Petrel, Black sp.
- westlandica*, see Petrel, Westland
- Procellariiformes, 15-25, 26
- Procelsterna cerulea albigutta*, see Ternlet, Grey
- Prosobonia leucoptera*, see Sandpiper, White-winged
- Prosthemadera novaeseelandiae*, see Tui
- Prunella modularis*, see Sparrow, Hedge

- Pterodroma cookii*, see Petrel, Cook's
inexpectata, see Petrel, Mottled
lessonii, see Petrel, White-headed
macroptera, see Petrel, Great-winged
m. gouldi, see Petrel, Grey-faced
magentae, see Petrel, Magenta
mollis, see Petrel, Soft-plumaged
neglecta, see Petrel, Kermadec
nigripennis, see Petrel, Black-winged
pycrofti, see Petrel, Pycroft's
- Ptilonorhynchidae, see Bowerbird
- Ptiloris magnificus*, see Riflebird, Magnificent
paradiseus, see Riflebird, Paradise
victoriae, see Riflebird, Victoria's
- Puffinus assimilis*, see Shearwater, Little
bulleri, see Shearwater, Buller's
carneipes, see Shearwater, Flesh-footed
gavia, see Shearwater, Fluttering
gavia/buttoni, see Shearwater, Fluttering/Hutton's
griseus, see Shearwater, Sooty
tenuirostris, see Shearwater, Short-tailed
- Pukeko, 92, 130, 195, 196, 211, 224, 237-239
- Pygoscelis adeliae*, see Penguin, Adelie
- Quail, Brown, 91
 California, 91
- Rail, Banded, 92
- Rallus philippensis*, see Rail, Banded
- REBERGEN, A.L., see MALONEY, R.F.; REBERGEN, A.L.; NILSSON, R.J.; WELLS, N.J.
- Recent Literature, compiled by M.J. Imber, 194-200
- Redpoll, 108
- REID, T.; JAMES, D. The Chatham Island Mollymawk (*Diomedea eremita*) in Australia, 125-128
- REVIEWS: Crocker, T. Photographic Guide to the Waders of the World by D. Rosier & D. Cottridge, 36
 Chambers, S. The Field Guide to the Birds of New Zealand by B.D. Heather & H.A. Robertson, 133-134
 Young, E. Skuas and jaegers. A guide to the skuas and jaegers of the world by L.M. Olsen & H. Larsson, 134-136
- Rhipidura fuliginosa placabilis*, see Fantail, North Island
- Rhynocetos jubatus*, see Kagu
- Riflebird, Magnificent, 177-184
 Paradise, 177-184
 Victoria's, 177-184

- Rifleman, 117, 122, 200
 North Island, 106
- ROBERTSON, C.J.R., see HAMILTON, S.A.; MOLLER, H.; ROBERTSON, C.J.R.
- ROBERTSON, C.J.R.; ROBERTSON, G.G.; BELL, D. White-capped Albatross (*Thalassarche steadi*) breeding at Chatham Islands, 156-158
- ROBERTSON, G.G., see ROBERTSON, C.J.R.; ROBERTSON, G.G.; BELL, D.
- ROBERTSON, H.A., see COLBOURNE, R.M.; ROBERTSON, H.A.
- Robin, 117-119, 122, 133, 200
 Australasian spp., 133
 North Island, 107, 264
 South Island, 109
- Rook, 109, 130
- Rosella, Crimson, 104, 133
 Eastern, 104, 133
- Ruff, 36
- RUSS, R.B., see McLEAN, I.G.; ABEL, M.; CHALLIES, C.N.; HEPPELTHWAITE, S.; LYALL, J.; RUSS, R.B.
- RYAN, C. Observations on the breeding behaviour of the Takahe (*Porphyrio mantelli*) on Mana Island, 233-240
- Saddleback, 117-119, 122, 197
- Sanderling, 97
- Sandpiper, Common, 99
 Cox's, 36
 Curlew, 97
 Marsh, 99
 Pectoral, 97
 Sharp-tailed, 97, 173
 Terek, 99
 White-winged, 36
- Scaup, New Zealand, 90, 224
- Sceloglaux a. albifacies*, see Owl, Laughing
 a. rufifacies, see Owl, Laughing
- SCHWEIGMAN, P.; DARBY, J.T. Predation of Yellow-eyed Penguins (*Megadyptes antipodes*) on mainland New Zealand by Hooker's Sealion (*Phocarcos bookeri*), 265-266
- Scolopax rochussenii*, see Woodcock, Obi
- Seabird spp., 15-25, 130, 133, 201-212
- Seleucidis melanoleuca*, see Bird of Paradise, Twelve-wired
- Shag, Black, 84, 85, 204, 224
 European, 53-55
 Little, 85, 204, 224
 Little Black, 85, 204
 New Zealand King, 200
 Pied, 84, 85, 206, 208

- Spotted, 49-56, 85-86, 206, 208
- spp., 204, 226
- Shearwater, Buller's, 82, 206-209
 - Flesh-footed, 82, 206, 208
 - Fluttering, 82, 206, 208, 211
 - Fluttering/Hutton's, 204
 - Hutton's, 206, 208-210
 - Little, 82, 109, 206, 208
 - Short-tailed, 82, 206, 208, 209
 - Sooty, 15-25, 82, 126, 196-198, 201, 206-208
 - spp., 204
- Sheathbill spp., 36
- Shelduck, Chestnut-breasted, 89, 172
 - Paradise, 89, 171-172, 211, 224
- Shorebird spp., 1-14, 137-150
- Shoveler, New Zealand, 90, 224
 - Northern, 90
- Sicklebill, Black, 177-184
 - Brown, 177-184
 - Buff-tailed, 177-184
 - Pale-billed, 177-184
- Silktail, 271
- Silveryeye, 91, 107, 130, 200
- Skua, Arctic, 100
 - Brown, 99, 135
 - Long-tailed, 204
 - Pomarine, 100
 - sp., 134-136
- Skylark, 106, 129, 133, 212
- Snipe, South American spp., 36
- Sparrow, Hedge, 106
 - House, 108, 130, 133, 212
- Spoonbill, Royal, 88, 211
- Starling, 91, 108, 130, 200, 211
- Stercorarius longicaudus*, see Skua, Long-tailed
 - parasiticus*, see Skua, Arctic
 - pomarinus*, see Skua, Pomarine
- Sterna albifrons sinensis*, see Tern, Eastern Little
 - albostrata*, see Tern, Black-fronted
 - bergii*, see Tern, Crested
 - caspia*, see Tern, Caspian
 - fuscata*, see Tern, Sooty
 - hirundo longipennis*, see Tern, Eastern Common
 - nereis davisae*, see Tern, New Zealand Fairy
 - paradisaea*, see Tern, Arctic

- spp., see Tern spp.
- striata*, see Tern, White-fronted
- Stictocarbo p. punctatus*, see Shag, Spotted
- Stilt, Australasian Pied, 93-94, 185, 211, 219, 222, 224-231
 - Black, 94, 185, 192, 219, 221, 222, 224-231
 - Hybrid, 94
- Stint, Red-necked, 98
- Stitchbird, 107
- Storm Petrel, Grey-backed, 204, 205
 - White-faced, 26, 84, 206, 208
 - Wilson's, 84
- Streptopelia chinensis*, see Dove, Malay Spotted
 - roseogrisea*, see Dove, Barbary
- Strigops habroptilus*, see Kakapo
- Sturnus vulgaris*, see Starling, European
- Swallow, Welcome, 106
- Swan, Black, 88, 211, 224
- Swift, Spine-tailed, 105
- Synoicus ypsilophorus*, see Quail, Brown

- Tachybaptus novaehollandiae*, see Grebe, Australian Little
- Tadorna tadornoides*, see Shelduck, Chestnut-breasted
 - variegata*, see Shelduck, Paradise
- Taiko, Chatham Island, see Petrel, Magenta
- Takahe, 195, 196
 - North Island, 113
 - South Island, 113, 115, 118, 119, 121, 132, 233-240
- Tattler, Siberian, 99
 - spp., 99
- Tawaki, see Penguin, Fiordland Crested
- TAYLOR, G.A. Seabirds found dead on New Zealand beaches in 1995, 201-212
- Teal, Brown, 90, 115
 - Chestnut, 90
 - Grey, 90, 224
- TENNYSON, A. First record of a Black-faced Monarch (*Monarcha melanopsis*) in New Zealand, 267-269
- Tern, Arctic, 103, 224
 - Black-fronted, 101, 185, 192, 219-222, 224-232, 271
 - Caspian, 101, 204, 219, 222, 224-228
 - Crested, 103
 - Eastern Common, 103
 - Eastern Little, 102, 133
 - Gull-billed, 101
 - New Zealand Fairy, 102, 133
 - Sooty, 102
 - spp., 204, 222

- White-fronted, 100, 102, 206, 208
White-winged Black, 101, 224
- Ternlet, Grey, 103
- Thalassarche*, see Mollymawk spp.
- Thalassoica antarctica*, see Petrel, Antarctic
- Thinornis novaeseelandiae*, see Plover, New Zealand Shore
- THOMPSON, K., see BAREA, L.P.; WAAS, J.R.; THOMPSON, K.
- Thrush, Song, 105, 106, 200, 211
- TISDALL, C.J., see GRANT, A.D.; POWLESLAND, R.G.; DILKS, P.J.; FLUX, I.A.;
TISDALL, C.J.
- Tomtit, 133
North Island, 107, 264-265
- Tringa brevipes*, see Tattler, Siberian
hypoleucos, see Sandpiper, Common
nebularia, see Greenshank
stagnatilis, see Sandpiper, Marsh
terek, see Sandpiper, Terek
- Tui, 104, 107-108, 133, 200, 212
- Turdus merula*, see Blackbird
philomelos, see Thrush, Song
- Turnagra capensis*, see Piopio, New Zealand
- Turnstone, 97
- Vanellus miles novaehollandiae*, see Plover, Spur-winged
- WAAS, J.R., see BAREA, L.P.; WAAS, J.R.; THOMPSON, K.
- Wader spp., 1-14, 36, 137-150, 185-193, 219-232, 271
- Warbler, Grey, 91, 105, 130
- Waterfowl spp., 219, 225, 226
- Weka, 115-118, 211
North Island, 27-35, 92, 165-170, 195
Stewart Island, 196
Western, 42, 196
- WELLS, N.J., see MALONEY, R.F.; REBERGEN, A.L.; NILSSON, R.J.; WELLS, N.J.
- Whimbrel, American, 98
Asiatic, 98
Little, 98
sp., 98
- Whistler spp., 133
- Whitehead, 107, 133, 264
- WILLANS, M., see POWLESLAND, R.G.; WILLANS, M.
- Woodcock, Obi, 36

- WORTHY, T.H. Fossil deposits in the Hodges Creek Cave System, on the northern foothills of Mt. Arthur, Nelson, South Island, New Zealand, 111-124
A survey of historical Laughing Owl (*Sceloglaux albifacies*) specimens in museum collections, 241-252
- Wren, South Island Stout-legged, 115
sp., 117, 122
- Wrybill, 1-14, 96, 185-193, 219-227, 229-231
- Xenicus* sp. see Wren sp.
- Yellowhammer, 108, 130
- Yellowhead, 133, 196-199
- Zosterops lateralis*, see Silvereye
- Compiled by* TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland, 1309