


NOTORNIS

Journal of the Ornithological Society
of New Zealand



Volume 45 - 1998

ISSN 0029-4470

OFFICERS 1997-98

President:	CHRISTOPHER J.R. ROBERTSON - P.O. Box 12397, Wellington
Vice-Presidents:	
North Island:	DAVID CROCKETT - 21 McMillan Ave., Kamo, Whangarei
South Island:	KERRY-JAYNE WILSON, Lincoln University, P.O. Box 84, Lincoln
Secretary:	RAEWYN EMPSON - P.O. Box 12397, Wellington
Treasurer:	MARK NEE - P.O. Box 12397, Wellington
Council Members:	TONY CROCKER - 118 Cones Rd., Ashley, R.D.2, Rangiora HAZEL HARTY - P.O. Box 316, Drury G.A. TAYLOR - P.O. Box 12397, Wellington D. ONLEY - 49 Bernera St., c/- Post Office, Karitane HUGH A. ROBERTSON - 2 Weld St., Wadestown, Wellington STELLA ROWE - 1 Corrin St., Hamilton

EDITORS

NOTORNIS	GÁBOR L. LÖVEI - 16 Margaret Street, Palmerston North 5301
Editorial Board:	PAUL M. SAGAR - 38a Yardley St., Christchurch 8004 DR M.J. IMBER - D.O.C., PO Box 10420 Wellington DR R. MOORHOUSE - D.O.C., Private Bag Nelson
OSNZNews:	TONY CROCKER - 118 Cones Rd., Ashley, R.D. 2, Rangiora
Book Reviews:	KEITH WOODLEY - Miranda Shorebird Centre, R.D.1, Pokeno

CONVENORS & ORGANISERS

Rare Birds:	JOHN DAVENPORT - 214 Maungatapu Rd., Tauranga 3001
Beach Patrol:	GRAEME TAYLOR - P.O. Box 12397, Wellington
Nest Records:	HUGH A. ROBERTSON - 2 Weld St., Wadestown, Wellington
Moult Records:	BEN D. BELL - School of Biol. Sci., Victoria Univ, P.O. Box 600, Wellington

Classified Summarised	
Notes: North Island:	ALAN TENNYSON - P.O. Box 467, Wellington
South Island:	COLIN O'DONNELL - D.O.C., Private Bag, Christchurch
SW Pacific Islands:	J.L. MOORE - 32 Brook St., Lower Hutt
Banding Liaison Officer:	CHRIS N. CHALLIES - 22a Highfield Pl., Christchurch 8004

LIBRARIANS

Books & Journals:	KATHY BARROW - c/- Auckland Institute & Museum, Private Bag 92018, Auckland
Bird Slides:	PAUL CUMING - 82 Morrinsville Rd., Hamilton

SUBSCRIPTIONS & MEMBERSHIP

Ordinary Member \$45 overseas US\$40 (inc.postage); Full-time Student Member, \$22.50; Family Member living in a household with an Ordinary or Life Member or Fellow \$22.50 (do not receive publications); Institution/Group Member, \$90, overseas US\$75 (inc. postage); Corporate Member, \$225; Life Member (30 years and over) \$900. Overseas subscriptions can be paid by VISA or Mastercard. Applications for membership, changes of address, resignations and advice on non-delivery of Notornis and OSNZ News should be sent to the Membership Secretary: HAZEL HARTY, P.O. Box 316, Drury, South Auckland; Phone/Fax (09) 294 8334

CONTENTS OF VOLUME 45

1998

Part 1: March 1998

Classified Summarised Notes, South Island and outlying islands, 1 July 1995 - 30 June 1996 • O'DONNELL, C.F.J.; WEST, J.A.	1
The decline of North Island Weka (<i>Gallirallus australis greyi</i>) at Parekura Bay, Bay of Islands • BEAUCHAMP, A.J.; VAN BERKUM, B.; CLOSS, M.J.	31
A reappraisal of the Orange-fronted Parakeet (<i>Cyanoramphus</i> sp.) - species or colour morph? • TAYLOR, R.H.	49
 Short Notes	
A new technique for radio-tagging immature kiwi (<i>Apteryx</i> spp.) • MILES, J.; McLENNAN, J.	44
A test of burrow occupancy of Sooty Shearwaters (<i>Puffinus griseus</i>) using chick response to sound • HAMILTON, S.	64
Breeding season of Kermadec Petrels (<i>Pterodroma neglecta neglecta</i>) at Meyer Islands, Kermadec Group, New Zealand • VEITCH, C.R.; HARPER, G.	67
 Recent Literature	 70
Reviews	75
Guide to Authors	78

Part 2: June 1998

Foods of Buller's Shearwaters (<i>Puffinus bulleri</i>) associated with driftnet fisheries in the central North Pacific Ocean • GOULD, P.; OSTROM, P.; WALKER, W.	81
Density and foraging behaviour of Pipits (<i>Anthus novaeseelandiae chathamensis</i>) and Skylarks (<i>Alauda arvensis</i>) on Chatham Island • BEAUCHAMP, A.J.	95
Nesting home range sizes of Wrybill (<i>Anarhynchus frontalis</i>) and Banded Dotterel (<i>Charadrius bicinctus</i>) in relation to braided riverbed characteristics • HUGHEY, K.F.D.	103
Seabirds around Banks Peninsula (New Zealand) from aerial surveys • HAWKE, D.J.	113
The diet of New Zealand King Shags (<i>Leucocarbo carunculatus</i>) in Pelorus Sound • LALAS, C.; BROWN, D.	129
The birds of Kapingamarangi Atoll, including first record of the Shining Cuckoo (<i>Cbrysococcyx lucidus</i>) from Micronesia • BUDEN, D.W.	141
Short Notes	
Cat and stoat visit a Kiwi (<i>Apteryx</i> spp.) nest • MILES, J.R.G.	93
Grey-faced Petrel (<i>Pterodroma macroptera</i>) entangled in hip-chain cotton • WOOLLEY, B.	102
Two Shining Cuckoos (<i>Chalcites lucidus</i>) fed by one Grey Warbler (<i>Gerygone igata</i>) • BUCHANAN, L.	112
The effects of an abnormally cold winter spell on Southland birds • WOOD, J.	126
Two seabird recoveries from Christchurch city: implications for Classified Summarised Notes • HAWKE, D.J.; PETCH, S.	153
New Zealand Dotterel (<i>Charadrius obscurus</i>) eating plant material • CHUDLEIGH, B.	155

Reviews

140

Part 3: September 1998

- Numbers of Black-browed Mollymawks (*Diomedea m. melanophrys*) and White-capped Mollymawks (*D. cauta steadi*) at the Antipodes Islands in 1994-95 and their population trends in New Zealand region • TENNYSON, A.; IMBER, M.; TAYLOR, R. 157

- The ageing of Weka (*Gallirallus australis*) using measurements, soft parts, plumage and wing spurs • BEAUCHAMP, A.J. 167

- Fossil and archaeological avifauna of Niue Island, Pacific Ocean • WORTHY, T.H.; WALTER, R.; ANDERSON, A.J. 177

- Movements of Caspian Terns (*Sterna caspia*) from a colony near Invercargill, New Zealand, and some notes on their behaviour • BARLOW, M.. 193

Short Notes

- Fiji Goshawk (*Accipiter rufitorques*) hunts by grass-probing • WHITE, C.M.; BRIMM, D.J. 191

- The effect of surrounding land use on the distribution of Southern Crested Grebes (*Podiceps cristatus australis*) on Lake Forsyth, Banks Peninsula, New Zealand • RIDLEY, A.R.; SULLIVAN, W.J. 220

- Channel-billed Cuckoos in New Zealand in spring 1996 • TENNYSON, A.; BRACKENBURY, G. 223

- Chestnut-breasted Shelducks and other wetland birds at Tupuangi, Chatham Islands • TENNYSON, A. 226

Part 4: December 1998

- Fossils indicate *Pelecanoides georgicus* had large colonies at Mason Bay, Stewart Island, New Zealand • WORTHY, T.H. 229
- A second intact specimen of the Chatham Island Taiko (*Pterodroma magentae*) • IMBER, M.J.; TENNYSON, A.J.D.; TAYLOR, G.A.; JOHNSTON, P. 247
- Breeding biology of the Kakerori (*Pomarea dimidiata*) on Rarotonga, Cook Islands • SAUL, E.K.; ROBERTSON, H.A.; TIRAA, A. 255
- Sex determination and natal philopatry of Southern Buller's Mollymawks (*Diomedea bulleri bulleri*) • SAGAR, P.M.; STAHL, J.C.; MOLLOY, J. 271
- Classified Summarised Notes, North Island, 1 July 1996 to 30 June 1997 • TENNYSON, A.J.D.; LOCK, J.W. 279

Short Notes

- An Australian Magpie's *Gymnorhina tibicen* response to fake snakes in New Zealand • BROCKIE, R.E.; SORENSEN, L. 269
- An almost fully melanistic Silvereye (*Zosterops lateralis*) from Otago • HARRIS, A.; CLIFFORD, S. 309

INDEX OF AUTHORS AND SPECIES

VOL 45

- Acanthisitta chloris*, see Rifleman
 c. chloris, see Rifleman, South Island
 c. granti, see Rifleman, North Island
Acanthizidae, 70
Accipiter cooperi, see Hawk, Cooper's
 fasciatus, see Goshawk, Australasian Brown
 rufitorques, see Goshawk, Fiji
Acridotheres tristis, see Myna, Common
Aerodramus vanikorensis, see Swiftlet, Island
Alauda arvensis, see Skylark
Albatross, Black-footed, 91
 Laysan, 271, 276
 Light-mantled Sooty, 281
 Northern Royal, 3, 280
 Royal, 2, 246
 Southern Royal, 2
 spp., 84
 Wandering, 2, 246, 274, 280
Alectoris chukar, see Chukor
 rufa, see Partridge, Red-legged
Amandava amandava, see Avadavat, Red
Anarhynchus frontalis, see Wrybill
Anas aucklandica chlorotis, see Teal, Brown
 gibberifrons, see *Anas gracilis*
 gracilis, see Teal, Grey
 platyrhynchos, see Mallard
 rhynchotis variegata, see Shoveler, New Zealand
 superciliosa, see Duck, Grey
ANDERSON, A.J., see WORTHY, T.H.; WALTER, R.; ANDERSON, A.J.
Anous stolidus pileatus, see Noddy, Brown or Common
 tenuirostris, see Noddy, White-capped
Anser anser, see Goose, Domestic

- caerulescens*, see Goose, Lesser Snow
- Antbornis melanura*, see Bellbird
- Anthus novaeseelandiae*, see Pipit, New Zealand
- n. aucklandicus*, see Pipit, Auckland Island
- n. chathamensis*, see Pipit, Chatham Island
- n. novaeseelandiae*, see Pipit, New Zealand
- n. steindachneri*, see Pipit, Antipodes Island
- Aplonis opaca*, see Starling, Micronesian
- o. angus*, see Starling, Micronesian
- o. guami*, see Starling, Micronesian
- o. kurodai*, see Starling, Micronesian
- o. opaca*, see Starling, Micronesian
- o. orii*, see Starling, Micronesian
- o. ponapensis*, see Starling, Micronesian
- tabuensis brunnescens*, see Starling, Polynesian
- Aptenodytes patagonicus*, see Penguin, King
- Apteryx a. australis*, see Kiwi, South Island Brown
- a. mantelli*, see Kiwi, North Island Brown
- Ardea novaehollandiae*, see Heron, White-faced
- Arenaria interpres*, see Turnstone
- Athene noctua*, see Owl, Little
- Avadavat, Red, 191
- Aythya novaeseelandiae*, see Scaup, New Zealand

BARLOW, M. Movement of Caspian Terns (*Sterna caspia*) from a colony near Invercargill, New Zealand, and some notes on their behaviour, 193-220

BEAUCHAMP, A.J.; VAN BERKUM, B.; CLOSS, M.J. The decline of North Island Weka (*Gallirallus australis greyi*) at Parekura Bay, Bay of Islands, 31-43

Density and foraging behaviour of Pipits (*Anthus novaeseelandiae chathamensis*) and Skylarks (*Alauda arvensis*) on Chatham Island, 95-101

The ageing of Weka (*Gallirallus australis*) using measurements, soft parts, plumage and wing spurs, 167-176

Bellbird, 29, 127, 290, 307

Bittern, Australasian, 10, 287

Blackbird, 27, 306, 308

Booby, Brown, 144, 148

Red-footed, 144, 148

spp., 149

Botaurus stellaris poiciloptilus, see Bittern, Australasian

Bowdleria punctata, see Fernbird

p. punctata, see Fernbird, South Island

p. vealeae, see Fernbird, North Island

p. wilsoni, see Fernbird, Codfish Island

BRACKENBURY, G., see TENNYSON, A.; BRACKENBURY, G.

Branta canadensis, see Goose, Canada

BRIMM, D.J., see WHITE, C.M.; BRIMM, D.J.

BROCKIE, R.E.; SORENSEN, L. An Australian Magpie's *Gymnorhina tibicen* response to fake snakes in New Zealand, 269-270

BROWN, D., see LALAS, C.; BROWN, D.

Bubulcus ibis, see Egret, Cattle

BUCHANAN, L. Two Shining Cuckoos (*Chalcites lucidus*) fed by one Grey Warbler (*Gerygone igata*), 112

BUDEN, D.W. The birds of Kapingamarangi Atoll, including the first record of the Shining Cuckoo (*Chrysococcyx lucidus*) from Micronesia, 141-153

Bunting, Cirl, 29

Butcherbird, 223

Cacatua galerita, see Cockatoo, Sulphur-crested

roseicapilla, see Galah

Cahow, 252

Calidris acuminata, see Sandpiper, Sharp-tailed

alba, see Sanderling

canutus, see Knot, Lesser

c. islandica, see Knot, Lesser

ferruginea, see Sandpiper, Curlew

melanotos, see Sandpiper, Pectoral

ruficollis, see Stint, Red-necked

tenuirostris, see Knot, Great

Callaeas cinerea wilsoni, see Kokako, North Island

Callipepla californica, see Quail, California

Calonectris d. diomedea, see Shearwater, Cory's

Canary, 140

- Carduelis carduelis*, see Goldfinch
 chloris, see Greenfinch
 flammea, see Redpoll
- Catharacta skua lonnbergi*, see Skua, Brown
 spp., see Skua, spp.
- Cereopsis novaehollandiae*, see Goose, Cape Barren
- Chaffinch, 29, 126
- Chalcites lucidus*, see *Chrysococcyx lucidus*
- Charadriiformes, 75, 150
- Charadrius bicinctus*, see Dotterel, Banded
 leschenaultii, see Dotterel, Large Sand
 melanops, see Dotterel, Black-fronted
 mongolus, see Dotterel, Mongolian
 obscurus, see Dotterel, New Zealand
- Chlidonias leucopterus*, see Tern, White-winged Black
- Chrysococcyx l. lucidus*, see Cuckoo, Shining
- CHUDLEIGH, B. New Zealand Dotterel (*Charadrius obscurus*) eating plant material, 155-156
- Chukor, 14
- Circus approximans*, see Harrier, Australasian
- CLASSIFIED SUMMARISED NOTES, North Island, 1 July 1996 to 30 June 1997, compiled by A.J.D. Tennyson and J.W. Lock, 279-308
- CLASSIFIED SUMMARISED NOTES, South Island and outlying islands, 1 July 1995 to 30 June 1996, compiled by C.F.J. O'Donnell and J.A. West, 1-30
- CLIFFORD, S., see HARRIS, A.; CLIFFORD, S.
- CLOSS, M.J.; see BEAUCHAMP, A.J.; VAN BERKUM, B.; CLOSS, M.J.
- Cockatoo, Sulphur-crested, 25, 304
- Coenocorypha aucklandica*, see Snipe, New Zealand
 pusilla, see Snipe, Chatham Island
- Collocalia inquieta*, see *Aerodramus vanikorensis*
 spodiopygia, see Swiftlet, White-rumped
- Columba livia*, see Pigeon, Rock
- Columbiformes, 75
- Coot, Australian, 15, 292
- Corvidae, 223
- Corvus frugilegus*, see Rook
- Courser, 75

- Cracticidae, 223
- Crake, Marsh, 15, 291
- sp., 189, 291
- Spotless, 179, 185, 291
- Creeper, Brown, 28, 127
- Crow, spp., 223
- Cuckoo, Channel-billed, 223-226
- Long-tailed, 26, 147, 148, 150, 179, 263, 265-266, 305-306
- Shining, 26, 112, 141, 147, 148, 150, 305
- Curlew, Bristle-thighed, 179
- Eastern, 20, 179, 298
- Currawong, 223
- Cyanoramphus auriceps*, see Parakeet, Yellow-crowned
- a. forbesi*, see Parakeet, Forbes'
- malherbi*, see Parakeet, Orange-fronted
- novaezealandiae*, see Parakeet, Red-crowned
- n. chathamensis*, see Parakeet, Chatham Island Red-crowned
- sp., see Parakeet, sp.
- unicolor*, see Parakeet, Antipodes
- Cygnus atratus*, see Swan, Black
- olor*, see Swan, Mute
- Dabchick, New Zealand, 280
- Dacelo novaeguineae*, see Kookaburra
- Daption capense*, see Pigeon, Cape
- c. australe*, see Pigeon, Cape
- c. capense*, see Pigeon, Cape
- Didunculus* n. sp., see Pigeon, Tooth-billed, n. sp.
- Diomedea bulleri*, see Mollymawk, Buller's
- b. bulleri*, see Mollymawk, Southern Buller's
- cauta cauta*, see Mollymawk, White-capped or Shy
- c. eremita*, see Mollymawk, Chatham Island
- c. salvini*, see Mollymawk, Salvin's
- c. steadi*, see Mollymawk, New Zealand White-capped
- chlororhynchos*, see Mollymawk, Yellow-nosed

- chrysostoma*, see Mollymawk, Grey-headed
- epomophora*, see Albatross, Royal
- e. epomophora*, see Albatross, Southern Royal
- e. sanfordi*, see Albatross, Northern Royal
- exulans*, see Albatross, Wandering
- immutabilis*, see Albatross, Laysan
- melanophrys*, see Mollymawk, Black-browed
- m. impavida*, see Mollymawk, New Zealand Black-browed
- m. melanophrys*, see Mollymawk, Black-browed
- nigripes*, see Albatross, Black-footed

Dollarbird, 306

Dotterel, Banded, 17, 103-111, 155, 227, 294-296

Black-fronted, 18, 295

Large Sand, 17, 295

Mongolian, 17, 295

New Zealand, 17, 155-156, 294

Dove, Barbary, 304

Cook Islands Fruit, 189

Crimson-crowned Fruit, see Dove, Purple-capped Fruit

Fruit spp., 146

Giant Ground, 189

Ground spp., 189

Henderson Island Fruit, 189

Many-coloured Fruit, 189

n. sp., 189

Purple-capped Fruit, 179, 189

Society Island Ground, 189

Spotted, 304

spp., 75, 76, 290

Duck, Blue, 12, 73, 154, 289

Grey, 12, 179, 227, 289

Paradise, see Shelduck, Paradise

sp., 150

Ducula aurorae, see Pigeon, Society Islands

david, see Pigeon, 'Eua

galeata, see Pigeon, Nuku Hiva
oceanica, see Pigeon, Micronesian
pacifica, see Pigeon, Pacific
spp., 187, 189

Eclectus sp., see Parrot, Eclectus

Egret, Cattle, 10, 127, 287, 288

Little, 9, 286

Egretta alba, see Heron, White

garzetta, see Egret, Little

sacra, see Heron, Reef

Emberiza cirrus, see Bunting, Cirl

citrinella, see Yellowhammer

Eudynamis taitensis, see Cuckoo, Long-tailed

Eudyptes pachyrhynchus, see Penguin, Fiordland Crested

Eudyptula minor, see Penguin, Blue

Eurystomus orientalis pacificus, see Dollarbird

Falco cenchroides, see Kestrel, Nankeen

novaeeseelandiae, see Falcon, New Zealand

peregrinus, see Falcon, Peregrine

Falcon, New Zealand, 14, 290

Peregrine, 191

Fantail, Chatham Island, 28

North Island, 307

South Island, 28, 57, 127

sp., 260

Fernbird, Codfish Island, 28

North Island, 306-307

South Island, 27

Flycatcher, Marquesas, 255, 267, 268

Rarotonga, 255-269

Fowl, Domestic, 56, 145, 148, 150, 183

Feral, see Junglefowl, Red

Fregata minor, see Frigatebird, Great

- Fregetta tropica*, see Storm Petrel, Black-bellied
 Frigatebird, Great, 144, 145, 148, 149, 151, 179, 285
 sp., 285
- Fringilla coelebs*, see Chaffinch
- Fulica atra australis*, see Coot, Australian
 Fulmar, Antarctic, 5, 246, 283
- Fulmarus glacialisoides*, see Fulmar, Antarctic
- Galah, 304
- Gallicolumba erythroptera*, see Dove, Society Islands Ground
 n. sp. see Dove, Henderson Island Ground
 nui, see Dove, Giant Ground
 stairi, see Dove, West Polynesian Ground
- Gallinule, 189
- Gallirallus a. australis*, see Weka, Western
 a. greyi, see Weka, North Island
 a. hectori, see Weka, Eastern or Buff
 dieffenbachii, see Rail, Dieffenbach's
 modestus, see Rail, Chatham Island
 n. sp., see Rail, Extinct Niue
 p. philippensis, see Rail, Banded or Buff Banded
 sylvestris, see Woodhen, Lord Howe
- Gallus gallus*, see Fowl, Domestic, or Junglefowl, Red
 Gannet, Australasian, 7, 117, 284, 301, 303
- Gelochelidon nilotica*, see Tern, Gull-billed
- Gerygone albofrontata*, see Warbler, Chatham Island
 igata, see Warbler, Grey
- Glareola maldivarum*, see Pratincole, Oriental
- Glareolidae, 75
- Godwit, Asiatic Black-tailed, 299
 Bar-tailed, see Godwit, Eastern Bar-tailed
 Black-tailed sp., 21, 77, 179, 300
 Eastern Bar-tailed, 21, 76, 299
 Hudsonian, 299
- Goldfinch, 30, 308

- Goose, Canada, 11, 289
 Cape Barren, 12
 Domestic, 227
 Lesser Snow, 56
- Goshawk, Australasian Brown, 191
 Fiji, 191-192
- GOULD, P.; OSTROM, P.; WALKER, W. Foods of Buller's Shearwaters (*Puffinus bulleri*) associated with driftnet fisheries in the central Pacific Ocean, 81-93
- Grebe, Australasian Crested, 2, 220-223
 Australasian Little, 2, 280
 Little sp., 2
 Southern Crested, see Grebe, Australasian Crested
- Greenfinch, 29, 308
- Greenshank, 22, 300
- Guide to Authors, 78-80
- Gull, Black-backed, 13, 23, 113, 116-120, 122, 123, 126, 177, 228, 246, 301
 Black-billed, 23, 113, 116, 117, 119, 120, 123, 126, 127, 246, 301
 spp., 75, 76
 Red-billed, 23, 113, 116-120, 123, 127, 228, 246, 301, 302
 Southern Black-backed, see Gull, Black-backed
- Gygis alba candida*, see Tern, White
- Gymnorhina tibicen*, see Magpie, Australian
- Haematopus chathamensis*, see Oystercatcher, Chatham Island
 ostralegus finschi, see Oystercatcher, South Island Pied
 unicolor, see Oystercatcher, Variable
- Halcyon chloris*, see Kingfisher, Collared
 cinnamomina, see Kingfisher, Micronesian
 sancta vagans, see Kingfisher, Sacred, or Kingfisher, New Zealand
- Halobaena caerulea*, see Petrel, Blue
- HAMILTON, S. A test of burrow occupancy of Sooty Shearwaters (*Puffinus griseus*) using chick response to sound, 64-66
- HARPER, G., see VEITCH, C.R.; HARPER, G.
- Harrier, Australasian, 14, 23, 29, 126, 127, 269, 290
 Pacific Marsh, 191

- HARRIS, A.; CLIFFORD, S. An almost fully melanistic Silvereye (*Zosterops lateralis*) from Otago, 309-310
- Hawk, Cooper's, 191
- HAWKE, D.J. Seabirds around Banks Peninsula (New Zealand) from aerial surveys, 113-125
- HAWKE, D.J.; PETCH, S. Two seabird recoveries from Christchurch city: implications for Classified Summarised Notes, 153-155
- Hemiphaga novaeseelandiae*, see Pigeon, New Zealand
- Heron, Extinct Niue Night, 177, 184, 189, 190
- Pacific Reef, see Heron, Reef
- Reef, 10, 145, 148, 149, 151, 179, 286-287
- White, 9, 286
- White-faced, 9, 177, 179, 285-286
- Himantopus b. leucocephalus*, see Stilt, Australasian Pied
- novaezelandiae*, see Stilt, Black
- Hirundo rustica*, see Swallow, Barn
- tabitica neoxena*, see Swallow, Welcome
- HUGHEY, K.F.D. Nesting home range sizes of Wrybill (*Anarbychus frontalis*) and Banded Dotterel (*Charadrius bicinctus*) in relation to braided river characteristics, 103-111
- Hymenolaimus malacorbhynchus*, see Duck, Blue
- Ibis, Glossy, 10, 287
- IMBER, M.J. Compiler, Recent Literature, 70-74
- IMBER, M., see TENNYSON, A.; IMBER, M.; TAYLOR, R.
- IMBER, M.J.; TENNYSON, A.J.D.; TAYLOR, G.A.; JOHNSON, P. A second intact specimen of the Chatham Island Taiko (*Pterodroma magentae*), 247-254
- Jaeger, see Skua
- JOHNSON, P. see IMBER, M.J.; TENNYSON, A.J.D.; TAYLOR, G.A.; JOHNSON, P.
- Junglefowl, Red, 145, 148, 179, 184
- Kaka, North Island, 304-305
- South Island, 25, 238, 246
- Kakapo, 71, 240
- Kakerori, see Flycatcher, Rarotonga

Kea, 25, 72

Kestrel, Nankeen, 14

Kingfisher, Belted, 103, 109

Collared, 147

Micronesian, 147

New Zealand, 26-27, 306

Sacred, 147

sp., 141, 148

Kiwi, 44-48, 93-94

North Island Brown, 42, 44, 72, 93-94, 280

South Island Brown, 2

Stewart Island Brown, 246

Knot, Great, 297

Lesser, 19, 76, 77, 297

Red, see Knot, Lesser

Kokako, North Island, 308

Kookaburra, 306

Lalage maculosa whitmei, see Triller, Polynesian

LALAS, C.; BROWN, D. The diet of New Zealand King Shags (*Leucocarbo carunculatus*) in Pelorus Sound, 129-139

Laridae, 75

Larus bulleri, see Gull, Black-billed

dominicanus, see Gull, Black-backed

novaeollandiae scopulinus, see Gull, Red-billed

Leucocarbo atriceps, see Shag, Imperial

carunculatus, see Shag, New Zealand King

chalconotus, see Shag, Stewart Island

Limosa haemastica, see Godwit, Hudsonian

lapponica baueri, see Godwit, Eastern Bar-tailed

l. lapponica, see Godwit, Bar-tailed

l. menzbieri, see Godwit, Bar-tailed

limosa, see Godwit, Black-tailed

l. melanuroides, see Godwit, Asiatic Black-tailed

LOCK, J.W., see TENNYSON, A.J.D.; LOCK, J.W.

Lorikeet, see also Lory

Rainbow, 305

Lory, Blue-crowned, 179, 189

Conquered, 189

'Eua, 189

Henderson Island, 189

Rimatara, 189

Macronectes giganteus, see Petrel, Southern Giant

balli, see Petrel, Northern Giant

sp., see Petrel, Giant sp.

Magpie, Australian, 30, 126, 127, 269-270, 290

Mallard, 12, 227, 289

McLENNAN, J., see MILES, J.; McLENNAN, J.

Megaceryle alcyon, see Kingfisher, Belted

Megadyptes antipodes, see Penguin, Yellow-eyed

Megapode, Niuafo'ou, 177, 184, 189, 190

Megapodius pritchardii, see Megapode, Niuafo'ou

MILES, J.; McLENNAN, J. A new technique for radio-tagging immature kiwi (*Apteryx* spp.), 44-48

MILES, J.R.G. Cat and stoat visit a kiwi (*Apteryx* spp.) nest, 93-94

Moboua albicilla, see Whitehead

novaeseelandiae, see Creeper, Brown

ochrocephala, see Yellowhead

MOLLOY, J., see SAGAR, P.M.; STAHL, J.C.; MOLLOY, J.

Mollymawk, Black-browed, 3, 157-166, 280

Buller's, 3, 246, 271-278, 281

Chatham Island, 281

Grey-headed, 157, 159, 162, 164, 281

New Zealand Black-browed, 157, 161, 164, 165

New Zealand White-capped, 157-166, 281

Salvin's, 3, 161, 281

Shy, 3, 246

Southern Buller's, 271-278

spp., 159

White-capped, see Mollymawk, Shy or New Zealand White-capped

Yellow-nosed, 281

Morepork, 26, 238, 246

Morus serrator, see Gannet, Australian

Murre spp., 123

Myna, Common, 266

Nestor m. meridionalis, see Kaka, South Island

m. septentrionalis, see Kaka, North Island

notabilis, see Kea

Ninox novaeseelandiae, see Morepork

Noddy, Black, see Noddy, White-capped

Brown, see Noddy, Common

Common, 146, 148, 150, 151, 179, 186

White-capped, 146, 148, 151

Numenius madagascariensis, see Curlew, Eastern

minutus, see Whimbrel, Little

phaeopus, see Whimbrel, sp.

p. budsonicus, see Whimbrel, American

p. variegatus, see Whimbrel, Asiatic

sp., see Whimbrel, sp.

tabitiensis, see Curlew, Bristle-thighed

Nycticorax n.sp., see Heron, Extinct Niue Night

Oceanites oceanicus, see Storm Petrel, Wilson's

O'DONNELL, C.F.J.; WEST, J.A. CLASSIFIED SUMMARISED NOTES, South Island and outlying islands, 1 July 1995 to 30 June 1996, 1-30

OSTROM, P, see GOULD, P; OSTROM, P; WALKER, W

Owl, Barn, 179, 183, 187

Little, 26

Oystercatcher, Chatham Island, 227

South Island Pied, 15, 292

Variable, 16, 246, 292-293

Pachyptila sp., see Prion, sp.

- turtur*, see Prion, Fairy
- vittata*, see Prion, Broad-billed
- Pagodroma nivea*, see Petrel, Snow
- Parakeet, Antipodes, 60
 - Chatham Island Red-crowned, 25
 - Forbes, 60
 - Orange-fronted, 49-63
 - Red-crowned, 25, 54, 59, 305
 - spp., 26, 49-63, 238, 246, 305
 - Yellow-crowned, 26, 49-63
- Parrot, Eclectus, 189
 - Henderson Island, see Lory, Henderson Island
- Partridge, Red-legged, 14
- Passer domesticus*, see Sparrow, House
- Pelagodroma marina*, see Storm Petrel, White-faced
- Pelecanoides georgicus*, see Petrel, South Georgian Diving
 - urinatrix*, see Petrel, Diving
 - u. chatthamensis*, see Petrel, Subantarctic Diving
 - u. exsul*, see Petrel, Subantarctic Diving
 - u. urinatrix*, see Petrel, Diving
- Penguin, Blue, 6-7, 246, 284
 - Fiordland Crested, 7, 246, 284
 - King, 72-73
 - Yellow-eyed, 6, 284
- PETCH, S., see HAWKE, D.J.; PETCH, S.
- Petrel, Antarctic, 74
 - Black, 282
 - Black-winged, 164, 283
 - Blue, 6
 - Common Diving, 4, 229-246, 271, 282, 290
 - Cook's, 6, 73-74, 154, 246, 252
 - Dark-rumped, 64
 - Desertas, 252
 - Diving, see Petrel, Common Diving
 - Giant, 5, 179, 246, 283

- Great-winged, 6
- Grey-faced, 102, 247, 252, 283
- Kermadec, 67-69
- Madeira, 252
- Magenta, see Taiko, Chatham Island
- Mottled, 6, 246
- Northern Giant, 5, 283
- Pycroft's, 283
- Snow, 252
- Soft-plumaged, 247, 252, 253
- South Georgian Diving, 4, 229-246
- Southern Giant, 5
- spp., 64, 65, 189
- Subantarctic Diving, 229-246
- Westland, 4, 282
- White-chinned, 5, 72
- White-headed, 6, 246, 249
- White-naped, 283
- Petroica a. australis*, see Robin, South Island
- a. longipes*, see Robin, North Island
- m. macrocephala*, see Tomtit, South Island
- m. toitoi*, see Tomtit, North Island
- Phaethon lepturus*, see Tropicbird, White-tailed
- rubricauda*, see Tropicbird, Red-tailed
- Phalacrocorax carbo*, see Shag, Black
- melanoleucos*, see Shag, Little
- spp., see Shag, spp.
- sulcirostris*, see Shag, Little Black
- varius*, see Shag, Pied
- Phalarope, Red-necked, 300
- Phalaropus lobatus*, see Phalarope, Red-necked
- Philesturnus c. carunculatus*, see Saddleback, South Island
- c. rufusater*, see Saddleback, North Island
- Phoebastria palpebrata*, see Albatross, Light-mantled Sooty
- Pigeon, Cape, 5, 246, 282

- 'Eua, 189
- Extinct Henderson Island, 189
- Feral, see Pigeon, Rock
- Micronesian, 146, 148-150
- n. sp., 189
- New Zealand, 25, 76, 290, 303-304
- Nuku Hiva, 189
- Pacific, 179, 186, 189
- Polynesian, 189
- Rock, 25, 304
- Society Islands, 189
- spp., 75, 76, 146, 191
- Tooth-billed n. sp., 189
- Piopio, 246
- Pipit, New Zealand, 27, 95-101, 238, 246, 306
 - Richard's, 95
- Platalea regia*, see Spoonbill, Royal
- Platycercus eximius*, see Rosella, Eastern
- Plegadis falcinellus*, see Ibis, Glossy
- Plover, American Golden, 143, 296
 - Grey, 18, 296
 - Pacific Golden, 18, 143, 145, 148-150, 179, 296
 - Shore, 295
 - Spur-winged, 18, 126, 227, 290, 296
- Pluvialis dominica*, see Plover, American Golden
 - fulva*, see Plover, Pacific Golden
 - squatarola*, see Plover, Grey
- Podiceps cristatus australis*, see Grebe, Australasian Crested
- Poliocephalus rufopectus*, see Dabchick, New Zealand
- Pomarea dimidiata*, see Flycatcher, Rarotonga
 - ipbis*, see Flycatcher, Marquesas
 - mendozae*, see Flycatcher, Marquesas
 - whitneyi*, see Flycatcher, Marquesas
- Porphyrio p. melanotus*, see Pukeko
 - p. samoensis*, see Swamphen, Purple

- Porzana pusilla*, see Crake, Marsh
 tabuensis, see Crake, Spotless
Pratincole, Oriental, 17
 spp., 75
Prion, Broad-billed, 5, 154, 246
 Fairy, 5, 153, 154, 246, 283
 spp., 6, 283
Procellaria aequinoctialis, see Petrel, White-chinned
 parkinsoni, see Petrel, Black
 westlandica, see Petrel, Westland
Procelsterna cerulea albivittata, see Ternlet, Grey
Prosthemadera novaeseelandiae, see Tui
 n. chathamensis, see Tui, Chatham Island
Prunella modularis, see Sparrow, Hedge
Pterodroma cabow, see Cahow
 cervicalis, see Petrel, White-naped
 cookii, see Petrel, Cook's
 deserta, see Petrel, Desertas
 inexpectata, see Petrel, Mottled
 lessonii, see Petrel, White-headed
 macroptera gouldi, see Petrel, Grey-faced
 m. macroptera, see Petrel, Great-winged
 madeira, see Petrel, Madeira
 magentae, see Taiko, Chatham Island
 mollis, see Petrel, Soft-plumaged
 neglecta, see Petrel, Kermadec
 nigripennis, see Petrel, Black-winged
 phaeopygia, see Petrel, Dark-rumped
 pycrofti, see Petrel, Pycroft's
Ptilinopus insularis, see Dove, Henderson Island Fruit
 perousii, see Dove, Many-coloured fruit
 porphyraceus, see Dove, Crimson-crowned Fruit
 rarotongensis, see Dove, Cook Islands Fruit
 sp., see Dove, Fruit sp.
Puffinus assimilis, see Shearwater, Little

a. haurakiensis, see Shearwater, North Island Little

bulleri, see Shearwater, Buller's

carneipes, see Shearwater, Flesh-footed

gavia, see Shearwater, Fluttering

gavia/buttoni, see Shearwater, Fluttering/Hutton's

griseus, see Shearwater, Sooty

buttoni, see Shearwater, Hutton's

lberminieri, see Shearwater, Audubon's

pacificus, see Shearwater, Wedge-tailed

puffinus, see Shearwater, Manx

tenuirostris, see Shearwater, Short-tailed

Pukeko, 15, 37, 227, 246, 292

Quail, Brown, 291

California, 14, 291

Rail, Banded, 14, 71, 167, 175, 179, 185, 291

Buff-banded, see Rail, Banded

Chatham Island, 71

Dieffenbach's, 71

Extinct Niue, 177, 185, 189, 190

Rallus philippensis, see Rail, Banded

p. goodsoni, see Rail, Banded

Raptor sp., 140

Redpoll, 30, 308

REVIEWS: Gill, B.J. Birds of the World. Version 2.0. C.G. Sibley, 75

Battley, P. Handbook of Australian, New Zealand and Antarctic Birds, Volume 3: Snipe to Pigeons. P.J. Higgins & S.J.J.F. Davies (Eds), 75-77

Lovei, G. Birds as monitors of environmental change. R.W. Furness & J.J.D. Greenwood (Eds), 140

Rhipidura f. fuliginosa, see Fantail, South Island

f. penita, see Fantail, Chatham Island

f. placabilis, see Fantail, North Island

RIDLEY, A.R.; SULLIVAN, W.J. The effect of surrounding land use on the distribution of Southern Crested Grebes (*Podiceps cristatus australis*) on Lake Forsyth, Banks Peninsula, New Zealand, 220-223

- Rifleman, North Island, 306
South Island, 27
- ROBERTSON, H.A., see SAUL, E.K.; ROBERTSON, H.A.; TIRAA, A.
- Robin, 240
North Island, 307
South Island, 28, 71-72
- Rook, 30, 308
- Rosella, Eastern, 25, 305
- Saddleback, North Island, 308
South Island, 30, 238, 240, 246
- SAGAR, P.M.; STAHL, J.C.; MOLLOY, J. Sex determination and natal philopatry of Southern Buller's mollymawks (*Diomedea bulleri bulleri*), 271-278
- Sanderling, 19, 150
- Sandpiper, Broad-billed, 77
Curlew, 19, 297
Marsh, 22, 300
Pectoral, 20, 179, 298
Sharp-tailed, 19, 297-298
spp., 75
Terek, 22, 300
- SAUL, E.K.; ROBERTSON, H.A.; TIRAA, A. Breeding biology of the Kakerori (*Pomarea dimidiata*) on Rarotonga, Cook Islands, 255-269
- Scaup, New Zealand, 13, 290
- Scolopacidae, 75
- Scythrops n. novaehollandiae*, see Cuckoo, Channel-billed
- Seabird spp., 64-66, 67-69, 113-125, 153-155, 177
- Shag, Black, 7-8, 284
Blue-eyed spp., 138
Imperial, 138
Little, 7, 8, 285
Little Black, 8, 285
New Zealand King, 8, 129-139
Pied, 8, 113, 116, 118-120, 122, 123, 284-285
Pitt Island, 9

- Spotted, 8-9, 113, 116-120, 122, 123, 246, 285
- spp., 130
- Stewart Island, 8, 129, 246
- Shearwater, Audubon's, 150
 - Buller's, 3, 81-93, 116, 117, 121, 246, 281
 - Cory's, 276
 - Flesh-footed, 82, 281
 - Fluttering, 4, 23, 117-122
 - Fluttering/Hutton's, 113, 116-122, 246, 282
 - Hutton's, 3, 4, 14, 23, 117-122
 - Little, 102, 246, 282
 - Manx, 64, 65, 271
 - North Island Little, 282
 - Short-tailed, 89, 246, 271
 - Sooty, 3-4, 22, 82, 89, 246, 271, 282
 - spp., 189
 - Wedge-tailed, 179, 189
- Shelduck, Chestnut-breasted, 226-228, 289
 - Paradise, 12, 227, 246, 289
- Shorebird spp., 76, 155
- Shoveler, New Zealand, 13, 290
- Silvereye, 29, 127, 307, 309-310
- Skua, Arctic, 22, 70, 300
 - Arctic/Pomarine, 22-23
 - Brown, 22, 228, 246, 300
 - Great, 70
 - Long-tailed, 70
 - Pomarine, 22, 70, 301
 - spp., 70, 75, 76
- Skylark, 27, 95-101
- Snipe, Chatham Island, 19
 - New Zealand, 238, 240, 246
- SORENSEN, L., see BROCKIE, R.E.; SORENSEN, L.
- Sparrow, Hedge, 27, 306
 - House, 30, 127, 290, 308

- Spoonbill, Royal, 10-11, 288
- STAHL, J.C., see SAGAR, P.M.; STAHL, J.C.; MOLLOY, J.
- Starling, 14, 30, 291, 308
- Micronesian, 141, 143, 148-151
- Polynesian, 179, 187-188
- Stercorariidae, 70
- Stercorarius longicaudus*, see Skua, Long-tailed
- parasiticus*, see Skua, Arctic
- pomarinus*, see Skua, Pomarine
- spp., see Skua spp.
- Sterna albifrons sinensis*, see Tern, Eastern Little
- albostrata*, see Tern, Black-fronted
- anaethetus*, see Tern, Bridled
- bergii*, see Tern, Crested
- caspia*, see Tern, Caspian
- fuscata*, see Tern, Sooty
- hirundo*, see Tern, Common
- nereis davisae*, see Tern, New Zealand Fairy
- striata*, see Tern, White-fronted
- sumatrana*, see Tern, Black-naped
- Stictocarbo featherstoni*, see Shag, Pitt Island
- punctatus*, see Shag, Spotted
- Stilt, Australasian Pied, 16, 293
- Black, 16-17, 294
- Stint, Little, 76
- Red-necked, 20, 298
- Storm Petrel, Black-bellied, 6
- Grey-backed, 246
- White-faced, 6, 153, 154, 246, 283
- Wilson's, 89
- Streptopelia chinensis*, see Dove, Spotted
- roseogrisea*, see Dove, Barbary
- Strigops habroptilus*, see Kakapo
- Sturnus vulgaris*, see Starling, European
- Sula leucogaster*, see Booby, Brown

sula, see Booby, Red-footed

SULLIVAN, W.J., see RIDLEY, A.R.; SULLIVAN, W.J.

Swallow, Barn, 150

Welcome, 27, 228, 291, 306

Swamphen, Purple, 179, 185-186

Swan, Black, 11, 227, 288

Mute, 11, 288

Swiftlet, Island, 150

White-rumped, 179, 181, 187

Synoicus ypsilophorus, see Quail, Brown

Tachybaptus novaehollandiae, see Grebe, Australasian Little

Tadorna tadornoides, see Shelduck, Chestnut-breasted

variegata, see Shelduck, Paradise

Taiko, Chatham Island, 247-254

Tattler, Grey-tailed, see Tattler, Siberian

Siberian, 21, 145, 300

sp., 21, 148-150, 300

Wandering, 145, 179

TAYLOR, G.A., see IMBER, M.J.; TENNYSON, A.J.D.; TAYLOR, G.A.; JOHNSON, P.

TAYLOR, R., see TENNYSON, A.; IMBER, M.; TAYLOR, R.

TAYLOR, R.H. A reappraisal of the Orange-fronted Parakeet (*Cyanoramphus* sp.) - species or colour morph? 49-63

Teal, Brown, 13, 246, 290

Grey, 12-13, 289-290

TENNYSON, A.; IMBER, M.; TAYLOR, R. Numbers of Black-browed Mollymawks (*Diomedea m. melanophrys*) and White-capped Mollymawks (*D. cauta steadi*) at the Antipodes Islands in 1994-95 and their population trends in the New Zealand region, 157-166

TENNYSON, A.; BRACKENBURY, G. Channel-billed cuckoos in New Zealand in spring 1996, 223-226

TENNYSON, A. Chestnut-breasted Shelducks and other wetland birds at Tupuangi, Chatham Islands, 226-228

TENNYSON, A.J.D.; LOCK, J.W. Classified Summarised Notes, North Island, 1 July 1996 to 30 June 1997, 279-308

TENNYSON, A.J.D., see IMBER, M.J.; TENNYSON, A.J.D.; TAYLOR, G.A.; JOHNSON, P.

- Tern, Black-fronted, 23, 103, 246, 302
 Black-naped, 146, 148, 149
 Bridled, 150
 Caspian, 24, 193-220, 302
 Common, 24
 Crested, 145, 148, 150
 Eastern Little, 24, 303
 Fairy, see Tern, New Zealand Fairy
 Gull-billed, 301
 Little, see Tern, Eastern Little
 New Zealand Fairy, 303
 Sooty, 150, 151
 spp., 22, 75, 76, 149
 White, 146, 148, 149, 179, 186
 White-fronted, 22, 24, 113, 116-120, 122, 123, 219, 228, 300-302
 White-winged Black, 23, 301
- Ternlet, Grey, 303
- Thalassoica antarctica*, see Petrel, Antarctic
- Thrush, Song, 27, 127, 306
- TIRAA, A., see SAUL, E.K.; ROBERTSON, H.A.; TIRAA, A.
- Tomtit, 266
 North Island, 307
 South Island, 28, 238, 246
- Trichoglossus haematodus*, see Lorikeet, Rainbow
- Triller, Polynesian, 179
- Tringa brevipes*, see Tattler, Siberian
 incana, see Tattler, Wandering
 nebularia, see Greenshank
 stagnatilis, see Sandpiper, Marsh
 terek, see Sandpiper, Terek
- Tropicbird, Red-tailed, 179, 284
 White-tailed, 144, 148, 150, 179, 183-184
- Tui, 29, 291, 307-308
 Chatham Island, 29
- Turdus merula*, see Blackbird

- philomelos*, see Thrush, Song
- Turnagra capensis*, see Piopio
- Turnstone, 18-19, 76, 145, 148-150, 153, 179, 297
- Ruddy, see Turnstone
- Tyto alba lulu*, see Owl, Barn
- Uria* spp., see Murre spp.
- VAN BERKUM, B.; see BEAUCHAMP, A.J.; VAN BERKUM, B.; CLOSS, M.J.
- Vanellus miles novaehollandiae*, see Plover, Spur-winged
- VEITCH, C.; HARPER, G. Breeding season of Kermadec Petrels (*Pterodroma n. neglecta*) at Meyer Islands, Kermadec Group, New Zealand, 67-69
- Vini australis*, see Lory, Blue-crowned
- kublii*, see Lory, Rimatara
- solitarius*, see Lory, 'Eua
- stepheni*, see Lory, Henderson Island
- vidivici*, see Lory, Conquered
- Wader spp., 103-111, 177
- WALKER, W., see GOULD, P.; OSTROM, P.; WALKER, W.
- WALTER, R., see WORTHY, T.H.; WALTER, R.; ANDERSON, A.J.
- Warbler, Chatham Island, 70
- Grey, 28, 70, 112, 127, 307
- Weka, 167-176
- Eastern or Buff, 167, 168, 172, 175, 251
- North Island, 31-43, 167, 168, 170-175, 291
- Stewart Island, 167, 168, 175, 238, 246
- Western, 14-15, 42, 167, 172, 174, 175
- WEST, J.A., see O'DONNELL, C.F.J.; WEST, J.A.
- Whimbrel, American, 20, 298
- Asiatic, 20, 298
- Little, 21, 299
- sp., 20, 145, 148-150, 299
- WHITE, C.M.; BRIMM, D.J. Fiji Goshawk (*Accipiter rufitorques*) hunts by grass-probing, 191-192
- Whitehead, 307

WOOD, J. The effects of an abnormally cold winter spell on Southland birds, 126-128

Woodhen, Lord Howe, 167, 175

WOOLLEY, B. Grey-faced Petrel (*Pterodrom macroptera*) entangled in hip chain cotton, 102

WORTHY, T.H.; WALTER, R.; ANDERSON, A.J. Fossil and archaeological avifauna of Niue Island, Pacific Ocean, 177-190

WORTHY, T.H. Fossils indicate *Pelecanoides georgicus* had large colonies at Mason Bay, Stewart Island, New Zealand, 229-246

Wren, Bush, 240

Rock, 27

Wrybill, 18, 103-111, 295-296

Xenicus gilviventris, see Wren, Rock

longipes, see Wren, Bush

Yellowhammer, 29, 308

Yellowhead, 28

Zosterops lateralis, see Silvereye

Compiled by TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland, 1309