


NOTORNIS

Journal of the
Ornithological Society of New Zealand



Volume 46 - 1999

ISSN 0029-4470

OFFICERS 1999-2000

President: DAVID G. MEDWAY - 25a Norman Street, New Plymouth
Vice-Presidents: DAVID CROCKETT - 21 McMillan Ave., Kamo, Whangarei
North Island: KERRY-JAYNE WILSON - Ecology & Entomology Group, P.O. Box
South Island: 84, Lincoln University, Lincoln
Secretary: CHRISTINE REED - P.O. Box 12397, Wellington
Treasurer: MARK NEE - P.O. Box 12397, Wellington
Council Members: TONY CROCKER - 118 Cones Rd., Ashley, R.D.2, Rangiora
PETER SCHWEIGMAN - 121 Maryhill Terrace, Dunedin
HAZEL HARTY - P.O. Box 316, Drury
LLOYD ESLER - 15 Mahuri Road, Otatara, R.D.9, Invercargill
G.A. TAYLOR - P.O. Box 12397, Wellington
BEV WOOLLEY - 8 Beverly Cres., Hamilton

EDITORS

NOTORNIS

Editorial Board:

RICHARD N. HOLDAWAY - P.O. Box 12397, Wellington
M.J. IMBER Department of Conservation, P.O. Box 12420,
Wellington
RON MOORHOUSE Department of Conservation, Private Bag 5,
Nelson
PAUL M. SAGAR - 38A Yardley St., Christchurch
J. WAAS - Department of Biological Sciences, Waikato University,
Private Bag 3105, Hamilton
E. C. YOUNG - 229a Redwood St., Blenheim
TONY CROCKER - 118 Cones Rd., Ashley, R.D. 2, Rangiora
KEITH WOODLEY - Miranda Shorebird Centre, R.D.1, Pokeno

Southern Bird:

Book Reviews:

CONVENORS

& ORGANISERS

Rare Birds: DAVID MEDWAY - 25a Norman St., New Plymouth
Beach Patrol: LAURIE HOWELL - 38 Okahu Rd., Kaitia
Nest Records: HUGH A. ROBERTSON - 2 Weld St., Wadestown
Moult Records: BEN D. BELL - School of Biological Sciences, Victoria University, P.O.
Box 600, Wellington

Classified Summarised

Notes North Island:

South Island:

SW Pacific Islands:

Banding Liaison Officer: J.L. MOORE - 32 Brook St., Lower Hutt
CHRIS N. CHALLIES - 22a Highfield Pl., Christchurch 4

LIBRARIANS

Books & Journals:

KATHY BARROW - c/- Auckland Institute & Museum, Private Bag
92018, Auckland

Bird Slides:

PAUL CUMING - 67 School Rd., Whatawhata, R.D. 9, Hamilton

SUBSCRIPTIONS

& MEMBERSHIP

Applications for membership, changes of address, resignations, and advice on non-delivery of *Notornis* and *Southern Bird* should be sent to the Membership Secretary: HAZEL HARTY, P.O. Box 316, Drury, South Auckland : Phone/Fax +64 (09) 394 8334. Ordinary Member \$45, Overseas US\$40 (incl. Postage) Full-time Student Member \$22.50 Family Member living in a household with an Ordinary or Life Member or Fellow \$22.50 (do not receive publications) Institution/Group Member \$90, overseas US\$80 (incl. postage) Corporate Member \$225 Life Member (30 years and over) \$900, Overseas US\$800 Overseas subscriptions can be paid by VISA or Mastercard

CONTENTS OF VOLUME 46

1999

Part 1: March 1999

Wader studies in New Zealand: A tribute to Richard B. Sibson (1911-1994) and Barrie D. Heather (1931-1995). • LOVEGROVE, T.; ROBERTSON, H.	iii
Distribution and numbers of waders in New Zealand, 1983-1994. • SAGAR, P.M.; SHANKAR, U.D.E.; BROWN, S.	1
Waders of the Manukau Harbour and Firth of Thames. • VEITCH, C.R.; HABRAKEN, A.M.	45
Annual cycle of waders at the Firth of Thames. • VEITCH, C.R.	71
Effect of water levels on the seasonal use of Lake Wairarapa by waders. • ROBERTSON, H.A.; HEATHER, B.D.	79
Dispersal of Pied South Island Oystercatchers (<i>Haematopus ostralegus finschi</i>) from an inland breeding area of New Zealand. • SAGAR, P.M.; GEDDES, D.	89
Regional patterns of migration in the Banded Dotterel. (<i>Charadrius bicinctus bicinctus</i>). • PIERCE, R.	101
Movements of banded Arctic waders to and from New Zealand • RIEGEN, A.C.	123
Seasonal mass changes of Lesser Knots (<i>Calidris canutus</i>) in New Zealand. • BATTLE, P.F.	143
Distribution and abundance of the Chatham Island Oystercatcher (<i>Haematopus chathamensis</i>). • SCHMECHSEL, F.A.; O'CONNOR, S.	155
Past distribution and decline of the New Zealand Dotterel (<i>Charadrius obscurus</i>) in the South Island of New Zealand. • DOWDING, J.E.	167
Double-brooding and brood overlap by Northern New Zealand Dotterels (<i>Charadrius obscurus aquilonius</i>). • DOWDING, J.E.; WILLS, D.E.; BOOTH, A.M.	181
Status of the Black-fronted Dotterel (<i>Charadrius melanops</i>) in the Wairarapa. • DENNISON, T.C.; ROBERTSON, H.A.	187
Attempts to establish Shore Plover (<i>Thinornis novaeseelandiae</i>) on Motuora Island, Hauraki Gulf. • AIKMAN, H.	195
Breeding ecology of Snares Island Snipe (<i>Coenocorypha aucklandica buegeli</i>) and Chatham Island Snipe (<i>C. pusilla</i>). • MISKELLY, C.M.	207
Social constraints to access to mates in a high density population of New Zealand Snipe (<i>Coenocorypha aucklandica</i>). • MISKELLY, C.M.	223
Short Notes	
A record of Wrybill (<i>Anarhynchus frontalis</i>) breeding at one year old. • DOWDING, J.; MURPHY, E.; ELLIOTT, M.; DUIRS, R.	240
Confirmation of a nocturnal aerial display by Auckland Island Snipe (<i>Coenocorypha aucklandica aucklandica</i>). • TENNYSON, A.J.D.	241

Part 2: June 1999

Bird populations in nine braided rivers of the Upper Waitaki Basin South Island, New Zealand: changes after 30 years. • MALONEY, R.F.	243
Diet provided for chicks by New Zealand Falcons (<i>Falco novaeseelandiae</i>) nesting in forested habitat. • BAREA, L.P.; WAAS, J.R.; THOMPSON, K.; HYDE, N.H.	257
Seasonal and diurnal attendance of Kea (<i>Nestor notabilis</i>) at Halpin Creek rubbish dump, Arthur's Pass, New Zealand. • JARRETT, M.; WILSON, K.J.	273
Skua (<i>Catharacta</i> sp.) foraging behaviour at the Cape Crozier Adélie. Penguin (<i>Pygoscelis adeliae</i>) colony, Ross Island, Antarctica, and implications for breeding. • YOUNG, E.C.; MILLAR, C.D.	287
Aspects of the ecology of Antipodes Island Parakeet (<i>Cyanoramphus unicolor</i>) and Reischek's Parakeet (<i>C. novaeseelandiae hochstetteri</i>) on Antipodes Island, October - November 1995. • GREEN, T.C.	301
Short Notes	
A myna increase - notes on introduced mynas (<i>Acridotheres</i>) and bulbuls (<i>Pycnonotus</i>) in Western Samoa. • GILL, B.J.	268
Food plants of Bellbird (<i>Anthornis melanura</i>), Tui (<i>Prosthemadera novaeseelandiae</i>) and New Zealand Pigeon (<i>Hemiphaga novaeseelandiae</i>) in Dunedin. • BAKER, A.	270
First record of Northern Pintail (<i>Anas acuta</i>) in New Zealand. • PETYT, C.	298
Territorial dispute between two male Bellbirds (<i>Anthornis melanura</i>) ends in death by drowning. • WILSON, D.J.; WILSON, I.D.	299
Review	319
Letter	320
Recent Literature	321

Part 3: September 1999

Recovery of a Mohua (<i>Moboua ochrocephala</i>) population following predator control in the Eglinton Valley, Fiordland, New Zealand. • DILKS, P.	323
Diet of Morepork (<i>Ninox novaeseelandiae</i>) throughout New Zealand by analysis of stomach contents. • HAW, J.M.; CLOUT, M.N.	333
Feeding sign of Moreporks (<i>Ninox novaeseelandiae</i>) on birds. • BROWN, K.; MUDGE, D.	346
Norfolk Island Bird Notes, 1977 to 1997. • MOORE, J.L.	354
Near-shore distribution and seasonal abundance of White-flipped Penguins <i>Eudyptula minor albosignata</i> at Banks Peninsula, New Zealand. • BRÄGER, S.; STANLEY, S.	365
Amendments and additions to the 1982 list of chewing lice (<i>Insecta: Phthiraptera</i>) from birds in New Zealand. • PALMA, R.L.	373
Bird counts in Kennedy's Bush Scenic Reserve, Port Hills, Christchurch. • FREEMAN, A.N.D.	388
Birds of Canterbury Symposium • WILSON, K.	405
Abstracts of talks from birds in Canterbury Symposium.	406
Election of Fellows	412
Obituary	417
Review	420
Recent Literature	421

Part 4: December 1999

Increase of gannets (<i>Morus serrator</i>) at Muriwai, Auckland • GREENE, B.	423
Seabirds found dead on New Zealand beaches in 1996 • TAYLOR, G.	434
Breeding biology of the North Island Tomtit (<i>Petroica macrocephala toitoi</i>) at Pureora Forest • KNEGTMANS, J; POWLESLAND, R.	446
A preliminary report on the nesting habits of moas on the East Coast of the North Island. • HARTREE, W. H.	457
Weka declines in the north and north-west of the South Island, New Zealand. • BEAUCHAMP, A.J.	461
Bird use of the sediment settlement ponds and roost areas at Port Whangarei • BEAUCHAMP, A.J; PARRISH, G.R.	470
Aspects of the breeding biology of Black Shags (<i>Phalacrocorax carbo</i>) near Lake Kohangatera, Wellington • POWLESLAND, R.G; REESE, P.J.	484
Short Notes	
Albatross names • BOURNE, W. R. P.	498
Australian Magpie preys on Banded Dotterel chicks • KEEDWELL, R; SANDERS, M.D.	499
Breeding age of Royal Spoonbills in New Zealand • SCHWEIGMAN, P.	502
Obituary	503

INDEX OF AUTHORS AND SPECIES

VOL 46

- Acanthisitta c. chloris*, see Rifleman, South Island
Acanthizinae, 320
Accipiter striatus, see Hawk, Sharp-shinned
Accipitridae, 320
Acridotheres fuscus, see Myna, Jungle
 tristis, see Myna, Indian
Actitis macularia, see Sandpiper, Spotted
AIKMAN, H. Attempts to establish Shore Plover (*Thinornis novaeseelandiae*) on Motuora Island, Hauraki Gulf, 195-205
Alauda arvensis, see Skylark
Albatross, Black-browed, see Mollymawk, Black-browed
 Buller's, see Mollymawk, Buller's
 Laysan, 354, 364
 Light-mantled Sooty, 437
 Royal, 499
 Shy, see Mollymawk, Shy
 Sooty, 375, 383
 Southern Buller's, see Mollymawk, Southern Buller's
 Southern Royal, 437, 438
 spp., 308, 420, 504
 Wandering, 302, 304, 355, 437, 498-499
Alca impennis, see Razorbill
 torda, see Razorbill
Alcedinidae, 319
Alectoris chukar, see Chukor
 rufa, see Partridge, Red-legged
Anarhynchus frontalis, see Wrybill
Anas gracilis, see Teal, Grey
 platyrhynchos, see Mallard
 rhynchotis variegata, see Shoveler, New Zealand
 superciliosa, see Duck, Grey
Anomalopteryx didiformis, see Moa
Anous stolidus pileatus, see Noddy, Common
Anser anser, see Goose, Domestic
Anseriformes, 379

- Anthornis melanura*, see Bellbird
Anthus novaeseelandiae, see Pipit, Richard's
n. novaeseelandiae, see Pipit, New Zealand
 Apterygidae, 375
 Apterygiformes, 375
Apteryx australis mantelli, see Kiwi, North Island Brown
 spp., see Kiwi spp.
Apus pacificus, see Swift, Fork-tailed
Archaeopteryx, 503
Ardea novaehollandiae, see Heron, White-faced
 Ardeidae, 379
Arenaria interpres, see Turnstone
Artamus personatus, see Woodswallow, Masked
superciliosus, see Woodswallow, White-browed
Athene noctua, see Owl, Little
 Auk, Great, 498
 Avocet, Australian Red-necked, 64, 359
Aythya novaeseelandiae, see Scaup, New Zealand

BAKER, A. Food plants of the Bellbird (*Anthornis melanura*), Tui (*Prosthemadera novaeseelandiae*) and New Zealand Pigeon, (*Hemiphaga novaeseelandiae*) in Dunedin, 270-272

BANKS, J., see SAGAR, P.M.; GEDDES, D.; BANKS, J.; HOWDEN, P.

BAREA, L.P.; WAAS, J.R.; THOMPSON, K.; HYDE, N.H. Diet provided for chicks by New Zealand Falcons (*Falco novaeseelandiae*) nesting in forested habitat, 257-267

Bartramia longicauda, see Sandpiper, Upland

BATTLE, P.F. Seasonal mass changes of Lesser Knots (*Calidris canutus*) in New Zealand, 143-153

BEAUCHAMP, A.J. Weka declines in the north and north-west of the South Island, New Zealand, 461-469

BEAUCHAMP, A.J.; PARRISH, G.R. Bird use of the sediment settlement ponds and roost areas at Port Whangarei, 470-483

Bellbird, 267, 270-272, 388, 390-393, 396, 397, 399, 401, 402, 404, 405, 408, 409

Bittern, Australasian, 250, 444, 475

Blackbird, 253, 262, 265, 267, 347, 349, 353, 382, 388, 390-392, 395, 397, 398, 401, 402, 404, 444, 476, 477, 480

Blackcap, 120

Booby, Brown, 357, 378

Masked, 357, 378

BOOTH, A.M., see DOWDING, J.E.; WILLS, D.E.; BOOTH, A.M.

Botaurus stellaris poiciloptilus, see Bittern, Australasian

BOURNE, W.R.P. Albatross names, 498-499

Bowdleria punctata vealeae, see Fernbird, North Island

p. wilsoni, see Fernbird, Codfish Island

Bowerbird spp., 415

BRAGER, S.; STANLEY, S. Near-shore distribution and seasonal abundance of White-flippered Penguins (*Eudyptula minor albosignata*) at Banks Peninsula, New Zealand, 365-372

Branta canadensis maxima, see Goose, Canada

BROWN, K.; MUDGE, D. Feeding sign of Moreporks (*Ninox novaeseelandiae*) on birds, 346-353

BROWN, K., see SANDERS, M.; BROWN, K.; WELLS, N.; FRASER, I.

BROWN, S., see SAGAR, P.M.; SHANKAR, U.; BROWN, S.

Bubulcus ibis coromandus, see Egret, Cattle

Bulbul, Red-vented, 268-269

Bulweria bulwerii, see Petrel, Bulwer's

Bunting, Cirl, 385

Cacatua galerita, see Cockatoo, Sulphur-crested

Cacatuidae, 381

Calidris acuminata, see Sandpiper, Sharp-tailed

alba, see Sanderling

alpina, see Dunlin

bairdii, see Sandpiper, Baird's

canutus, see Knot, Lesser

c. islandica, see Knot, Lesser

c. rogersi, see Knot, Lesser

ferruginea, see Sandpiper, Curlew

fuscollis, see Sandpiper, White-rumped

mauri, see Sandpiper, Western

melanotos, see Sandpiper, Pectoral

minutilla, see Sandpiper, Least

minutus, see Stint, Little

pusilla, see Sandpiper, Semi-palmated

ruficollis, see Stint, Red-necked

temminckii, see Stint, Temminck's

tenuirostris, see Knot, Great

Callaeas cinerea wilsoni, see Kokako, North Island

Callaeidae, 382

Callipepla californica brunnescens, see Quail, California-

Canary, 382, 383

Carduelis carduelis, see Goldfinch

chloris, see Greenfinch

flammea, see Redpoll

Catharacta maccormicki, see Skua, South Polar

skua lonnbergi, see Skua, Southern

Catoptrophorus semipalmatus, see Willet

CAUSER, J., see HAWKE, D.; HOLDAWAY, R.; CAUSER, J.; ODGEN, S.

Cereopsis novaehollandiae, see Goose, Cape Barren

Chaffinch, 253, 262, 267, 385, 388, 390-392, 395, 398, 400-402, 404, 476, 477, 480

Chalcites lucidus, see *Chrysococcyx lucidus*

CHALLIES, C.N. Changing fortunes of the White-flipped Penguin (Abstract), 410

Charadrii, 45, 71

Charadriidae, 380

Charadriiformes, 1-242, 380

Charadrius b. bicinctus, see Dotterel, Banded

b. exilis, see Dotterel, Auckland Island Banded

biaticula, see Plover, Ringed

leschenaultii, see Dotterel, Large Sand

melanops, see Dotterel, Black-fronted

mongolus, see Dotterel, Mongolian

obscurus, see Dotterel, New Zealand

o. aquilonius, see Dotterel, Northern New Zealand

o. obscurus, see Dotterel, Southern New Zealand

ruficapillus, see Dotterel, Red-capped

veredus, see Dotterel, Oriental

Chenonetta jubata, see Duck, Australian Wood

Chlidonias leucopterus, see Tern, White-winged Black

Chrysococcyx l. lucidus, see Cuckoo, Shining

Chukor, 253

Ciconiiformes, 379

Circus aeruginosus, see Harrier, Marsh

approximans, see Harrier, Australasian

eylesi, see Harrier, Eyles'

CLOUT, M.N., see HAW, J.M.; CLOUT, M.N.

Cockatoo, Sulphur-crested, 381

Coenocorypha aucklandica, see Snipe, New Zealand

a. aucklandica, see Snipe, Auckland Island

a. buegeli, see Snipe, Snares Island

pusilla, see Snipe, Chatham Island

- Colinus virginianus*, see Quail, Bobwhite
Columba livia, see Pigeon, Rock
Coraciidae, 320
Cormorant, Great, see Shag, Black
 Little, see Shag, Little
 Little Black, see Shag, Little Black
 Little Pied, see Shag, Little Pied
 White-breasted, 494
Coturnix chinensis, see Quail, King
Crake, Spotless, 359
Creeper, Brown, 385, 389, 397
CROSSLAND, A. Changes in birdlife after wetland enhancement in Christchurch, 409
Cuckoo, Channel-billed, 363, 381, 434, 438, 444
 Long-tailed, 253, 262, 267, 319, 362, 381
 Oriental, 362, 381
 Shining, 253, 267, 319, 388, 390, 392, 397, 402, 404, 475, 477, 480
 Shining Bronze, see Cuckoo, Shining
Cuculidae, 381
Cuculiformes, 381
Cuculus saturatus, see Cuckoo, Oriental
Curlew, Bristle-thighed, 64
 Eastern, 1, 25, 37, 38, 62, 63, 252, 360
 Long-billed, 224, 235
Cyanoramphus a. auriceps, see Parakeet, Yellow-crowned
 a. forbesi, see Parakeet, Forbes'
 novaezelandiae chathamensis, see Parakeet, Chatham Island Red-crowned
 n. cookii, see Parakeet, Norfolk Island
 n. hochstetteri, see Parakeet, Reischek's
 n. novaezelandiae, see Parakeet, Red-crowned
 spp., see Parakeet, spp.
 unicolor, see Parakeet, Antipodes
Cygnus atratus, see Swan, Black

Dabchick, New Zealand, 176
 sp., 320
Dacelo novaeguineae, see Kookaburra
Dacelonidae, 320
Daption capense australe, see Pigeon, Snares Cape
 c. capense, see Pigeon, Cape

DENNISON, T.C.; ROBERTSON, H.A. Status of the Black-fronted Dotterel (*Charadrius melanops*) in the Wairarapa, 187-193

DILKS, P. Recovery of a Mohua (*Moboua ochrocephala*) population following predator control in the Eglinton Valley, Fiordland, New Zealand, 323-332

Dinornis struthoides, see Moa

Dinornithiformes, 457

Diomedea bulleri, see Mollymawk, Buller's

b. bulleri, see Mollymawk, Southern Buller's

cauta cauta, see Mollymawk, Shy

c. eremita, see Mollymawk, Chatham Island

c. steadi, see Mollymawk, White-capped

cauta subsp., see Mollymawk *cauta* subsp.

chrysostoma, see Mollymawk, Grey-headed

epomophora epomophora, see Albatross, Southern Royal

exulans, see Albatross, Wandering

immutabilis, see Albatross, Laysan

melanophrys, see Mollymawk, Black-browed

Diomedidae, 375, 498

Dodo, 498

Dotterel, Auckland Island Banded, 380

Banded, 1, 2, 5, 10, 15, 16, 40, 45, 56, 59, 75, 79, 82-87, 101-122, 168, 172, 174, 175, 184, 240, 243, 247-250, 252-254, 359, 380, 411, 422, 475-478, 481, 482, 499-501

Black-fronted, iii, 1, 11, 21, 23, 59, 79, 82-87, 186, 187-193, 252, 385

Large Sand, 39, 40, 65, 359

Mongolian, 39, 40, 65

New Zealand, 1, 2, 5, 11, 20-23, 43, 45, 56-59, 67, 166-180, 181-185, 380, 444, 470, 475-478, 481, 482

Northern New Zealand, 11, 20-22, 43, 45, 56-59, 67, 167, 168, 174-176, 180-185, 240, 470, 475-478, 481, 482

Oriental, 64, 380

Red-capped, 65

Red-kneed, 64

Southern New Zealand, 11, 20-22, 43, 167-181

spp., 102, 175

Dove, Barbary, 385

Spotted, 385

DOWDING, J.E. Past distribution and decline of the New Zealand Dotterel (*Charadrius obscurus*) in the South Island of New Zealand, 167-180

DOWDING, J.E.; WILLS, D.E.; BOOTH, A.M. Double-brooding and brood overlap by Northern New Zealand Dotterels (*Charadrius obscurus aquilonius*), 181-185

- DOWDING, J.; MURPHY, E.; ELLIOTT, M.; DUIRS, R. A record of a wrybill (*Anarhynchus frontalis*) breeding at one year old, 240-241
- Dowitcher, Asiatic, 64
- Duck, Australian Wood, 379
- Grey, 250, 253, 267, 409, 444, 475-480
- Grey/Mallard Hybrid, 444, 475, 477, 479
- Mallard, 250, 251, 253, 267, 409, 444, 475-479
- spp., 444, 477, 478, 481, 492
- DUIRS, R., see DOWDING, J.; MURPHY, E.; ELLIOTT, M.; DUIRS, R.
- Dunlin, 65, 150, 224, 235
- Dunnock, see Sparrow, Hedge
- Eagle, Haast's, 406, 457
- Egret, Cattle, 358, 379
- Great, see Heron, White
- Egretta alba*, see Heron, White
- s. sacra*, see Heron, Reef
- Election of fellows: B.D, Bell, 412-414
- J. Warham, 414-416
- ELLIOTT, M., see DOWDING, J.; MURPHY, E.; ELLIOTT, M.; DUIRS, R.
- Emberiza cirrus*, see Bunting, Cirl
- citrinella*, see Yellowhammer
- Emberizidae, 382
- Eopsaltriidae, 320, 446-456
- Erythrogonys cinctus*, see Dotterel, Red-kneed
- Eudynamys taitensis*, see Cuckoo, Long-tailed
- Eudyptes chrysocome*, see Penguin, Rockhopper
- pachyrhynchus*, see Penguin, Fiordland Crested
- sclateri*, see Penguin, Erect-crested
- Eudyptula minor*, see Penguin, Blue
- m. albosignata*, see Penguin, White-flipped
- Falco cenchroides*, see Kestrel, Nankeen
- columbarius*, see Merlin
- novaeeseelandiae*, see Falcon, New Zealand
- Falcon, New Zealand, 253, 257-267, 275, 379, 390, 392, 397, 404, 406
- Falconiformes, 379
- Fantail, North Island, 267, 476, 477, 480
- South Island, 253, 388, 390-393, 395-397, 400-402, 404

Fernbird, Codfish Island, 382

North Island, 267, 419

Finch spp., 477

Fowl, Domestic, 347, 353, 373, 380, 383, 384

FRASER, I., see SANDERS, M.; BROWN, K.; WELLS, N.; FRASER, I.

FREEMAN, A.N.D. Bird counts in Kennedy's Bush Scenic Reserve, Port Hills, Christchurch, 388-404

Fregata ariel, see Frigatebird, Lesser

minor, see Frigatebird, Greater

Fregetta grallaria, see Storm Petrel, White-bellied

tropica, see Storm Petrel, Black-bellied

Frigatebird, Great, see Frigatebird Greater

Greater, 358

Least, see Frigatebird Lesser

Lesser, 358

Fringilla coelebs, see Chaffinch

Fringillidae, 382

Fulmar, Antarctic, 377, 437

Fulmarus glacialisoides, see Fulmar, Antarctic

Galliformes, 379-380

Gallinago gallinago, see Snipe, Common

bardwickii, see Snipe, Japanese

Gallirallus australis, see Weka

a. australis, see Weka, Western

a. greyi, see Weka, North Island

Galloanserae, 320

Gallus gallus, see Fowl, Domestic

Gannet, Australasian, 357, 423-433, 438-441, 443, 475, 477

GEDDES, D., see SAGAR, P.M.; GEDDES, D.

GEDDES, D., see SAGAR, P.M.; GEDDES, D.; BANKS, J.; HOWDEN, P.

Gerygone albofrontata, see Warbler, Chatham Island

igata, see Warbler, Grey

modesta, see Warbler, Norfolk Island

GILL, B.J. A Myna increase - notes on introduced Mynas (*Acridotheres*) and Bulbuls (*Pycnonotus*) in Western Samoa, 268-269

Glareola maldivarum, see Pratincole, Oriental

Godwit, Asiatic Black-tailed, 40, 65, 475

Bar-tailed, see Godwit, Eastern Bar-tailed

Black-tailed, 39, 235

- Eastern Bar-tailed, 1, 2, 24-27, 40, 45, 62-64, 67, 75, 82-84, 123-126, 129-133, 141-142, 361, 444, 475-480, 482
- Hudsonian, 39, 40, 65, 82-83, 126
- spp., 3
- Goldfinch, 253, 262, 267, 382, 388, 390, 392, 397, 401, 404, 444, 476, 477, 480
- Goose, Canada, 243, 250, 253, 254, 379, 409
- Cape Barren, 385
- Domestic, 379, 383, 444
- Grebe, Australian Little, 385
- GREENE, B.S. Increase of Gannets (*Morus serrator*) at Muriwai, Auckland, 423-433
- GREENE, T.C. Aspects of the ecology of Antipodes Island Parakeet (*Cyanoramphus unicolor*) and Reischek's Parakeet (*C. novaezelandiae hochstetteri*) on Antipodes Island, October-November 1995, 301-310
- Greenfinch, 253, 262, 267, 364, 382, 388, 390, 392, 397, 401, 404, 476, 477, 480
- Greenshank, 39, 40, 65, 82-83, 361
- Guineafowl, Tufted, 385
- Gull, Black-backed, 182, 243, 247-250, 252-254, 390, 404, 439, 441-444, 470, 475, 476, 478, 479, 481
- Black-billed, 243, 247-250, 252-254, 330, 434, 438-441, 444
- Herring, 285
- Red-billed, 362, 434, 439, 441-444, 470, 475, 476, 478, 479, 481
- spp., 319, 409, 478, 481
- Silver, see Gull, Red-billed
- Southern Black-backed, see Gull, Black-backed
- Gygis alba royana*, see Tern, White
- Gymnorhina tibicen hypoleuca*, see Magpie, Australian
- HABRAKEN, A. see VEITCH, C.R.; HABRAKEN, A.
- Haematopodidae, 380
- Haematopus chathamensis*, see Oystercatcher, Chatham Island
- ostralegus finschi*, see Oystercatcher, South Island Pied
- unicolor*, see Oystercatcher, Variable
- Halcyon sancta vagans*, see Kingfisher, New Zealand
- Halcyonidae, 319, 320
- Haliaeetus* sp., 320
- Halobaena caerulea*, see Petrel, Blue
- Harpagornis moorei*, see Eagle, Haast's
- Harrier, Australasian, 197, 253, 390, 392, 397, 404, 444, 475, 476, 495, 499
- Eyles', 406
- Marsh, 359

- HARTREE, W.H. jnr. A preliminary report on the nesting habits of moas on the East Coast of the North Island, 457-460
- HAW, J.M.; CLOUT, M.N. Diet of Morepork (*Ninox novaeseelandiae*) throughout New Zealand by analysis of stomach contents, 333-345
- Hawk, Sharp-shinned, 265
- HAWKE, D.; HOLDAWAY, R.; CAUSER, J.; ODGEN, S. Chemical tracers of former mainland seabird colonies (Abstract), 407
- HEATHER, B.D., see ROBERTSON, H.A.; HEATHER, B.D.
- Hemiphaga n. novaeseelandiae*, see Pigeon, New Zealand
- Heron, Reef, 379, 475, 480, 481
 White, 475, 477, 480
 White-faced, 79, 83, 250, 358, 444, 475-482
- Heteralocha acutirostris*, see Huia
- Himantopus himantopus*, see Stilt, Black-winged
 b. leucocephalus, see Stilt, Australasian Pied
 mexicanus, see Stilt, Black-necked
 novaezelandiae, see Stilt, Black
- Hirundapus caudacutus*, see Swift, Spine-tailed
- Hirundo tabitica neoxena*, see Swallow, Welcome
- HOLDAWAY, R.N. Errors and omissions in a list. (Letter), 320
- HOLDAWAY, R.N. The late Holocene avifauna of Canterbury (Abstract), 406-407
- HOLDAWAY, R.N., see HAWKE, D.; HOLDAWAY, R.; CAUSER, J.; ODGEN, S.
- HOLDAWAY, R.N., see WORTHY, T.H.; HOLDAWAY, R.N.
- HOWDEN, P., see SAGAR, P.M.; GEDDES, D.; BANKS, J.; HOWDEN, P
- Huia, 382
- HYDE, N.H., see BAREA, L.P.; WAAS, J.R.; THOMPSON, K.; HYDE, N.H.
- IMBER, M.J. Compiler, Recent Literature, 321-322
- JARRETT, M.; WILSON, K-J. Seasonal and diurnal attendance of Kea (*Nestor notabilis*) at Halpin Creek rubbish dump, Arthur's Pass, New Zealand, 273-286
- Kaka, 258
 Norfolk Island, 319
 North Island, 421
 South Island, 397
- Kakapo, 174, 304
- Kea, 273-286, 309
- KEEDWELL, R.; SANDERS, M. Australian Magpie preys on Banded Dotterel chicks, 499-501

Kereru, see Pigeon, New Zealand

Kestrel, Nankeen, 384

Kingfisher, Forest spp., 320

New Zealand, 253, 267, 409, 444, 475-477, 480

Sacred, 319

spp., 319

Kiwi, Little Spotted, 419

North Island Brown, 375

spp., 174

KNEGTMANS, J.W.; POWLESLAND, R.G. Breeding biology of the North Island Tomtit (*Petroica macrocephala toitoi*) at Pureora Forest Park, 446-456

Knot, Great, 65, 82, 124

Lesser, 1-3, 25, 28, 29, 40, 45, 60-63, 67, 75, 82-84, 123-133, 136-141, 143-153, 360, 475, 477-480, 482

Red, see Knot, Lesser

Kokako, North Island, 267

Kookaburra, 385

Lapwing, Masked, see Plover, Spur-winged

Laridae, 380

Larus argentatus, see Gull, Herring

bulleri, see Gull, Black-billed

d. dominicanus, see Gull, Black-backed

novaeollandiae scopulinus, see Gull, Red-billed

LETTER:

Errors and omissions in a list. R.N. Holdaway, 320

Leucocarbo carunculatus, see Shag, King

chalconotus, see Shag, Stewart Island

onslowi, see Shag, Chatham Island

Limicola falcinellus, see Sandpiper, Broad-billed

Limnodromus semipalmatus, see Dowitcher, Asiatic

Limosa baemastica, see Godwit, Hudsonian

lapponica, see Godwit, Bar-tailed

l. baueri, see Godwit, Eastern Bar-tailed

l. menzbieri, see Godwit, Eastern Bar-tailed

limosa, see Godwit, Black-tailed

LOVEGROVE, T.G.; ROBERTSON, H.A. Wader studies in New Zealand: a tribute to Richard B. Sibson (1911-1994) and Barrie D. Heather (1931-1995), iii-v

LOVEGROVE, T.G., see SEDDON, B.H.; LOVEGROVE, T.G.

Lugensa brevirostris, see Petrel, Kerguelen

- Macronectes giganteus*, see Petrel, Southern Giant
 balli, see Petrel, Northern Giant
 spp., see Petrel, Giant
- Magpie, Australian, 253, 262, 267, 390, 404, 444, 499-501
 White-backed, 499
- Mallard, see Duck, Mallard
- MALONEY, R.F. Bird populations in nine braided rivers of the Upper Waitaki Basin, South Island, New Zealand: changes over 30 years, 243-256
- MALONEY, R.F.; MURRAY, D. Present and future research and management of Black Stilts (Abstract), 410-411
- Megadyptes antipodes*, see Penguin, Yellow-eyed
- Meleagris gallopavo*, see Turkey, Wild
- Meliphagidae, 320
- Meliphagoidea, 320
- Merlin, 265
- Micropalma himantopus*, see Sandpiper, Stilt
- MILLER, C.D., see YOUNG, E.C., MILLER, C.D.
- MISKELLY, C.M. Breeding ecology of Snares Island Snipe (*Coenocorypha aucklandica buegeli*) and Chatham Island Snipe (*C. pusilla*), 207-221
- Moa spp., 406, 457-460
- Moboua albicilla*, see Whitehead
 novaeseelandiae, see Creeper, Brown
 ochrocephala, see Yellowhead
- Mollymawk, Black-browed, 355, 437
 Buller's, 322, 384, 434, 438-441
 cauta subsp., 437
 Chatham Island, 375, 434, 435, 437
 Grey-headed, 437
 Northern Buller's, 440
 Shy, 321, 355
 Southern Buller's, 422
 spp., 437
 White-capped, 321, 439, 441
- Monarch, Black-faced, 382, 383
- Monarcha melanopsis*, see Monarch, Black-faced
- Monarchidae, 382
- MOORE, J.L. Norfolk Island bird notes, 1977-1997
- Morepork, 197, 201, 203, 204, 267, 333-345, 346-353, 363, 444
 Norfolk Island, 363

- Morus serrator*, see Gannet, Australasian
- Motacillidae, 381
- MUDGE, D., see BROWN, K.; MUDGE, D.
- MURPHY, E., see DOWDING, J.; MURPHY, E.; ELLIOTT, M.; DUIRS, R.
- MURRAY, D., see MALONEY, R.F.; MURRAY, D.
- Muscicapidae, 382
- Myna, Common, 268-269, 444, 476, 481
 Jungle, 268-269
- Needletail, White-throated, see Swift, Spine-tailed
- Neoaves, 320
- Nestor meridionalis*, see Kaka
 m. meridionalis, see Kaka, South Island
 m. septentrionalis, see Kaka, North Island
 notabilis, see Kea
- Ninox novaeseelandiae*, see Morepork
 n. undulata, see Morepork, Norfolk Island
- Noddy, Common, 380
- Numenius americanus*, see Curlew, Long-billed
 madagascariensis, see Curlew, Eastern
 minutus, see Whimbrel, Little
 phaeopus, see Whimbrel, sp.
 p. hudsonicus, see Whimbrel, American
 p. variegatus, see Whimbrel, Asiatic
 tabitiensis, see Curlew, Bristle-thighed
- Numida meleagris*, see Guineafowl, Tufted

OBITUARIES:

- Folkert Nieuwland, 1925-1999, B.H. Seddon; T.G. Lovegrove, 417-419
- Prof. Brian J. Marples, 1907-1997, K.E. Westerskov, 503-506
- Oceanites nereis*, see Storm Petrel, Grey-backed
- Oceanitidae, 378
- Oceanodroma leucorhoa*, see Storm Petrel, Leach's
- O'CONNOR, S., see SCHMECHEL, F.A.; O'CONNOR, S.
- ODGEN, S., see HAWKE, D.; HOLDAWAY, R.; CAUSER, J.; ODGEN, S.
- Owl, Laughing, 333, 406
 Little, 253, 391
 spp., 319

Oystercatcher, Chatham Island, 154-165

Pied, see Oystercatcher, South Island Pied

South Island Pied, 1, 8-10, 12, 40, 45, 53, 55, 56, 66, 75-77, 82-84, 89-100, 175, 243, 247-251, 253, 380, 405, 407-409, 444, 475, 476, 478-481

spp., 444

Variable, 1, 2, 11, 18-20, 45, 53, 56, 57, 67, 82-84, 444, 475, 480

Pachycephalidae, 382

Pachyornis mappini, see Moa

Pachyptila belcheri, see Prion, Thin-billed

c. crassirostris, see Prion, Fulmar

c. pyramidalis, see Prion, Chatham Fulmar

desolata banksii, see Prion, Antarctic

d. desolata, see Prion, Antarctic

s. salvini, see Prion, Salvin's

turtur, see Prion, Fairy

vittata, see Prion, Broad-billed

PALMA, R.L. Amendments and additions to the 1982 list of chewing lice (Insecta: Phthiraptera) from birds in New Zealand, 373-387

Paradisaeidae, 382

Parakeet, Antipodes, 301-310, 381

Chatham Island Red-crowned, 381

Forbes', 381

Norfolk Island, 362

Red-crowned, 301-310, 319, 381

Reischek's, 301-310, 381

spp., 308, 309, 397

Yellow-crowned, 381

Pardalotidae, 320

PARRISH, G.R., see BEAUCHAMP, A.J.; PARRISH, G.R.

Parrot, spp., 319

Partridge, Red-legged, 385

Passer domesticus, see Sparrow, House

Passeriformes, 381

Passerine spp., 319, 337, 472, 477

Pelagodroma marina, see Storm Petrel, White-faced

m. albiglunis, see Storm Petrel, Kermadec

Pelecaniformes, 378-379, 421

Pelecanoides georgicus, see Petrel, South Georgian Diving

urinatrix, see Petrel, Diving

Penguin, Adelie, 287-297

Blue, 365-372, 410, 439, 441-444

Chinstrap, 385

Erect-crested, 302, 383, 384

Fiordland Crested, 437

Little, see Penguin, Blue

Northern Gentoo, 385

Rockhopper, 302, 304, 305

spp., 308, 365, 415, 504, 505

White-flipped, 365-372, 405, 410

Yellow-eyed, 322, 420, 437

Petrel, Antarctic, 377

Black, 376, 437,

Black-winged, 377, 420, 437

Blue, 377, 421, 437, 442

Bulwer's, 376, 383

Cook's, 258, 377, 437

Diving, 406, 439, 441

Gadfly spp., 406

Giant spp., 437

Gould's, 356

Grey, 376, 437

Grey-faced, 378, 439, 441

Kerguelen, 376, 437

Kermadec, 357, 420

Mottled, 357, 378, 438, 439, 441, 442

New Caledonian, 377, 434, 435, 437

Northern Giant, 377, 437

Procellaria spp., 437

Provid  nce, 357, 378

Soft-plumaged, 378

South Georgian Diving, 385

Southern Giant, 356, 377, 437

spp., 258, 308, 415, 416, 420, 437, 452

Stejneger's, 377

Tahiti, 356, 376

Westland, 376, 422

White-chinned, 376, 437

White-headed, 304, 305, 378, 439, 441

White-naped, 357, 364, 378, 420

White-necked, see Petrel, White-naped

Petroica a. australis, see Robin, South Island

a. longipes, see Robin, North Island

macrocephala dannefaerdi, see Tomtit, Snares Island

m. macrocephala, see Tomtit, Yellow-breasted

m. toitoi, see Tomtit, Pied

multicolor multicolor, see Robin, Norfolk Island Scarlet

traversi, see Robin, Black

Petroicidae, 320

Phaethon lepturus dorotheae, see Tropicbird, White-tailed

rubricauda, see Tropicbird, Red-tailed

Phalacrocoracidae, 378-379

Phalacrocorax aristotelis, see Shag

carbo lucidus, see Cormorant, White-breasted

carbo novaehollandiae, see Shag, Black

melanoleucos, see Shag, Little

spp., see Shag spp.

sulcirostris, see Shag, Little Black

varius, see Shag, Pied

Phalarope, Grey, 65, 235

Red-necked, 64, 235

Wilson's, 65

Phalaropus fulicarius, see Phalarope, Grey

lobatus, see Phalarope, Red-necked

tricolor, see Phalarope, Wilson's

Phasianidae, 379-380

Phasianus colchicus, see Pheasant, Ring-necked

Pheasant, Ring-necked, 267, 475, 477

Philesturnus carunculatus, see Saddleback

Philomachus pugnax, see Ruff

Phoebastria fusca, see Albatross, Sooty

palpebrata, see Albatross, Light-mantled Sooty

PIERCE, R. Regional patterns of migration in the Banded Dotterel (*Charadrius bicinctus*), 101-122

Pigeon, Cape, 356, 376, 439, 441

New Zealand, 258, 262, 267, 270-272, 319, 388-392, 397, 401, 402, 404, 405, 408, 409, 444, 499

Rock, 253, 390, 404, 444, 475, 477, 480

- Snares Cape, 376
spp., 319
- Pinguinus impennis*, see Auk, Great
- Piopia, South Island, 382
- Pipit, New Zealand, 253, 261, 262, 267, 321, 381, 391, 476, 477, 479, 480
Richard's, 363
- Platalea flavipes*, see Spoonbill, Yellow-billed
leucorodia, see Spoonbill, Eurasian
regia, see Spoonbill, Royal
- Platycercus elegans*, see Rosella, Crimson
eximius, see Rosella, Eastern
spp., see Rosella spp.
- Plover, Double-banded, see Dotterel, Banded
Grey, 39, 40, 65, 120
Large Sand, see Dotterel, Large Sand
Lesser Golden, see Plover, Pacific Golden
Pacific Golden, 1, 2, 6, 25, 32, 33, 59, 60, 62, 82-84, 124, 125, 359, 475, 477
Ringed, 65
Shore, 174, 184, 195-205, 240, 350
spp., 101
Spur-winged, 1, 6, 11, 20, 21, 79, 82-85, 243, 252-254, 267, 330, 360, 444, 475, 476, 479-481
- Pluvialis fulva*, see Plover, Pacific Golden
squatarola, see Plover, Grey
- Podicipedidae, 320
- Poliocephalus rufpectus*, see Dabchick, New Zealand
- Porphyrio mantelli*, see Takahe
porphyrio, see Swampphen, Purple
p. melanotus, see Pukeko
- Porzana tabuensis plumbea*, see Crane, Spotless
- POWLESLAND, R.G., see KNEGTMANS, J.W.; POWLESLAND, R.G.
- POWLESLAND, R.G.; REESE, P.J. Aspects of the breeding biology of Black Shags (*Phalacrocorax carbo*) near Lake Kohangatera, Wellington, 484-497
- Pratincole, Oriental, 64, 359
- Prion, Antarctic, 377, 384, 437
Broad-billed, 212, 377, 439, 441
Chatham Fulmar, 377
Fairy, 356, 377, 438, 439, 441
Fulmar, 377, 437
Salvin's, 377, 439, 441

- spp., 439, 441
Thin-billed, 377, 437, 442
Procellaria aequinoctialis, see Petrel, White-chinned
cinerea, see Petrel, Grey
parkinsoni, see Petrel, Black
spp., 437
westlandica, see Petrel, Westland
Procellariidae, 375-378
Procellariiformes, 375-378, 416
Prosthemadera n. novaeseelandiae, see Tui
Prunella modularis, see Sparrow, Hedge
Pseudobulweria rostrata, see Petrel, Tahiti
spp., 420
Psittacidae, 320, 381
Psittaciformes, 381
Psittacinae, 301
Pterodroma cervicalis, see Petrel, White-naped
cookii, see Petrel, Cook's
inexpectata, see Petrel, Mottled
lessonii, see Petrel, White-headed
leucoptera, see Petrel, Gould's
l. caledonica, see Petrel, New Caledonian
longirostris, see Petrel, Stejneger's
macroptera gouldi, see Petrel, Grey-faced
magentae, see Taiko, Chatham Island
mollis, see Petrel, Soft-plumaged
neglecta, see Petrel, Kermadec
nigripennis, see Petrel, Black-winged
solandri, see Petrel, Providence
Puffinus assimilis elegans, see Shearwater, Subantarctic Little
a. baurakiensis, see Shearwater, North Island Little
a. kermadecensis, see Shearwater, Kermadec Little
auricularis newelli, see Shearwater, Newell's
bulleri, see Shearwater, Buller's
carneipes, see Shearwater, Flesh-footed
gavia, see Shearwater, Fluttering
griseus, see Shearwater, Sooty
huttoni, see Shearwater, Hutton's
nativitatis, see Shearwater, Christmas Island

newelli, see Shearwater, Newell's

p. pacificus, see Shearwater, Wedge-tailed

tenuirostris, see Shearwater, Short-tailed

Pukeko, 251, 444, 475, 476, 478-480

Pycnonotus cafer, see Bulbul, Red-vented

Pygoscelis adeliae, see Penguin, Adelie

antarctica, see Penguin, Chinstrap

papua, see Penguin, Northern Gentoo

Quail, Bobwhite, 379

California, 253, 267, 390, 404, 475, 477

King, 347

Rail, Auckland Island, 385

Banded, 359, 475

Buff-banded, see Rail, Banded,

Rallus pectoralis muelleri, see Rail, Auckland Island

philippensis, see Rail, Banded

Raphus cucullatus see Dodo

Ratite spp., 319

Razorbill, 498

RECENT LITERATURE, compiled by M.J. Imber, 421-422

Recurvirostra novaehollandiae, see Avocet, Red-necked

Recurvirostridae, 380

Redbill, see Oystercatcher

Redpoll, 253, 267, 385, 388, 390-392, 395, 397, 400-402, 404, 476

Redshank, 224, 235, 236

REESE, P.J. see POWLESLAND, R.G.; REESE, P.J.

REVIEWS:

Gill, B.J. Zoological catalogue of Australia, 37.2. Aves (Columbidae to Coraciidae).

R. Schodde & I.J. Mason, 319-320

Imber, M.J. The behaviour, population biology and physiology of the petrels. J.

Warham, 420

Rhipidura fuliginosa, see Fantail, New Zealand

f. fuliginosa, see Fantail, South Island

f. placabilis, see Fantail, North Island

RIDLEY, A.R.; WILSON, K.-J.; STEWART, G.H. The feeding ecology of kereru and bellbird in a modified forest remnant, South Canterbury, New Zealand (Abstract), 408-409

RIESEN, A. Movements of banded arctic waders to and from New Zealand, 123-142

- Rifleman, South Island, 253, 389, 397
- ROBERTSON, H.A., see LOVEGROVE, T.G.; ROBERTSON, H.A.
- ROBERTSON, H.A.; HEATHER, B.D. Effect of water levels on the seasonal use of Lake Wairarapa by waders, 79-88
- ROBERTSON, H.A., see DENNISON, T.C.; ROBERTSON, H.A.
- Robin, Australian spp., 446
- Black, 385
 - Norfolk Island Scarlet, 363
 - North Island, 351, 418, 451-453, 455
 - South Island, 349, 350, 397
- Roller, 319
- Rosella, Crimson, 385
- Eastern, 267, 385
 - spp., 320
- Ruff, 64, 235
- Saddleback, 418
- SAGAR, P.M.; SHANKAR, U.; BROWN, S. Distribution and numbers of waders in New Zealand, 1983-1994, 1-43
- SAGAR, P.M.; GEDDES, D. Dispersal of South Island Pied Oystercatchers (*Haematopus ostralegus finschi*) from an inland breeding area in New Zealand, 89-99
- SAGAR, P.M.; GEDDES, D.; BANKS, J.; HOWDEN, P. Breeding of South Island Pied Oystercatchers (*Haematopus ostralegus finschi*) on farmland in mid Canterbury, New Zealand (Abstract), 407-408
- Sanderling, 39, 40, 65, 151
- SANDERS, M.D. Common aquatic invertebrate taxa vary in susceptibility to capture by Black Stilt chicks, 311-318
- SANDERS, M.; BROWN, K.; WELLS, N.; FRASER, I. Breeding success of birds and intensive research and management at Ruataniwha Wetlands (Abstract), 411
- SANDERS, M.D., see KEEDWELL, R.; SANDERS, M.D.
- Sandpiper, Baird's, 65
- Broad-billed, 65
 - Common, 65, 361, 475
 - Curlew, 1, 25, 33, 35-37, 60, 62, 82, 123-125, 151, 360, 475
 - Least, 235
 - Marsh, 39, 40, 65, 82, 83
 - Pectoral, 39, 40, 65, 82-84, 360
 - Semi-palmated, 224, 235
 - Sharp-tailed, 1, 25, 36, 37, 65, 82-84, 360, 380, 475
 - Spotted, 235
 - spp., 175

- Stilt, 224, 235
- Terek, 39, 40, 65, 124, 151, 361, 475
- Upland, 64
- Western, 65, 224, 235
- White-rumped, 64
- Scaup, New Zealand, 251, 379, 409
- Sceloglaux albifacies*, see Owl, Laughing
- SCHMECHEL, F.A.; O'CONNOR, S. Distribution and abundance of the Chatham Island Oystercatcher (*Haematopus chathamensis*), 155-165
- SCHWEIGMAN, P. Breeding age of Royal Spoonbills in New Zealand, 502
- Scolopacidae, 380
- Scythrops novaehollandiae*, see Cuckoo, Channel-billed
- Seabird spp., 258, 407, 415, 434-445
- SEDDON, B.H.; LOVEGROVE, T.G. Obituary: Folkert Nieuwland, 1925-1999, 417-419
- Serinus canaria*, see Canary
- Shag, Black, 249, 357, 437, 443, 475, 480, 484-497
- Chatham Island, 434, 437, 438
- Little, 249, 358, 409, 437, 438, 440, 475, 476, 479, 481
- Little Black, 358, 437, 475, 479, 481
- New Zealand King, 378, 493
- Pied, 439, 441, 475, 476, 480-482, 493, 495
- Pitt Island, 379, 434, 437, 438
- Spotted, 367, 439, 441, 442, 475
- spp., 243, 248-250, 254, 407, 437
- Stewart Island, 437
- SHANKAR, U., see SAGAR, P.M.; SHANKAR, U.; BROWN, S.
- Shearwater, Buller's, 375, 438-441
- Christmas Island, 375
- Flesh-footed, 355, 375, 438-441
- Fluttering, 376, 413, 439, 441, 444
- Fluttering/Hutton's, 437
- Hutton's, 321, 376, 439, 441
- Kermadec Little, 376
- Little, 355, 356, 439, 441
- Newell's, 354, 356, 364, 376, 383
- North Island Little, 376
- Short-tailed, 321, 375, 439, 441-443
- Sooty, 212, 220, 355, 375, 384, 422, 434, 438, 444
- spp., 406, 420, 437

- Subantarctic Little, 376
- Wedge-tailed, 355, 375
- Shelduck, Chestnut-breasted, 379
 - Paradise, 250, 267, 409, 444, 475, 478
- Shoveler, New Zealand, 251, 409, 444, 475, 478
- Silvereye, 253, 262, 265, 267, 363, 388, 390-394, 397, 399, 401, 402, 404, 476, 477, 480, 504
- Skua, Arctic, 361, 437
 - Brown, 161, 203, 304, 308, 437
 - Long-tailed, 380, 437
 - Pomarine, 361
 - South Polar, 287-297, 361
 - spp., 361, 437
- Skylark, 253, 261, 262, 267, 390, 404, 405, 408, 470, 476, 478-480
- Snipe, Auckland Island, 241-242
 - Chatham Island, 207-221, 242
 - Common, 208
 - Japanese, 64, 82-83
 - New Zealand, 223-239
 - Snares Island, 207-221
- Sparrow, Hedge, 253, 267, 390-392, 397, 401, 404, 476, 477, 480
 - House, 253, 262, 267, 347, 353, 390, 404, 444, 470, 476, 477, 478, 480, 481
- Spoonbill, Eurasian, 502
 - Royal, 358, 475-478, 480-482, 502
 - Yellow-billed, 358
- STANLEY, S., see BRAGER, S.; STANLEY, S.
- Starling, 253, 262, 265, 267, 347-349, 353, 390, 404, 444, 476, 481
- Stercorariidae, 380
- Stercorarius longicaudus*, see Skua, Long-tailed
 - parasiticus*, see Skua, Arctic
 - pomarinus*, see Skua, Pomarine
 - skua lonnbergi*, see Skua, Brown
 - spp., see Skua spp.
- Sterna albobriata*, see Tern, Black-fronted
 - bergii*, see Tern, Crested
 - caspia*, see Tern, Caspian
 - fuscata*, see Tern, Sooty
 - nereis davisae*, see Tern, New Zealand Fairy
 - paradisaea*, see Tern, Arctic

- striata*, see Tern, White-fronted
- vittata bethunei*, see Tern, New Zealand Antarctic
- STEWART, G.H., see RIDLEY, A.R.; WILSON, K.J.; STEWART, G.H.
- Stictocarbo featherstoni*, see Shag, Pitt Island
- punctatus*, see Shag, Spotted
- Stilt, Australasian Pied, 1, 6, 10, 13-15, 23, 40, 45, 56-58, 67, 75, 79, 82-87, 176, 247, 248, 250, 251, 410, 444, 475-481
- Black, 1, 2, 6, 23, 24, 56, 57, 67, 82, 83, 175, 176, 243, 244, 247, 248, 250, 251, 253, 311-318, 380, 405, 406, 410-411, 418, 500
- Black-necked, 317
- Black-winged, 359
- Hybrid Black/Pied, 11, 23, 24
- Pied, see Australasian Pied
- Stint, Little, 64
- Red-necked, 1, 25, 33, 34, 62, 82, 123-126, 360, 380, 475, 477, 480
- Temminck's, 235
- Storm Petrel, Black-bellied, 309
- Grey-backed, 301, 304-306, 308, 309
- Kermadec, 378
- Leach's, 378, 420
- spp., 406
- White-bellied, 378
- White-faced, 212, 439, 441
- Streptopelia chinensis tigrina*, see Dove, Malay Spotted
- roseogrisea*, see Dove, Barbary
- Strigops habroptilus*, see Kakapo
- Sturnus vulgaris*, see Starling, European
- Sula dactylatra personata*, see Booby, Masked
- leucogaster plotus*, see Booby, Brown
- Sulidae, 378
- Swallow, Welcome, 267, 363, 385, 476-479
- Swamphen, Purple, 359
- Swan, Black, 250, 409, 444
- Swift, Fork-tailed, 363
- Spine-tailed, 363, 434, 438, 444
- spp., 319
- Sylvia atricapilla*, see Blackcap
- Sylviidae, 382

Tachybaptus novaehollandiae, see Grebe, Australian Little

- Tadorna tadornoides*, see Shelduck, Chestnut-breasted
 variegata, see Shelduck, Paradise
- Taiko, Chatham Island, 302, 378
- Takahe, 322, 421
- Tattler, Grey-tailed, see Tattler, Siberian
 Siberian, 40, 65, 361
 spp., 39, 361
 Wandering, 40, 64, 361
- TAYLOR, G.A. Seabirds found dead on New Zealand beaches in 1996, 434-445
- Teal, Auckland Island, 258
 Grey, 243, 251, 253, 254, 379, 409, 475, 476, 478
- TENNYSON, A.J.D. Confirmation of a nocturnal aerial display by Auckland Island Snipe (*Coenocorypha a. aucklandica*), 241-242
- Tern, Arctic, 253
 Black-fronted, 243, 247-250, 252, 253, 254, 499, 500
 Caspian, 247, 248, 250, 252, 253, 437, 470, 475, 476, 478-482
 Crested, 362
 Eastern Little, 475, 481
 Fairy, see Tern, New Zealand Fairy
 Little, see Tern, Eastern Little
 New Zealand Antarctic, 380
 New Zealand Fairy, 385, 475
 Sooty, 362
 spp., 319, 504
 White, 381
 White-fronted, 367, 439, 441, 442, 470, 475, 476, 481, 482
 White-winged Black, 252, 361
- Thalassoica antarctica*, see Petrel, Antarctic
- Thinornis novaeseelandiae*, see Plover, New Zealand Shore
- THOMPSON, K., see BAREA, L.P.; WAAS, J.R.; THOMPSON, K.; HYDE, N.H.
- THOMSEN, S.; WRITTEN, S.D. Skylarks on the Canterbury Plains - biological indicators? (Abstract), 408
- Thrush, Song, 253, 262, 267, 347, 353, 382, 391, 476, 477, 480
- Tomtit, New Zealand, 446-456
 North Island, 260, 262, 267, 446-456
 Snares Island, 452, 454
 South Island, 253, 388, 390, 392, 397, 401, 402, 404, 452-455
- Tringa brevipes*, see Tattler, Siberian
 flavipes, see Yellowlegs, Lesser
 hypoleucos, see Sandpiper, Common

incana, see Tattler, Wandering
nebularia, see Greenshank
stagnatilis, see Sandpiper, Marsh
terek, see Sandpiper, Terek
totanus, see Redshank

Tropicbird, Red-tailed, 357

White-tailed, 357, 384

Tui, 262, 267, 270-272, 397, 407, 444, 499

Turdus merula, see Blackbird

philomelos, see Thrush, Song

Turkey, Wild, 267, 444

Turnagra c. capensis, see Piopio

Turnstone, 1, 2, 25, 28, 30, 31, 40, 60, 62, 63, 67, 75, 82, 123-126, 133, 151, 152, 360, 475, 477

Ruddy, see Turnstone

Vanellus miles novaehollandiae, see Plover, Spur-winged

VEITCH, C.R. Annual cycle of waders at the Firth of Thames, 71-78

VEITCH, C.R.; HABRAKEN, A. Waders of the Manukau Harbour and Firth of Thames, 45-70

WAAS, J.R., see BAREA, L.P.; WAAS, J.R.; THOMPSON, K.; HYDE, N.H.

Wader spp., i-v, 1-242, 407, 418, 470-483

Warbler, Chatham Island, 385

Grey, 253, 258, 260, 262, 267, 320, 388, 391-394, 397, 399, 401, 402, 404, 476, 477, 480

Norfolk Island, 362

Waterfowl spp., 243, 248-250, 254, 406, 472

Weka, 174, 397, 460

North Island, 322, 461, 466, 467

Western, 461-469

WELLS, N., see SANDERS, M.; BROWN, K.; WELLS, N.; FRASER, I.

Whimbrel, 1, 25, 34, 35, 62, 63, 82, 224, 360

American, 35, 63, 360

Asiatic, 35, 63, 360, 475, 481

Little, 65, 82

White-eye, Long-billed, 363

White-breasted, 364

Whitehead, 262, 267, 382

Willet, 235

WILLS, D.E., see DOWDING, J.E.; WILLS, D.E.; BOOTH, A.M.

WILSON, K-J. Birds of Canterbury Symposium, 405-411

WILSON, K-J., see JARRETT, M.; WILSON, K-J.

WILSON, K-J., see RIDLEY, A.R.; WILSON, K-J.; STEWART, G.H.

Woodswallow, Masked, 364

White-browed, 364

WORTHY, T.H.; HOLDAWAY, R.N. Introduction to transcript: A preliminary report on the nesting habits of moas on the East Coast of the North Island by W.H. Hartree jnr., 457-460

WRATTEN, S.D., see THOMSEN, S.; WRATTEN, S.D.

Wren, Rock, 385

Wrybill, 1, 2, 5, 10, 16-18, 33, 44, 45, 56, 59, 61, 66, 67, 75-77, 82, 102, 151, 172, 174, 184, 240-241, 243, 244, 247-250, 252-254, 444, 475-479, 482

Xenicus gilviventris, see Wren, Rock

Yellowhammer, 253, 262, 265, 267, 336, 337, 382, 391, 444, 476, 477, 480

Yellowhead, 323-332, 385

Yellowlegs, Lesser, 65, 82

YOUNG, E.C.; MILLER, C.D. Skua (*Catharacta* sp.) foraging behaviour at the Cape Crozier Adelie Penguin (*Pygoscelis adeliae*) colony, Ross Island, Antarctica, and implications for breeding, 287-297

Zosterops albogularis, see White-eye, White-breasted

lateralis, see Silvereye

tenuirostris, see White-eye, Long-billed

Compiled by TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland 1309