


NOTORNIS

Journal of the
Ornithological Society of New Zealand



Volume 47 2000

OFFICERS 2001-2002

President:	DAVID G. MEDWAY - 25a Norman Street, New Plymouth
Vice-Presidents:	
North Island:	DAVID CROCKETT -21 McMillan Ave., Kamo, Whangarei
South Island:	KERRY-JAYNE WILSON - Ecology & Entomology Group, P.O. Box 84, Lincoln University, Lincoln
Secretary:	CHRISTINE REED - P.O. Box 12397, Wellington
Treasurer:	MARK NEE - 1/18 Carriage Close, Howick, Auckland
Council Members:	ROS BATCHELER - 126 Homebush Rd, Khandallah, Wellington
	LLOYD ESLER - 15 Mahuri Road, Otatara, R.D.9, Invercargill
	HAZEL HARTY - P.O. Box 316, Drury
	DAVID MELVILLE - Dovedale, R.D. Wakefield
	DAVID PYE - 1/74 Ravenswood Drive, Forrest Hill, Auckland
	G.A. TAYLOR - P.O. Box 12397, Wellington
	BEV WOOLLEY - 8 Beverly Cres., Hamilton

EDITORS

NOTORNIS	RICHARD N. HOLDAWAY - P.O. Box 12397, Wellington
Editorial Board:	M.J. IMBER - Department of Conservation, P.O. Box 10420, Wellington
	COLIN O'DONNELL - Department of Conservation, Private Bag, Christchurch
	PAUL. M. SAGAR - 38A Yardley St., Christchurch
	J. WAAS - Department of Biological Sciences, Waikato University, Private Bag 3105, Hamilton
	T H. WORTHY - 38 Lowes Place, Masterton
<i>Southern Bird:</i>	TONY CROCKER - 118 Cones Rd., Ashley R.D.2, Rangiora
Book Reviews:	KEITH WOODLEY - Miranda Shorebird Centre, R.D.1, Pokeno

CONVENORS & ORGANISERS

Rare Birds:	DAVID G. MEDWAY - 25a Norman St., New Plymouth
Beach Patrol:	LAURIE HOWELL -38 Okahu Rd., Kaitaia
Nest Records:	HUGH A. ROBERTSON -2 Weld St., Wadestown, Wellington
Moult Records:	BEN D. BELL -School of Biological Sciences, Victoria University P.O. Box 600, Wellington

Classified Summarised Notes:

North Island:	RICHARD PARRISH - 43 Church Street, Whangarei
South Island:	GILLIAN POLLOCK - 24 Jessie Street, Mapua, Nelson
SW Pacific Islands:	J.L. MOORE - 32 Brook St., Lower Hutt
Banding Liaison Officer:	CHRIS N. CHALLIES - 22a Highfield P1., Christchurch 4

LIBRARIANS

Books & Journals:	KATHY BARROW - c/- Auckland Institute & Museum, Private Bag 92018, Auckland
Bird Slides:	PAUL CUMING - 67 School Rd., Whatawhata, R.D. 9, Hamilton

Contents of Volume 47, 2000

Part 1: March 2000

Papers

Breeding biology of little shags (<i>Phalacrocorax melanoleucos</i>) at Lindale, Wellington	R. G. Powlesland, I. J. Luke	1
Foraging behaviour and diet of a reintroduced population of the South Island saddleback (<i>Philesturnus carunculatus carunculatus</i>)	J. P. Pierre	7
Activity of birds in the Western Hutt Hills, New Zealand	J. A. Gibb	13
Bird fauna of Niue Island in 1994-95	R. G. Powlesland, J. R. Hay, M. H. Powlesland	37
Breeding success, brood reduction and the timing of breeding in the Fiordland crested penguin (<i>Eudyptes pachyrhynchus</i>)	I. G. McLean	55

Short notes

First wrybill (<i>Anarhynchus frontalis</i>) record from the Chatham Islands	M. Bell, D. Bell	6
New Zealand pigeon (<i>Hemiphaga novaeseelandiae</i>) on Raoul Island, Kermadec Group	T. H. Worthy, R. Brassey	35
The return of the Australasian crested grebe (<i>Podiceps cristatus australis</i>) to the Wakatipu region, South Island, New Zealand	G. R. Chance	59
A possible record of black-fronted tern <i>Sterna albobriata</i> from Norfolk Island	I. A. W. McAllan	63

Reports

Rare Birds Committee – Combined report for 1992-1999	D. G. Medway	64
--	--------------	----

Recent Literature

54

Part 2: June 2000

Papers

- | | | |
|--|---|-----|
| Breeding of South Island pied oystercatchers (<i>Haematopus ostralegus finschi</i>) on farmland in mid-Canterbury, New Zealand | Sagar, P.M.; Geddes, D.;
Banks, J.; Howden, P. | 71 |
| Population density changes of adult North Island weka (<i>Gallirallus australis greyi</i>) in the Mansion House Historic Reserve, Kaawau Island, in 1992-1999 | Beauchamp, A.J.;
Chambers, R. | 82 |
| Failed establishment of North Island weka (<i>Gallirallus australis greyi</i>) at Karangahake Gorge, North Island, New Zealand | Beauchamp, A.J.;
Staples, G.C.; Staples, E.D.;
Graeme, A.; Graeme, B.;
Fox, E. | 90 |
| Breeding biology of North Island robins (<i>Petroica australis longipes</i>) in Pureora Forest Park | Powlesland, R.G.;
Knegtmans, J.W.;
Marshall, I.S.J. | 97 |
| Breeding biology of North Island robins (<i>Petroica australis longipes</i>) on Tiritiri Matangi Island, Hauraki Gulf, New Zealand | Armstrong, D.P.; Ewen, J.G.;
Dimond, W.J.; Lovegrove, T.G.;
Bergström, A.; Walter, B. | 106 |
| Short notes | | |
| A mainland breeding population of fairy prions (<i>Pachyptila turtur</i>), South Island, New Zealand | Loh, G. | 119 |
| Consecutive use of the same nest scrape by spur-winged plover (<i>Vanellus miles</i>) and South Island pied oystercatcher (<i>Haematopus ostralegus finschi</i>) | Crossland, A.C.
Simamora, D. | 123 |
| Which subspecies of Mongolian dotterel visit New Zealand? | Parrish, G.R. | 125 |
| Corrigenda | | 126 |

Part 3: September 2000

Papers

Age- and sex-related differences in head feather patterns of black stilts (<i>Himantopus novaezelandiae</i>)	Elkington, S. P.; Maloney, R. F.	127
Historical records of snipe from Campbell Island, New Zealand	Miskelly, C. M.	131
Observations on the chick-rearing strategy of yellow-eyed penguins (<i>Megadyptes antipodes</i>) on Otago Peninsula, New Zealand	Schuster, K; Darby, J. T.	141
Census of the three shag species in the Chatham Islands	Bell, M.; Bell, D.	148
Call survey method for monitoring endangered North Island weka (<i>Gallirallus australis greyi</i>)	Bramley, G. N.; Veltman, C. J.	154

Short notes

Number and distribution of blue penguin (<i>Eudyptula minor</i>) nests in the Mount Maunganui area, Bay of Plenty	Winter, S. J. A.	160
Marking penguins with implanted transponders	Renner, M.; Lloyd, S. D.	163
Discovery of a second natural wild population of the New Zealand shore plover (<i>Thinornis novaeseelandiae</i>)	Bell, D.; Bell, M.	166
Procellariiforms killed by fishers in Chile to obtain bands	Moore, P. J.; Battam, H.	168
Spotted shags breeding on Kapiti Island	Miskelly, C.	169
Abstracts of papers presented at the Ornithological Society of New Zealand, Inc. AGM and Conference, Napier, New Zealand, June 2000	Various	170

Corrigendum		176
-------------	--	-----

Part 4: December 2000

Papers

Status of the Westland petrel (<i>Procellaria westlandica</i>) off South America	Brinkley, E. S.; Force, M. P.; Howell, S. N. G.; Spear, L. B.	179
Dawn to dusk counts of common or garden birds, Wellington, New Zealand	Gibb, J. A.	183
Classified Summarised notes, North Island — 1 July 1997 to 30 June 1998	Tennyson, A. J. D.; Lock, J. W.	192
Classified Summarised notes, North Island — 1 July 1998 to 30 June 1999	Parrish, G. R.	215
Queen's Birthday Honours, June 2000		237

Short notes

A near albino cape pigeon (<i>Daption capense</i>) off Kaikoura	Thompson, D.; Murdoch, R.; Page, M.	235
---	--	------------

Obituary		241
-----------------	--	------------

INDEX OF AUTHORS AND SPECIES

Volume 47

- Acanthisitta chloris granti*, see rifleman, North Island
- Acridotheres tristis*, see myna, Indian
- AINLEY, D.C., see BRINKLEY, E.S.; HOWELL, S.N.G.; FORCE, M.P.; SPEAR, L.B.; AINLEY, D.C.
- Alda arvensis*, see skylark
- albatross, black-browed, see mollymawk, black-browed
- Chatham Island, see mollymawk, Chatham Island
- Laysan, 65, 69
- light-mantled sooty, 217, 241
- New Zealand black-browed, see mollymawk, New Zealand black-browed
- northern royal, 176, 177, 182, 193, 216
- royal, 132, 133, 135-137, 140
- shy, see mollymawk, white-capped
- sooty, 65, 66, 68
- southern royal, 182
- spp., 168, 238
- wandering, 132, 135, 193, 216
- wandering/royal, 216, 235
- Alectoris rufa*, see partridge, red-legged
- Anarhynchus frontalis*, see wrybill
- Anas acuta*, see pintail, northern
- aucklandica chlorotis*, see teal, brown
- castanea*, see teal, chestnut
- dypeata*, see shoveler, northern
- gracilis*, see teal, grey
- nesiotis*, see teal, Campbell Island
- platyrhynchus*, see mallard
- rhynchotis variegata*, see shoveler, New Zealand
- supercilliosa*, see duck, grey
- Anhinga melanogaster rufa*, see darter
- ANNUAL GENERAL MEETING. Abstracts and papers presented at the Ornithological Society of New Zealand Inc. AGM and conference, 4 June 2000, Napier, New Zealand, 170-177
- Anous stolidus*, see noddy, common
- tenuirostris minutus*, see noddy, white-capped
- Anthornis melanura*, see bellbird
- Anthus novaeseelandiae*, see pipit, New Zealand
- n. aucklandicus*, see pipit, Auckland Island
- spinoletta*, see pipit, rock
- Aplonis tabuensis*, see starling, Polynesian
- Aptenodytes forsteri*, see penguin, emperor
- patagonicus*, see penguin, king
- Apteryx australis mantelli*, see kiwi, North Island brown
- Apus pacificus*, see swift, fork-tailed
- Ardea novaehollandiae*, see heron, white-faced
- Arenaria interpres*, see turnstone
- melanocephala*, see turnstone, black
- ARMSTRONG, D.P.; EWEN, J.G.; DIMOND, W.J.; LOVEGROVE, T.G.; BERGSTROM, A.; WALTER, B. Breeding biology of North Island robins (*Petroica australis longipes*) on Tiritiri Matangi Island, Hauraki Gulf, New Zealand, 106-118
- ASHTON, J. Welcome swallow (*Hirundo tahitica*) nesting in Hawkes Bay and adaptation to a variable food supply (Abstract), 172
- Aythya australis*, see duck, white-eyed
- novaeseelandiae*, see scaup, New Zealand
- BANKS, J.; see SAGAR, P.M.; GEDDES, D.; BANKS, J.; HOWDEN, P
- BATTAM, H., see MOORE, P.J.; BATTAM, H.
- BEAUCHAMP, A.J.; CHAMBERS, R. Population density changes of adult North Island weka (*Gallirallus australis greyi*) in the Mansion House Historic Reserve, Kawau Island, in 1992-1999, 82-89
- BEAUCHAMP, A.J.; STAPLES, G.C.; STAPLES, E.O.; GRAEME, A.; GRAEME, B.; FOX, E. Failed establishment of North Island weka (*Gallirallus australis greyi*) at Karangahake Gorge, North Island, New Zealand, 90-96
- BELL, D.; BELL, M. Discovery of a second natural wild population of the New Zealand shore plover (*Thinornis novaeseelandiae*), 166-167
- BELL, D., see ROBERTSON, C.J.R.; BELL, D.; NICHOLLS, D.G.
- BELL, D., see BELL, M.; BELL, D (two papers)
- BELL, M.; BELL, D. First wrybill (*Anarhynchus frontalis*) record from the Chatham Islands, 6
- BELL, M.; BELL, D. Census of the three shag species in the Chatham Islands, 148-153
- BELL, M., see BELL, D.; BELL, M.
- bellbird, 10, 30, 33, 171, 175, 213, 233
- BERGSTROM, A., see ARMSTRONG, D.P.; EWEN, J.G.; DIMOND, W.J.; LOVEGROVE, T.G.; BERGSTROM, A.; WALTER, B.
- bird, land spp., 132
- of prey, 123
- water spp., 132
- bittern, Australasian, 198, 220-221
- blackbird, 10, 15, 19, 20, 25, 29-31, 33, 185, 186, 188, 191, 212, 232
- Botaurus stellaris poiciloptilus*, see bittern, Australasian
- Bowdleria punctata vealeae*, see fernbird, North Island
- BRAMLEY, G.N.; VELTMAN, C.J. Call survey method for monitoring endangered North Island weka (*Gallirallus australis greyi*), 154-159
- Branta canadensis*, see goose, Canada
- BRASSEY, R., see WORTHY, T.H.; BRASSEY, R.
- BRINKLEY, E.S.; HOWELL, S.N.G.; FORCE, M.P.; SPEAR, L.B.; AINLEY, D.C. Status of the Westland petrel (*Procellaria westlandica*) off South America, 179-183
- Bubulcus ibis*, see egret, cattle
- budgerigar, 211
- bulbul, red-vented, 212
- bunting, ciril, 66, 233
- Cacatua galerita*, see cockatoo, sulphur-crested
- roseicapilla*, see galah
- Cacomantis flabelliformis*, see cuckoo, fan-tailed
- Calidris acuminata*, see sandpiper, sharp-tailed
- alba*, see sanderling
- canutus*, see knot
- ferruginea*, see sandpiper, curlew
- mauri*, see sandpiper, western
- melanotos*, see sandpiper, pectoral
- minuta*, see stint, little

- ruficollis*, see stint, red-necked
subminuta, see stint, long-toed
tenuirostris, see knot, great
Callaeas cinerea wilsoni, see kokako, North Island
 Callaeatidae, 238
Callipepla californica, see quail, California
Carduelis carduelis, see goldfinch
chloris, see greenfinch
flammea, see redpoll
Catharacta maccormicki, see skua, South Polar
skua lombergi, see skua, southern
 CATSOULIS, J.T., see NICHOLLS, D.G.; ROBERTSON, C.J.R.; CATSOULIS, J.T.; LAY, K.
 chaffinch, 15, 23, 25, 29, 31–33, 213
 CHAMBERS, R., see BEAUCHAMP, A.J.; CHAMBERS, R.
 CHANCE, G.R. The return of the Australasian crested grebe (*Podiceps cristatus australis*) to the Wakatipu region, South Island, New Zealand, 59–62
 Charadriiformes, 71–81, 123–124
Charadrius bicinctus, see dotterel, banded
leschenaultii, see dotterel, large sand
melanops, see dotterel, black-fronted
mongolus, see dotterel, Mongolian
mongolus atrifrons, see dotterel, Mongolian
m. mongolus, see dotterel, Mongolian
m. pamirensis, see dotterel, Mongolian
m. schaeferi, see dotterel, Mongolian
m. stegmanni, see dotterel, Mongolian
obscurus, see dotterel, New Zealand
o. acqulionius, see dotterel, northern New Zealand
veredus, see dotterel, oriental
Chlidonias leucopterus, see tern, white-winged black
Chrysococcyx l. lucidus, see cuckoo, shining
Circus approximans, see harrier, Australasian
 CLASSIFIED SUMMARISED NOTES, North Island, 1 July 1997 to 30 June 1998, compiled by A.J.D. Tennyson and J.W. Lock, 192–214
 CLASSIFIED SUMMARISED NOTES, North Island, 1 July 1998 to 30 June 1999, compiled by G.R. Parrish, 215–234
 cockatoo, sulphur-crested, 18, 33, 210, 230
 white, see cockatoo, sulphur-crested
Coenocorypha aucklandica, see snipe, New Zealand
Collocalia spodiopygia, see swiftlet, white-rumped
Columba livia, see pigeon, rock
 palumbus, see pigeon, wood
 coot, Australian, 201
 Corrigendum: Rare Birds Committee – Combined Report for 1992–1999, 176
Corvus frugilegus, see rook
Coturnicops novaeboracensis, see rail, yellow
 crane, marsh, 201, 223
 spotless, 39, 44, 50, 87, 201, 223
Crex spp., 82
 CROSSLAND, A.C.; SIMAMORA, D. Consecutive use of the same nest scrape by spur-winged plover (*Vanellus miles*) and South Island pied oystercatcher (*Haematopus ostralegus finschi*), 123–124
 crow, spp., 124
 cuckoo, channel-billed, 68
 fan-tailed, 65, 66
 long-tailed, 18, 33, 48, 211, 231
 oriental, 67
 shining, 18, 33, 211, 231
Cuculus saturatus, see cuckoo, oriental
 curlew, bristle-thighed, 45
 eastern, 45, 206, 227
 spp., 132
Cyanoramphus a. auriceps, see parakeet, yellow-crowned
novaezelandiae, see parakeet, red-crowned
n. cookii, see parrot, green
n. cyanurus, see parakeet, Kermadec red-crowned
 spp., see parakeet, spp.
Cygnus atratus, see swan, black
 olor, see swan, mute
 dabchick, New Zealand, 193, 216
Dacelo novaeguineae, see kookaburra
Daption capense, see pigeon, cape
 c. australe, see pigeon, Snares cape
 c. capense, see pigeon, cape
 DARBY, J.T., see SCHUSTER, K.; DARBY, J.T.
 darter, 65, 66, 126
 DAVIS, L.S., see RENNER, M.; DAVIS, L.S.
Dendrocygna eytoni, see duck, grass (plumed) whistling
 DIMOND, W.J., see ARMSTRONG, D.P.; EWEN, J.G.; DIMOND, W.J.; LOVEGROVE, T.G.; BERGSTROM, A.; WALTER, B.
Diomedea bulleri, see mollymawk, Buller's
 cauta, see mollymawk, white-capped or shy
 c. cauta, see mollymawk, white-capped or shy
 c. eremita, see mollymawk, Chatham Island
 c. salvini, see mollymawk, Salvin's
 c. steadi, see mollymawk, New Zealand white-capped
 chlororhynchus, see mollymawk, yellow-nosed
 epomophora, see albatross, royal
 e. epomophora, see albatross, southern royal
 e. sanfordi, see albatross, northern royal
 eremita, see mollymawk, Chatham Island
 exulans, see albatross, wandering
 e. chionoptera, see albatross, wandering
 immutabilis, see albatross, Laysan
 melanophrys, see mollymawk, black-browed
 m. impavida, see mollymawk, New Zealand black-browed
 m. melanophrys, see mollymawk, black-browed
 salvini, see mollymawk, Salvin's
 sanfordi, see albatross, northern royal
 dollarbird, 68, 69
 dotterel, banded, 6, 17, 33, 124, 125, 203, 225
 black-fronted, 203–204, 225
 large sand, 67, 68, 204, 225
 mongolian, 70, 125–126, 204, 225
 New Zealand, 125, 203, 224–225, 241
 oriental, 67, 176
 spp., 129
 dove, barbery, 18, 33, 69, 210, 230
 domestic sp., 222
 purple-capped fruit, 43, 48
 spotted, 210, 230
 duck, blue, 199, 221
 grass (plumed) whistling, 65
 grey, 44, 49, 132, 140, 199, 222
 mallard, 15, 16, 33, 44, 199, 200, 222
 Peking, 199
 spp., 44, 49
 white-eyed, 67
Ducula pacifica, see pigeon, Pacific
 dunnoek, see sparrow, hedge

EDITORIAL, i-ii

egret, cattle, 15, 33, 69, 198, 220

intermediate, see egret, plumed

little, 197, 220

plumed, 67, 69

Egretta alba modesta, see heron, white*garzetta nigripes*, see egret, little*intermedia*, see egret, intermediate or plumed*sacra*, see heron, reef

ELKINGTON, S.P.; MALONEY, R.F. Age and sex-related

differences in head feather patterns of black stilts

(Himantopus novaezelandiae), 127-130*Emberiza cirilis*, see bunting, ciril*citrinella*, see yellowhammer

Eopsaltriidae, 97-105

Eudynamis scolopacea, see koel, common*taitensis*, see cuckoo, long-tailed*Eudyptes chrysocome*, see penguin, rockhopper*c. chrysocome*, see penguin, western rockhopper*pachyrhynchus*, see penguin, Fiordland crested*robustus*, see penguin, Snares crested*schlegeli*, see penguin, royal

spp., see penguin, crested spp.

Eudyptula minor, see penguin, blue*Eurystomus orientalis pacificus*, see dollarbird

EWEN, J.G., see ARMSTRONG, D.P.; EWEN, J.G.;

DIMOND, W.J.; LOVEGROVE, T.G.; BERGSTROM,

A.; WALTER, B.

Falco cenchroides, see kestrel, nankeen*novaezeelandiae*, see falcon, New Zealand

falcon, New Zealand, 17, 33, 200, 222

fantail, black, 21

North Island, 15, 18, 21, 25, 29, 31-33, 100, 185, 186,

189, 191, 213, 232-233

fernbird, North Island, 212, 232, 241

FORCE, M.P., see BRINKLEY, E.S.; HOWELL, S.N.G.;

FORCE, M.P.; SPEAR, L.B.; AINLEY, D.C.

fowl, feral, 44, 50

FOX, E., see BEAUCHAMP, A.J.; STAPLES, G.C.; STAPLES,

E.O.; GRAEME, A.; GRAEME, B.; FOX, E.

Fregata ariel, see frigatebird, lesser*magnificens*, see frigatebird, magnificent*minor*, see frigatebird, greater

sp., see frigatebird sp.

frigatebird, greater, 42, 69

lesser, 66, 68

magnificent 142, 146

sp., 69

Fringilla coelebs, see chaffinch*Fulica atra australis*, see coot, Australian

fulmar, Antarctic, 235

Fulmarus glacialis, see fulmar, Antarctic

galah, 210, 230

Gallinago australis, see *Coenocorypha**hardwickii*, see snipe, Japanese*Gallirallus australis*, see weka*a. greyi*, see weka, North Island

sp., see rail, extinct Niue

spp., 82

Gallus gallus, see fowl, feral

gannet, Australasian, 173, 196, 208, 209, 219

GEDDES, D., see SAGAR, P.M.; GEDDES, D.; BANKS, J.;

HOWDEN, P.

Gelochelidon nilotica, see tern, gull-billed*Gerygone igata*, see warbler, grey

GIBB, J.A. Activity of birds in the Western Hutt Hills, New Zealand, 13-35

Dawn to dusk counts of common or garden birds,

Wellington, New Zealand, 184-191

Glareola maldivarum, see pratincole, oriental

godwit, Asiatic black-tailed, 206

bar-tailed, see godwit, eastern bar-tailed

black-tailed, 228

eastern bar-tailed, 46, 131, 133-138, 140, 206, 227

Hudsonian, 65, 66, 69, 227

spp., 132

goldfinch, 18, 23, 30, 33, 213

goose, Canada, 15, 33, 199, 221

GRAEME, A., see BEAUCHAMP, A.J.; STAPLES, G.C.;

STAPLES, E.O.; GRAEME, A.; GRAEME, B.; FOX, E.

GRAEME, B., see BEAUCHAMP, A.J.; STAPLES, G.C.;

STAPLES, E.O.; GRAEME, A.; GRAEME, B.; FOX, E.

GRAHAM, M.; VEITCH, D. OSNZ Auckland Tiritiri

Matangi bird population study: 14 year review (Abstract),

173

grebe, Australasian little, 65, 193, 216

Australasian crested, 59-62, 193

greenfinch, 23, 33, 213, 233

greenshank, 207

guineafowl, 211

gull, black-backed, 15, 17, 24, 28, 33, 46, 54, 78, 119, 120, 123,

132, 185, 187, 207-208, 228, 234

black-billed, 17, 33, 54, 208, 228-229, 234

dominican, see gull, black-backed

red-billed, 17, 33, 54, 132, 207, 208, 228, 229, 234

southern black-backed, see gull, black-backed

Gygis alba, see tern, white*candida*, see *Gygis alba**Gymnorhina tibicen hypoleuca*, see magpie, Australian

Haematopodidae, 71-81

Haematopus chathamensis, see oystercatcher, Chatham Island*ostralegus*, see oystercatcher, pied*o. finschi*, see oystercatcher, South Island pied*unicolor*, see oystercatcher, variable*Halcyon chloris*, see kingfisher, white-collared*sancta vagans*, see kingfisher, New Zealand

sp., see kingfisher, sp.

Halobaena caerulea, see petrel, blue

harrier, Australasian, 4, 15, 33, 78, 95, 116, 200, 202, 222

HAY, J.R., see POWLESLAND, R.G.; HAY, J.R.;

POWLESLAND, M.H.

Hemiphaga novaezeelandiae chathamensis, see pigeon, Chatham Island*n. novaezeelandiae*, see pigeon, New Zealand

heron, extinct Niue night, 39, 44

nankeen night, 67, 198

reef, 44, 197, 220

white, 197, 220

white-faced, 15, 16, 33, 42, 197, 219

hihi, see stitchbird

Himantopus h. himantopus, see stilt, black-winged*h. leucocephalus*, see stilt, Australasian pied*h. mexicanus*, see stilt, black-necked*novaezeelandiae*, see stilt, black*Hirundapus caudacutus*, see swift, spine-tailed

- Hirundo ariel*, see martin, fairy
nigricans, see martin, Australian tree
tahitica neoxena, see swallow, welcome
- HOWDEN, P., see SAGAR, P.M.; GEDDES, D.; BANKS, J.; HOWDEN, P.
- HOWELL, S.N.G., see BRINKLEY, E.S.; HOWELL, S.N.G.; FORCE, M.P.; SPEAR, L.B.; AINLEY, D.C.
- Hydrobates pelagicus*, see storm petrel, British
- Hymenolaimus malacorhynchos*, see duck, blue
- ibis, glossy, 68, 70, 198, 221
- IMBER, M.J. Compiler, Recent Literature, 53
- kaka, 175
 North Island, 211, 230-231
- kakapo, 172, 237, 238
- kakariki spp., see parakeet spp
- KEEDWELL, R. What's happening to our black-fronted terns (*Sterna albobriata*) (AGM poster paper), 177
- KEELING, P., see POLKANOV, A.; KEELING, P.
- KELLY, D., see ROBERTSON, A.; WARD-SMITH, T.; MURPHY, D.; KELLY, D.; LADLEY, J.
- kestrel, nankeen, 66, 68
- kingfisher, collared, 50
 New Zealand, 16, 18, 33, 185-187, 212, 232
 sacred, see kingfisher, New Zealand
 sp., 49
- kite, black, 65-67
- kiwi, North Island brown, 88, 158, 193, 216
 spp., 170
- KNEGTMANS, J.W., see POWLESLAND, R.G.; KNEGTMANS, J.W.; MARSHALL, I.S.J.
- knot, lesser, 205, 226, 227
 great, 66, 67, 69, 70, 226
- koel, common, 69
- kokako, North Island, 214, 238
 South Island, 237-239
- kookaburra, 68, 211, 232
- korora, see penguin, blue
- LADLEY, J., see ROBERTSON, A.; WARD-SMITH, T.; MURPHY, D.; KELLY, D.; LADLEY, J.
- Lalage maculosa*, see triller, Polynesian
m. whitmeei, see triller, Polynesian
- LAMBERT, D., see MINOT, E.; ROBERTSON, B.; MILLER, H.; LAMBERT, D.
- lapwing, 79
- Larus bulleri*, see gull, black-billed
dominicanus, see gull, black-backed
novaehollandiae, see gull, red-billed
- Laterallus* spp., 82
- LAY, K., see NICHOLLS, D.G.; ROBERTSON, C.J.R.; CATSOULIS, J.T.; LAY, K.
- Leucocarbo campbelli*, see shag, Campbell Island
onslowi, see shag, Chatham Island
- Limicola falcinellus sibiricus*, see sandpiper, eastern broad-billed
- Limosa haemastica*, see godwit, Hudsonian
lapponica, see godwit, bar-tailed
l. baueri, see godwit, eastern bar-tailed
limosa, see godwit, black-tailed
l. melanuroides, see godwit, Asiatic black-tailed
n. novaezealandiae, see *Limosa lapponica*
 spp., see godwit, spp.
- LOCK, J.W., see TENNYSON, A.J.D.; LOCK, J.W.
- LOH, G. A mainland breeding colony of fairy prions (*Pachyptila turtur*), South Island, New Zealand, 119-122
- lorikeet, rainbow, 175-176, 231
- Lory, blue-crowned, 39, 48, 52
- LOVEGROVE, T.G., see ARMSTRONG, D.P.; EWEN, J.G.; DIMOND, W.J.; LOVEGROVE, T.G.; BERGSTROM, A.; WALTER, B.
- Lugensa brevirostris*, see petrel, Kerguelen
- LUKE, I.J., see POWLESLAND, R.G.; LUKE, I.J.
- Macronectes giganteus*, see petrel, southern giant
halli, see petrel, northern giant
 sp., see petrel, giant
- maggie, Australian, 15, 24, 31-33, 214, 233
- mallard, see duck, mallard
- MALONEY, R.F., see ELKINGTON, S.P.; MALONEY, R.F.
- MARSHALL, I.S.J., see POWLESLAND, R.G.; KNEGTMANS, J.W.; MARSHALL, I.S.J.
- martin, Australian tree, 65, 212
 fairy, 212
- McALLAN, I.A.W. A possible record of the black-fronted tern *Sterna albobriata* from Norfolk Island, 63-64
- McLEAN, I.G. Breeding success, brood reduction and the timing of breeding in the Fiordland crested penguin (*Eudyptes pachyrhynchus*), 55-58
- McLENNAN, J.A. The kiwi, the ultimate endemic (Abstract), 170
- MEDWAY, D.G. Rare Birds Committee – Combined report for 1992-1999, 64-70
 The Rare Birds Committee: its functions and importance (Abstract), 174
- Megadyptes antipodes*, see penguin, yellow-eyed
- megapode, Niuafo'ou, 39, 44
 undescribed Kermadec, 36
- Megapodius pritchardii*, see megapode, Niuafo'ou
- Meliagris gallopavo*, see turkey, wild
- merganser, Auckland Island, 132, 133, 137, 138
- Mergus australis*, see merganser, Auckland Island
- Micropalama himantopus*, see sandpiper, stilt
- MILLER, H., see MINOT, E.; ROBERTSON, B.; MILLER, H.; LAMBERT, D.
- Milvus migrans*, see kite, black
- MINOT, E.; ROBERTSON, B.; MILLER, H.; LAMBERT, D. Molecular ecology of kakapo (*Strigops habroptilus*) (Abstract), 172
- MINOT, E., see STEPHENSON, B.M.; SPRINGETT, B.; MINOT, E.; ROBERTSON, C.J.R.
- MISKELLY, C.M. Historical records of snipe from Campbell Island, New Zealand, 131-140
 Spotted shags breeding on Kapiti Island, 169
- Mohoua albicilla*, see whitehead
- mollymawk, black-browed, 168, 194, 217
 Buller's, 194
 Chatham Island, 65, 174, 183
 New Zealand black-browed, 168, 217
 New Zealand white-capped, 194, 217
 Salvin's, 183, 194, 217
 shy, see mollymawk, white-capped
 spp., 137
 white-capped, 235
 yellow-nosed, 194
- monarch, black-faced, 69
- Monarcha melanopsis*, see monarch, black-faced

- MOORE, P.J.; BATTAM, H. Procellariiforms killed by fishers in Chile to obtain bands, 168-169
- morepork, 15, 16, 18, 33, 34, 116, 211, 231
- Morus serator*, see gannet, Australasian
- MURDOCH, R., see THOMPSON, D.; MURDOCH, R.; PAGE, M.
- MURPHY, D., see ROBERTSON, A.; WARD-SMITH, T.; MURPHY, D.; KELLY, D.; LADLEY, J.
- myna, common, 116, 214
- Indian, see myna, common
- Nestor meridionalis*, see kaka
- m. septentrionalis*, see kaka, North Island
- NICHOLLS, D.G.; ROBERTSON, C.J.R.; CATSOULIS, J.T.; LAY, K. Northern royal albatross (*Diomedea sanfordi*) behaviour deduced from prototype loggers (AGM poster paper), 177
- NICHOLLS, D.G., see ROBERTSON, C.J.R.; BELL, D.; NICHOLLS, D.G.
- NICHOLLS, D.G., see ROBERTSON, C.J.R.; NICHOLLS, D.G.
- Ninox novaeseelandiae*, see morepork
- noddy, common, 39, 46, 50, 65
- white-capped, 69
- Notiomystis cincta*, see stitchbird
- Numenius madagascariensis*, see curlew, eastern
- minutus*, see whimbrel, little
- phaeopus hudsonicus*, see whimbrel, American
- p. variegatus*, see whimbrel, Asiatic spp., 132
- tahitiensis*, see curlew, bristle-thighed
- Nycticorax caledonicus*, see heron, nankeen night sp., see heron, night
- OBITUARY: Patrick Timothy Crombie (1917-1999), J. Dowding, C. Jowett
- Oceanodroma leucorhoa*, see storm petrel, Leach's
- owl, barn, 48
- laughing, 237
- oystercatcher, Chatham Island, 124
- pie, 71, 78, 79
- South Island pie, 17, 33, 63, 71-81, 123-124, 201-202, 223
- variable, 202, 224
- Pachyptila belcheri*, see prion, thin-billed
- turtur*, see prion, fairy
- PAGE, M., see THOMPSON, D.; MURDOCH, R.; PAGE, M.
- Pagodroma nivea*, see petrel, snow
- parakeet, red-crowned, 36, 211, 231
- spp., 138, 175, 211, 231
- yellow-crowned, 211, 231
- para, see pigeon, Chatham Island
- Paridae, see tit spp.
- PARRISH, G.R. Which subspecies of Mongolian dotterel visit New Zealand? 125-126
- PARRISH, G.R., compiler. CLASSIFIED SUMMARISED NOTES, North Island, 1 July 1998 to 30 June 1999, 215-234
- parrot, green, 52
- partridge, red-legged, 65, 223
- Passer domesticus*, see sparrow, house
- Pavo cristatus*, see peafowl
- peafowl, 201
- Pelagodroma marina*, see storm petrel, white-faced
- Pelecanoides urinatrix*, see petrel, diving
- penguin, Adelie, 65, 66, 126, 137, 140
- blue, 54, 119, 160-163, 196, 218, 234
- chinstrap, 65, 66, 163
- crested spp., 142, 146
- emperor, 140, 142
- Fiordland crested, 54, 55-58, 234
- gentoo, 67, 126
- king, 67
- Pygoscelid spp., 146
- rockhopper, 55, 137
- royal, 163
- Snares crested, 55, 69
- spp., 163-165
- western rockhopper, 67
- yellow-eyed, 54, 132, 141-147, 196, 234
- PERROTT, J.K. Interactions between *Aspergillus* and hihi (*Notiomystis cincta*) on Mokoia and Little Barrier Islands (Abstract), 171
- Petrel, black, 120, 180, 195, 217-218
- black-winged, 66, 195, 218
- blue, 195, 218
- burrow-nesting spp., 123
- Chatham, 66, 239
- common diving, see petrel, diving
- Cook's, 195, 218
- dark-rumped, 235
- diving, 170, 195, 217
- gadfly spp., 50
- giant, 42, 49, 195, 218
- grey, 195, 217
- grey-faced, 170, 196, 218, 235, 239
- Kerguelen, 70
- Kermadec, 70, 235, 239
- magenta, see taiko, Chatham Island
- mottled, 120, 239
- northern giant, 50, 168, 195, 218
- Pycroft's, 170, 235
- snow, 140, 236
- soft-plumaged, 66, 69, 70
- southern giant, 50, 218
- spp., 239
- Westland, 120, 179-183, 195, 218, 235
- white-chinned, 179, 180, 182, 235
- white-headed, 218
- Petroica australis*, see robin, New Zealand
- a. australis*, see robin, South Island
- a. longipes*, see robin, North Island
- macrocephala*, see tomtit
- m. toitoi*, see tomtit, North Island
- traversi*, see robin, black
- Phaethon lepturus*, see tropicbird, white-tailed
- rubricauda*, see tropicbird, red-tailed
- Phalacrocorax carbo*, see shag, black
- melanoleucos*, see shag, little
- m. brevirostris*, see shag, little
- spp., see shag, spp.
- sulcirostris*, see shag, little black
- variatus*, see shag, pied
- phalarope, grey, 66, 67
- red-necked, 69
- Phalaropus fulicarius*, see phalarope, grey

- lobatus*, see phalarope, red-necked
Phasianus colchicus, see pheasant, ring-necked
 pheasant, ring-necked, 201
Philesturnus c. carunculatus, see saddleback, South Island
Philomachus pugnax, see ruff
Phoebastria fusca, see albatross, sooty
palpebrata, see albatross, light-mantled sooty
 PIERRE, J.P. Foraging behaviour and diet of a reintroduced population of the South Island saddleback (*Philesturnus carunculatus*), 7-12
 pigeon, cape, 195, 218, 235-236
 Chatham Island, 54, 234
 domestic, see pigeon, rock
 feral, see pigeon, rock
 New Zealand, 15, 17-18, 30, 31, 33, 36-38, 185-187, 191, 210, 230
 Pacific, 39, 43, 46-48, 51-52
 rock, 18, 33, 119, 120, 200, 210
 Snarres Cape, 218, 235
 spp., 124
 wood, 191
 pintail, northern, 69
 pipit, Auckland Island, 132-134, 137
 New Zealand, 212, 232
 rock, 184
Platalea regia, see spoonbill, royal
Platycercus eximius, see rosella, eastern
Plegadis falcinellus, see ibis, glossy
Pleistorallus flemingi, see rail, extinct sp.
 plover, American golden, 51
 grey, 66, 67, 226
 lesser sand, see dotterel, Mongolian
 New Zealand shore, see plover, shore
 Pacific golden, 39, 41-45, 50-51, 204, 225-226
 shore, 124, 134, 166-167, 225
 spur-winged, 17, 33, 123-124, 204, 226
Pluvialis dominica, see plover, American golden
fulva, see plover, Pacific golden
squatarola, see plover, grey
Podiceps cristatus australis, see grebe, Australasian crested
Poliiocephalus rufopectus, see dabchick, New Zealand
 POLKANOV, A.; KEELING, P. The rainbow lorikeet (*Trichoglossus haematodus*) problem in New Zealand (Abstract), 175-176
Porphyrio porphyrio, see swamphen, purple
p. melanotus, see pukeko
Porzana carolina, see rail, sora
pusilla affinis, see crane, marsh
tabuensis plumbea, see crane, spotless
 spp., 82
 POWLESLAND, M.H., see POWLESLAND, R.G.; HAY, J.R.; POWLESLAND, M.H.
 POWLESLAND, R.G.; HAY, J.R.; POWLESLAND, M.H. Bird fauna of Niue Island in 1994-95, 39-53
 POWLESLAND, R.G.; KNEGTMAN, J.W.; MARSHALL, I.S.J. Breeding biology of North Island robins (*Petroica australis longipes*) in Pureora Forest Park, 97-105
 POWLESLAND, R.G.; LUKE, I.J. Breeding biology of little shags (*Phalacrocorax melanoleucos*) at Lindale, Wellington, 1-5
 pratincole, oriental, 68, 70, 224
 Prion, fairy, 119-122, 195, 218
 spp., 195, 218
 thin-billed, 235
Procellaria aequinoctialis, see petrel, white-chinned
cinerea, see petrel, grey
parkinsoni, see petrel, black
 spp., 179-183
westlandica, see petrel, Westland
 Procellariidae, 120
 Procellariiformes, 168-169, 179-183, 235
Procelsterna cerulea albivitta, see ternlet, grey
cinerea, see *Procelsterna cerulea*
Prosthemadera novaeselandiae, see tui
Prunella modularis, see sparrow, hedge
Pterodroma axillaris, see petrel, Chatham
cookii, see petrel, Cook's
inexpectata, see petrel, mottled
lessonii, see petrel, white-headed
macroptera gouldi, see petrel, grey-faced
magentae, see taiko, Chatham Island
mollis, see petrel, soft-plumaged
neglecta, see petrel, Kermadec
nigripennis, see petrel, black-winged
phaeopygia, see petrel, dark-rumped
pycrofti, see petrel, Pycroft's
 spp., see petrel, gadfly spp.
Ptilinopus porphyraceus, see dove, purple-capped fruit
Puffinus assimilis, see shearwater, little
bulleri, see shearwater, Buller's
carneipes, see shearwater, flesh-footed
creatopus, see shearwater, pink-footed
gavia, see shearwater, fluttering
gravis, see shearwater, great
griseus, see shearwater, sooty
huttoni, see shearwater, Hutton's
lherminieri, see shearwater, Audubon's
pacificus, see shearwater, wedge-tailed
tenuirostris, see shearwater, short-tailed
 pukeko, 17, 33, 201, 223
Pycnonotus cafer, see bulbul, red-vented
Pygoscelis adeliae, see penguin, Adelie
antarctica, see penguin, chinstrap
papua, see penguin, gentoo
 quail, brown, 200, 223
 California, 17, 33, 200
 Queen's Birthday Honours June 2000, 237-240
 Rhys Philip Buckingham, 237-239
 David Edgar Crockett, 239-240
 rail, banded, 36, 43, 44, 50, 52, 87, 201, 223
 extinct Niue, 36, 44
 extinct sp., 54, 234
 Guam, 154
 sora, 158
 spp., 154-159, 234
 Virginia, 154, 158
 yellow, 154
Rallus limicola, see rail, Virginia
owstoni, see rail, Guam
philippensis, see rail, banded
 sp., 82
 Rare Birds Committee - Combined report for 1992-1999, compiled by D.G. Medway, 64-70
 Recent Literature, compiled by M.J. Imber, 54, 234
 redpoll, 18, 23, 33, 213, 233
 redshank, spotted, 129
 reeve, see ruff

- RENNER, M.; DAVIS, L.S. Marking penguins with implanted transponders, 163-165
- Rhipidura fuliginosa placabilis*, see fantail, North Island rifleman, North Island, 33, 212, 232
- ROBERTSON, A.; WARD-SMITH, T.; MURPHY, D.; KELLY, D.; LADLEY, J. Tri-trophic interactions in conservation biology: will poisoning stoats (*Mustela erminea*) aid forest plant reproduction? (Abstract), 171
- ROBERTSON, B., see MINOT, E.; ROBERTSON, B.; MILLER, H.; LAMBERT, D.
- ROBERTSON, C.J.R.; BELL, D.; NICHOLLS, D.G. The Chatham albatross (*Thalassarche eremita*): at home and abroad (Abstract), 174
- ROBERTSON, C.J.R.; NICHOLLS, D.G. Around the world with the northern royal albatross (*Diomedea sanfordi*) (Abstract), 176
- ROBERTSON, C.J.R., see STEPHENSON, B.M.; SPRINGETT, B.; MINOT, E.; ROBERTSON, C.J.R.
- ROBERTSON, C.J.R.; see NICHOLLS, D.G.; ROBERTSON, C.J.R.; CATSOULIS, J.T.; LAY, K.
- robin, black, 111
New Zealand, 10, 97-105, 106-118
North Island, 97-105, 106-118, 213, 233
South Island, 97, 102, 103, 107
- roller, eastern broad-billed, see dollarbird
- rook, 214, 233
- rosella, eastern, 211, 231
- ruff, 65
- saddleback, North Island, 7, 8, 10, 111, 116
South Island, 7-12
- SAGAR, P.M.; GEDDES, D.; BANKS, J.; HOWDEN, P. Breeding of South Island pied oystercatchers (*Haematopus ostralegus finschi*) on farmland in mid Canterbury, New Zealand, 71-81
- sanderling, 45, 68, 70, 205, 226
- sandpiper, broad-billed, 65-67, 206
common, 66-68, 207, 226
curlew, 205
eastern broad-billed, see sandpiper, broad-billed
green, 124
marsh, 66, 69, 207, 228
pectoral, 45, 70, 205, 227
sharp-tailed, 205, 226
solitary, 124
spp., 132, 133
stilt, 70, 129
terek, 69, 228
Tringa spp., 124
western, 227
wood, 124
- scaup, New Zealand, 200, 222
- SCHUSTER, K.; DARBY, J.T. Observations on the chick-rearing strategy of yellow-eyed penguins (*Megadyptes antipodes*) on Otago Peninsula, New Zealand, 141-147
- Scolopacidae, 131-140
- Scolopax*, see snipe and woodcock
- Scythrops novaehollandiae*, see cuckoo, channel-billed
- seabird spp., 168-169, 172, 239, 241
- shag, black, 14, 33, 148-153, 196, 219
Campbell Island, 132
Chatham Island, 148-153
little, 1-5, 14, 33, 197, 219
little black, 196, 219
pied, 196, 219
Pitt Island, 148-153
spotted, 119, 169, 197, 219
spp., 1, 16
- shearwater, Audubon's, 235
Buller's, 194, 217
flesh-footed, 63, 194, 217
fluttering, 194, 195, 217
great, 235
Hutton's, 120, 194-195
little, 50, 195, 217
North Island allied, see shearwater, North Island
North Island little, 217
pink-footed, 65, 67, 70
short-tailed, 194, 210, 217, 234, 235
sooty, 54, 180, 194, 217, 234, 235
spp., 180
wedge-tailed, 42, 50, 69
- shelduck, chestnut-breasted, 67, 199
paradise, 15, 33, 199, 221
- shoveler, New Zealand, 200, 222
northern, 67, 68
- silvereys, 13, 15, 18, 21-22, 24, 25, 27, 29, 31-33, 185, 186, 189, 191, 213, 233
- SIMAMORA, D., see CROSSLAND, A.C.; SIMAMORA, D.
- skua, Antarctic, see skua South Polar
Arctic, 207, 228
brown, 66, 69, 132, 207
long-tailed, 54, 68, 69, 234
pomarine, 69, 207, 228
South Polar, 67, 140
sp., 207
sub-antarctic, see skua, brown
- skylark, 33, 232
- snipe, Auckland Island, 132-137
Chatham Island, 131-140
Japanese, 66, 67, 133, 134, 140
New Zealand, 124, 131-140
spp., 131-140
- sparrow, hedge, 19, 20, 31, 33, 212, 232
house, 18, 23, 33, 214, 233
- SPEAR, L.B., see BRINKLEY, E.S.; HOWELL, S.N.G.; FORCE, M.P.; SPEAR, L.B.; AINLEY, D.C.
- spoonbill, royal, 198, 221
- SPRINGETT, B., see STEPHENSON, B.M.; SPRINGETT, B.; MINOT, E.; ROBERTSON, C.J.R.
- STAPLES, E.O., see BEAUCHAMP, A.J.; STAPLES, G.C.; STAPLES, E.O.; GRAEME, A.; GRAEME, B.; FOX, E.
- STAPLES, G.C., see BEAUCHAMP, A.J.; STAPLES, G.C.; STAPLES, E.O.; GRAEME, A.; GRAEME, B.; FOX, E.
- Starling, 13, 23-26, 29, 31-33, 119, 120, 185, 186, 190, 191, 214, 233
Polynesian, 43, 49
- STEPHENSON, B.M.; SPRINGETT, B.; MINOT, E.; ROBERTSON, C.J.R. The effects of a La Nina summer on the breeding success of Australasian gannets (*Sula serrator*) at Cape Kidnappers (Abstract), 173
- STEPHENSON, B.M. The Ornithological Society of New Zealand's Website: the launch into cyberspace (Abstract), 175
- Stercorarius longicaudus*, see skua, long-tailed

- parasiticus*, see skua, Arctic
pomarinus, see skua, pomarine
 sp., see skua, sp.
Sterna albifrons sinensis, see tern, eastern little
albostrata, see tern, black-fronted
anaethetus, see tern, bridled
bergii, see tern, crested
caspia, see tern, Caspian
fuscata, see tern, sooty
hirundo, see tern, common
h. longipennis, see tern, eastern common
neris, see tern, fairy
neris davisae, see tern, New Zealand fairy
paradisaea, see tern, Arctic
striata, see tern, white-fronted
Stictocarbo featherstoni, see shag, Pitt Island
punctatus, see shag, spotted
 stilt, Australasian, pied, 17, 33, 127, 202, 203, 224
 black, 127-130, 203, 224
 black-necked, 129
 black-winged, 129
 pied, see stilt, Australasian pied
 stint, little, 66-68
 long-toed, 70
 red-necked, 125, 205-206, 227
 stitchbird, 111, 171, 175
 storm petrel, British, 236
 Leach's, 236
 white-faced, 196
Streptopelia chinensis, see dove, spotted
 roseogrisea, see dove, barbary
Strigops habroptilus, see kakapo
Sturnus vulgaris, see starling
Sula serrator, see *Morus serrator*
 swallow, welcome, 19, 20, 24-25, 28, 33, 172, 212, 222
 swampphen, purple, 44
 swan, black, 15, 33, 199, 221
 mute, 199, 221
 swift, fork-tailed, 67, 211
 sp., 66, 172
 spine-tailed, 66, 68, 231
 swiftlet, white-rumped, 43, 48-49
Synoicus ypsilophorus, see quail, brown

Tachybaptus n. novaehollandiae, see grebe, Australian little
Tadorna tadornoides, see shelduck, chestnut-breasted
 variegata, see shelduck, paradise
 taiko, Chatham Island, 239, 240
 tattler, grey-tailed, see tattler, Siberian
 Siberian, 68, 70, 207, 228
 sp., 228
 wandering, 42, 46, 51, 70, 228
 TAYLOR, G.A. Seabird translocations – learning from past mistakes (Abstract), 170
 teal, Auckland Island, 135, 136
 brown, 67, 200
 Campbell Island, 132, 133, 137
 chestnut, 65-70, 200, 222
 grey, 15, 33, 199-200, 222
 TENNYSON, A.J.D.; LOCK, J.W. (Compilers):
 CLASSIFIED SUMMARISED NOTES, North Island,
 1 July 1997 to 30 June 1998, 192-214
 tern, Arctic, 68, 70, 230
 black-fronted, 63-64, 124, 177, 208, 229
 bridled, 70, 126, 230
 brown-winged, 126
 Caspian, 16, 17, 33, 207-209, 229, 241
 common, 70
 crested, 68, 210
 eastern common, 210, 230
 eastern little, 70, 210, 230
 fairy, 209-210, 230
 grey-backed, see tern, bridled
 gull-billed, 66, 68, 208
 little, see tern, eastern little
 New Zealand fairy, see tern, fairy
 sooty, 69
 spp., 207
 white, 43, 46, 50, 63, 69, 210
 white-fronted, 207, 209, 210, 229-230
 white-winged black, 67-70, 208, 229
 ternlet, grey, 63, 210, 230
Thalassarche eremita, see mollymawk, Chatham Island
Thinornis novaeseelandiae, see plover, shore
 rossi, see plover, shore
 THOMPSON, D.; MURDOCH, R.; PAGE, M. A near
 albino cape pigeon (*Daption capense*) off Kaikoura, 235-
 236
 thrush, song, 15, 20, 21, 30, 31, 33, 185, 186, 188, 191, 212,
 232
 tit sp., 184
 tomtit, North Island, 33, 213, 233
 sp., 103
Trichoglossus haematodus, see lorikeet, rainbow
Tricholimnas sylvestris, see woodhen, Lord Howe Island
 triller, Polynesian, 43, 49
Tringa brevipes, see tattler, Siberian
 erythropus, see redshank, spotted
 flavipes, see yellowlegs, lesser
 glareola, see sandpiper, wood
 hypoleucos, see sandpiper, common
 incana, see tattler, wandering
 nebularia, see greenshank
 ochropus, see sandpiper, green
 solitaria, see sandpiper, solitary
 spp., 132
 stagnatilis, see sandpiper, marsh
 terek, see sandpiper, terek
 tropicbird, red-tailed, 42, 49
 white-tailed, 39, 42, 43, 50
 tui, 13, 15, 18, 20, 22-23, 25, 26, 28-34, 36, 175, 185, 186, 190,
 191, 200, 213, 233
Turdus merula, see blackbird
 philomelos, see thrush, song
 turkey, wild, 201
 turnstone, 45, 204-205, 226
 black, 129
Tyto alba, see owl, barn

- DIMOND, W.J.; LOVEGROVE, T.G.; BERGSTROM, A.; WALTER, B.
- warbler, grey, 15, 18, 20-22, 30, 31, 33, 34, 212, 232
- WARD-SMITH, T., see ROBERTSON, A.; WARD-SMITH, T.; MURPHY, D.; KELLY, D.; LADLEY, J.
- weka, 58, 121
North Island, 82-89, 90-96, 154-159, 201, 223
- whimbrel, American, 70
Asiatic, 70, 206, 227
little, 67, 68
sp., 206, 227
- whitehead, 33, 212, 232
- WINTER, S.J. Number and distribution of blue penguin (*Eudyptula minor*) nests in the Mt Maunganui area, Bay of Plenty, 160-162
- woodcock, 132, 133
- woodhen, Lord Howe Island, 154
- WORTHY, T.H.; BRASSEY, R. New Zealand pigeon (*Hemiphaga novaeseelandiae*) on Raoul Island, Kermadec Group, 36-38
- wren, New Zealand spp., 237
- wrybill, 6, 124, 125, 129, 204, 225
- yellowhammer, 23, 33, 213
- yellowlegs, lesser, 67
- Zosterops lateralis*, see silvereye
- Compiled by TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland 1309