


NOTORNIS

Journal of the
Ornithological Society of New Zealand



Volume 48 2001

OFFICERS 2001-2002

President:	DAVID G. MEDWAY – 25a Norman St, New Plymouth
Vice-Presidents:	
North Island:	DAVID CROCKETT – 21 McMillan Ave, Kamo, Whangarei
South Island:	KERRY-JAYNE WILSON – Ecology & Entomology Group, P.O. Box 84, Lincoln University, Lincoln
Secretary:	ELIZABETH BELL (co-opted) – P.O. Box 12397, Wellington
Treasurer:	MARK NEE – 1/18 Carriage Close, Howick, Auckland
Council Members:	ROS BATCHELER (co-opted) – 126 Homebush Rd, Khandallah, Wellington HAZEL HARTY – P.O. Box 316, Drury DAVID LAWRIE (co-opted) – 52 Mill Rd, R.D. 2, Pukekohe DAVID MELVILLE – Dovedale, R.D.2, Wakefield DAVID PYE – 1/74 Ravenwood Drive, Forrest Hill, Auckland GRAEME TAYLOR – 7 Patna St, Ngaio, Wellington

EDITORS

NOTORNIS	RICHARD N. HOLDAWAY – P.O. Box 12397, Wellington
Editorial Board:	D. BRUNTON – Ecology Laboratory, School of Biological Sciences, University of Auckland, Private Bag 92019, Auckland M.J. IMBER – Department of Conservation, P.O. Box 10420, Wellington COLIN O'DONNELL – Department of Conservation, Private Bag, Christchurch PAUL M. SAGAR – 38A Yardley St, Christchurch RON MOORHOUSE – Department of Conservation, Private Bag 5, Nelson J. WAAS – Department of Biological Sciences, Waikato University, Private Bag 3105, Hamilton T H. WORTHY – 2A Willow Park Drive, R.D. 11, Masterton TONY CROCKER – 118 Cones Rd., Ashley R.D.2, Rangiora ROS BATCHELER – 126 Homebush Rd, Khandallah, Wellington 6004

Southern Bird:

Book Reviews:

CONVENORS & ORGANISERS

Atlas Scheme:	CHRIS ROBERTSON – P.O. Box 12397, Wellington GRAEME TAYLOR – 7 Patna St, Ngaio, Wellington
Beach Patrol:	LAURIE HOWELL – 38 Okahu Rd, Kaitia
Checklist Committee:	BRIAN GILL – Auckland Institute and Museum, P.B. 92018, Auckland
Moult Records:	BEN D. BELL – School of Biological Sciences, Victoria University P.O. Box 600, Wellington
Nest Records:	RUSSELL N. THOMAS – Rangitane Rd, Kerikeri R.D. 1, Northland 0470
Rare Birds:	DAVID G. MEDWAY – 25a Norman St, New Plymouth
Scientific Committee:	KERRY-JAYNE WILSON – Ecology & Entomology Group, P.O. Box 84, Lincoln University, Lincoln
Classified Summarised Notes:	
North Island:	RICHARD PARRISH – 43 Church St, Whangarei
South Island:	GILLIAN POLLOCK – 24 Jessie St, Mapua, Nelson 7155
SW Pacific Islands:	J.L. MOORE – 32 Brook St, Lower Hutt
Banding Liaison Officer:	CHRIS N. CHALLIES – 22A Highfield P1, Christchurch 4

LIBRARIANS

Books & Journals:	KATHY BARROW – c/- Auckland Institute & Museum, Private Bag 92018, Auckland
Bird Slides:	PAUL CUMING – 67 School Rd., Whatawhata, R.D. 9, Hamilton

Contents of Volume 48, 2001

Part 1: March 2001

Papers

- | | | |
|---|---|-----------|
| Birds of the Snares Islands, New Zealand Miskelly, | C.M.; Sagar, P.M.
Tennyson, A.J.D.;
Scofield, R.P. | 1 |
| Dispersal by juvenile North Island weka
(<i>Gallirallus australis greyi</i>) | Bramley, G.N. | 43 |
| Counting terrestrial bird species in mixed habitats:
an assessment of relative conspicuousness | McKinlay, B. | 47 |

Short notes

- | | | |
|---|--------------------------------|-----------|
| South polar skua (<i>Catharacta maccormicki</i>)
and Cook's petrel (<i>Pterodroma cookii</i>) on
the Chatham Rise | Petyt, C. | 41 |
| The occurrence of Wilson's storm petrel
(<i>Oceanites oceanicus</i>) in New Zealand waters | Petyt, C. | 54 |
| Some seabird associations with dusky dolphins
(<i>Lagenorhynchus obscurus</i>) at Kaikoura and with
orca (<i>Orcinus orca</i>) at Nelson, New Zealand | Hawke, D.; Dobinson, J. | 56 |

Review

- | | | |
|---|-------------------|----------|
| Whittow, G.C. (ed.) Sturkie's Avian Physiology, 5th ed. | Warham, J. | 5 |
|---|-------------------|----------|

Report

- | | | |
|--|--|-----------|
| Rare Birds Committee – Report for 2000 | | 61 |
|--|--|-----------|

Part 2: June 2001

Papers

Habitat use and foraging patterns of a reintroduced population of South Island saddleback (<i>Philesturnus carunculatus carunculatus</i>), the first breeding season after release	Pierre, J.P.	63
The effect of jetboat wake on braided riverbed birds on the Dart River	McKinlay, B.; Smale, A.	72
Sexing North Island robins (<i>Petroica australis longipes</i>) from morphometrics and plumage	Armstrong, D. P.	76
Classified Summarised Notes, South Island and Outlying Islands, 1 July 1996 – 30 June 1997	O'Donnell, C. F. J.; West, J.A.	81
Classified Summarised Notes, South Island and Outlying Islands, 1 July 1997 – 30 June 1998	O'Donnell, C. F. J.	90
Classified Summarised Notes, South Island and Outlying Islands, 1 July 1998 – 30 June 1999	O'Donnell, C. F. J.	100

Short notes

Size and scope of the bird collections of New Zealand museums	Gill, B. J.	108
Black-billed gulls hawking cicadas over shrubland	Brown, D.	111

Review

Tickell, W. L. N. 2000. Albatrosses	Warham, J.	129
-------------------------------------	------------	-----

Obituaries

F. C. Kinsky	Various	113
--------------	---------	-----

Part 3: September 2001

Papers

Decline of brown teal (<i>Anas chlorotis</i>) in Northland, New Zealand, 1988-99	Parrish, R.; Williams, M.	131
Causes of the decline of a breeding population of titi on Mangaia, Cook Islands	Medway, D.G.	137
Historical records of yellow-eyed penguin (<i>Megadyptes antipodes</i>) in southern New Zealand	Moore, P.J.	145
Long-term monitoring of a breeding colony of white herons (<i>Egretta alba</i>) on the Waitangiroto River, South Westland, New Zealand	Miller, C.	157
Classified Summarised Notes, North Island 1 July 1999 to 30 June 2000	Parrish, R.	165

Short notes

New Zealand dotterel catches fish	Parker, K.	164
Incubation weight loss of Christmas shearwater eggs on Christmas Island, Pacific Ocean	Whittow, G.C.	175
Dive duration and some diving rhythms of the New Zealand king shag (<i>Leucocarbo carunculatus</i>)	Brown, D.	177
High productivity and nesting success of South Island robins (<i>Petroica australis australis</i>) following predator control at St Arnaud, Nelson Lakes, South Island	Etheridge, N.; Powlesland, R.G.	179

Abstracts

Abstracts of papers presented at the Ornithological Society of New Zealand, Inc. AGM and Conference, 2 June 2001, Rotorua, New Zealand	Various	181
--	---------	-----

Obituary

Ronald Mathias Lockley	M. Taylor	188
------------------------	-----------	-----

Letter

Correction: <i>Leucocarbo</i> shag at the Snares Islands	Miskelly, C.M.; Sagar, P.M.; Tennyson, A.J.D.; Scofield, R.P.	185
--	---	-----

Errata		186
--------	--	-----

Part 4: December 2001

Papers

- | | | |
|---|--|------------|
| Productivity and survival within 2 declining populations of brown teal (<i>Anas chlorotis</i>) | Williams, M. | 187 |
| Breeding, survival, and recruitment of Chatham Island pigeon (<i>Hemiphaga chathamensis</i>) | Flux, I.A.; Powlesland, R.G.; Dilks, P.J.; Grant, A.D. | 197 |
| Status and breeding biology of the Chatham Island tomtit (<i>Petroica macrocephala chathamensis</i>) | Powlesland, R.G.; Merton, D.V.; Crouchley, D.; O'Connor, S. | 207 |
| A field technique for determining the sex of North Island kokako (<i>Callaeas cinerea wilsoni</i>) | Flux, I.; Innes, J. | 217 |
| A fossil vertebrate fauna accumulated by laughing owls (<i>Sceloglaux albifacies</i>) on the Goulard Downs, northwest Nelson, New Zealand | Worthy, T.H. | 225 |
| Nest materials of skuas (<i>Catharacta</i> spp.) and kelp gulls (<i>Larus dominicanus</i>) at Cierva Point, Antarctic Peninsula | Quintana, R.D.; Cirelli, V.; Benitez, O. | 235 |

Short notes

- | | | |
|---|--------------------------------|------------|
| A new record of marsh crake (<i>Porzana pusilla</i>) from the Waikato | Day, M.R.; Seddon, B.H. | 196 |
| Survival and reproductive success of stitchbird (hihi, <i>Notiomystis cincta</i>) suffering from a bill abnormality (oral fistula) | Castro, I.; Taylor, J. | 241 |

Review

- | | | |
|---|-------------------|------------|
| The directory of Australian birds. Passerines | Gill, B.J. | 245 |
|---|-------------------|------------|

Notices

- | | | |
|-------------------------------|--|------------|
| Queen's Birthday Honours 2001 | | 234 |
|-------------------------------|--|------------|

INDEX OF AUTHORS AND SPECIES

Volume 48

- Acanthisitta c. chloris*, see rifleman, South Island
Acridotheres tristis, see myna, Indian
Aegotheles novaezelandiae, see owl-nightjar
Alauda arvensis, see skylark
 Albatross, Antipodes wandering, 129
 Buller's, see Mollymawk, Buller's
 Chatham Island, see mollymawk, Chatham Island
 grey-headed, see mollymawk, grey-headed
 light-mantled sooty, 5, 28, 81, 91, 166
 northern black-browed, see mollymawk, northern black-browed
 northern royal, 4, 90, 117, 160
 royal, 4, 28, 100
 Salvin's, see mollymawk, Salvin's
 shy, see mollymawk, shy
 snowy, 3, 34
 sooty, 62, 129
 southern black-browed, see mollymawk, southern black-browed
 southern Buller's, see mollymawk, southern Buller's
 southern royal, 4, 81, 90, 166
 spp., 30, 57, 58, 121, 127, 129
 wandering, 3, 4, 28, 81, 90, 100, 129
 yellow-nosed, see mollymawk, yellow-nosed
Alectoris chukar, see chukor
 rufa, see partridge, red-legged
Anarhynchus frontalis, see wrybill
Anas aucklandica chlorotis, see teal, brown
 a. aucklandica, see teal, Auckland Island
 castanea, see teal, chestnut
 gracilis, see teal, grey
 platyrhynchos, see mallard
 rhynchotis, see shoveler, Australasian
 rhynchotis variegata, see shoveler, New Zealand
 superciliosa, see duck, grey
 ANNUAL GENERAL MEETING: Abstracts of papers presented at the Ornithological Society of New Zealand Inc. AGM and Conference, 2 June 2001, Rotorua, New Zealand, 181-185
Anomalopteryx didiformis, see mōa
Anous sp., see noddy, sp.
 tenuirostris, see noddy, white-capped
Anser sp., see goose, feral
Anseriformes, 109
Anthornis melanura, see bellbird
Anthus australis, see pipit, Australian
 novaezeelandiae, see pipit, New Zealand
Aptenodytes patagonicus, see penguin, king
 Apterygidae, 109
Apteryx a. australis, see kiwi, South Island brown
 a. mantelli, see kiwi, North Island brown
 haastii, see kiwi, great spotted
 owenii, see kiwi, little spotted
Apus pacificus, see swift, fork-tailed
Ardea novaehollandiae, see heron, white-faced
Arenaria interpres, see turnstone
 ARMSTRONG, D.P. Sexing North Island robins (*Petroica australis longipes*) from morphometrics and plumage, 76-80
Artamus cyanopterus, see woodswallow, dusky
Athene noctua, see owl, little
Aythya australis, see duck, white-eyed
 novaezeelandiae, see scaup, New Zealand
 BARTLE, J.A.; YALDWYN, J.C. Obituary: Friedrich-Carl Kinsky (1911-1999) – his life and contributions to bird study in New Zealand, 113-126
 BELL, BD.; ROBERTSON, C.J. Fred Kinsky (Obituary), 127
 bellbird, 28, 34, 48-50, 88, 99, 107, 174, 227, 229, 231
 BENITEZ, O., see QUINTANA, R.D.; CIRELLI, V.; BENITEZ, O.
 bird, flightless spp., 225
 forest spp., 194
 predatory spp., 228
 bittern, Australasian, 83, 92, 102, 168
 New Zealand little, 122
 blackbird, 21, 25, 28, 48-50, 88, 98, 106, 174, 182, 227
Botaurus stellaris poiciloptilus, see bittern, Australasian
Bowdleria punctata caudata, see Fernbird, Snares Island
 p. punctata, see fernbird, South Island
 p. stewartiana, see fernbird, Stewart Island
 p. vealeae, see fernbird, North Island
 BRAMLEY, G.N. Dispersal by juvenile North Island weka (*Gallirallus australis greyi*), 43-46
Branta canadensis, see goose, Canada
 BRIGHT, A.; WAAS, J. UV reflectance, bill colour and territory defence in blackbirds (*Turdus merula*) (AGM Abstract), 182
 BROWN, D. Black-billed gulls hawking cicadas over shrubland, 111-112
 BROWN, D. Dive duration and some diving rhythms

- of the New Zealand king shag (*Leucocarbo carunculatus*), 177-178
- BRUNTON, D.H., see JEFFRIES, D.S.; BRUNTON, D.H.
- Bubulcus ibis*, see egret, cattle
- Bulweria bulwerii*, see petrel Bulwer's
- bunting, circl, 88, 99, 107
- Cacatua galerita*, see cockatoo, sulphur-crested
- Cacomantis flabelliformis*, see cuckoo, fan-tailed
- Calidris acuminata*, see sandpiper, sharp-tailed
- alba*, see sanderling
- canutus*, see knot
- ferruginea*, see sandpiper, curlew
- melanotos*, see sandpiper, pectoral
- minuta*, see stint, little
- ruficollis*, see stint, red-necked
- subminuta*, see stint, long-toed
- tenuirostris*, see knot, great
- Callaeas c. cinerea*, see kokako South Island
- c. wilsoni*, see kokako, North Island
- Callipepla californica brunnescens*, see quail, California
- Carduelis carduelis*, see goldfinch
- chloris*, see greenfinch
- flammea*, see redpoll
- CASTRO, I.; TAYLOR, J. Survival and reproductive success of stitchbird (hihi, *Notiomystis cincta*) suffering from a bill abnormality (oral fistula), 241-244
- Catarractes chrysocome*, see *Eudyptes chrysocome*
- Catharacta maccormicki*, see skua, South Polar
- skua lonnbergi*, see skua, brown
- Cereopsis novaehollandiae*, see goose, Cape Barren
- Chaffinch, 27, 28, 48, 49, 88, 93, 99, 107
- Charadriiformes, 109, 119, 121
- Charadrius alexandrinus*, see Plover, Kentish
- b. bicinctus*, see dotterel, banded
- dubius*, see plover, little ringed
- hiaticula*, see plover, ringed
- leschenaultii*, see dotterel, large sand
- melanops*, see dotterel, black-fronted
- mongolus*, see dotterel, Mongolian
- obscurus*, see dotterel, New Zealand
- Checklist for authors, 130, 224
- Chenonetta jubata*, see duck, Australian wood
- Chlidonias leucopterus*, see tern, white-winged black
- Chrysococcyx l. lucidus*, see cuckoo, shining
- Chukor, 84
- Ciconiiformes, 109
- Circus approximans*, see harrier, Australasian
- eylesi*, see goshawk, extinct
- CIRELLI, V., see QUINTANA, R.D.; CIRELLI, V.; BENITEZ, O.
- CLASSIFIED SUMMARISED NOTES, South Island and Outlying islands, 1 July 1996 to 30 June 1997, compiled by O'Donnell, C.F.J. and West, J.A., 81-89
- CLASSIFIED SUMMARISED NOTES, South Island and Outlying islands, 1 July 1997 to 30 June 1998, compiled by O'Donnell, C.F.J., 90-99
- CLASSIFIED SUMMARISED NOTES, South Island and Outlying islands, 1 July 1998 to 30 June 1999, compiled by O'Donnell, C.F.J., 100-107
- CLASSIFIED SUMMARISED NOTES, North Island, 1 July 1999 to 30 June 2000, compiled by Parrish, G.R., 165-174
- CLIFFORD, H.J. Ten years studying grey-faced petrel (*Pterodroma macroptera gouldi*) at Mauao/Motuotau (AGM Abstract), 183
- cockatoo, sulphur-crested, 87, 96, 106, 173
- Coenocorypha aucklandica huegeli*, see snipe, Snares Island
- Columba livia*, see pigeon, rock
- mayeri*, see pigeon, Mauritius pink
- Columbidae, 204
- Columbiformes, 109
- coot, Australian, 85, 94, 103, 170
- Coraciiformes, 109
- Cormorant spp., 57
- Corvus frugilegus*, see rook
- crake, marsh, 85, 103, 170, 196
- spotless, 85, 103, 169-170, 196
- creeper, brown, 88, 98, 107, 227, 229
- CROUCHLEY, D., see POWLESLAND, R.G.; MERTON, D.V.; CROUCHLEY, D.; O'CONNOR, S.
- cuckoo, fan-tailed, 61
- long-tailed, 24, 87, 98, 106, 116, 173
- oriental, 24, 98, 106
- shining, 24, 87, 88, 97-98, 106, 173
- spp., 29
- Cuculiformes, 109
- Cuculus saturatus*, see cuckoo, oriental
- curlew, eastern, 86, 95, 105, 172
- Cyanoramphus a. auriceps*, see parakeet, yellow-crowned
- malherbi*, see parakeet, orange-fronted
- novaezelandiae*, see parakeet, red-crowned
- n. chathamensis*, see parakeet, Chatham Island
- red-crowned
- spp., see parakeet, spp.
- Cygnus atratus*, see swan, black
- olor*, see swan, mute
- dabchick, New Zealand, 166
- Daption capense*, see pigeon, cape
- c. australe*, see pigeon, Snares cape
- DAY, M.R.; SEDDON, B.H. A new record of marsh crake (*Porzana pusilla*) from the Waikato, 196
- Dendrocopos villosus*, see woodpecker, hairy
- Dendroscansor decurvirostris*, see wren, extinct
- DILKS, P.J., see FLUX, I.A.; POWLESLAND, R.G.; DILKS, P.J.; GRANT, A.D.
- Dinornithidae, 109
- Diomedea amsterdamensis*, see albatross, wandering
- antipodensis*, see albatross, Antipodes wandering

- b. bulleri*, see mollymawk, southern Buller's
cauta, see mollymawk, white-capped or shy
c. cauta, see mollymawk, white-capped or shy
c. eremita, see mollymawk, Chatham Island
c. salvini, see mollymawk, Salvin's
c. steadi, see mollymawk, New Zealand
 white-capped
chionoptera, see albatross, snowy
chlororhyncha, see *Diomedea b. bulleri*
chlororhynchos, see mollymawk, yellow-nosed
chrysostoma, see mollymawk, grey-headed
dabbena, see albatross, wandering
epomophora, see albatross, southern royal
eremita, see mollymawk, Chatham Island
exulans, see albatross, wandering
gibsoni, see albatross, wandering
impavida, see mollymawk, northern black-browed
melanophrys, see mollymawk, southern
 black-browed
salvini, see mollymawk, Salvin's
sanfordi, see albatross, northern royal
 DOBINSON, J., see HAWKE, D.J.; DOBINSON, J.
 dotterel, 59
 banded, 72-75, 85, 94-96, 104, 170-171
 black-fronted, 59, 85, 94-95, 104, 171
 large sand, 171
 Mongolian, 61, 62, 94, 171
 New Zealand, 59, 85, 94, 104, 164, 170,
 181-182, 225, 229, 231
 dove, barbary, 173
 spotted, 173
 duck, Australian wood, 18, 39, 103
 blue, 84, 93, 103, 169, 227, 230
 grey, 18, 20, 28, 30, 84, 93, 103, 169
 mallard, 1, 18, 20, 28, 30, 84, 93, 103, 169, 194
 spp., 21, 58
 white-eyed, 18
 dunnoek, 25, 48, 49, 88, 106, 174
 egret, cattle, 17, 29, 83, 92, 102, 168
 intermediate, 61, 102
 little, 83, 102, 167
Egretta alba modesta, see heron, white
 garzetta nigripes, see egret, little
 intermedia, see egret, intermediate
 sacra, see heron, reef
Emberiza cirrus, see bunting, ciril
 citrinella, see yellowhammer
 Emeidae, 109
 ERRATA, 186
 ETHERIDGE, N.; POWLESLAND, R.G. High
 productivity and nesting success of South
 Island robins (*Petroica australis australis*)
 following predator control at St Arnaud,
 Nelson Lakes, South Island, 179-180
Eudynamis scolopacea, see koel, common
 taitensis, see cuckoo, long-tailed
Eudyptes chrysocome, see penguin, rockhopper
 c. chrysocome, see penguin, western
 rockhopper
 c. filholi, see penguin, eastern rockhopper
 chrysolophus chrysolophus, see penguin,
 macaroni
 c. schlegeli, see penguin, royal
 pachyrhynchus, see penguin, Fiordland crested
 robustus, see penguin, Snares crested
 sclateri, see penguin, erect-crested
Eudyptula minor, see penguin, blue
Falco novaeseelandiae, see falcon, New Zealand
 falcon, New Zealand, 84, 92, 93, 103, 192, 203, 227-230
 Falconiformes, 109
 fantail, black, 26, 87, 107
 grey, 246
 New Zealand, 246
 North Island, 174
 South Island, 1, 26, 28, 48, 49, 88, 98, 107
 fernbird, North Island, 174
 Snares Islands, 2, 18, 24, 25-26, 28, 39
 South Island, 88, 98, 107, 227, 229
 Stewart Island, 88
 FLUX, I.A.; POWLESLAND, R.G.; DILKS, P.J.;
 GRANT, A.D. Breeding, survival and recruit-
 ment of Chatham Island pigeon (*Hemiphaga*
 chathamensis), 177-206
 FLUX, I.A.; INNES, J. Field technique for determin-
 ing the sex of North Island kokako (*Callaeas*
 cinerea wilsoni), 217-233
 Fowl, domestic, 43, 58
Fregetta tropica, see storm petrel, black-bellied
Fringilla coelebs, see chaffinch
Fulica atra australis, see coot, Australian
 fulmar, Antarctic, 8, 82, 166, 167
Fulmarus glacialisoides, see fulmar, Antarctic
 Galliformes, 109
Gallinago hardwickii, see snipe, Japanese
Gallirallus a. australis, see weka, western
 a. greyi, see weka, North Island
Gallus gallus, see fowl, domestic
 GANGLOF, B., see WILSON, K-J.; SULLIVAN, W.;
 GANGLOF, B.
 gannet, Australasian, 17, 82, 91, 101, 116, 167
 Cape, 62
Garrodia nereis, see *Oceanites nereis*
Gelochelidon nilotica, see tern, gull-billed
Gerygone igata, see warbler, grey
 GILL, B.J. Size and scope of the bird collections in
 New Zealand museums, 108-111
 GILL, B.J. REVIEW: Schodde, R.; Mason, I.J. 1999.
 The directory of Australian birds. Passerines,
 245-246.
 godwit, Asiatic black-tailed, 172
 bar-tailed, see godwit, eastern bar-tailed
 eastern bar-tailed, 20, 21, 86, 95-96, 105, 172
 Hudsonian, 61, 62, 105, 172

- goldfinch, 27, 48, 49, 88, 99, 107, 174, 227
- goose, Canada, 17, 84, 92, 102, 168
Cape Barren, 84, 92, 102
feral, 92, 103
- goshawk, extinct, 192
- GRANT, A.D., see FLUX, I.A.; POWLESLAND, R.G.;
DILKS, P.J.; GRANT, A.D.
- grebe, Australasian little, 81, 90, 100
Australasian crested, 81, 90, 100
hoary-headed, 3
- greenfinch, 27, 48, 49, 51, 107, 174
- greenshank, 20, 62, 86, 96, 105
- GRIFFITHS, R. State of the play with hihi (stitchbird)
(*Notiomystis cincta*) recovery (AGM Abstract),
182
- Gruiformes, 109
- Gull, black-backed, 1, 21-22, 28, 48, 49, 52, 86, 96, 103,
105, 111, 114-116, 121, 127, 172, 181, 182, 186,
235-241
black-billed, 22, 72-75, 84, 86-87, 93, 96, 105,
111-112, 172, 186
kelp, 235-241, see also gull, black-backed
red-billed, 17, 21-23, 28, 57, 86, 96, 102, 105,
111-112, 167, 172
southern black-backed, see gull, black-backed
spp., 57, 109, 119
- Gymnorhina tibicen hypoleuca*, see magpie, Australian
- Haematopus ostralegus finschi*, see oystercatcher, South
Island pied
unicolor, see oystercatcher, variable
- Halcyon sancta vagans*, see kingfisher, New Zealand
- Halobaena caerulea*, see petrel, blue
- harrier, Australasian, 18, 48, 49, 52, 83, 84, 93, 103,
161, 169, 172, 181, 192, 193, 197, 202, 203, 241
- HAWKE, D.J.; DOBINSON, J. Some seabird associa-
tions with dusky dolphins (*Lagenorhynchus*
obscurus) at Kaikoura and with orca (*Orcinus*
orca) at Nelson, New Zealand, 56-58
- Hemiphaga chathamensis*, see pigeon, Chatham Island
novaeaeelandiae, see pigeon, New Zealand
- hen, domestic, see fowl, domestic
- Heteralocha acutirostris*, see huia
- heron, reef, 83, 92, 102, 167-168
white, 17, 83, 92, 102, 157-163, 167
white-faced, 17, 83, 84, 91-92, 93, 101, 167
- hihi, see stitchbird
- Himantopus h. leucocephalus*, see stilt, Australasian
pied
novaezealandiae, see stilt, black
- Hirundapus caudacutus*, see swift, spine-tailed
- Hirundo ariel*, see martin, fairy
nigricans, see martin, Australian tree
tahitica neoxena, see swallow, welcome
- hoiho, see penguin, yellow-eyed
- HOLDAWAY, R.N., see WORTHY, T.H.;
HOLDAWAY, R.N.
- HUDSON, J. Kokako (*Callaeas cinerea wilsoni*) dialects
and management implications (AGM
Abstract), 181
- Huia, 217
- Hylochelidon nigricans*, see martin, Australian tree
- Hymenolaimus malacorhynchos*, see duck, blue
- ibis, glossy, 92, 102
- INNES, J., see FLUX, I.A.; INNES, J.
- Ixobrychus novaezealandiae*, see bittern, New Zealand
little
- JEFFRIES, D.S.; BRUNTON, D.H. Attracting endan-
gered species to safe habitats: responses of
fairy terns (*Sterna nereis davisae*) to decoys
(AGM Poster Paper Abstract), 184
- kaka, North Island, 173
South Island, 87, 97, 106, 227-229, 231
- kakapo, 228-231
- kea, 84, 87, 97, 227
- KEEDWELL, R. Post-fledging mortality in black-
fronted terns (*Sterna albobriata*): does fledg-
ing equal success? (AGM Abstract), 182-183
- KEELEY, B. Foot-trembling in the spur-winged
plover (*Vanellus miles novaezealandiae*), 59-60
- kereru, see pigeon, New Zealand
- kingfisher, New Zealand, 88, 98, 106, 173
- kite, black, 62
- kiwi, brown 241
great spotted, 90, 100, 227
little spotted, 228, 229
North Island brown, 166, 194
South Island brown, 81
spp., 109, 120, 122
- knot, great, 62, 171
lesser, 86, 95, 104, 171
- koel, common, 61
- kokako, North Island, 174, 181, 217-223
South Island, 229
- korara, see penguin, yellow-eyed
- kukupu, see pigeon, New Zealand
- lapwing, Eurasian, 59
spp., 59
- Larus bulleri*, see gull, black-billed
dominicanus, see gull, black-backed, or gull,
kelp
novaezealandiae, see gull, red-billed
- LETTER: MISKELLY, C.M.; SAGAR, P.M.; TEN-
NYSON, A.J.D.; SCOFIELD, P. Correction:
Leucocarbo shag at the Snares Islands, 185
- Leucocarbo carunculatus*, see shag, New Zealand king
chalconotus, see shag, Stewart Island
colensoi, see shag, Auckland Island
ranfurlyi, see shag, Bounty Island
- Limicola falcinellus*, see sandpiper, eastern broad-billed
- Limosa haemastica*, see godwit, Hudsonian
lapponica baueri, see godwit, eastern bar-tailed
limosa melanuroides, see godwit, Asiatic black-
tailed

- Lugensa brevirostris*, see petrel, Kerguelen
- Macronectes giganteus*, see petrel, southern giant
- halli*, see petrel, northern giant
- sp., see petrel, giant sp.
- magpie, Australian, 48, 49, 52, 89, 107, 174
- mallard, see duck, mallard
- martin, Australian tree, 25, 88
- fairy, 106
- McKINLAY, B. Counting terrestrial bird species in mixed habitats: an assessment of relative conspicuousness, 47-53
- McKINLAY, B.; SMALE, A. The effect of jetboat wake on braided riverbed birds on the Dart River, 72-75
- MEDWAY, D.G. Rare Birds Committee – Report for 2000, 61-62
- MEDWAY, D.G. Causes of the demise of a breeding population of titi on Mangaia, Cook Islands, 137-144
- Megadyptes antipodes*, see penguin, yellow-eyed
- Megalapteryx didinus*, see moa
- Meleagris gallopavo*, see turkey, wild
- MELVILLE, D. Moults workshop (AGM Abstract), 184
- MERTON, D.V., see POWLESLAND, R.G.; MERTON, D.V.; CROUCHLEY, D.; O'CONNOR, S.
- Micropalama himantopus*, see sandpiper, stilt
- MILIUS, N. Antarctic wildlife slide presentation (AGM Abstract), 184
- MILLER, C. Long-term monitoring of a breeding colony of white herons (*Egretta alba*) on the Waitangiroto River, South Westland, New Zealand, 157-163
- Milvus migrans*, see kite, black
- MISKELLY, C.M.; SAGAR, P.M.; TENNYSON, A.J.D.; SCOFIELD, R.P. Birds of the Snares Islands, New Zealand, 1-40
- MISKELLY, C.M.; SAGAR, P.M.; TENNYSON, A.J.D.; SCOFIELD, R.P. (Letter): Correction: *Leucocarbo* shag at the Snares Islands, 185
- Moa spp., 109, 228-230
- Mohoua albicilla*, see Whitehead
- noaeseelandiae*, see creeper, brown
- ochrocephala*, see yellowhead
- mollymawk, black-browed, 1, 4, 40, 81, 90, 129, 166
- Buller's, 2, 3, 21, 30, 81, 91, 100, 166, 234
- Chatham Island, 1, 3, 5, 28, 30, 37
- Grey-headed, 5, 40, 129
- New Zealand white-capped, 166
- northern black-browed, 4, 40
- northern Buller's, 28
- Salvin's, 3-5, 15, 21, 28, 29, 37, 81, 90, 166
- shy, 4, 81, 90, 100
- southern black-browed, 1, 4, 28, 30, 37, 40
- southern Buller's, 2-5, 21, 28, 29
- spp., 30, 56, 129
- white-capped, 42, 56, 57
- yellow-nosed, 40, 129, 166
- MOORE, P.J. Historical records of yellow-eyed penguin (*Megadyptes antipodes*) in southern New Zealand, 145-156
- morepork, 24, 87, 98, 106, 227-231
- Morus serator*, see gannet, Australasian
- MURRAY, J., see WILLS, D.; MURRAY, J.; POWLESLAND, R.
- muttonbird spp., 139
- myna, common, 99, 174
- Indian, see myna, common
- NAKAGAWA, S. Kin recognition in blue penguins (*Eudyptula minor*) on Tiritiri Matangi Island (AGM Poster Paper Abstract), 185
- Nesofregatta fuliginosa*, see storm petrel, white-throated
- Nestor m. meridionalis*, see kaka, South Island
- m. septentrionalis*, see kaka, North Island
- notabilis*, see kea
- Ninox novaeseelandiae*, see morepork
- noddy, sp., 62
- white-capped, 62, 106
- Notiomystis cincta*, see stitchbird
- Numenius madagascariensis*, see curlew, eastern
- minutus*, see whimbrel, little
- phaeopus* ssp., see whimbrel, ssp.
- p. variegatus*, see whimbrel, Asiatic
- OBITUARIES:
- F.C. Kinsky 1911-1999:
- BARTLE, J.A., YALDWYN, J.C. Friedrich-Carl Kinsky (1911-1999) – his life and contributions to bird study in New Zealand, 113-126
- BELL, B.D.; ROBERTSON, C.J. Fred Kinsky, 127
- WARHAM, J. Fred Kinsky, 127-128
- Ronald Lockley 1903-2000:
- TAYLOR, M.J. Ronald Mathias Lockley, 1903-2000, 186
- Oceanites nereis*, see storm petrel, grey-backed
- oceanicus*, see storm petrel, Wilson's
- Oceanodroma leucorhoa*, see storm petrel, Leach's
- O'CONNOR, S., see POWLESLAND, R.G.; MERTON, D.V.; CROUCHLEY, D.; O'CONNOR, S.
- O'DONNELL, C.F.J.; WEST, J.A. Classified summarised notes, South Island and Outlying Islands, 1 July 1996 to 30 June 1997, 81-89
- O'DONNELL, C.F.J.; Classified summarised notes, South Island and Outlying Islands, 1 July 1997 to 30 June 1998, 90-99
- O'DONNELL, C.F.J.; Classified summarised notes, South Island and Outlying Islands, 1 July 1998 to 30 June 1999, 100-107
- oriole, yellow, 246
- Oriolus flavocinctus*, see oriole, yellow
- Otus asio*, see owl, eastern screech
- owl, eastern screech, 222
- laughing, 225-233
- little, 87-89, 98, 106, 122
- spp., 123, 142, 228, 230

- strigid spp., 230
 tytonid spp., 230
 owl-nightjar, 228, 229
 oystercatcher, South Island pied, 18, 72-74, 85, 94, 103, 170
 variable, 85, 94, 104, 170
Pachyplichas yaldwyni, see wren, stout-legged
Pachyptila belcheri, see prion, thin-billed
 crassirostris, see prion, fulmar
 desolata, see prion, Antarctic
 salvini, see prion, Salvin's
 turtur, see prion, fairy
 vittata, see prion, broad-billed
Pagodroma nivea, see petrel, snow
 parakeet, Chatham Island red-crowned, 210
 orange-crowned, 231
 red-crowned, 24, 87, 97, 106, 173, 231
 spp., 28, 87, 97, 106, 229-231
 yellow-crowned, 87, 97, 106, 173, 227, 229, 231
 parea, see pigeon, Chatham Island
 PARKER, K. New Zealand dotterel catches fish, 164
 PARRISH, G.R. Classified summarised notes, North Island, 1 July 1999 to 30 June 2000, 165-174
 PARRISH, R.; WILLIAMS, M. Decline of brown teal (*Anas chlorotis*) in Northland, New Zealand, 1988-99, 131-136
 parrot, spp., 58
 partridge, red-legged, 103
Passer domesticus, see sparrow, house
 Passeriformes, 109
 passerine spp., 59, 109, 231, 245-246
Pavo cristatus, see peafowl, feral
 peafowl, feral, 94, 169
Pelagodroma marina maoriana, see storm petrel, white-faced
 Pelecaniformes, 109
Pelecanoides urinatrix, see petrel, diving
 u. chathamense, see petrel, southern diving
 u. exsul, see petrel, subantarctic diving
 penguin, Adelie, 122, 127
 blue, 13, 21, 82, 91, 101, 115, 121-123, 127, 167, 185
 crested spp., 28, 234
 eastern rockhopper, 14
 erect-crested, 16-17
 Fiordland crested, 14-15, 28, 82, 91, 101, 128
 gentoo, 13, 37, 153
 king, 13, 37
 macaroni, 14
 rockhopper, 14, 28, 91, 234
 royal, 14, 38, 234
 Snares crested, 2, 3, 9, 14-17, 21, 22, 28-30, 38, 82, 234
 spp., 29, 58, 115, 116, 118, 127
 western rockhopper, 14
 yellow-eyed, 13, 16, 28, 82, 91, 101, 145-156
 Petrel, Antarctic, 40
 black, 57, 140, 166
 black sp., 166
 black-winged, 137-144, 167
 blue, 12, 21, 167
 Bulwer's, 62
 Chatham, 183
 common diving, see petrel, diving
 Cook's, 41, 82, 91, 101, 139, 140, 167, 183
 dark-rumped, 140, 141
 diving, 6-8, 20, 28, 82, 91, 101, 140, 228, 229, 231
 giant sp., 91, 101, 166
 great-winged, 82 (see also petrel, grey-faced)
 grey, 8, 28, 82, 101, 166
 grey-faced, 13, 167, 183, 184
 Kerguelen, 166
 Kermadec, 61, 62, 140
 mottled, 2, 12-13, 20, 28, 82, 101, 183, 234
 northern giant, 8, 9, 28, 91, 101, 166
 Parkinson's, see petrel, black
 Procellaria spp., 57
 providence, 141
 Pterodroma spp., 184
 Pycroft's, 183, 184
 snow, 122
 soft-plumaged, 40, 61, 82, 91
 southern diving, 6-8, 20, 28
 southern giant, 8-9, 82, 91, 101, 166
 spp., 20, 57, 116, 117, 119, 123, 127, 234
 Westland, 8, 56, 82, 101
 white-chinned, 8, 28, 42, 56, 91, 101
 white-headed, 13, 28, 82
Petroica australis, see robin, New Zealand
 a. australis, see robin, South Island
 a. longipes, see robin, North Island
 macrocephala, see tomtit, New Zealand
 m. chathamensis, see tomtit, Chatham Island
 m. dannefaerdi, see tomtit, Snares Island
 m. macrocephala, see tomtit, South Island
 m. marrineri, see tomtit, Auckland Island
 m. toitoi, see tomtit, North Island
 traversi, see robin, black
 PETYT, C. South polar skua (*Catharacta maccormicki*) and Cook's petrel (*Pterodroma cookii*) on the Chatham rise, 41
 PETYT, C. The occurrence of Wilson's storm petrel (*Oceanites oceanicus*) in New Zealand waters, 54-55
Phalacrocorax carbo, see shag, black
 melanoleucos, see shag, little
 m. brevirostris, see shag, little
 sulcirostris, see shag, little black
 varius, see shag, pied
Phasianus colchicus, see pheasant, ring-necked
 pheasant, ring-necked, 84, 94, 103
Philesturnus c. carunculatus, see saddleback, South Island
 c. rufusater, see saddleback, North Island

- Philomachus pugnax*, see ruff
- Phoebastria fusca*, see albatross, sooty
- palpebrata*, see albatross, light-mantled sooty
- PIERRE, J.P. Habitat use and foraging patterns of a reintroduced population of the South Island saddleback (*Philesturnus carunculatus*) the first breeding season after release, 63-71
- pigeon, cape, 8, 14, 21, 28, 82, 91, 101, 166
- Chatham Island, 139, 177-206
- feral, see pigeon, rock
- fruit spp., 197
- Mauritius pink, 204
- New Zealand, 48-52, 87, 96, 106, 139, 173, 197, 203-205
- rock, 21, 24, 58, 96, 169
- Snares Cape, 2-4, 8, 11, 21, 28
- spp., 203
- piopio, South Island, 229
- pipit, Australian, 246
- New Zealand, 28, 34, 88, 98, 106, 173-174, 227, 229, 246
- Platalea regia*, see spoonbill, royal
- Platycercus eximius*, see rosella, eastern
- Plegadis falcinellus*, see ibis, glossy
- plover, banded, 59
- Kentish, 59
- little ringed, 59
- New Zealand shore, see plover, shore
- Pacific golden, 85, 95, 104, 122, 127, 171
- ringed, 59
- shore, 61, 62, 171
- spur-winged, 18, 59-60, 85, 95, 104, 171, 186, 241
- Pluvialis fulva*, see plover, Pacific golden
- Podiceps cristatus australis*, see grebe, Australasian crested
- Poliiocephalus poliocephalus*, see grebe, hoary-headed
- rufopectus*, see dabchick, New Zealand
- Porphyrio porphyrio*, see swamphen, purple
- p. melanotus*, see pukeko
- Porzana pusilla affinis*, see crake, marsh
- tabuensis plumbea*, see crake, spotless
- POWLESLAND, R.G., see ETHERIDGE, N.; POWLESLAND, R.G.
- POWLESLAND, R.G., see WILLS, D.; MURRAY, J.; POWLESLAND, R.
- POWLESLAND, R.G., see FLUX, I.A.; POWLESLAND, R.G.; DILKS, P.J.; GRANT, A.D.
- POWLESLAND, R.G.; MERTON, D.V.; CROUCHLEY, D.; O'CONNOR, S. Status and breeding biology of the Chatham Island tomtit (*Petroica macrocephala chathamensis*), 207-216
- prion, antarctic, 28, 141
- broad-billed, 11-12, 20, 21, 28, 82, 101, 183
- fairly, 9-11, 20, 21, 28, 82, 91, 101, 167, 231
- fulmar, 3, 11, 21, 28
- lesser-broad-billed, see prion, Slavin's
- Salvin's, 11, 21, 91
- thin-billed, 101, 141
- spp., 41, 82, 91, 117, 167
- Procellaria aequinoctialis*, see petrel, white-chinned
- cinerea*, see petrel, grey
- parkinsoni*, see petrel, black
- westlandica*, see petrel, Westland
- Procellariid spp., 137-144
- Procellariiformes, 109, 137-144, 175-176
- Prothemadon novaeseelandiae*, see tui
- Prunella modularis*, see dunnoek
- Psittaciformes, 109
- Pterodroma axillaris*, see petrel, Chatham
- cookii*, see petrel, Cook's
- inexpectata*, see petrel, mottled
- lessonii*, see petrel, white-headed
- macroptera*, see petrel, great-winged
- macroptera gouldi*, see petrel, grey-faced
- magentae*, see taiko, Chatham Island
- mollis*, see petrel, soft-plumaged
- neglecta*, see petrel, Kermadec
- nigripennis*, see petrel, black-winged
- phaeopygia*, see petrel, dark-rumped
- pycrofti*, see petrel, Pycroft's
- solandri*, see petrel providence
- puffin, 186
- Puffinus assimilis*, see shearwater, little
- a. elegans*, see shearwater, subantarctic little
- bulleri*, see shearwater, Buller's
- carneipes*, see shearwater, flesh-footed
- creatopus*, see shearwater, pink-footed
- gavia*, see shearwater, fluttering
- griseus*, see shearwater, sooty
- huttoni*, see shearwater, Hutton's
- lherminieri*, see shearwater, Audubon's
- nativitatis*, see shearwater, Christmas
- pacificus*, see shearwater, wedge-tailed
- spelaeus*, see shearwater, Scarlett's
- spp., see shearwater spp.
- tenuirostris*, see shearwater, short-tailed
- pukeko, 85, 94, 103, 170
- Pygoscelis adeliae*, see penguin, Adelle
- papua*, see penguin, gentoo
- quail, brown, 169
- California, 84, 93, 169
- Queen's Birthday Honours June 2001: John Warham (MNZM), 234
- QUINTANA, R.D.; CIRELLI, V.; BENITEZ, O. Nest materials of skuas (*Catharacta* spp.) and kelp gull (*Larus dominicanus*) at Cierva Point, Antarctic Peninsula, 235-241
- rail, banded, 169
- spp., 28
- Rallus philippensis*, see rail, banded
- Rare Birds Committee – Report for 2000, compiled by

- D.G. Medway, 61-62
- Ratite spp., 109
- redpoll, 3, 24, 27, 28, 88, 99, 107, 174
- REVIEWS:
- Warham, J. Sturkie's Avian Physiology, 5th ed. Whittow, G.C. (ed.), 58
- Warham, J. Albatrosses. Tickel, W.L.N., 129
- Gill, B.J. The directory of Australian birds. Passerines. Schodde, R.; Mason, I.J., 245
- Rhipidura albiscapa*, see fantail, grey
- fuliginosa*, see fantail
- f. fuliginosa*, see fantail, South Island
- f. placabilis*, see fantail, North Island
- leucophrys*, see wagtail, willie
- RICHARDSON, C. Kaharoa kokako (*Callaeas cinerea wilsoni*) (AGM Abstract), 181
- rifleman, South Island, 88, 98, 106, 227-229, 231
- ROBERTSON, C.J., see BELL, B.D.; ROBERTSON, C.J. (Obituary)
- robin, black, 63, 78, 207-210, 214, 215
- New Zealand, 213
- North Island, 76-80, 174, 179, 215
- South Island, 77, 78, 88, 98, 107, 179-180, 215, 229, 230
- rook, 89, 99, 107, 120, 174
- rosella, eastern, 87, 97, 106, 173
- ruff, 62
- saddleback, 217
- North Island, 64, 68-70, 219, 222
- South Island, 63-71, 229
- SAGAR, P.M., see MISKELLY, C.M.; SAGAR, P.M.; TENNYSON, A.J.D.; SCOFIELD, P.
- SAGAR, P.M., see MISKELLY, C.M.; SAGAR, P.M.; TENNYSON, A.J.D.; SCOFIELD, P. (Letter)
- sanderling, 62, 95, 104
- sandpiper, broad-billed, 172
- common, 62
- curlew, 86, 95, 104, 171
- marsh, 62
- pectoral, 86, 95, 104, 172
- sharp-tailed, 20, 86, 95, 104, 171-172
- stilt, 61, 104
- terek, 62, 86, 96
- scaup, New Zealand, 84, 93, 103, 169
- Sceloglaux albifacies*, see owl, laughing
- SCOFIELD, R.P., see MISKELLY, C.M.; SAGAR, P.M.; TENNYSON, A.J.D.; SCOFIELD, R.P.
- SCOFIELD, R.P., see MISKELLY, C.M.; SAGAR, P.M.; TENNYSON, A.J.D.; SCOFIELD, R.P. (Letter)
- Seabird spp., 1-40, 41, 56-57, 116-117, 119-121, 137-144, 209
- SEDDON, B.H., see DAY, M.R.; SEDDON, B.H.
- shag, Auckland Island, 17, 38, 185
- black, 17, 83, 91, 101, 167, 174
- blue, 83, 101, 122
- Bounty Island, 83, 185
- Leucocarbo* spp., 28
- little, 17, 83, 84, 91, 101, 158, 167
- little black, 83, 91, 101, 167
- New Zealand king, 101, 177-178
- pied, 17, 57, 83, 91, 101, 167
- spotted, 17, 57, 83, 91, 101, 167
- Stewart Island, 83, 91, 101, 177, 178, 185
- shearwater, Audubon's, 137-139
- Buller's, 81, 91, 100, 141, 166
- Christmas, 139, 175-176
- flesh-footed, 91, 166
- fluttering, 33, 34, 56, 166
- fluttering/Hutton's, 33-34, 91, 100
- Hutton's, 33-34, 56, 57, 84
- little, 82, 100, 138, 139
- Newell's, 62
- pink-footed, 61
- Scarlett's, 231
- short-tailed, 40, 57, 82
- sooty, 3, 5-6, 7, 12, 20, 21, 28-30, 81, 91, 100, 166, 234
- spp., 57, 127, 139, 186
- subantarctic little, 6
- wedge-tailed, 139, 140, 176
- shelduck, chestnut-breasted, 17-18, 38, 93
- paradise, 84, 92-93, 102-103, 168-169, 194
- shoveler, Australasian, 18
- New Zealand, 84, 93, 103, 169
- silveryeye, 24, 26, 28, 48, 49, 88, 99, 107, 174, 227
- skimmer, 186
- skua, Arctic, 56, 57, 86, 96, 105, 172
- brown, 6, 9, 11-13, 17, 18, 20-21, 24, 28, 86, 96, 105, 172, 235-241
- Catharacta* spp., 235-241
- pomarine, 86, 96, 172
- South Polar, 41, 42, 122, 235-241
- southern brown, see skua, brown
- sp., 56, 57, 86, 105, 115, 142
- skylark, 25, 48, 49, 88, 98
- SMALE, A., see MCKINLAY, B.; SMALE, A.
- snipe, Japanese, 20, 61, 62, 171
- Snares Island, 2, 3, 18, 19, 21, 22, 28-30, 39
- South Island, 228, 229
- sparrow, hedge, see dunnoek
- house, 27, 28, 48, 49, 84, 88, 99, 107, 174
- Sphenisciformes, 109
- Spheniscus* sp., 16
- spoonbill, royal, 83, 92, 102, 158, 168
- Starling, 1, 27-28, 48, 49, 84, 88, 169, 174, 209, 215
- Stercorarius parasiticus*, see skua, Arctic
- pomarinus*, see skua, pomarine
- Sterna albifrons sinensis*, see tern, eastern little
- albostrata*, see tern, black-fronted
- bergii*, see tern, crested
- caspia*, see tern, Caspian
- hirundo*, see tern, common

- nereis*, see tern, fairy
nereis davisae, see tern, New Zealand fairy
paradisaea, see tern, Arctic
striata, see tern, white-fronted
vittata bethunei, see tern Antarctic
Stictocarro punctatus, see shag, spotted
p. steadi, see shag, blue
 stilt, Australasian, pied, 85, 94, 96, 104, 170, 241
 black, 72, 85, 94, 104, 170
 black/hybrid, 170
 stint, long-toed, 61
 red-necked, 86, 95, 104-105, 172
 stitchbird, 182, 241-244
 storm petrel, black-bellied, 13, 21, 28, 54, 55, 82, 101
 grey-backed, 28, 40, 55, 82, 91
 Leach's, 62
 New Zealand white-faced, 13
 spp., 28, 41, 167
 white-faced, 13, 28, 167
 white-throated, 138
 Wilson's, 54-55
Streptopelia chinensis, see dove, spotted
 roseogrisea, see dove, barbary
 Strigiformes, 109
Strigops habroptilus, see kakapo
Sturnus vulgaris, see starling
Sula capensis, see gannet, Cape
 SULLIVAN, W., see WILSON, K.-J.; SULLIVAN, W.;
 GANGLOF, B.
 swallow, welcome, 25, 88, 98, 106, 227
 swan, black, 84, 92, 93, 102, 103, 168
 mute, 83-84, 92, 102, 168
 swift, fork-tailed, 106
 spine-tailed, 25, 61, 62, 173
 spp., 29
Synoicus ypsilophorus, see quail, brown

Tachybaptus novaehollandiae, see grebe, Australasian
 little
Tadorna tadornoides, see shelduck, chestnut-breasted
 variegata, see shelduck, paradise
 taiko, Chatham Island, 198
 takeraka, see penguin, yellow-eyed
 tattler, grey-tailed, see tattler, Siberian
 Siberian, 20, 86, 96, 105, 172
 spp., 20, 86, 96, 172
 wandering, 20, 96, 105, 172
 tawaki, see penguin, yellow-eyed
 TAYLOR, G. Development of translocation
 techniques for *Pterodroma* petrels
 (AGM Abstract), 184
 TAYLOR, J., see CASTRO, I.; TAYLOR, J.
 TAYLOR, M.J. Ronald Mathias Lockley, 1903-2000
 (Obituary), 186
 teal, Auckland Island, 34
 brown, 84, 93, 131-136, 169, 187-195
 chestnut, 61, 62, 169, 191
 grey, 18, 84, 93, 103, 169, 191
 sp., 28
 TENNYSON, A.J.D., see MISKELLY, C.M.; SAGAR,
 P.M.; TENNYSON, A.J.D.; SCOFIELD, R.P.
 TENNYSON, A.J.D., see MISKELLY, C.M.; SAGAR,
 P.M.; TENNYSON, A.J.D.; SCOFIELD, R.P.
 (Letter)
 tern, Arctic, 23-24, 61, 62, 96
 Antarctic, 2, 3, 17, 21-24, 28, 96
 black-fronted, 22, 72-75, 87, 96, 105, 111, 172,
 182
 Caspian, 87, 96, 105, 116, 172-173
 common, 61, 62, 96, 173
 crested, 96
 eastern little, 62, 87, 96, 173
 fairy, see tern, New Zealand fairy
 gull-billed, 62, 172
 little, see tern, eastern little
 New Zealand fairy, 61, 173, 184
 spp., 57, 109, 119, 172
 white-fronted, 23, 56, 57, 87, 96, 105-106,
 172, 173
 white-winged black, 61, 62, 87, 96, 105, 172
Thalassoica antarctica, see petrel, Antarctic
Thinornis novaeseelandiae, see plover, shore
 thrush, song, 25, 28, 48, 49, 84, 98, 107
 titi, see shearwater, sooty
 titi, see petrel, black-winged
 tomtit, Auckland Island, 208
 Chatham Island, 207-216
 North Island, 174, 208, 213-215
 Snarres Island, 2, 3, 24, 26, 28, 29, 39, 208, 213-215
 South Island, 88, 98, 107, 208, 213-215, 227,
 229, 231
Traversia lyalli, see wren, Stephen's Island
Trichocichla rufa, see warbler, long-legged
Tringa brevipes, see tattler, Siberian
 hypoleucos, see sandpiper, common
 incana, see tattler, wandering
 nebularia, see greenshank
 spp., see tattler spp.
 stagnatilis, see sandpiper, marsh
 terek, see sandpiper, terek
 tui, 26, 28, 48, 49, 51, 52, 88, 99, 107, 174, 229
Turdus merula, see blackbird
 philomelos, see thrush, song
 turkey, wild, 84
Turnagra capensis, see piopio, South Island
 turnstone, 19, 85-86, 95, 104, 171

 Vanellinae, 59
Vanellus miles novaehollandiae, see plover, spur-winged
 tricolor, see plover, banded
 vanellus, see lapwing, Eurasian

 WAAS, J., see BRIGHT, A.; WAAS, J.
 wader, Holarctic spp., 29

- spp., 109, 119, 172
- wagtail, willie, 61
- warbler, grey, 26, 48, 49, 88, 98, 107, 227, 246
long-legged, 122
- WARHAM, J. Fred Kinsky (Obituary), 127-128
- waterfowl spp., 194
- weka, buff or eastern 197, 203
North Island, 43-46, 169
western, 84, 94, 103, 227, 229
- WEST, J.A., see O'DONNELL, C.F.J.; WEST, J.A.
- whimbrel, American, 105, 172
Asiatic, 86, 95, 105, 172
little, 62
spp., 62, 86, 172
- whitehead, 174
- WHITTOW, G.C. Incubation weight loss of Christmas shearwater eggs on Christmas Island, Pacific Ocean, 175-176
- WILLIAMS, M., see PARRISH, R.; WILLIAMS, M.
- WILLIAMS, M. Productivity and survival within 2 declining populations of brown teal (*Anas chlorotis*), 187-195
- WILLS, D.; MURRAY, J.; POWLESLAND, R. Impact of management on the nesting success of northern New Zealand dotterel (*Charadrius obscurus aquilonius*) on Matakana Island (AGM Abstract), 181-182
- WILSON, K.-J.; SULLIVAN, W.; GANGLOF, B. Prion problems alleviated. An update on research toward the conservation of the endangered Chatham petrel (*Pterodroma axillaris*) (AGM Abstract), 183
- woodpecker, hairy, 69
- woodswallow, dusky, 34
- WORTHY, T.H.; HOLDAWAY, R.N. On petrels, fallout from catastrophic eruptions, and ice ages – an unparalleled record from Te Waka in inland Hawke's Bay (AGM Abstract), 183
- WORTHY, T.H. A fossil vertebrate fauna accumulated by laughing owls (*Sceloglaux albifacies*) on the Goulard Downs, northwest Nelson, New Zealand, 225-233
- wren, bush, 231
bush/rock, 229
extinct, 231
rock, 88, 98, 106, 231
Stephen's Island, 229
stout-legged, 229
- wrybill, 72-75, 85, 95, 104, 171
- Xenicus gilviventris*, see wren, rock
spp., see wren, bush/rock spp.
- YALDWYN, J.C., see BARTLE, J.A.; YALDWYN, J.C. (Obituary)
- yellowhammer, 26-27, 48, 49, 88, 99, 107, 174
- yellowhead, 88, 98, 107, 229
- Zosterops lateralis*, see silvereye
- Compiled by TIM LOVEGROVE, 6 Deuxberry Ave,
Northcote, Auckland 1309