


NOTORNIS

Journal of the
Ornithological Society of New Zealand



Volume 49 2002

Contents of Volume 49, 2002

Part 1, March 2002

Papers

- | | | |
|--|---|----|
| Relationships, adaptations, and habits of the extinct duck ' <i>Euryanas finschi</i> ' | Worthy, T.H.; Olson, S.L. | 1 |
| The New Zealand musk duck (<i>Biziura delautouri</i> Forbes, 1892) | Worthy, T.H. | 19 |
| An unexpected pattern of molecular divergence within the blue penguin (<i>Eudyptula minor</i>) complex | Banks, J.C.; Mitchell, A.D.; Waas, J.R.; Paterson, A.M. | 29 |
| Sex roles of the South Island pied oystercatcher, <i>Haematopus ostralegus finschi</i> | Banks, J.; Paterson, A. | 39 |

Short notes

- | | | |
|---|-------------------------|----|
| South Island robin (<i>Petroica australis</i>) stung to death by wasps (<i>Vespula</i> sp.) | Battersby, L. | 18 |
| Chatham Island pipit (<i>Anthus novaeseelandiae chathamensis</i>) use of farm and fern land in spring | Beauchamp, A.J. | 45 |
| Two unusual tern records from the Chatham Islands | Bell, M.; Bell, D. | 49 |
| Kea (<i>Nestor notabilis</i>) make meals of mice (<i>Mus musculus</i>) | Beggs, W.; Mankelow, S. | 50 |
| An historic record of black petrels (<i>Procellaria parkinsoni</i>) nesting in South Westland | Medway, D.G. | 51 |
| Australasian harrier (<i>Circus approximans</i>) observed feeding on crabs at Hooper's Inlet, Otago Peninsula | Latham, A.D.M. | 53 |

Obituary

- | | | |
|-------------|--|----|
| Gerry Clark | Imber, M.J.; Scofield, R.P.; Goodwin, A. | 55 |
|-------------|--|----|

Notices

- | | | |
|------------------------|--|----|
| Increased page changes | | 58 |
|------------------------|--|----|

Part 2, June 2002

Papers

A critical review of the prions (genus <i>Pachyptila</i>) collected and observed on Cook's voyages	Medway, D.G.	59
Breeding biology of Caspian terns (<i>Sterna caspia</i>) at a colony near Invercargill, New Zealand	Barlow, M.L.; Dowding, J.E.	76
Observations of the eastern rosella (<i>Platycercus eximius</i>) in the Wellington region	Woon, J.A.; Powlesland, R.G.; Edkins, C.	91
Predation on house sparrows (<i>Passer domesticus</i>) and hedge sparrows (<i>Prunella modularis</i>) by brushtail possums (<i>Trichosurus vulpecula</i>) in captivity	McLeod, B.J.; Thompson, E.G.	95
Classified Summarised Notes, North Island, 1 July 2000 to 30 June 2001	Parrish, G.R.	100
Classified Summarised Notes, South Island and Outlying Islands, 1 July 1999 to 30 June 2000	O'Donnell, C.F.J.	111

Short notes

Woodford's rail (<i>Nesoclopeus woodfordi</i>) on Bougainville Island, Papua New Guinea	Hadden, D.	115
Double broods and sibling helpers in the Australasian crested grebe (<i>Podiceps cristatus australis</i>)	Chance, G.R.	123
Communal roosting by South Island fantails (<i>Rhipidura fuliginosa fuliginosa</i>)	Powlesland, R.G.	125
Opportunistic feeding of mallards (<i>Anas platyrhynchos</i>) on blue-bottle blowflies (<i>Calliphora vicina</i>) at Queenstown, New Zealand	Long, C.A.	127

Review

<i>Birds of the Solomons, Vanuatu and New Caledonia</i>	Hadden, D.	137
---	------------	-----

Plates

1-3	Medway	129
4	Woon <i>et al.</i>	132
5	McLeod & Thompson	133
6-8	Hadden	133
9-11	Chance	135

Corrigendum

Imber <i>et al.</i> – Obituary, March 2002		136
--	--	-----

Part 3, September 2002

Papers

- | | | |
|--|---|-----|
| Westland petrels and hoki fishery waste:
opportunistic use of a readily available resource? | Freeman, A.N.D.; Wilson, K-J. | 139 |
| The influence of experience, pair bond duration, and
partner change on breeding frequency and success
in southern Buller's mollymawk (<i>Thalassarche bulleri bulleri</i>) | Sagar, P.M.; Stahl, J-C.;
Molloy, J. | 145 |
| Seasonal trends and nightly variation in colony
attendance of grey-faced petrels
(<i>Pterodroma macroptera gouldi</i>) | Ross, E.L.; Brunton, D. H | 153 |
| Beach patrol records indicate a substantial decline
in sooty shearwater (<i>Puffinus griseus</i>) numbers | Scofield, R.P.; Christie, D. | 158 |
| Shorebird numbers and nesting habits on
the Chatham Islands | Young, E.C. | 166 |

Short notes

- | | | |
|---|---|-----|
| New Zealand white-capped mollymawk (<i>Diomedea cauta
steadii</i>) chicks eaten by pigs (<i>Sus scrofa</i>) | Flux, I.A. | 175 |
| Possible weka (<i>Gallirallus australis</i>) predation
of kakapo (<i>Strigops habroptilus</i>) eggs | Elliott, G.; Eason, D.;
Climo, G. | 177 |
| Stewart Island robins (<i>Petroica australis rakiura</i>)
fly home after transfer to Ulva Island | Oppel, S.; Beaven, B.M. | 180 |
| First and second sightings of a little stint
(<i>Calidris minuta</i>) in New Zealand | Crocker, T.C.; Harrison, K.;
Hill, C.; O'Donnell, C.F.J.;
Petch, S. | 182 |
| First record of a long-toed stint (<i>Calidris subminuta</i>)
in New Zealand | Petch, S.; Hill, C.; Allen, N. | 185 |
| First record of willie wagtail (<i>Rhipidura leucophrys</i>) in
New Zealand | Gummer, H. | 186 |

Abstracts

- | | | |
|---|---------|-----|
| Abstracts of papers presented at the Ornithological
Society of New Zealand, Inc. AGM and Conference,
1 June 2002, Hokitika, New Zealand | Various | 188 |
|---|---------|-----|

Reviews

- | | | |
|--|---------------|-----|
| The takahe. <i>Fifty years of conservation
management and research</i> | Wilson, K-J. | 196 |
| <i>Identification of seabirds of the Southern Ocean: a guide
for scientific observers aboard fishing vessels</i> | Rowe, S. | 197 |
| 'St Michael' goes south: a 31-foot motor-sailer in support
of the 1972/73 Auckland Islands Scientific Expedition | Turbott, E.G. | 198 |

Part 4, December 2002

Papers

- | | | |
|--|--|-----|
| Breeding of brown teal (<i>Anas chlorotis</i>) at Okiwi, Great Barrier Island | Barker, D.; Williams, M. | 199 |
| Recoveries of Australasian shoveler (<i>Anas rhynchosotis</i>) banded as ducklings in southern New Zealand | Sutton, R.R.; Cheyne, J.W.; Neilson, J.M.; Williams, M. | 209 |
| Post-moult dispersal of Australasian shoveler (<i>Anas rhynchosotis</i>) within New Zealand | Caithness, T.A.; Cheyne, J.W.; Neilson, J.M.; Rook, H.; Sutton, R.R.; Williams, M. | 219 |
| Survival of breeding Finsch's oystercatchers (<i>Haematopus finschi</i>) on farmland in Canterbury, New Zealand | Sagar, P.M.; Barker, R.J.; Geddes, D. | 233 |
| Unusual bird records from the Antipodes Islands in 1978-1995, with a summary of other species recorded at the island group | Tennyson, A.; Taylor, R.; Taylor, G.; Imber, M.; Greene, T. | 241 |
| History and causes of the extirpation of the Providence petrel (<i>Pterodroma solandri</i>) on Norfolk Island | Medway, D.G. | 246 |

Short notes

- | | | |
|---|--|-----|
| Nesting period of the northern New Zealand dotterel (<i>Charadrius obscurus aquilonius</i>) | Pye, D.A.; Dowding, J.E. | 259 |
| Nest sites of sympatric orange-fronted (<i>Cyanoramphus malherbi</i>) and yellow-crowned parakeets (<i>C. auriceps</i>) | Kearvell, J.C. | 261 |
| Delayed plumage maturation in the male North Island robin (<i>Petroica longipes</i>) | Powlesland, R.G. | 263 |
| Predation by Australasian harrier (<i>Circus approximans</i>) of little shag (<i>Phalacrocorax melanoleucos</i>) clutches | Powlesland, R.G.; Luke, I.J.; Jansen, P. | 266 |
| Why were Providence petrels (<i>Pterodroma solandri</i>) nocturnal at Norfolk Island ? | Medway, D.G. | 268 |

Corrigenda

270

INDEX OF AUTHORS AND SPECIES

Volume 49

- Abstracts of papers presented at the Ornithological Society of New Zealand, Inc. AGM and Conference, 1 June 2002, Hokitika, New Zealand, 188-195
- Acanthisitta c. chloris*, see rifleman, South Island
- c. granti*, see rifleman, North Island
- Accipiter albogularis*, see goshawk, pied
- fasciatus*, see goshawk, brown
- imitator*, see sparrowhawk, imitator
- Aceros plicatus*, see hornbill, Blyth's
- Aix sponsa*, see duck, wood
- Alauda arvensis*, see skylark
- Albatross, black-browed, see mollymawk, black-browed
- Campbell Island, see mollymawk, New Zealand black-browed
- grey-headed, see mollymawk, grey-headed
- Laysan, 145, 146, 150
- light-mantled sooty, 244
- northern royal, 101, 193, 244
- Salvin's, see mollymawk, Salvin's
- sooty, 241
- southern Buller's, see mollymawk, southern Buller's
- spp., 35, 60, 142, 145-152, 197, 198, 245
- wandering, 56, 60, 62, 101, 145, 149, 150, 244
- white-capped, see mollymawk, white-capped
- yellow-nosed, see mollymawk, yellow-nosed
- ALLEN, N., see PETCH, S.; HILL, C.; ALLEN, N.
- Amaurornis olivaceus*, see bush-hen, rufous-tailed
- Anarhynchus frontalis*, see wrybill
- Anas aucklandica*, see teal, flightless
- blanchardi*, 2
- chlorotis*, see teal, brown
- clypeata*, see shoveler, northern
- discors*, see teal, blue-winged
- finschi*, see *Chenonetta finschi*
- gracilis*, see teal, grey
- marecula*, 6
- platyrhynchos*, see mallard
- rhynchotis variegata*, see shoveler, New Zealand
- smithii*, see shoveler, Cape
- spp., 2, 1-17, 19-28, 204
- superciliosa*, see duck, grey, see also duck, black
- Anatidae, 1-17, 19-28, 209, 219
- Anatina, 12
- Anatinae, 2, 12, 14, 209
- Anatini, 12, 220
- ANNUAL GENERAL MEETING. Westland birds symposium and contributed papers.
- Abstracts of papers presented at the Ornithological Society of New Zealand, Inc. AGM and Conference, 1 June 2002, Hokitika, New Zealand, 188-195
- Anser caerulescens*, see goose, snow
- Anserinae, 2, 12, 14
- Anserini, 2, 209, 220
- Anthornis melanura*, see bellbird
- Anthus novaeseelandiae*, see pipit, New Zealand
- n. chathamensis*, see pipit, Chatham Island
- n. steindachneri*, see pipit, Antipodes Island
- Aptenodytes patagonicus*, see penguin, king
- Apteryx australis*, see kiwi, South Island brown, see also tokoeka, Haast
- a. mantelli*, see kiwi, North Island brown
- haastii*, see kiwi, great spotted
- mantelli*, see rowi, Okarito
- owenii*, see kiwi, little spotted
- Ardea novaehollandiae*, see heron, white-faced
- Arenaria interpres*, see turnstone
- Athene noctua*, see owl, little
- Aythya australis*, see duck, white-eyed
- novaeseelandiae*, see scaup, New Zealand
- Aythiini, 220
- BANKS, J.C.; MITCHELL, A.D.; WAAS, J.R.; PATERSON, A.M. An unexpected pattern of molecular divergence within the blue penguin (*Eudyptula minor*) complex, 29-38
- BANKS, J.C.; MITCHELL, A.D.; WAAS, J.R.; PATERSON, A.M. An unexpected pattern of molecular divergence within the blue penguin (*Eudyptula minor*) complex (Abstract), 193
- BANKS, J.; PATERSON, A. Sex roles of the South Island pied oystercatcher, *Haematopus ostralegus finschi*, 39-44
- BANKS, J.C.; PATERSON, A.M. Penguins, parasites and phylogenies: an analysis of penguin and louse coevolution (Abstract), 195
- BARKER, D.; WILLIAMS, M. Breeding of brown teal (*Anas chlorotis*) at Okiwi, Great Barrier Island, 199-208
- BARKER, R.J., see SAGAR, P.M.; BARKER, R.J.; GEDDES, D.
- BARLOW, M.L.; DOWDING, J.E. Breeding biology of Caspian terns (*Sterna caspia*) at a colony near Invercargill, New Zealand, 76-90
- BATTERSBY, L. South Island robin (*Petroica australis*) stung to death by wasps (*Vespula* sp.), 18
- BEAUCHAMP, A.J. Chatham Island pipit (*Anthus novaeseelandiae chathamensis*) use of farm and

- fern land in spring, 45-48
 BEAVEN, B.M., see OPPEL, S.; BEAVEN, B.M.
 BEGGS, W.; MANKELOW, S. Kea (*Nestor notabilis*)
 make meals of mice (*Mus musculus*), 50
 BELL, D., see BELL, M.; BELL, D.
 BELL, M.; BELL, D. Two unusual tern records from
 the Chatham Islands, 49-50
 bellbird, 18, 109, 114
Bernicula jubata, see *Chenonetta jubata*
 bird, forest spp., 189, 190-191
 bittern, Australasian, 103, 112
Biziura delautori, see duck, New Zealand, musk
 lautouri, see duck, New Zealand, musk
 lobata, see duck, musk
 blackbird, 95, 104, 109, 114, 243, 245
Botaurus stellaris poiciloptilus, see bittern, Australasian
Bowdleria p. punctata, see fernbird, South Island
 p. vealeae, see fernbird, North Island
 p. wilsoni, see fernbird, Codfish
Branta canadensis, see goose, Canada
 BRUNTON, D.H., see ROSS, E.L.; BRUNTON, D.H.
Bubulcus ibis coromandus, see egret, cattle
 bush-hen, rufous-tailed, 120
Buteogallus aequinoctialis, see hawk, rufous crab
 anthracinus, see hawk, common black
 subtilis, see hawk, mangrove black
 CABRERA, H., see WAUGH, S.M.; CABRERA, H.;
 WOOD, G.C.; DAVIS, L.S.
Cacatua galerita, see cockatoo, sulphur-crested
 roseicapilla, see galah
Cairina moschata, see duck, muscovy
 CAITHNESS, T.A.; CHEYNE, J.W.; NEILSON, J.M.;
 ROOK, H.; SUTTON, R.R.; WILLIAMS, M.
 Post-moult dispersal of Australasian shoveler
 (*Anas rhynchotis*) within New Zealand, 219-
 232
Calidris acuminata, see sandpiper, sharp-tailed
 bairdii, see sandpiper, Baird's
 c. canutus, see knot
 ferruginea, see sandpiper, curlew
 mauri, see sandpiper, western
 melanotos, see sandpiper, pectoral
 minuta, see stint, little
 minutilla, see sandpiper, least
 pusilla, see sandpiper, semi-palmated
 ruficollis, see stint, red-necked
 subminuta, see stint, long-toed
 temminckii, see stint, Temminck's
Callaeas c. cinerea, see kokako, South Island
 c. wilsoni, see kokako, North Island
Callipepla californica brunnescens, see quail, California
Calonectris diomedea, see shearwater, Cory's
Carduelis carduelis, see goldfinch
 chloris, see greenfinch
 flammea, see redpoll
Catharacta maccormicki, see skua, South Polar
 skua, see skua, great
 s. lonnbergi, see skua, brown
Cereopsis novaehollandiae, see goose, Cape Barren
 Chaffinch, 109, 243
 CHANCE, G.R. Double broods and sibling helpers in
 the Australasian crested grebe (*Podiceps crista-*
 tus australis), 123-124
Charadrius b. bicinctus, see dotterel, banded
 melanops, see dotterel, black-fronted
 obscurus, see dotterel, New Zealand
 o. aquilonius, see dotterel, northern New
 Zealand
 Checklist for authors, 122, 218
Chenonetta finschi, see duck, Finsch's
 jubata, see duck, Australian wood
 CHEYNE, J.W., see SUTTON, R.R.; CHEYNE, J.W.;
 NEILSON, J.M.; WILLIAMS, M.
 CHEYNE, J.W., see CAITHNESS, T.A.; CHEYNE,
 J.W.; NEILSON, J.M.; ROOK, H.; SUTTON,
 R.R.; WILLIAMS, M.
 chicken, domestic, see fowl, domestic
Chlidonias leucopterus, see tern, white-winged black
 CHRISTIE, D., see SCOFIELD, R.P.; CHRISTIE, D.
Chrysococcyx l. lucidus, see cuckoo, shining
Circus approximans, see harrier, Australasian
 CLASSIFIED SUMMARISED NOTES, North Island, 1
 July 2000 to 30 June 2001, compiled by G.R.
 Parrish, 100-110
 CLASSIFIED SUMMARISED NOTES, South Island
 and Outlying Islands, 1 July 1999 to 30 June
 2000, compiled by C.F.J. O'Donnell, 111-114
 CLIMO, G., see ELLIOTT, G.; EASON, D.; CLIMO, G.
Cnemidornis, see goose, extinct New Zealand
 cockatoo, sulphur-crested, 108
Coenocorypha aucklandica meinertzhagenae, see snipe,
 Antipodes Island
Collocalia esculenta, see swiftlet, glossy
Columba livia, see pigeon, rock
 coot, Australian, 105, 112
Coracina caledonica, see cuckoo-shrike, Melanesian
 holopolia, see cuckoo-shrike, Solomon
 CORRIGENDA, 136, 270
Corvus frugilegus, see rook
 crane, marsh, 105, 112
 spotless, 104, 112, 137
 CROCKER, T.C.; HARRISON, K.; HILL, C.; O'DON-
 NELL, C.F.J.; PETCH, S. First and second
 sightings of a little stint (*Calidris minuta*) in
 New Zealand, 182-184
 cuckoo, long-tailed, 109, 243
 shining, 109, 114
 cuckoo-shrike, Melanesian, 137
 Solomon, 137
 curlew, eastern, 107, 113
Cyanoramphus auriceps, see parakeet, yellow-crowned
 malherbi, see parakeet, orange-fronted
 novaezelandiae, see parakeet, red-crowned
 n. hochstetteri, see parakeet, Reischek's
 spp., see parakeet, spp.

- unicolor*, see parakeet, Antipodes Island
- Cygnus atratus*, see swan, black
- olor*, see swan, mute
- dabchick, New Zealand, 101, 124
- Dacelo novaeguineae*, see kookaburra
- Daption capense*, see pigeon, cape
- DAVIS, L.S., see WAUGH, S.M.; CABRERA, H.; WOOD, G.C.; DAVIS, L.S.
- Dendrocygna eytoni*, see duck, plumed whistling
- Diomedea bulleri*, see mollymawk, southern Buller's
- cauta*, see mollymawk, shy
- c. steadi*, see mollymawk, New Zealand
- white-capped
- chlororhynchos*, see mollymawk, yellow-nosed
- chrysostoma*, see mollymawk, grey-headed
- exulans*, see albatross, wandering
- melanophrys*, see mollymawk, black-browed
- or southern black-browed
- salvini*, see mollymawk, Salvin's
- sanfordi*, see albatross, northern royal
- spp., see albatross or mollymawk spp.
- dotterel, banded, 105-106, 112, 194
- black-fronted, 105, 113
- New Zealand, 105, 112, 259-260
- northern New Zealand, 259-260
- dove, barbary, 108
- claret-breasted fruit, 137
- spotted, 108
- spp., 269
- DOWDING, J.E., see BARLOW, M.L.; DOWDING, J.E.
- DOWDING, J.E., see PYE, D.A.; DOWDING, J.E.
- duck, Australian wood, 1-17
- black (see also duck, grey), 117
- blue, 3, 4, 6, 8, 10, 12, 104, 191
- Chatham Island, 2
- de Lautour's, see duck, New Zealand musk
- eider, 205
- Finsch's, 1-17
- freckled, 2, 3
- grey, 3, 104, 112, 210, 220, 229, 242
- mallard, 3, 4, 6, 8, 10, 12, 104, 127-128, 206, 210, 220, 229, 242
- maned, see duck, Australian wood
- mountain, see shelduck, chestnut-breasted
- muscovy, 2, 3, 4, 6, 8, 10
- musk, 1, 2, 19-28
- New Zealand musk, 1, 19-28
- plumed whistling, 2, 3, 4, 6, 8, 10, 12, 14
- spp., 105, 209, 220, 245
- stiff-tailed spp., 2
- white-backed, 12
- white-eyed, 137
- wood, 206
- Ducula pistrinaria*, see pigeon, island-imperial
- rubricera*, see pigeon, red-knobbed imperial
- dunnock, 97, 114, 133, 243
- eagle, Solomon sea, 138
- EASON, D., see ELLIOTT, G.; EASON, D.; CLIMO, G.
- EDKINS, C., see WOON, J.A.; POWLESLAND, R.G.; EDKINS, C.
- egret, cattle, 103, 112
- little, 103
- Egretta alba modesta*, see heron, white
- garzetta nigripes*, see egret, little
- sacra*, see heron, reef
- ELLIOTT, G.; EASON, D.; CLIMO, G. Possible weka (*Gallirallus australis*) predation of kakapo (*Strigops habroptilus*) eggs, 177-179
- Emberiza citrinella*, see yellowhammer
- Eudynamys taitensis*, see cuckoo, long-tailed
- Eudyptes chrysocome*, see penguin, rockhopper
- filholi*, see penguin, eastern rockhopper
- pachyrhynchus*, see penguin, Fiordland crested
- robustus*, see penguin, Snares crested
- schlegeli*, see penguin, royal
- slateri*, see penguin, erect-crested
- Eudyptula albosignata*, see penguin, white-flippered
- minor*, see penguin, blue
- m. chathamensis*, see penguin, blue
- m. iredalei*, see penguin, blue
- m. minor*, see penguin, blue
- m. novaehollandiae*, see penguin, blue
- m. variabilis*, see penguin, blue
- Euryanas finschi*, see *Chenonetta finschi*
- Euryanatini, 12
- Falco cenchroides*, see kestrel, nankeen
- novaeeseelandiae*, see falcon, New Zealand
- peregrinus*, see falcon, peregrine
- falcon, New Zealand, 104, 112, 191
- peregrine, 269
- fantail, New Zealand, 187
- North Island, 109
- South Island, 18, 114, 125-126
- fernbird, North Island, 109
- South Island, 114
- finch, Galapagos spp., 35
- FLUX, I.A. New Zealand white-capped mollymawk (*Diomedea cauta steadi*) chicks eaten by pigs (*Sus scrofa*), 175-176
- flycatcher, Rarotonga, 263
- steel-blue, 137
- fowl, domestic, 96, 254, 255
- FREEMAN, A.N.D.; WILSON, K.J. Westland petrels and hoki fishery waste: opportunistic use of a readily available resource? 139-144
- Fregetta tropica*, see storm petrel, black-bellied
- Fringilla coelebs*, see chaffinch
- Fulica atra australis*, see coot, Australian
- fulmar, Antarctic, 101, 111
- northern, 150, 153, 156
- Fulmarus glacialis*, see fulmar, northern
- glacialoides*, see fulmar, Antarctic

- galah, 108
Gallinago hardwickii, see snipe, Japanese
Gallirallus australis, see weka, western
 hectori, see weka, buff
 philippensis, see rail, buff-banded
 p. assimilis, see rail, banded
 rovianae, see rail, Roviana
Gallus gallus, see fowl, domestic
gannet, Australasian, 102, 111
 Cape, 102
Garrodia nereis, see *Oceanites nereis*
GEDDES, D., see SAGAR, P.M.; BARKER, R.J.; GEDDES, D.
Gerygone igata, see warbler, grey
godwit, eastern bar-tailed, 107, 113, 194
 Hudsonian, 113
goldfinch, 95, 114, 245
GOODWIN, A. Obituary: Gerald Stanley (Gerry) Clark (1929-1999), 57
goose, Canada, 104, 112, 220
 Cape Barren, 2, 4
 extinct, 1, 2, 4
 feral, 112
 green pygmy, 3
 pygmy sp., 2, 4, 6, 8, 10, 14
 snow, 206
 spp., 209, 220
goshawk, brown, 269
grebe, Australasian crested, 111, 123-124, 135
Australasian little, 101, 124, 137
 black-necked, 124
 eared, see grebe, black-necked
 great crested, 124
 horned, see grebe, Slavonian
 least, 124
 little, 124
 pied-billed, 124
 red-necked, 124
 Slavonian, 124
GREENE, T., see TENNYSON, A.; TAYLOR, R.; TAYLOR, G.; IMBER, M.; GREENE, T.
greenfinch, 95
gull, black-backed, 77, 87, 88, 107, 113, 166-169, 172, 173, 197, 242, 245
 black-billed, 107, 113
 herring, 87
 kelp, see gull, black-backed
 red-billed, 87, 107, 112, 113, 166-173
 ring-billed, 87
 southern black-backed, see gull, black-backed
 spp., 139, 142, 166, 197, 245
GUMMER, H. First record of willie wagtail (*Rhipidura leucophrys*) for New Zealand, 186-188
Gymnorhina tibicen, see magpie, Australian
HADDON, D. Woodford's rail (*Nesoclopeus woodfordi*) on Bourgainville Island, Papua New Guinea, 115-121
HADDON, D. Review: *Birds of the Solomons, Vanuatu and New Caledonia*. Doughty, C.; Day, N.; Plant, A. 137-138
Haematopus finschi, see oystercatcher, South Island
 pied or Finsch's
 ostralegus finschi, see oystercatcher, South Island
 pied
 o. ostralegus, see oystercatcher, European
 *palliatu*s, see oystercatcher, American
 unicolor, see oystercatcher, variable
Halcyon sancta vagans, see kingfisher, New Zealand
Haliaeetus leucogaster, see sea-eagle, white-bellied
Halobaena caerulea, see petrel, blue
harrier, Australasian, 53-54, 95, 104, 167, 168, 200, 266-268
HARRISON, K., see CROCKER, T.C.; HARRISON, K.; HILL, C.; O'DONNELL, C.F.J.; PETCH, S.
hawk, common black, 54
 mangrove black, 54
 rufous crab, 54
 sp., 267
HAWKE, D.J., see HOLDAWAY, R.N.; HAWKE, D.J.; WORTHY, T.H.
Hemiphaga novaeseelandiae, see pigeon, New Zealand
heron, reef, 103, 112
 white, 103, 112
 white-faced, 102, 112
Heteroprion belcheri, see *Pachyptila belcheri*
HILL, C., see CROCKER, T.C.; HARRISON, K.; HILL, C.; O'DONNELL, C.F.J.; PETCH, S.
HILL, C., see PETCH, S.; HILL, C.; ALLEN, N.
Himantopus h. leucocephalus, see stilt, Australasian
 pied
 novaezelandiae, see stilt, black
HOLDAWAY, R.N.; HAWKE, D.J.; WORTHY, T.H.
 Palaeobiological perspectives on Westland birds (Abstract), 192
hornbill, Blyth's, 137
Hymenolaimus malacorhynchus, see duck, blue
IMBER, M.J. Obituary: Gerald Stanley (Gerry) Clark (1929-1999), 55-57
IMBER, M.J. see TENNYSON, A.; TAYLOR, R.; TAYLOR, G.; IMBER, M.; GREENE, T.
JANSEN, P., see POWLESLAND, R.G.; LUKE, I.J.; JANSEN, P.
kaka, North Island, 108-109
 South Island, 114, 191
kakapo, 177-179
kakariki, orange-fronted, see parakeet, orange-fronted
kea, 50, 114
KEARVELL, J.C. Nest sites of sympatric orange-fronted (*Cyanoramphus malherbi*) and yellow-crowned parakeets (*C. auriceps*), 261-263

- kestrel, nankeen, 269
- kingfisher, New Zealand, 114
ultramarine, 137
- kiwi, brown, 95, 100, 188-190
great spotted, 52
Haast totoeka, 188-190
little spotted, 101
North Island brown, 95, 100, 189
Okarito brown, 188, 189
South Island brown, 188, 189
spp., 191
- knot, lesser, 106, 113, 194, 195
red, see knot, lesser
- kokako, North Island, 95
South Island, 189, 192
- kookaburra, 109
- landbird spp., 138, 245
- Larus argentatus*, see gull, herring
bulleri, see gull, black-billed
delawarensis, see gull, ring-billed
dominicanus, see gull, black-backed, or gull, kelp
novaehollandiae scopulinus, see gull, red-billed
- LATHAM, D.M. Australasian harrier (*Circus approximans*) observed feeding on crabs at Hooper's Inlet, Otago Peninsula, 53-54
- Leucocarbo campbelli*, see shag, Campbell Island
chalconotus, see shag, Stewart Island
colensoi, see shag, Auckland Island
ranfurlyi, see shag, Bounty Island
- Limosa haemastica*, see godwit, Hudsonian
lapponica baueri, see godwit, eastern bar-tailed
- LONG, C.A. Opportunistic feeding of mallards (*Anas platyrhynchos*) on blue-bottle blowflies (*Calliphora vicina*) at Queenstown, New Zealand, 127-128
- Lugensa brevirostris*, see petrel, Kerguelen
- LUKE, I.J. see POWLESLAND, R.G.; LUKE, I.J.; JANSEN, P.
- MACKINTOSH, M. Hatching failure in South Island robins (*Petroica australis australis*): a consequence of inbreeding depression or food limitation? (Abstract), 194
- Macronectes giganteus*, see petrel, southern giant
halli, see petrel, northern giant
spp., see petrel, giant spp.
- magpie, Australian, 108, 110, 114
- mallard, see duck, mallard
- MANKELOW, S., see BEGGS, W.; MANKELOW, S.
- McLEOD, B.J.; THOMPSON, E.G. Predation on house sparrows (*Passer domesticus*) and hedge sparrows (*Prunella modularis*) by brushtail possums (*Trichosurus vulpecula*) in captivity, 95-99
- MEDWAY, D.G. An historic record of black petrels (*Procellaria parkinsoni*) nesting in South Westland, 51-52
- MEDWAY, D.G. A critical review of the prions (genus *Pachyptila*) collected and observed on Cook's voyages, 59-75
- MEDWAY, D.G. History and causes of the extirpation of the Providence petrel (*Pterodroma solandri*) on Norfolk Island, 246-258
- MEDWAY, D.G. Why were Providence petrels (*Pterodroma solandri*) nocturnal at Norfolk Island? 268-270
- Megadyptes antipodes*, see penguin, yellow-eyed
- Megalapteryx didinus*, see moa, upland
- MELVILLE, D. Shorebird migration in East Asia – a conservation perspective (Abstract), 195
- Merganetini, 12
- merganser, Auckland Island, 2
- Mergus australis*, see merganser, Auckland Island
- Mionetta*, 2
- MITCHELL, A.D. see BANKS, J.C.; MITCHELL, A.D.; WAAS, J.R.; PATERSON, A.M. (paper and abstract)
- Moa, 19
upland, 192
- moanalos, 2
- Mohoua albicilla*, see whitehead
- mohua, see yellowhead
- MOLLOY, J., see SAGAR, P.M.; STAHL, J.-C.; MOLLOY, J.
- mollymawk, black-browed, 56, 101, 244
Buller's, 101
Campbell Island, see mollymawk, New Zealand black-browed
grey-headed, 101, 149, 244
New Zealand black-browed, 244
New Zealand white-capped, 101, 175-176, 270
Salvin's, 101, 244
shy, 101
southern Buller's, 145-152, 194
spp., 142, 145-152, 197
white-capped, 244
yellow-nosed, 64
- monarch, Bourgainville, 137
- Monarcha erythrosticta*, see monarch, Bourgainville
- morepork, 109, 114
- Morus capensis*, see gannet, Cape
serrator, see gannet, Australasian
- Motacilla lugens*, see wagtail, Asian black-backed
- murre sp., 158
- Myiagra ferrocyanea*, see flycatcher, steel-blue
- Nectris* spp., see *Puffinus* spp.
- NEILSON, J.M., see SUTTON, R.R.; CHEYNE, J.W.; NEILSON, J.M.; WILLIAMS, M.
- NEILSON, J.M., see CAITHNESS, T.A.; CHEYNE, J.W.; NEILSON, J.M.; ROOK, H.; SUTTON, R.R.; WILLIAMS, M.
- Nesoclopeus woodfordi*, see rail, Woodford's
w. tertius, see rail, Woodford's
- Nestor m. meridionalis*, see kaka, South Island

- m. septentrionalis*, see kaka, North Island
notabilis, see kea
- Nettapodina, 12
- Nettapus, see goose, pygmy spp.
pulchellus, see goose, green pygmy
- NILSSON, R.J. The South Island kokako: some thoughts on mystery birds, pieces of moss, feathers and skeptical audiences (Abstract), 192
- Ninox novaeseelandiae*, see morepork
- Numenius madagascariensis*, see curlew, eastern
minutus, see whimbrel, little
phaeopus, see whimbrel
p. variegatus, see whimbrel, Asiatic
- OBITUARIES:
 Gerald Stanley (Gerry) Clark (1929-1999), M.J. Imber, 55-57
 Gerald Stanley (Gerry) Clark (1929-1999), R.P. Scofield, 57
 Gerald Stanley (Gerry) Clark (1929-1999), A. Goodwin, 57
- Oceanites nereis*, see storm petrel, grey-backed
- O'DONNELL, C.F.J. Compiler, Classified Summarised Notes, South Island and Outlying Islands, 1 July 1999 to 30 June 2000, 111-114
- O'DONNELL, C.F.J., see CROCKER, T.C.; HARRISON, K.; HILL, C.; O'DONNELL, C.F.J.; PETCH, S.
- O'DONNELL, C.F.J. Status, patterns and threats in West Coast forest bird communities (Abstract), 190-192
- OLSON, S.L., see WORTHY, T.H.; OLSON, S.L.
- OPPEL, S.; BEAVEN, B.M. Stewart Island robins (*Petroica australis rakiura*) fly home after transfer to Ulva Island, 180-181
- owl, little, 114
- Oxyurini, 2
- oystercatcher, American, 39
 Chatham Island, 166-173
 European, 43, 233, 238, 239
 Finsch's, see oystercatcher, South Island pied
 South Island pied, 39-44, 105, 112, 194, 195, 233-240
 spp., 120, 171
 variable, 105, 112, 194, 195
- Pachyanas chathamica*, see duck, Chatham Island
- Pachyptila belcheri*, see prion, thin-billed
crassirostris, see prion, fulmar
desolata, see prion, Antarctic
forsteri, see *Pachyptila vittata*
salvini, see prion, Salvin's
 spp., see prion spp.
turtur, see prion, fairy
vittata, see prion, broad-billed
- parakeet, Antipodes Island, 245
 orange-fronted, 191, 261-263
 red-crowned, 172
 Reischek's, 245
 spp., 109, 114
 yellow-crowned, 114, 191, 261-263
- PARRISH, G.R. Compiler, Classified Summarised Notes, North Island, 1 July 2000 to 30 June 2001, 100-110
- parrot, spp., 245, 269
- Passer domesticus*, see sparrow, house
- passerine spp., 245
- PATERSON, A., see BANKS, J.; PATERSON, A.
- PATERSON, A.M., see BANKS, J.C.; MITCHELL, A.D.; WAAS, J.R.; PATERSON, A.M. (paper and abstract)
- PATERSON, A.M., see BANKS, J.C.; PATERSON, A.M.
- Pavo cristatus*, see peafowl, feral
- peafowl, feral, 104
- Pelagodroma marina*, see storm petrel, white-faced
- Pelecanoides urinatrix*, see petrel, diving, or petrel, common diving
u. exsul, see petrel, subantarctic diving
- penguin, blue, 29-38, 102, 111, 167, 168, 171, 172, 193
 chinstrap, 242
 eastern rockhopper, 244
 erect-crested, 244
 Fiordland crested, 34, 102, 111, 188, 189
 gentoo, 242
 king, 56, 244
 macaroni, 56
 rockhopper, 56, 162
 royal, 34
 Snares crested, 242
 spp., 195, 245
 white-flipped, 29
 yellow-eyed, 33, 111, 176
- PETCH, S., see CROCKER, T.C.; HARRISON, K.; HILL, C.; O'DONNELL, C.F.J.; PETCH, S.
- PETCH, S.; HILL, C.; ALLEN, N. First record of a long-toed stint (*Calidris subminuta*) in New Zealand, 185-186
- Petrel, Bermuda, 246
 black, 51-52, 101, 197, 254
 black-capped, 154
 black-winged, 102, 254, 269
 blue, 56, 64, 65, 66, 68, 242
 broad-billed, see prion, broad-billed
 brown-banded, see prion spp.
 burrowing spp., 168, 171, 244
 cahow, see petrel, Bermuda
 cape, see pigeon, cape
 collared, 70
 common diving, see petrel, diving
 Cook's, 102, 254
 diving, 101, 111, 254
 giant, 101-102
 giant spp., 142

- grey, 56, 101, 197, 244
 grey-faced, 102, 153-157, 197
 Kerguelen, 111
 Kermadec, 254
 Magellan diving, 56
 mottled, 111, 244
 Norfolk Island, see petrel, Providence
 northern giant, 101, 102, 244
 Providence, 246-258, 268-270
 soft-plumaged, 244
 southern giant, 56
 spp., 56, 60, 171, 197, 245, 269
 subantarctic diving, 244
 Westland, 51, 95, 139-144, 188-192, 197
 Westland black, see petrel, Westland
 white-chinned, 64, 142, 244
 white-headed, 244
- Petroica australis*, see robin, New Zealand
a. australis, see robin, South Island
a. longipes, see robin, North Island
a. rakiura, see robin, Stewart Island
m. macrocephala, see tomtit, South Island
m. toitoi, see tomtit, North Island
- Phalacrocoracidae, 242
- Phalacrocorax carbo*, see shag, black
melanoleucos brevirostris, see shag, little
sulcirostris, see shag, little black
varius, see shag, pied
- phalarope, grey, 56
- Philesturnus c. carunculatus*, see saddleback, South Island
- Philomachus pugnax*, see ruff
- Phoebastria immutabilis*, see albatross, Laysan
- Phoebastria fusca*, see albatross, sooty
- pigeon, cape, 56, 101, 153, 154, 156, 244
 feral, see pigeon, rock
 island-imperial, 137
 New Zealand, 18, 95, 108, 113
 red-knobbed imperial, 137
 rock, 104, 243
 spp., 269
- pipit, Antipodes Island, 245
 Chatham Island, 45-48
 New Zealand, 45-48, 109
- Platalea regia*, see spoonbill, royal
- Platycercus eximius*, see rosella, eastern
- Plectropterus*, 2
- plover, Pacific golden, 106, 113
 shore, 106, 166, 168-173
 spur-winged, 106, 113, 242
- Pluvialis fulva*, see plover, Pacific golden
- Podiceps auritus*, see grebe, Slavonian
cristatus australis, see grebe, Australasian
 crested
c. cristatus, see grebe, great crested
griseogena, see grebe, red-necked
nigricollis, see grebe, black-necked
- Podilymbus podiceps*, see grebe, pied-billed
- Polioccephalus rufopectus*, see dabchick, New Zealand
- Pomarea dimidiata*, see flycatcher, Rarotonga
- Porphyrio mantelli hochstetteri*, see takahe
porphyrio, see swamphen, purple
p. melanotus, see pukeko
- Porzana pusilla affinis*, see crane, marsh
tabuensis plumbea, see crane, spotless
- POWLESLAND, R.G., see WOON, J.A.; POWLES-
 LAND, R.G.; EDKINS, C.
- POWLESLAND, R.G. Communal roosting by South
 Island fantails (*Rhipidura fuliginosa fuliginosa*),
 125-126
- POWLESLAND, R.G. Delayed plumage maturation
 in the male North Island robin (*Petroica
 longipes*), 263-265
- POWLESLAND, R.G.; LUKE, I.J.; JANSEN, P.
 Predation by Australasian harrier (*Circus
 approximans*) of little shag (*Phalacrocorax
 melanoleucos*) clutches, 266-268
- prion, Antarctic, 56, 59, 61, 66, 67, 69, 70, 129, 244
 Auckland Island, see prion, Antarctic
 broad-billed, 59-69, 74, 75, 130, 168
 fairy, 59-62, 69, 70, 168, 244
 fulmar, 59
 Salvin's, 59, 66
 spp., 59-75, 102, 131
 thin-billed, 56, 59-62, 69, 70, 74
- Prion desolatus*, see *Pachyptila desolata*
forsteri, see *Pachyptila vittata*
turtur, see *Pachyptila turtur*
vittatus, see *Pachyptila vittata*
- Procellaria aequinoctialis*, see petrel, white-chinned
cinerea, see petrel, grey
desolata, see *Pachyptila* spp.
latirostris, see *Pachyptila vittata*
parkinsoni, see petrel, black
phillippi, see *Pterodroma solandri*
similis, see *Halobaena caerulea*
solandri, see *Pterodroma solandri*
turtur, see *Pachyptila belcheri*
vittata, see *Pachyptila vittata*
westlandica, see petrel, Westland
- Procellariiformes, 51-52, 59-75, 139-144, 145-152, 153-
 157, 158-165, 246-258, 268-270
- Procesterna cerulea albivittata*, see ternlet, grey
- Prosthemadera novaeseelandiae*, see tui
- Prunella modularis*, see dunnoek
- Pseudoprion*, see *Pachyptila*
- Pterodroma cahow*, see petrel, Bermuda
cookii, see petrel, Cook's
hasitata, see petrel, black-capped
inexpectata, see petrel, mottled
lessonii, see petrel, white-headed
leucoptera brevipes, see petrel, collared
macroptera gouldi, see petrel, grey-faced
magentae, see taiko, Chatham Island
mollis, see petrel, soft-plumaged
neglecta, see petrel, Kermadec

- nigripennis*, see petrel, black-winged
solandri, see petrel Providence
- Ptilinopus viridis*, see dove, claret-breasted fruit
- Puffinus assimilis*, see shearwater, little
bulleri, see shearwater, Buller's
carneipes, see shearwater, flesh-footed
elegans, see shearwater, subantarctic little
gavia, see shearwater, fluttering
griseus, see shearwater, sooty
huttoni, see shearwater, Hutton's
pacificus, see shearwater, wedge-tailed
puffinus, see shearwater, Manx
 spp., see shearwater spp.
tenuirostris, see shearwater, short-tailed
- pukeko, 6, 105, 112, 200, 205
- PYE, D.A.; DOWDING, J.E. Nesting period of the northern New Zealand dotterel (*Charadrius obscurus aquilonius*), 259-260
- Pygoscelis antarctica*, see penguin, chinstrap
papua, see penguin, gentoo
- quail, brown, 104
 California, 104, 112
 spp., 269
- rail, banded, 104
 buff-banded, 137
 Rovia, 116
 spp., 269
 Woodford's, 115-121, 133, 134
- Rallus philippensis assimilis*, see rail, banded
- Raptor spp., 269-270
- redpoll, 109, 243
- REVIEWS:
- HADDON, D. *Birds of the Solomons, Vanuatu and New Caledonia*. Doughty, C.; Day, N.; Plant, A., 137-138
- WILSON, K-J. *The takahe. Fifty years of conservation management and research*. Lee, W.G.; Jamieson, I.G. (ed.) 2001, 196-197
- ROWE, S. *Identification of seabirds of the Southern Ocean: A guide for scientific observers aboard fishing vessels*. Onley, D.; Bartle, J.A. 1999 (reprinted 2001), 197-198
- TURBOTT, E.G. 'St Michael' goes South: a 31-foot motor sailer in support of the 1972/3 Auckland Islands Scientific Expedition. Atkinson, T., 198
- Rhipidura fuliginosa*, see fantail, New Zealand
f. fuliginosa, see fantail, South Island
f. placabilis, see fantail, North Island
leucophrys, see wagtail, willie
- RICKARD, R. Rowi (Okarito brown kiwi) research and management 1992-2002 (Abstract), 189
- rifleman, North Island, 109
 South Island, 114
- ROBERTSON, C.J.R. Effects of intervention on the royal albatross population at Taiaroa Head 1937-2001 (Abstract), 193
- robin, North Island, 109, 263-265
 South Island, 18, 114, 194, 263
 Stewart Island, 114, 180-181, 263
- rook, 110, 114
- ROOK, H., see CAITHNESS, T.A.; CHEYNE, J.W.; NEILSON, J.M.; ROOK, H.; SUTTON, R.R.; WILLIAMS, M.
- rosella, eastern, 91-94, 109, 132
- ROSS, E.L.; BRUNTON, D.H. Seasonal trends and nightly variation in colony attendance of grey-faced petrels (*Pterodroma macroptera gouldi*), 153-157
- ROWE, S. Review: *Identification of seabirds of the Southern Ocean: A guide for scientific observers aboard fishing vessels*. Onley, D.; Bartle, J.A. 1999 (reprinted 2001), 197-198
- rowi, Okarito, see kiwi, South Island brown
- ruff, 113
- saddleback, South Island, 18, 114
- SAGAR, P.M.; STAHL, J.-C.; MOLLOY, J. The influence of experience, pair bond duration, and partner change on breeding frequency and success in southern Buller's mollymawk (*Thalassarche bulleri bulleri*), 145-152
- SAGAR, P.M., see STAHL, J.-C.; SAGAR, P.M.
- SAGAR, P.M.; BARKER, R.J.; GEDDES, D. Survival of breeding Finsch's oystercatchers (*Haematopus finschi*) on farmland in Canterbury, New Zealand, 233-240
- sandpiper, Baird's, 182
 curlew, 106, 113
 least, 185, 186
 pectoral, 106, 113, 183
 semi-palmated, 182
 sharp-tailed, 106, 113
 terek, 113
 western, 182
- Sarkidiornis*, 2
- scaup, New Zealand, 3, 4, 6, 8, 10, 104, 112, 220
- SCHUCKARD, R. Waders of the northwestern South Island, New Zealand (Abstract), 194-195
- SCOFIELD, R.P. Obituary: Gerald Stanley (Gerry) Clark (1929-1999), 57
- SCOFIELD, R.P.; CHRISTIE, D. Beach patrol records indicate a substantial decline in sooty shearwater (*Puffinus griseus*) numbers, 158-165
- seabird spp., 51-52, 55-57, 59-75, 139-144, 145-152, 153-157, 158-165, 197-198, 241, 246-258, 268-270
- sea-eagle, white-bellied, 269
- shag, Auckland Island, 176
 black, 102, 111, 267
 Bounty Island, 244
 Campbell Island, 244
 little, 102, 111, 266-268
 little black, 102, 111
 pied, 102, 266, 267

- Pitt Island, 169
 spotted, 102, 112
 spp., 242, 245
 Stewart Island, 111
- shearwater, Buller's, 101
 Cory's, 150, 162
 flesh-footed, 101, 197
 fluttering, 101, 102, 107
 Hutton's, 101
 little, 178, 254
 Manx, 150
 short-tailed, 101, 150
 sooty, 56, 101, 111, 153, 158-165, 244
 spp., 50, 65, 197
 subantarctic little, 244
 wedge-tailed, 254, 269
- shelduck, chestnut-breasted, 210
 paradise, 1, 2, 4, 6, 8, 10, 12, 16, 104, 112, 210, 220, 229, 230
 spp., 12, 220
- sheldgoose spp., 12, 220
- shorebird spp., 138, 166-174, 259-260
- shoveler, Australasian, 209-217, 219-232 (see also shoveler, New Zealand)
 New Zealand, 3, 8, 104, 112, 209-217, 219-232
 northern, 230
- silveryeye, 104, 109, 114, 243, 245
- skua, Arctic, 107, 113, 245
 brown, 107, 166-173, 175, 242, 245
 great, 142
 South Polar, 171
 spp., 197
 subantarctic, see skua, brown
- skylark, 114, 243
- snipe, Antipodes Island, 244, 245
 Japanese, 106
- Somateria mollissima*, see duck, eider
- sparrow, hedge, see dunnock
 house, 95-99, 110, 114, 133, 243
- sparrowhawk, imitator, 137
- Sphenisciformes, 195
- spoonbill, royal, 103, 112
- STAHL, J.-C., see SAGAR, P.M.; STAHL, J.-C.; MOLLOY, J.
- STAHL, J.-C.; SAGAR, P. Why study the foraging patterns of non-breeding albatrosses? (Abstract), 194
- starling, 95, 110, 114, 172, 243-244
- Stercorarius parasiticus*, see skua, Arctic
- Sterna albifrons sinensis*, see tern, eastern little
albostrata, see tern, black-fronted
caspia, see tern, Caspian
c. caspia, see tern, Caspian
c. strenua, see tern, Caspian
dougallii, see tern, roseate
hirundo, see tern, common
nereis davisae, see tern, New Zealand fairy
paradisaea, see tern, Arctic
striata, see tern, white-fronted
vittata bethunei, see tern, Antarctic
- Sterninae, 76
- Stictocaro featherstoni*, see Shag, Pitt Island
punctatus, see shag, spotted
- Stictonetta naevosa*, see duck, freckled
- stilt, Australasian, pied, 105, 112
 black, 105
- stint, little, 182-184
 long-toed, 185-186
 red-necked, 106-107, 113, 182-185
 Temminck's, 185
- storm petrel, black-bellied, 244
 grey-backed, 111, 244
 white-faced, 168
- Streptopelia chinensis*, see dove, spotted
roseogrisea, see dove, barbery
- Strigops habroptilus*, see kakapo
- Sturnus vulgaris*, see starling
- SUTTON, R.R.; CHEYNE, J.W.; NEILSON, J.M.; WILLIAMS, M. Recoveries of Australasian shoveler (*Anas rhynchotis*) banded as ducklings in southern New Zealand, 209-217
- SUTTON, R.R., see CAITHNESS, T.A.; CHEYNE, J.W.; NEILSON, J.M.; ROOK, H.; SUTTON, R.R.; WILLIAMS, M.
- swampphen, purple, 117, 120
 spp., 115
- swan, black, 103-104, 210, 220, 230
 mute, 103, 112
 spp., 209
- swiftlet, glossy, 137
- Synoicus ypsilophorus*, see quail, brown
- Tachybaptus dominicus*, see grebe, least
novaeollandiae, see grebe, Australasian little
ruficollis, see grebe, little
- Tadorna tadornoides*, see shelduck, chestnut-breasted
variegata, see shelduck, paradise
- Tadorninae, 2, 12
- Tadornini, 12, 220
- taiko, Chatham Island, 56, 189, (see also petrel, Westland)
- takahe, 6, 189, 196-197
- tattler, Siberian, 107
- TAYLOR, G., see TENNYSON, A.; TAYLOR, R.; TAYLOR, G.; IMBER, M.; GREENE, T.
- TAYLOR, R., see TENNYSON, A.; TAYLOR, R.; TAYLOR, G.; IMBER, M.; GREENE, T.
- teal, blue-winged, 127
 brown, 3, 8, 104, 199-208
 flightless spp., 6
 grey, 104, 112, 204, 210, 220, 229, 230
 subantarctic spp., 2
- TENNYSON, A.; TAYLOR, R.; TAYLOR, G.; IMBER, M.; GREENE, T. Unusual bird records from the Antipodes Islands in 1978-1995, with a summary of other species recorded at the

- island group, 241-245
- tern, Arctic, 49, 243
- Antarctic, 49, 113, 242-243
- black-fronted, 107, 113
- Caspian, 76-90, 107-108, 113
- common, 84
- eastern little, 49, 108
- New Zealand fairy, 49, 108
- roseate, 86
- spp., 87, 166, 245
- white-fronted, 108, 113, 166, 168-173
- white-winged black, 107, 113
- ternlet, grey, 108
- Thalassarche bulleri*, see *Diomedea bulleri*
- chrysostoma*, see *Diomedea chrysostoma*
- spp., see *mollymawk* spp.
- Thalassornis leucotis*, see duck, white-backed
- Thinornis novaeseelandiae*, see plover, shore
- THOMPSON, E.G., see McLEOD, B.J.; THOMPSON, E.G.
- thrush, song, 95, 109, 243
- Todiramphus leucopygius*, see kingfisher, ultramarine
- tokoea, Haast, see kiwi, South Island brown
- tomtit, North Island, 109
- South Island, 114
- Tringa brevipes*, see tattler, Siberian
- terek*, see sandpiper, *terek*
- tui, 109, 114
- TURBOTT, E.G. Review: 'St Michael' goes South: a 31-foot motor sailer in support of the 1972/3 Auckland Islands Scientific Expedition. Atkinson, T., 198
- Turdus merula*, see blackbird
- philomelos*, see thrush, song
- turkey, wild, 254
- turnstone, 106, 113, 194
- ruddy, see turnstone
- Uria* sp., see murre sp.
- VAN KLINK, P. Haast tokoea sanctuary (Abstract), 189-190
- Vanellus miles novaehollandiae*, see plover, spur-winged
- WAAS, J.R., see BANKS, J.C.; MITCHELL, A.D.; WAAS, J.R.; PATERSON, A.M. (paper and abstract)
- wader, spp., 49, 182-184, 233-240, 245
- wagtail, Asian black-backed, 187
- willie, 116, 186-188
- warbler, grey, 114
- waterfowl, Australian spp., 220
- spp., 199-208, 209-217, 219-232
- WAUGH, S.M.; CABRERA, H.; WOOD, G.C.; DAVIS, L.S. Burrow occupancy by Westland petrels (*Procellaria westlandica*) (Abstract), 190
- weka, 143, 167, 177-179, 191
- buff or eastern, 167, 168
- western, 143, 177-179, 191
- whalebird, see prion
- whimbrel, Asiatic, 107, 113
- little, 113
- spp., 107
- white-eye, yellow-throated, 138
- whitehead, 109
- WILLIAMS, M., see BARKER, D.; WILLIAMS, M.
- WILLIAMS, M., see SUTTON, R.R.; CHEYNE, J.W.; NEILSON, J.M.; WILLIAMS, M.
- WILLIAMS, M., see CAITHNESS, T.A.; CHEYNE, J.W.; NEILSON, J.M.; ROOK, H.; SUTTON, R.R.; WILLIAMS, M.
- WILSON, K-J., see FREEMAN, A.N.D.; WILSON, K-J.
- WILSON, K-J. Westland birds symposium. Introduction to symposium at the Ornithological Society of New Zealand, Inc. AGM and Conference, 1 June 2002, Hokitika, New Zealand, 188-189
- WILSON, K-J. Review: *The takahe. Fifty years of conservation management and research*. Lee, W.G.; Jamieson, I.G. (ed.) 2001, 196-197
- WOOD, G.C. Westland petrel (taiko) (*Procellaria westlandica*) management (Abstract), 190
- WOOD, G.C., see WAUGH, S.M.; CABRERA, H.; WOOD, G.C.; DAVIS, L.S.
- WOON, J.A.; POWLESLAND, R.G.; EDKINS, C. Observations of the eastern rosella (*Platycercus eximius*) in the Wellington region, 91-94
- WORTHY, T.H.; OLSON, S.L. Relationships, adaptations, and habits of the extinct duck 'Euryanas' finschi, 1-17
- WORTHY, T.H. The New Zealand musk duck (*Biziura delautouri* Forbes, 1892), 19-28
- WORTHY, T.H., see HOLDAWAY, R.N.; HAWKE, D.J.; WORTHY, T.H.
- wrybill, 106, 113, 195
- yellowhammer, 114
- yellowhead, 199
- YOUNG, E.C. Shorebird numbers and nesting habits on the Chatham Islands, 166-174
- Zosterops lateralis*, see silvereye
- metcalfii*, see white-eye, yellow-throated
- Compiled by TIM LOVEGROVE, 6 Deuxberry Ave, Northcote, Auckland 1310