


NOTORNIS

Journal of the
Ornithological Society of New Zealand



Volume 50 2003

Contents of Volume 50, 2003

Volume 50, Part 1, March 2003

CONTENTS

Papers

- | | | |
|---|--|----|
| Impact of management on the breeding success of the northern New Zealand dotterel (<i>Charadrius obscurus aquilonius</i>) on Matakana Island, Bay of Plenty | Wills, D.E.; Murray, J.; Powlesland, R.G. | 1 |
| Relationship between physical characteristics of estuaries and the size and diversity of wader populations in the North Island of New Zealand | Whelan, M.B.; Hume, T.M.; Sagar, P.M.; Shankar, U.; Liefting, R. | 11 |
| An estimate of numbers of grey-faced petrels (<i>Pterodroma macroptera gouldi</i>) breeding on Moutohora (Whale Island), Bay of Plenty, New Zealand, during 1998-2000 | Imber, M.J.; Harrison, M.; Wood, S.E.; Cotter, R.N. | 23 |
| The orange-fronted parakeet (<i>Cyanoramphus malherbi</i>) is a distinct species: a review of recent research, its taxonomy, and systematic relationship within the genus <i>Cyanoramphus</i> | Kearvell, J.C.; Grant, A.D.; Boon, W.M. | 27 |
| Population size, breeding, and annual cycle of the New Zealand Antarctic tern (<i>Sterna vittata bethunei</i>) at the Snares Islands | Sagar, P.M.; Miskelly, C.M.; Sagar, J.L.; Tennyson, A.J.D. | 36 |
| Short notes | | |
| A review of isabellinism in penguins | Everitt, D.A.; Miskelly, C.M. | 43 |
| A partial albino shore plover (<i>Thinornis novaeseelandiae</i>) on South East Island, Chatham Islands | Dowding, J.E.; Gummer, H. | 52 |
| Behavioural observations of the blue lorikeet (<i>Vini peruviana</i>) on Rangiroa atoll, Tuamotu Archipelago, French Polynesia | Gerischer, B.-H.; Walther, B.A. | 54 |
| The recolonisation of Mangere Island by New Zealand white-faced storm petrels (<i>Pelagodroma marina maoriana</i>) | Bell, M.; Bell, D. | 57 |

Volume 50, Part 2, June 2003

CONTENTS

Papers

- The relationship between foraging behaviour and habitat use by South Island takahe (*Porphyrio hochstetteri*) on Tiritiri Matangi Island Baber, M.J.; Craig, J.L. 59

- Home range size and carrying capacity of the South Island takahe (*Porphyrio hochstetteri*) on Tiritiri Matangi Island Baber, M.J.; Craig, J.L. 67

- Breeding biology of bellbirds (*Anthornis melanura*) on Tiritiri Matangi Island Anderson, S.H.; Craig, J.L. 75

- Breeding biology of red-crowned parakeets (*Cyanoramphus novaezelandiae*) on Little Barrier Island, Hauraki Gulf, New Zealand Greene, T.C. 83

- Fence removal benefits Australasian gannets (*Morus serrator*) at Muriwai, northwest Auckland, New Zealand Greene, B.S. 100

- Classified Summarised Notes, North Island – 1 July 2001 to 30 June 2002 Parrish, G.R. 103

Short notes

- An historical record of bush wren (*Xenicus longipes*) on Kapiti Island Miskelly, C. 113

- Sighting of North Island tomtit (*Petroica macrocephala toitoi*) on Rangitoto Island, Hauraki Gulf, Auckland Anderson, S.H. 115

- Counts of forest birds on Raoul Island, Kermadec Group Veitch, C.R. 116

- An update on the grey ternlet (*Procelsterna cerulea albivitta*) in the Bay of Plenty Latham, P.C.M. 118

Review

- Raptors of the world* Ferguson-Lees et al. Scofield, R.P. 121

Volume 50, Part 3, September 2003

CONTENTS

Papers

- | | | |
|--|---|-----|
| Burrow occupancy in Westland petrels
(<i>Procellaria westlandica</i>) | Waugh, S.M.; Cabrera, H.;
Wood, G.C.; Davis, L.S. | 123 |
| Population estimate for northern giant petrels
(<i>Macronectes halli</i>) on Antipodes Island,
New Zealand | Wiltshire, A.; Hamilton, S. | 128 |
| The use of wing remains to determine condition
before death in brown teal (<i>Anas chlorotis</i>) | Moore, S.; Battley, P.F. | 133 |
| Population decline in brown teal (<i>Anas chlorotis</i>)
on Great Barrier Island | Ferreira, S.M.; Taylor, S. | 141 |
| The yellow-eyed penguin (<i>Megadyptes antipodes</i>)
on Stewart and Codfish Islands | Darby, J.T. | 148 |
| Contribution to the knowledge of the
New Caledonian imperial pigeon (<i>Ducula goliath</i>)
(Gray, 1859), with emphasis on sexual
dimorphism | Barré, N.; Wichatitsky, M. de G.;
Lecoq, R.; Maillard, J.-C. | 155 |
| Classified Summarised Notes, South Island
and Outlying Islands, 1 July 2000 – June 2001 | Pollock, G.A. | 161 |
| Short notes | | |
| Retention time of beads in captive Torres Strait
imperial pigeons (<i>Ducula spilorrhoa spilorrhoa</i>) | Meehan, H.J.; Hillyard, K.; Guy, M. | 167 |
| New record of Salvin's albatross (<i>Thalassarche
salvini</i>) at the Diego Ramirez Islands, Chile | Arata, J. | 169 |
| Red-billed gulls (<i>Larus novaehollandiae
scopulinus</i>) feeding on seeds in a debris slick,
Great Island, Three Kings, northern
New Zealand | Thorsen, M. | 171 |
| New Zealand pigeon (kereru; <i>Hemiphaga
novaeseelandiae</i>) crossing Foveaux Strait | Harper, G.A. | 174 |

Abstracts

- | | | |
|--|---------|-----|
| Abstracts of papers presented at the
Ornithological Society of New Zealand,
Inc. AGM and Conference, 31 May 2003,
Wanganui, New Zealand | Various | 176 |
|--|---------|-----|

Volume 50, Part 4, December 2003

CONTENTS

Papers

- | | | |
|--|---|-----|
| Post-fledging migration, age of first return and recruitment, and results of inter-colony translocation of black petrels (<i>Procellaria parkinsoni</i>) | Imber, M.J.; McFadden, I.; Bell, E.A.; Scofield, R.P. | 183 |
| Breeding biology of the South Island saddleback (<i>Philesturnus carunculatus carunculatus</i> , Callaeatidae) | Hooson, S.; Jamieson, I.G. | 191 |
| The bird community of Kaitoke wetland, Great Barrier Island | Anderson, S.; Ogden, J. | 201 |
| Southern royal albatrosses (<i>Diomedea epomophora</i>) injured by bands | Moore, P.J. | 211 |
| Cook's petrel (<i>Pterodroma cookii</i>): historic distribution, breeding biology and effects of predators | Imber, M.J.; West, J.A.; Cooper, W.J. | 221 |

Short notes

- | | | |
|--|---|-----|
| A DNA test for sex assignment in kiwi (<i>Apteryx</i> spp.). | Huynen, L.; Lambert, D.M.; McLennan, J.A.; Rickard, C.; Robertson, H.A. | 231 |
| An old record of banded dotterel (<i>Charadrius bicinctus</i>) from Vanuatu | McAllan, I.A.W. | 233 |
| A longevity record for whitehead (<i>Mohoua albicilla</i> , Pachycephalidae) | Southey, I.; Gill, B.J. | 235 |
| Confirmation of Kermadec petrels breeding on the southern Kermadec Islands | Tennyson, A.J.D.; Scofield, R.P.; Bell, B.D. | 236 |
| Recovery of Kerguelen-banded thin-billed prion (<i>Pachyptila belcheri</i>) in New Zealand | Imber, M.J. | 238 |
| Starlings (<i>Sturnus vulgaris</i>) making their own nest sites | Flux, J.E.C. | 238 |

Reviews

- | | | |
|---------------------------|---------------------------|-----|
| Ratites and tinamous | Worthy, T.H. | 241 |
| The lost world of the moa | Crowe, T.M.; Williams, M. | 243 |

INDEX OF AUTHORS AND SPECIES

Volume 50

- Abstracts of papers presented at the
Ornithological Society of New Zealand,
Inc. AGM and Conference, 1 June 2003,
Wanganui, New Zealand, 176-181
- Acanthisitta chloris*, see rifleman
c. chloris, see rifleman, South Island
- Accipitriformes*, 121
- Acridotheres tristis*, see myna, Indian
- Acrocephalus sp.*, see warbler, reed sp.
- Alauda arvensis*, see skylark
- Albatross, black-browed, see mollymawk,
black-browed
Buller's, see mollymawk, Buller's
Campbell, see mollymawk, New Zealand
black-browed
grey-headed, see mollymawk, grey-headed
light-mantled sooty, 162
royal, 161
Salvin's, see mollymawk, Salvin's
southern royal, 104, 211-220
spp., 128
wandering, 104, 161, 216
- Anarhynchus frontalis*, see wrybill
- Anas acuta*, see pintail, northern
aucklandica, see teal, brown
aucklandica chlorotis, see teal, brown
gracilis, see teal, grey
platyrhynchos, see mallard
rhynchotis variegata, see shoveler, New
Zealand
superciliosa, see duck, grey
- ANDERSON, S.H. Sightings of North Island
tomtit on Rangitoto Island, Hauraki Gulf,
Auckland, 115-116
- ANDERSON, S.H.; CRAIG, J.L. Breeding biol-
ogy of bellbirds (*Anthornis melanura*) on
Tiritiri Matangi Island, 75-82
- ANDERSON, S.H.; OGDEN, J. The bird com-
munity of Kaitoke wetland, Great Barrier
Island, 201-209
- ANNUAL GENERAL MEETING. Abstracts
of papers presented at the Ornithological
Society of New Zealand Inc. AGM and
Conference, 1 June 2003, Wanganui, New
Zealand, 176-181
- Anous minutus*, see noddy, black
stolidus, see noddy, brown
- Anthornis melanura*, see bellbird
- Anthus n. novaeseelandiae*, see pipit, New
Zealand
- Aptenodytes forsteri*, see penguin, emperor
patagonicus, see penguin, king
- Apteryx australis*, see kiwi, tokoeka
a. mantelli, see kiwi, North Island brown
haastii, see kiwi, great spotted
owenii, see kiwi, little spotted
spp., see kiwi, spp.
- ARATA, J. New record of Salvin's albatross
(*Thalassarche salvini*) at the Diego Ramirez
Islands, Chile, 169-171
- Ardea novaehollandiae*, see heron, white-faced
- Arenaria interpres*, see turnstone
- Athene noctua*, see owl, little
- Aythya australis*, see duck, white-eyed
novaeseelandiae, see scaup, New Zealand
- BABER, M.J.; CRAIG, J.L. The relationship
between foraging behaviour and habitat
use by South Island takahe (*Porphyrio hoch-
stetteri*) on Tiritiri Matangi Island, 59-66
- BABER, M.J.; CRAIG, J.L. Home range size
and carrying capacity of the South Island
takahe (*Porphyrio hochstetteri*) on Tiritiri
Matangi Island, 67-74
- BARBER, F., see TAYLOR, G.; BARBER, F.
(Abstract)
- BARRÉ, N.; WICHATITSKY, M. de G.; LECOQ,
R.; MAILLARD, J.-C. Contribution to the
knowledge of the New Caledonian impe-
rial pigeon *Ducula goliath* (Gray, 1859), with
emphasis on sexual dimorphism, 155-160
- BATTLE, P.; PIERSMA, T. Body size, fat loads
and flight ranges of bar-tailed godwits
(*Limosa lapponica*) before northward migra-
tion from New Zealand, (Abstract), 180
- BATTLE, P.; ROGERS, D.; PIERSMA, T. Late
migratory departures of red knots (*Calidris
canutus*) from North-west Australia,
(Abstract), 180-181
- BATTLE, P.F., see MOORE, S.J.; BATTLE,
P.F.
- BELL, B.D., see TENNYSON, A.J.D.;
SCOFIELD, R.P.; BELL, B.D.
- BELL, D., see BELL, M.; BELL, D.
- BELL, E.A., see IMBER, M.J.; McFADDEN, I.;
BELL, E.A.; SCOFIELD, R.P.
- BELL, M.; BELL, D. The recolonisation of
Mangere Island by New Zealand white-
faced storm petrels (*Pelagodroma marina
maoriana*), 57-58

- bellbird, 75-82, 94, 112, 113, 177, 195
 bird, granivorous spp., 207
 oceanic spp., 243
 shore spp., 243
 water spp., 243
 bittern, Australasian, 106, 163, 201, 203-205, 207, 208
 blackbird, 116, 117, 203
 booby, red-footed, 56
 BOON, W.M., see KEARVELL, J.C.; GRANT, A.D.; BOON, W.M.
Botaurus stellaris poiciloptilus, see bittern, Australasian
Bowdleria p. punctata, see fernbird, South Island
 p. vealeae, see fernbird, North Island
 rufescens, see fernbird, Chatham Island
Branta canadensis, see goose, Canada
 leucopsis, see goose, barnacle
Bubulcus ibis coromandus, see egret, cattle
 BULL, L. Sizing up shearwaters' morphological variation in the genus *Puffinus*, (Abstract), 178
 bunting, cirr, 166

Cabalus modestus, see rail, Chatham Island
 CABRERA, H., see WAUGH, S.M.; CABRERA, H.; WOOD, G.C.; DAVIS, L.S.
Cacatua galerita, see cockatoo, sulphur-crested
Calidris acuminata, see sandpiper, sharp-tailed
 alba, see sanderling
 c. canutus, see knot, lesser
 c. piersmai, see knot, lesser
 ferruginea, see sandpiper, curlew
 melanotos, see sandpiper, pectoral
 ruficollis, see stint, red-necked
 subminuta, see stint, long-toed
 tenuirostris, see knot, great
Callaeas cinerea wilsoni, see kokako, North Island
Callipepla californica brunnescens, see quail, California
 capercaillie, 71
Carduelis carduelis, see goldfinch
 chloris, see greenfinch
 flammea, see redpoll
Carpophaga goliath, see *Ducula goliath*
Casmerodius albus, see *Egretta alba*
 cassowary, 241, 242
Catharacta skua lonnbergi, see skua, brown
Cathartes aura, see vulture, turkey
 Chaffinch, 201, 203
 Charadriiformes, 1-10, 11-22
Charadrius alexandrinus, see plover, snowy
 bicinctus, see dotterel, banded
 leschenaultii, see dotterel, large sand
 melanops, see dotterel, black-fronted
 mongolus, see dotterel, Mongolian
 obscurus aquilonius, see dotterel, northern New Zealand
 o. obscurus, see dotterel, southern New Zealand
 rubricollis, see plover, hooded
Chlidonias leucopterus, see tern, white-winged
 black
Chrysococcyx l. lucidus, see cuckoo, shining
 Ciconiiformes, 121
Circus approximans, see harrier, Australasian
 assimilis, see harrier, spotted
 CLASSIFIED SUMMARISED NOTES, North Island, 1 July 2001 to 30 June 2002, compiled by G.R. Parrish, 103-112
 CLASSIFIED SUMMARISED NOTES, South Island and Outlying Islands, 1 July 2000 to 30 June 2001, compiled by G.A. Pollock, 161-166
 cockatoo, sulphur-crested, 111
Cookilaria spp., see petrel, *Cookilaria* spp.
 COOPER, W.J. see IMBER, M.J.; WEST, J.A.; COOPER, W.J.
 coot, Australian, 107, 163
Corvus frugilegus, see rook
 COTTER, R.N., see IMBER, M.J.; HARRISON, M.; WOOD, S.E.; COTTER, R.N.
 CRAIG, J.L., see ANDERSON, S.H.; CRAIG, J.L.
 CRAIG, J.L., see BABER, M.J.; CRAIG, J.L. (2 papers)
 crane, marsh, 107, 163, 203
 spotless, 107, 201, 203-205, 207, 208
 crow, 240
 CROWE, T. Review: *The lost world of the moa: Prehistoric life of New Zealand*. Worthy, T.H.; Holdaway, R.N., 243-244
 cuckoo, long-tailed, 111, 166
 oriental, 166
 shining, 111, 166
 spp., 80
Cuculus saturatus, see cuckoo, oriental
 curlew, eastern, 13, 20, 109
Cyanoramphus a. auriceps, see parakeet, yellow-crowned
 cooki, see parakeet, Norfolk Island
 erythrotis, see parakeet, Macquarie Island
 e. hochstetteri, see parakeet, Reischek's
 forbesi, see parakeet, Forbes'
 intermedius, 29
 malherbi, see parakeet, orange-fronted
 novaezelandiae, see parakeet, New Zealand
 red-crowned
 n. chathamensis, see parakeet, Chatham Island
 red-crowned
 n. cyanurus, see parakeet, Kermadec Island
 n. subflavescens, see parakeet, Lord Howe Island

- rowleyi*, 29
saisseti, see parakeet, New Caledonian
 spp., see parakeet, spp.
ulietanus, see parakeet, Society
unicolor, see parakeet, Antipodes
zelandicus, see parakeet, black-fronted
Cygnus atratus, see swan, black
 olor, see swan, mute

 dabchick, New Zealand, 104
Dacelo novaeguineae, see kookaburra
Daption capense, see pigeon, cape
 DARBY, J.T. The yellow-eyed penguin
 (*Megadyptes antipodes*) on Stewart and
 Codfish Islands, 148-154
 DAVIS, L.S., see WAUGH, S.M.; CABRERA, H.;
 WOOD, G.C.; DAVIS, L.S.
 DIJKGRAAF, A. Why do kereru (*Hemiphaga*
 novaeseelandiae) eat what they eat?
 (Abstract), 176
Diomedea bulleri, see mollymawk, Buller's
 cauta, see mollymawk, white-capped or
 shy
 chrysostoma, see mollymawk, grey-headed
 epomophora, see albatross, southern royal
 exulans, see albatross, wandering
impavida, see mollymawk, New Zealand black-
 browed
 melanophrys, see mollymawk, black-browed
 melanophrys impavida, see mollymawk, New
 Zealand black-browed
 salvini, see mollymawk, Salvin's
 dollarbird, 111
 dotterel, banded, 13, 108, 164, 233-235
 black-fronted, 13, 108, 164
 large sand, 13, 108
 Mongolian, 13, 108, 234
 New Zealand, 1-10, 108, 110, 111, 164
 northern New Zealand, 1-10, 108, 110, 111
 southern New Zealand, 7
 dove, barbery, 111
 spotted, 111
 DOWDING, J.E.; GUMMER, H. A partial albi-
 no shore plover (*Thinornis novaeseelandiae*)
 on South East Island, Chatham Islands,
 52-53
 duck, blue, 163, 176
 grey, 107, 163
 mallard, 107, 137, 203, 205
 white-eyed, 107
Ducula bakeri, see pigeon, Baker's
 brechleyi, see pigeon, chestnut-bellied
 carola, see pigeon, spotted imperial
 goliath, see pigeon, New Caledonian impe-
 rial
 latrans, see pigeon, Peale's
 spilorrhoea spilorrhoea, see pigeon Torres
 imperial
 dunnoch, 112, 203

 eagle, Haast's, 243, 244
 Editor's acknowledgements, 246
 egret, cattle, 106, 163
 little, 106
Egretta alba modesta, see heron, white
 garzetta, see egret, little
 sacra, see heron, reef
 elephant bird, 241
Emberiza cirrus, see bunting, cirr
 citrinella, see yellowhammer
Empidonax traillii, see flycatcher, willow
 EMPSON, R. Bellbird (*Anthornis melanura*)
 transfers to Karori Wildlife Sanctuary,
 (Abstract), 177
 Emu, 232, 241, 242
Eudynamis taitensis, see cuckoo, long-tailed
Eudyptes chrysocome, see penguin, rockhopper
 chrysolophus, see penguin, macaroni
 pachyrhynchus, see penguin, Fiordland
 crested
 robustus, see penguin, Snares crested
 schlegeli, see penguin, royal
 sclateri, see penguin, erect-crested
Eudyptula minor, see penguin, blue or little
Eunymphicus cornutus, see parakeet, horned
 cornutus uvaensis, see parakeet, Ouvea
Eurystomus orientalis, see dollarbird
 EVERITT, D.A.; MISKELLY, C.M. A review of
 isabellism in penguins, 43-51

Falco cenchroides, see kestrel, Australian
 novaeseelandiae, see falcon, New Zealand
 subniger, see falcon, black
 falcon, black, 122
 New Zealand, 107, 121, 163, 228
 Falconiformes, 121-122
 fantail, North Island, 112, 113, 201, 203-205, 207,
 208
 South Island, 166
 fernbird, Chatham Island, 57
 North Island, 112, 201, 203-206, 208
 FERREIRA, S.M.; TAYLOR, S. Population
 decline of brown teal (*Anas chlorotis*) on
 Great Barrier Island, 141-147
 finch spp., 204, 205, 207
 FLUX, J.E.C. Starlings (*Sturnus vulgaris*) making
 their own nest sites, 238-240
 flycatcher, willow, 211, 217
Fregetta tropica, see storm petrel, black-bellied
Fringilla coelebs, see chaffinch
Fulica atra australis, see coot, Australian

- Gallirallus australis*, see weka
a. australis, see weka, western
a. scotti, see weka, Stewart Island
philippensis, see rail, banded
gannet, Australasian, 100-102, 105, 162
Cape, 105
GAZE, P. The rise and fall of mohua (*Mohoua ochrocephala*) on Mt. Stokes, (Abstract), 176-177
Gelochelidon nilotica, see tern, gull-billed
GERISCHER, B.-H.; WALTHER, B.O.
Behavioural observations of the blue lori-keet (*Vini peruviana*) on Rangiroa Atoll, Tuamotu Archipelago, French Polynesia, 54-58
Gerygone igata, see warbler, grey
GILL, B.J. see SOUTHEY, I.; GILL, B.J.
godwit, Asiatic black-tailed, 109-110
bar-tailed, 180
black-tailed, 13
eastern bar-tailed, 13, 109, 180
Hudsonian, 13
goldfinch, 112, 201, 203
goose, barnacle, 46
Canada, 106, 163, 218
GRANT, A.D., see KEARVELL, J.C.; GRANT, A.D.; BOON, W.M.
grebe, Australasian crested, 161
Australasian little, 104, 161
GREENE, B.S. Fence removal benefits gannets (*Morus serrator*) at Murwai, north-west Auckland, New Zealand, 100-102
GREENE, T.C. Breeding biology of red-crowned parakeets (*Cyanoramphus novaezealandiae novaezealandiae*) on Little Barrier Island, Hauraki Gulf, New Zealand, 83-99
greenfinch, 203
greenshank, 13
gull, black-backed, 1-6, 8, 105, 110, 119, 177
black-billed, 110, 165
red-billed, 110, 171-173
spp., 41, 105
GUMMER, H. Conservation of the Chatham petrel (*Pterodroma axillaris*): an update on current management techniques, (Abstract), 179
GUMMER, H., see DOWDING, J.E.; GUMMER, H.
GUY, M., see MEEHAN, H.J.; HILLYARD, K.; GUY, M.
Gygis alba, see tern, white
Gymnorhina tibicen, see magpie, Australian
tibicen hypoleuca, see magpie, Australian
Haematopus moquini, see oystercatcher, African black
ostralegus finschi, see oystercatcher, South Island pied
unicolor, see oystercatcher, variable
Halcyon sancta vagans, see kingfisher, New Zealand
Halobaena caerulea, see petrel, blue
HAMILTON, S., see WILTSHIRE, A.; HAMILTON, S.
Harpagornis moorei, see eagle, Haast's
HARPER, G. New Zealand pigeon (kereru: *Hemiphaga novaeseelandiae*) crossing Foveaux Strait, 174-175
harrier, Australasian, 2, 5, 6, 59, 63-65, 69, 78-80, 121-122, 138, 163, 186, 201, 203-205, 207, 208
Australasian marsh, see harrier
Australasian
Australian, see harrier, Australasian
spotted, 122
swamp, see harrier, Australasian
HARRISON, M., see IMBER, M.J.; HARRISON, M.; WOOD, S.E.; COTTER, R.N.
hawk, see harrier Australasian
Hemiphaga novaeseelandiae, see pigeon, New Zealand
heron, reef, 106, 162
white, 105, 162
white-faced, 105-106, 203, 205
HILLYARD, K., see MEEHAN, H.J.; HILLYARD, K.; GUY, M.
Himantopus h. leucocephalus, see stilt, Australasian pied
novaezealandiae, see stilt, black
sp., see stilt, hybrid
Hirundapus caudacutus, see swift, spine-tailed
Hirundo ariel, see martin, fairy
tahitica neoxena, see swallow, welcome
honeyeater spp., 207
HOOSON, S.; JAMIESON, I.G. Breeding biology of the South Island saddleback (*Philesturnus carunculatus carunculatus*, Callaeatidae), 91-99
HUME, T.M., see WHELAN, M.B.; HUME, T.M.; SAGAR, P.M.; SHANKAR, U.; LIEFTING, R.
HUYNEN, L.; LAMBERT, D.M.; McLENNAN, J.A.; RICKARD, C.; ROBERTSON, H.A. A DNA test for sex assignment in kiwi (*Apteryx* spp.), 231-233
Hymenolaimus malacorhynchos, see duck, blue
IMBER, M.J. Cook's petrel (*Pteroroma cookii*) historic distribution and breeding biology on Little Barrier and Codfish Islands, (Abstract), 179-180
IMBER, M.J. Recovery of Kerguelen-banded thin-billed prion (*Pachyptila belcheri*) in New Zealand, 238

- IMBER, M.J.; HARRISON, M.; WOOD, S.E.; COTTER, R.N. An estimate of numbers of grey-faced petrels (*Pterodroma macroptera gouldi*) breeding on Moutohora (Whale Island), Bay of Plenty, New Zealand, during 1998-2000, 23-26
- IMBER, M.J.; McFADDEN, I.; BELL, E.A.; SCOFIELD, R.P. Post fledging migration, age of first return and recruitment, and results of intercolony translocation of black petrels (*Procellaria parkinsoni*), 183-190
- IMBER, M.J.; WEST, J.A.; COOPER, W.J. Cook's petrel (*Pterodroma cookii*): historic distribution, breeding biology and effects of predators, 221-230
- JAMIESON, I.G., see HOOSON, S.; JAMIESON, I.G.
- Jay, 240
- kaka, North Island, 111, 113, 203
South Island, 165
sp., 95
- kakapo, 218
- kea, 165
- KEARVELL, J.C.; GRANT, A.D.; BOON, W.M. The orange-fronted parakeet (*Cyanoramphus malherbi*) is a distinct species: a review of recent research into its taxonomy and systematic relationship within the genus *Cyanoramphus*, 27-35
- KEEDWELL, R. Black-fronted terns (*Sterna albobristata*) and braided rivers: predation, productivity and population trends, (Abstract), 177-178
- kereru, see pigeon, New Zealand
- kestrel, Australian, 122
- kingfisher, New Zealand, 94, 111, 166, 203, 238
- kite, black, 122
- kittiwake, 216
- kiwi, great spotted, 161, 231, 232
little spotted, 104, 231, 232
North Island brown, 104, 231, 232
Okarito brown, 231, 232
spp., 218, 231-233, 241-242, 243
tokoea, 231, 232
- knot, great, 109
lesser, 13, 109, 164, 180, 181
red, see knot lesser
- kokako, North Island, 9, 112
- kookaburra, 111
- LAMBERT, D.M., see HUYNEN, L.; LAMBERT, D.M.; McLENNAN, J.A.; RICKARD, C.; ROBERTSON, H.A.
- Larus bulleri*, see gull, black-billed
- dominicanus*, see gull, black-backed
- novaehollandiae scopulinus*, see gull, red-billed
- LATHAM, P.C.M. An update on the grey ternlet (*Procelsterna cerulea albivitta*) in the Bay of Plenty, 118-121
- LECOQ, R., see BARRÉ, N.; WICHATITSKY, M. de G.; LECOQ, R.; MAILLARD, J.-C.
- LIEFTING, R., see WHELAN, M.B.; HUME, T.M.; SAGAR, P.M.; SHANKAR, U.; LIEFTING, R.
- Limicola falcinellus*, see sandpiper, broad-billed
- Limosa haemastica*, see godwit, Hudsonian
- lapponica baueri*, see godwit, eastern bar-tailed
- lapponica taymyrensis*, see godwit, bar-tailed
- limosa*, see godwit, black-tailed
- limosa melanuroides*, see godwit, Asiatic black-tailed
- lorikeet, blue, 54-58
- Lugensa brevirostris*, see petrel, Kerguelen
- Macronectes halli*, see petrel, northern giant sp., see petrel, giant sp.
- magpie, Australian, 5, 203, 206
sp., 240
- MAILLARD, J.-C., see BARRÉ, N.; WICHATITSKY, M. de G.; LECOQ, R.; MAILLARD, J.-C.
- mallard, see duck, mallard
- martin, fairy, 111
sand, 239
- McALLEN, I.A.W. An old record of banded dotterel *Charadrius bicinctus* from Vanuatu, 233-235
- McFADDEN, I., see IMBER, M.J.; McFADDEN, I.; BELL, E.A.; SCOFIELD, R.P.
- McLENNAN, J.A., see HUYNEN, L.; LAMBERT, D.M.; McLENNAN, J.A.; RICKARD, C.; ROBERTSON, H.A.
- MEEHAN, H.J.; HILLYARD, K.; GUY, M. Retention of beads in captive Torres imperial pigeons *Ducula spilorrhoa spilorrhoa*, 167-168
- Megadyptes antipodes*, see penguin, yellow-eyed
- Megalapteryx didinus*, see moa, upland
- MELVILLE, D., see SCHUCKARD, R.; MELVILLE, D.
- Milvus migrans*, see kite, black
- MISKELLY, C.M. An historical record of bush wren (*Xenicus longipes*) on Kapiti Island, 113-114
- MISKELLY, C.M. Restoring fairy prions (*Pachyptila turtur*) to Mana Island, (Abstract), 179
- MISKELLY, C.M., see EVERITT, D.A.;

- MISKELLY, C.M.
 MISKELLY, C.M., see SAGAR, P.M.;
 MISKELLY, C.M.; SAGAR, J.L.;
 TENNYSON, A.J.D.
 Moa spp., 241-242, 243-246
 upland, 242
Mohoua albicilla, see whitehead
 ochrocephala, see yellowhead
 mohua, see yellowhead
 mollymawk, black-browed, 104, 161, 170
 Buller's, 104
 grey-headed, 162, 216
 New Zealand black-browed, 217
 Salvin's, 162, 169-171
 shy, 161
 white-capped, 104
 MOORE, P.J. Southern royal albatrosses
 (*Diomedea epomophora*) injured by bands,
 211-220
 MOORE, S.J.; BATTLE, P.F. The use of wing
 remains to determine condition before
 death in brown teal (*Anas chlorotis*), 133-140
 morepork, 78-80, 83, 94, 97, 111, 166, 203
Morus capensis, see gannet, Cape
 serrator, see gannet, Australasian
 MURRAY, J., see WILLS, D.E.; MURRAY, J.;
 POWLESLAND, R.G.
 muttonbird spp., 128
 myna, common, 79, 80, 112, 203, 206
 Indian, see myna, common

Nestor m. meridionalis, see kaka, South Island
 m. septentrionalis, see kaka, North Island
 notabilis, see kea
Ninox novaeseelandiae, see morepork
 noddy, black, 54-56
 brown, 55
Notiomystis cincta, see stitchbird
 notou, see pigeon, New Caledonian imperial
Numenius madagascariensis, see curlew, eastern
 minutus, see whimbrel, little
 phaeopus, see whimbrel, sp.
 p. variegatus, see whimbrel, Asiatic
 sp., see whimbrel sp.

Oceanites maorianus, see storm petrel, New
 Zealand
neris, see storm petrel, grey-backed
 oceanicus, see storm petrel, Wilson's
Oceanodroma leucorhoa, see storm petrel, Leach's
 OGDEN, J., see ANDERSON, S.H.; OGDEN, J.
 Ostrich, 232, 241, 243
 owl, laughing, 223
 little, 166
 oystercatcher, African black, 9
 pied, see oystercatcher, South Island pied

 South Island pied, 13, 107-108, 163, 180
 variable, 6, 13, 108, 164

Pachyptila belcheri, see prion, thin-billed
 desolata, see prion, Antarctic
 salvini, see prion, Salvin's
 spp., see prion spp.
 turtur, see prion, fairy
 vittata, see prion, broad-billed
 parakeet, alpine, 29
 Antipodes, 28, 32, 33
 black-fronted, 28
 Chatham Island red-crowned, 28, 32
 Forbes', 28, 32
 horned, 31
 Kermadec Island, 28, 96
 Lord Howe Island, 28
 Macquarie Island, 28, 30
 New Caledonian red-crowned, 28, 31, 32
 New Zealand red crowned, see parakeet,
 red-crowned
 Norfolk Island, 28, 32
 orange-fronted, 27-35, 83
 Ouvea, 96
 red-crowned, 28-30, 32, 34, 65, 72, 83-99
 Reischek's, 28, 30, 32, 33
 Society, 28
 sp., 165
 yellow-crowned, 27-33, 83, 95, 97, 111
 PARRISH, G.R. (Compiler) CLASSIFIED
 SUMMARISED NOTES, North Island, 1
 July 2001 to 30 June 2002, 103-112
 parrot, red shining, 96
 spp., 243
 superb, 95
 parrotlet, green-rumped, 96
 partridge, grey, 138
Passer domesticus, see sparrow, house
 passerine spp., 107, 243
 PEET, N. Developing translocation as a tool
 for blue duck (*Hymenolaimus malacorhyn-*
 chos) recovery – experiences from Egmont
 National Park, (Abstract), 176
Pelagodroma marina maoriana, see storm petrel,
 white-faced
Pelecanoides urinatrix, see petrel, diving
 penguin, Adelie, 43, 48
 African, 43, 45, 46, 51
 blue, 43, 46, 149, 153, 162
 chinstrap, 43, 45
 emperor, 43
 erect-crested, 43, 162
 Fiordland crested, 43, 152
 Galapagos, 43
 gentoo, 43-46, 49
 Humboldt, 43, 45, 46

- king, 43, 44
 little, see penguin, blue
 macaroni, 43, 45
 Magellanic, 43, 45, 46, 51
 Pygoscelid spp., 46
 rockhopper, 43, 45, 170
 royal, 43, 45, 46, 50
 Snares crested, 43, 45, 46, 50
 spp., 43-51
 yellow-eyed, 43, 44, 48, 148-154, 162
Perdix perdix, see partridge, grey
 Petrel, black, 183-190, 227, 229
 black-winged, 58, 105
 blue, 228
 Chatham, 179
 collared, 221
 common diving, 104, 162, 184, 229
 Cookilaria spp., 181, 221-230
 Cook's, 179, 181, 221-230
 diving, see petrel, common diving
 fulmarine spp., 228
 gadfly spp., 221-230
 giant sp., 104
 Gould's, 184, 221, 228
 grey-faced, 23-26, 105, 184
 Kerguelen, 228
 Kermadec, 236-237
 mottled, 105, 162, 222
 northern giant, 104, 128-132
 Pycroft's, 181, 221, 228
 Stejneger's, 221
 Westland, 104, 123-127, 162
 white-chinned, 104, 123, 188
 white-headed, 105
 white-naped, 236
Petroica australis, see robin, New Zealand
 a. australis, see robin, South Island
 a. longipes, see robin, North Island
 m. macrocephala, see tomtit, South Island
 m. toitoi, see tomtit, North Island
 traversi, see robin, Chatham Island
Phaenorrhina goliath, see *Ducula goliath*
Phaethon rubricauda, see tropicbird, red-tailed
Phalacrocorax carbo, see shag, black
 melanoleucos, see shag, little
 sulcirostris, see shag, little black
 varius, see shag, pied
 phalarope, red-necked, 165
Phalaropus lobatus, see phalarope, red-necked
Phasianus colchicus, see pheasant, ring-necked
 pheasant, ring-necked, 46
Philesturnus c. carunculatus, see saddleback,
 South Island
 c. rufusater, see saddleback, North Island
Phoebastria palpebrata, see albatross, light-man-
 tled sooty
Phylloscopus spp., see warbler, old world leaf
 spp.
 PIERISMA, T., see BATTLE, P.; PIERISMA, T.
 PIERISMA, T., see BATTLE, P.; ROGERS, D.;
 PIERISMA, T.
 pigeon, Baker's, 155
 cape, 104, 162
 chestnut-bellied, 155
 Columba spp., 155
Ducula spp., 155-160, 167-168
 New Caledonian imperial, 155-160
 New Zealand, 107, 111, 113, 155, 174-176,
 203
 Peale's, 155
 spotted imperial, 156
 Torres imperial, 167-168
 pintail, northern, 163
 pipit, New Zealand, 111-112, 203
Platalea regia, see spoonbill, royal
Platycercus alpinus, see parakeet, alpine
 elegans, see rosella, crimson
 eximius, see rosella, eastern
 sp. see rosella sp.
 plover, hooded, 9
 New Zealand shore, see plover, shore
 Pacific golden, 13, 109, 164
 shore, 52-53
 snowy, 9, 218
 spur-winged, 2, 5, 6, 13, 109, 164, 203, 206
Pluvialis fulva, see plover, Pacific golden
Podiceps cristatus australis, see grebe,
 Australasian crested
Poliiocephalus rufopectus, see dabchick, New
 Zealand
 POLLOCK, G. (Compiler) CLASSIFIED
 SUMMARISED NOTES, South Island and
 Outlying Islands, 1 July 2000 to 30 June
 2001, 161-166
Polytelis swainsonii, see parrot, superb
Porphyrio hochstetteri, see takahe, South Island
 melanotus, see pukeko
Porzana pusilla affinis, see crane, marsh
 tabuensis plumbea, see crane, spotless
 POWLES, R.G., see WILLS, D.E.;
 MURRAY, J.; POWLES, R.G.
 prion, Antarctic, 104
 broad-billed, 105, 162
 fairy, 104, 162, 179
 Salvin's, 105, 162
 spp., 228
 thin-billed, 162, 238
Procellaria aequinoctialis, see petrel, white-
 chinned
 parkinsoni, see petrel, black
 westlandica, see petrel, Westland
Procelsterna cerulea albivitta, see ternlet, grey

- Prosopaea tabuensis*, see parrot, red shining
Prosthemadera novaeseelandiae, see tui
Prunella modularis, see dunnoek
Pterodroma axillaris, see petrel, Chatham
 brevipes, see petrel, collared
 cervicalis, see petrel, white-naped
 cookii, see petrel, Cook's
 defilippiana, see petrel, Cook's
 inexpectata, see petrel, mottled
 lessonii, see petrel, white-headed
 leucoptera, see petrel, Gould's
 longirostris, see petrel, Stejneger's
 macroptera gouldi, see petrel, grey-faced
 neglecta, see petrel, Kermadec
 nigripennis, see petrel, black-winged
 pycrofti, see petrel, Pycroft's
Puffinus assimilis, see shearwater, little
 bulleri, see shearwater, Buller's
 carneipes, see shearwater, flesh-footed
 gavia, see shearwater, fluttering
 griseus, see shearwater, sooty
 huttoni, see shearwater, Hutton's
 lherminieri, see shearwater, Audubon's
 pacificus, see shearwater, wedge-tailed
 tenuirostris, see shearwater, short-tailed
 pukeko, 146, 201, 203-205, 207
Pygoscelis adeliae, see penguin, Adelie
 antarctica, see penguin, chinstrap
 papua, see penguin, gentoo

 quail, brown, 107
 California, 107, 163

 rail, banded, 107, 163, 201, 203-205, 207, 208
 Chatham Island, 57
 spp., 243
 raptor spp., 121-122, 243
 Ratite spp., 231-233, 241-242, 243-244
 redpoll, 112
 REVIEWS:
 SCOFIELD, R.P. *Raptors of the world*. Ferguson-Lees, I.J.; Christie, D.A., 121-122
 WORTHY, T.H. *Ratites and Tinamous*. Davies, S.J.J.F., 241-242
 CROWE, T. *The lost world of the moa: Prehistoric life of New Zealand*. Worthy, T.H.; Holdaway, R.N., 243-244
 WILLIAMS, M. *The lost world of the moa: Prehistoric life of New Zealand*. Worthy, T.H.; Holdaway, R.N., 244-246
 rhea, 241
Rhipidura fuliginosa placabilis, see fantail, North Island
 RICKARD, C., see HUYNEN, L.; LAMBERT, D.M.; McLENNAN, J.A.; RICKARD, C.; ROBERTSON, H.A.
 rifleman, North Island, 113
 South Island, 166
Riparia riparia, see martin, sand
Rissa tridactyla, see kittiwake
 ROBERTSON, C. Update on the OSNZ Atlas Scheme. (Abstract title only), 181
 ROBERTSON, H.A., see HUYNEN, L.; LAMBERT, D.M.; McLENNAN, J.A.; RICKARD, C.; ROBERTSON, H.A.
 robin, Chatham Island, 81
 New Zealand, 80
 North Island, 80, 112, 113
 South Island, 166
 ROGERS, D., see BATTLE, P.; ROGERS, D.; PIERSSMA, T.
 rook, 112, 166
 rosella, crimson, 96, 111
 eastern, 165
 sp., 31
 ruru, see morepork

 saddleback, North Island, 112, 191-194, 196-198
 South Island, 166, 191-199
 SAGAR, J.L., see SAGAR, P.M.; MISKELLY, C.M.; SAGAR, J.L.; TENNYSON, A.J.D.
 SAGAR, P.M.; MISKELLY, C.M.; SAGAR, J.L.; TENNYSON, A.J.D. Population size, breeding and annual cycle of the New Zealand Antarctic tern (*Sterna vittata bethunei*) at the Snares Islands, 36-42
 SAGAR, P.M., see WHELAN, M.B.; HUME, T.M.; SAGAR, P.M.; SHANKAR, U.; LIEFTING, R.
 Sagittariiformes, 121
 sanderling, 109
 sandpiper, broad-billed, 165
 common, 110
 curlew, 13, 109, 164
 marsh, 13
 pectoral, 13, 109, 164
 sharp-tailed, 13, 109, 164
 terek, 13, 110, 164
 SAVILLE, S., see STEPHENSON, B.; SAVILLE, S.
 scaup, New Zealand, 107, 163
Sceloglaux albifacies, see owl, laughing
 SCHUCKARD, R.; MELVILLE, D. Baseline survey of the intertidal benthos of Farewell Spit, Golden Bay, (Abstract), 180
 SCOFIELD, R.P. Review: *Raptors of the world*. Ferguson-Lees, I.J.; Christie, D.A., 121-122
 SCOFIELD, R.P., see IMBER, M.J.; McFADDEN, I.; BELL, E.A.; SCOFIELD, R.P.
 SCOFIELD, P., see TAYLOR, G.; WALFORD, D.; SCOFIELD, P.
 SCOFIELD, R.P., see TENNYSON, A.J.D.; SCOFIELD, R.P.; BELL, B.D.

- seabird spp., 23-36, 36-42, 43-51, 57-58, 95, 123-127, 128-132, 148-154, 245
- shag, black, 105
 little, 105, 162
 little black, 105, 162, 203, 205
 pied, 105, 162, 203, 205
 spotted, 105, 162
- SHANKAR, U., see WHELAN, M.B.; HUME, T.M.; SAGAR, P.M.; SHANKAR, U.; LIEFTING, R.
- shearwater, Audubon's, 178
 Buller's, 104, 119, 162
 flesh-footed, 104
 fluttering, 104, 184, 229
 Hutton's, 178
 little, 178
 short-tailed, 119, 184
 sooty, 24, 104, 123-126, 162
 spp., 178-179
 wedge-tailed, 124, 125, 178, 237
- shelduck, paradise, 107, 163
- shoveler, New Zealand, 107
- shorebird spp., 1-10, 11-22
- silvereye, 79, 112, 166, 201, 203-205, 207, 208
- skua, Arctic, 110, 165
 brown, 41, 165, 228
 pomarine, 110
 southern brown, see skua, brown
- skylark, 203
- SOUTHEY, I.; GILL, B.J. A longevity record for whitehead *Mohoua albigilla*, Pachycephalidae, 235
- sparrow, hedge, see dunnoek house, 203
- Spheniscus demersus*, see penguin, African
humboldti, see penguin, Humboldt
magellanicus, see penguin, Magellanic
mendiculus, see penguin, Galapagos
- spoonbill, royal, 106, 110, 163
- Starling, 107, 116, 117, 119, 203, 238-240
- STEPHENSON, B.; SAVILLE, S. Pelagic birding around New Zealand: how much do we know? (Abstract), 181
- Stercorarius parasiticus*, see skua, Arctic
pomarinus, see skua, pomarine
- Sterna albigula sinensis*, see tern, eastern little
albostrata, see tern, black-fronted
caspia, see tern, Caspian
neris davisae, see tern, New Zealand fairy
striata, see tern, white-fronted
vittata bethunei, see tern Antarctic
vittata macquariensis, see tern Antarctic
- Stictocaro punctatus*, see shag, spotted
- stilt, Australasian, pied, 13, 108, 110, 164
 black, 8, 13, 108, 164, 177
 hybrid, 13
 pied, see stilt, Australasian pied
- stint, long-toed, 165
 red-necked, 13, 109, 165
- stitchbird, 75, 81, 95
- storm petrel, black-bellied, 181
 grey-backed, 162
 Leach's, 184
 New Zealand, 181
 sp., 105
 white-faced, 57-58, 105
 Wilson's, 105
- Streptopelia chinensis*, see dove, spotted
roseogrisea, see dove, barbery
- Strigops habroptilus*, see kakapo
- Sturnus vulgaris*, see starling
- Sula sula*, see booby, red-footed
- swallow, welcome, 94, 201, 203-205
- swan, black, 106, 163
 mute, 106, 163
- swift, spine-tailed, 111
- Synoicus ypsilophorus*, see quail, brown
- Tachybaptus novaehollandiae*, see grebe, Australasian little
- Tadorna variegata*, see shelduck, paradise
- takahe, South Island, 59-66, 67-74, 218
- tattler, Siberian, 110
 spp., 165
- TAYLOR, G.; BARBER, F. Flight paths used by Hutton's shearwaters (*Puffinus huttoni*) between their colony in the Seaward Kaikoura Ranges and the coast, (Abstract), 178
- TAYLOR, G.; WALFORD, D.; SCOFIELD, P. An estimate of Hutton's shearwater (*Puffinus huttoni*) numbers: results of a joint DoC /OSNZ project, (Abstract), 178
- TAYLOR, S., see FERREIRA, S.M.; TAYLOR, S.
- teal, brown, 59, 107, 133-140, 141-147, 205, 208
 grey, 107, 163
- TENNYSON, A.J.D.; SCOFIELD, R.P.; BELL, B.D. Confirmation of Kermadec petrels breeding on the southern Kermadec Islands, 236-237
- TENNYSON, A.J.D., see SAGAR, P.M.; MISKELLY, C.M.; SAGAR, J.L.; TENNYSON, A.J.D.
- tern, Antarctic, 36-42
 black-fronted, 110, 118, 165, 177
 Caspian, 110, 165
 eastern little, 111, 165
 gull-billed, 110
 New Zealand fairy, 111
 white, 55
 white-fronted, 110, 119, 165
 white-winged black, 110, 165
- ternlet, grey, 111, 118-121
- Tetrao urogallus*, see capercaillie

- Thalassarche chrysostoma*, see mollymawk, grey-headed
impavida, see mollymawk, New Zealand
 black-browed, or albatross, Campbell
melanophrys, see mollymawk, black-browed
salvini, see mollymawk, Salvin's
Thinornis novaeseelandiae, see plover, shore
 THORSEN, M. Red-billed gulls (*Larus novaehollandiae scopulinus*) feeding on seeds in a debris slick, Great Island, Three Kings, northern New Zealand, 171-173
 thrush, song, 116, 117, 203
 tinamou sp., 241-242
 titi, see shearwater or petrel spp.
Todiramphus sanctus, see *Halcyon sancta*
 tomtit, North Island, 112, 113, 115-116
 South Island, 166
Tringa brevipes, see tattler, Siberian
hypoleucos, see sandpiper, common
nebularia, see greenshank
 spp., see tattler spp.
stagnatilis, see sandpiper, marsh
terek, see sandpiper, terek
 tropicbird, red-tailed, 105
 tui, 75, 76, 79-81, 94, 112, 113, 116, 117, 166, 203, 207
Turdus merula, see blackbird
philomelos, see thrush, song
 turnstone, 13, 109, 164

Vanellus miles novaehollandiae, see plover, spur-winged
 VEITCH, C.R. Counts of forest birds on Raoul Island, Kermadec Group, 116-117
Vini peruviana, see lorikeet, blue
 vulture, turkey, 218

 wader, spp., 1-10, 11-22, 134
 WALFORD, D., see TAYLOR, G.; WALFORD, D.; SCOFIELD, P.
 warbler, grey, 112, 201, 203-205, 207, 208
 old world leaf spp., 34
 reed sp., 56
 waterfowl spp., 12, 134, 137, 243, 244
 WAUGH, S.M.; CABRERA, H.; WOOD, G.C.; DAVIS, L.S. Burrow occupancy by Westland petrels (*Procellaria westlandica*), 123-127
 waxeye, see silvereye
 weka, 149, 152
 sp., 113
 Stewart Island, 192, 221, 223, 227-229
 western, 163
 WEST, J.A., see IMBER, M.J.; WEST, J.A.; COOPER, W.J.
 WHELAN, M.B.; HUME, T.M.; SAGAR, P.M.; SHANKAR, U.; LIEFTING, R. Relationship between physical characteristics of estuaries in the size and diversity of wader populations in the North Island of New Zealand, 11-22
 whimbrel, Asiatic, 13, 109
 little, 13
 sp., 109, 165
 whitehead, 113, 235
 WICHATITSKY, M. de G., see BARRÉ, N.; WICHATITSKY, M. de G.; LECOQ, R.; MAILLARD, J.-C.
 WILLIAMS, M. Review: *The lost world of the moa: Prehistoric life of New Zealand*. Worthy, T.H.; Holdaway, R.N., 244-246
 WILLS, D.E.; MURRAY, J.; POWLESLAND, R.G. Impact of management on the breeding success of the northern New Zealand dotterel (*Charadrius obscurus aquilonius*) on Matakana Island, Bay of Plenty, 1-10
 WILTSHIRE, A.; HAMILTON, S. Population estimate for northern giant petrels (*Macronectes halli*) on Antipodes Island, New Zealand, 128-132
 WOOD, G.C., see WAUGH, S.M.; CABRERA, H.; WOOD, G.C.; DAVIS, L.S.
 WOOD, S.E., see IMBER, M.J.; HARRISON, M.; WOOD, S.E.; COTTER, R.N.
 woodhen, see weka
 woodpecker sp., 239
 WORTHY, T.H. Review: *Ratites and Tinamous*. Davies, S.J.J.F., 241-242
 wren, Acanthisittid spp., 243
 bush, 113-114
 rock, 166
 wrybill, 13, 20, 108-109, 164, 177

Xenicus gilviventris, see wren, rock
longipes, see wren, bush

 yellowhammer, 116, 117, 201, 203, 204
 yellowhead, 97, 166, 176-177, 235

Zosterops lateralis, see silvereye