


NOTORNIS

Journal of the
Ornithological Society of New Zealand



Volume 51 2004

Contents of Volume 51, 2004

Volume 51, Part 1, March 2004

CONTENTS

Papers

Abundance and breeding distribution of the white-flipped penguin (*Eudyptula minor albosignata*) on Banks Peninsula, New Zealand

Challies, C.N.; Burleigh, R.R. 1

Seasonal variation in the diet of blue penguins (*Eudyptula minor*) at Oamaru, New Zealand

Fraser, M.M.; Lalas, C. 7

Diet of coastal black shags (*Phalacrocorax carbo*)

McKinnon, H.L.; Fordham, R.A.; Lalas, C. 16

Changes in bird conspicuousness at Pureora Forest

Smith, A.N.H.; Westbrooke, I.M. 21

Feeding frequency, meal size and chick growth in Pycroft's petrel (*Pterodroma pycrofti*): preparing for chick translocations in *Pterodroma* species

Gangloff, B.; Wilson, K-J. 26

Kermadec petrels (*Pterodroma neglecta*) at Ilha da Trindade, South Atlantic Ocean and in the North Atlantic

Imber, M.J. 33

Effects of time of day and observer position on waterbird counts

Kissling, W.D. 41

Short notes

Chatham albatross (*Thalassarche eremita*) off the Chilean coast

Latham, P.C.M.; Marin, M.; Powlesland, R.G. 47

First record of Franklin's gull (*Larus pipixcan*) in New Zealand

Onley, D.J.; Schweigman, P. 49

First record of laughing gull (*Larus atricilla*) in French Polynesia

Vanderwerf, E.A.; Pierce, R.J.; Tibbitts, T.L.; Salducci, J-M.; Gill, V.A.; Wragg, G. 51

House sparrows (*Passer domesticus*) opening autodoors

Brockie, R.E.; O'Brien, B. 52

Prolonged aggressive encounter between two starlings (*Sturnus vulgaris*) below a prospective nest site

Bell, B.D. 53

Juvenile Stewart Island robins (*Petroica australis rakiura*) disperse up to 16 km

Oppel, S.; Beaven, B. 55

The origin of specimens of New Zealand storm petrel (*Pealeornis maoriana* Mathews, 1932)

Bourne, W.R.P.; Jouanin, C. 57

Letter

The place of collection of the original specimens of *Pealeornis maoriana* Mathews, 1932

Medway, D.G. 58

Noticeboard

60

Volume 51, Part 2, June 2004

CONTENTS

Papers

- Birds of the Kermadec Islands, south-west Pacific
**Veitch, C.R.; Miskelly, C.M.;
Harper, G.A.; Taylor, G.A.;
Tennyson, A.J.D.** 61
- Birds of the northern atolls of the North Solomons
Province of Papua New Guinea
Hadden, D.W. 91
- Annual and monthly patterns in recoveries of
beach-wrecked Procellariiformes from Southland,
New Zealand 1990-2000
Wood, J. 103

Short notes

- Great cormorant (*Phalacrocorax carbo*) breeds
in New Caledonia
Barré, N.C.; Géraux, H. 113
- Breeding of the Antarctic Tern (*Sterna vittata
bethunei*) on Macquarie Island
Schulz, M.; Gales, R. 114
- Survival and dispersal of mohua (*Mohoua
ochrocephala*, Pachycephalidae) after transfer to
Ulva Island, New Zealand.
Opell, S.; Beaven, B. 116
- Changes in abundance of New Zealand falcon
(*Falco novaeseelandiae*) in Marlborough
Gaze, P.; Hutzler, I. 117
- New Zealand falcon (*Falco novaeseelandiae*)
nesting in exotic plantations
Stewart, D.; Hyde, N. 120

Obituary

- John Alexander Gibb
Flux, J.E.C. 122
- Kaj Westerskov
Robertson, C.J.R. 123

Volume 51, Part 3, September 2004

CONTENTS

Papers

- | | | |
|--|--|------------|
| Corrections to the original citations and type localities of some birds described by John Gould and recorded from New Zealand | McAllan, I.A.W. | 125 |
| The extant type specimens of birds from New Zealand and the Society Islands collected on Cook's second voyage and described by Anders Sparrman in <i>Museum Carlsonianum</i> (1786-1789) | Medway, D.G. | 131 |
| Parental care and growth rates of New Zealand pigeon (<i>Hemiphaga novaeseelandiae</i>) nestlings | Thorsen, M.; Innes, J.; Nugent, G.; Prime, K. | 136 |
| Day - night foraging behaviour of banded dotterels (<i>Charadrius bicinctus</i>) in the Richmond River estuary, northern New South Wales, Australia | Rohweder, D.A.; Lewis, B.D. | 141 |
| The occurrence of owls in the Marshall Islands | Spenneman, D.H.R. | 147 |

Short notes

- | | | |
|---|--|------------|
| Clarification of the status of the type specimens of <i>Apteryx haastii</i> Potts 1872, the great spotted kiwi | Scofield, R.P. | 152 |
| The type localities of Cook's petrel (<i>Pterodroma cookii</i>), reef heron (<i>Egretta sacra sacra</i>) and wandering tattler (<i>Tringa incana</i>) | Medway, D.G. | 155 |
| New Zealand dabchicks (<i>Poliocephalus rufopectus</i>) dive to gain access to nest under jetty at Lake Taupo, New Zealand | Bell, B.D.; Brackenbury, G. | 158 |
| Records of the extinct Hawkins' rail (<i>Diaphorapteryx hawkinsi</i>) from Pitt Island, Chatham Islands | Tennyson, A.J.D. | 159 |
| Survival of little spotted kiwi (<i>Apteryx owenii</i>) on Kapiti Island | Robertson, H.A.; Colbourne, R.M. | 161 |
| Attempted colonisation of Antipodes Island by goldfinches (<i>Carduelis carduelis</i>) | Imber, M.J. | 163 |
| Food and nest sites of koki (<i>Prosopeia tabuensis</i> , Psittacidae) on 'Eua Island, Tonga | Fordham, R.A.; Saafi, P.; Minot, E.O. | 164 |
| Co-operative hunting by subantarctic skuas (<i>Catharacta skua lonnbergi</i>) at Macquarie Island | Schulz, M. | 167 |
| Snow petrel (<i>Pagodroma nivea</i>) records from Macquarie Island | Scofield, R.P.; Witshire, A. | 168 |

Abstracts

- | | | |
|---|----------------|------------|
| Abstracts of papers presented at the Ornithological Society of New Zealand AGM and Conference, 6 June 2004, Oamaru, New Zealand | Various | 170 |
|---|----------------|------------|

Report

- | | | |
|--|---------------------|------------|
| Beach Patrol scheme: Seabirds found dead on New Zealand beaches, 1997-1999 | Taylor, G.A. | 176 |
|--|---------------------|------------|

Letter

- | | | |
|--|--|------------|
| The original specimens of the New Zealand storm petrel | Bourne, W.R.P.; Jouanin, C; Catto, J.V.F. | 191 |
|--|--|------------|

Noticeboard

192

Volume 51, Part 4, December 2004

CONTENTS

Papers

- The tale of the lighthouse-keeper's cat: Discovery and extinction of the Stephens Island wren (*Traversia lyalli*)
Galbreath, R.; Brown, D. 193
- The land bird fauna of Stephens Island, New Zealand in the early 1890s, and the cause of its demise
Medway, D.G. 201
- New evidence on the life and death of Hawkins' rail (*Diaphorapteryx hawkinsi*): Moriori accounts recorded by Sigvard Dannefaerd and Alexander Shand
Cooper, J.H.; Tennyson, A.J.D. 212
- Population status, breeding and ecology of Chatham Island tui (*Prothemadera novaeseelandiae chathamensis*)
Dilks, P. 217

Short notes

- Establishment and growth of an Australasian gannet colony at Waimaru, Pelorus Sound, and a new colony at Arapawa Island, Queen Charlotte Sound
Brown, D.A.; Wilson, P.R. 227
- The land bird fauna of Stephens Island, New Zealand 1915-1933
Medway, D.G. 229
- Taxonomic status of the Stephens Island piopio (*Turnagra capensis*)
Medway, D.G. 231
- Predation on non-breeding wrybills in the Firth of Thames
Battley, P.F.; Moore, S.J. 233
- An unusual influx of Snares crested penguins (*Eudyptes robustus*) on the Chatham Islands, with a review of other crested penguin records from the islands
Miskelly, C.M.; Bell, M. 235
- Homing over 56km by a North Island tomtit (*Petroica macrocephala toitoi*)
Parker, K.A.; Hughes, B.; Thorogood, R.; Griffiths, R. 238
- Predation of banded rail (*Rallus philippensis*) nests in a saltmarsh habitat
Parker, K.A.; Brunton, D.H. 240
- An aggressive interaction between a North Island fernbird (*Bowdleria punctata vealeae*) and a spotless crane (*Porzana tabuensis*)
Parker, K.A. 241
- Foods of New Zealand dabchick (*Poliocephalus rufopectus*) and New Zealand scaup (*Aythya novaeseelandiae*)
Wakelin, M. 242
- Common diving petrels (*Pelecanoides urinatrix*) colonise Mana Island
Miskelly, C.M.; Timlin, G.; Cotter, R. 245

Review

- Flight of the hiua: Ecology and conservation of New Zealand's frogs, reptiles, birds and mammals (K-J. Wilson)
Gibbs, G.W.; Darby, J. 247

INDEX OF AUTHORS AND SPECIES

Volume 51

- Abstracts of papers presented at the
Ornithological Society of New Zealand,
Inc. AGM and Conference, 6 June 2004,
Oamaru, New Zealand, 170-175
- Acanthisitta chloris*, see rifleman
c. chloris, see rifleman, South Island
- Acanthorhynchus*, see spinebill
- Acridotheres tristis*, see myna, common
- Acrocephalus caffer caffer*, see reed warbler,
Tahiti
- Aegialitis obscurus*, see *Charadrius obscurus*
- Aerodramus vanikorensis lugubris*, see swiftlet,
uniform
- Aestrelata arminjoniana*, see *Pterodroma*
arminjoniana
trinitatis, see *Pterodroma arminjoniana*
- Alauda arvensis*, see skylark
- albatross, Antipodean wandering, 47, 48, 192
black-browed, see mollymawk, black-
browed
Buller's, see mollymawk, Buller's
Campbell, see mollymawk, New Zealand
black-browed
Chatham Island, see mollymawk,
Chatham Island
grey-headed, see mollymawk, grey-
headed
light-mantled sooty, 106, 178, 182, 184-185,
187, 188
northern royal, 105, 178, 182, 186
royal, 106, 178, 182, 186
Salvin's, see mollymawk, Salvin's
shy, see mollymawk, shy
southern royal, 105, 178, 182, 186
spp., 123, 167, 179, 180, 182, 186
wandering, 47, 48, 66, 85, 106, 178, 182, 185,
187, 188
- Alcedo atthis solomonensis*, see kingfisher,
common
pusilla, see kingfisher, little
- Anarhynchus frontalis*, see wrybill
- Anas gracilis*, see teal, grey
platyrhynchos, see mallard
rhynchotis variegata, see shoveler, New
Zealand
superciliosa, see duck, grey
- ANNUAL GENERAL MEETING. Abstracts
of papers presented at the Ornithological
Society of New Zealand Inc. AGM and
Conference, 6 June 2004, Oamaru, New
Zealand, 170-175
- Anous minutus*, see noddy, black
stolidus, see noddy, brown
tenuirostris minutus, see noddy, black
- Anser anser*, see goose, feral
- Anthornis melanura*, see bellbird
melanura melanocephala, see bellbird,
Chatham Island
- Anthus novaeseelandiae*, see pipit, New Zealand
Novae-Zelandiae, see *Anthus novaeseelandiae*
spinoletta, see pipit, rock
- Aphanapteryx*, see *Diaphorapteryx hawkinsi*
- Aplonis cantoroides*, see starling, singing
feadensis, see starling, atoll
metallica nitida, see starling, metallic
- Apteryx haastii*, see kiwi, great spotted
owenii, see kiwi, little spotted
- Ardea novaehollandiae*, see heron, white-faced
pacifica, see heron, white-necked
religiosa, see *Egretta sacra*
striata, see heron, striated
- Ardeiralla sacra*, see *Egretta sacra*
- Arenaria interpres*, see turnstone
- Artamus personatus*, see woodswallow, masked
superciliosus, see woodswallow, white-
browed
- Asio flammeus*, see owl, short-eared
flammeus flammeus, see owl, short-eared
flammeus ponapensis, see owl, short-eared
otus, see owl, long-eared
- Athene Novae-Zelandiae*, see *Ninox*
novaeseelandiae
- Aythya affinis*, see scaup, lesser
australis, see hardhead
farina, see pochard
fuligula, see duck, tufted
novaeseelandiae, see scaup, New Zealand
nyroca, see pochard, white-eyed
- BARRÉ, N.; GÉRAUX, H. Great cormorant
(*Phalacrocorax carbo*) breeds in New
Caledonia, 113-114.
- BATCHELER, D., see POWLESLAND, R.G.;
POWLESLAND, M.; BATCHELER, R.;
BATCHELER, D.
- BATCHELER, R., see POWLESLAND, R.G.;
POWLESLAND, M.; BATCHELER, R.;
BATCHELER, D.

- BATTLE, P. Colour-band alert: New projects on the movements of Arctic-breeding waders in New Zealand, (Abstract), 173-174
- BATTLE, P.; MOORE, S.J. Predation on non-breeding wrybills in the Firth of Thames, 233-234
- BEAVEN, B., see OPPEL, S.; BEAVEN, B. (2 papers)
- bee-eater, rainbow, 95
- BELL, Ben D. Prolonged aggressive encounter between two starlings (*Sturnus vulgaris*) below a prospective nest site, 53-55
- BELL, Ben D.; BRACKENBURY, G. New Zealand dabchicks (*Poliiocephalus rufopectus*) dive to gain access to nest under jetty at Taupo, New Zealand, 158-159
- bellbird, 21, 24, 25, 54, 83, 131, 132, 202-204, 206, 229
Chatham Island, 213, 217
bird, forest spp., 21-25, 41-46
game spp., 123
bittern, Australasian, 59, 189
blackbird, 80, 82, 85, 120, 189, 206, 229, 230, 234
- BLAIR, D., see MASSARO, M.; BLAIR, D.
- booby, brown, 71, 84, 85, 92, 97, 100
masked, 71-72, 82-84, 86, 97
red-footed, 84, 92, 97, 100
- Botaurus poeciloptilus*, see *Botaurus stellaris poeciloptilus*,
stellaris poeciloptilus, see bittern, Australasian
- BOURNE, W.R.P.; JOUANIN, C. The origin of specimens of the New Zealand storm petrel (*Pealeornis maoriana* Matthews 1932), 57-58
- BOURNE, W.R.P.; JOUANIN, C.; CATTO, J.V.F. (Letter), The original specimens of the New Zealand storm petrel, 191
- Bowdleria punctata*, see fernbird
punctata punctata, see fernbird, South Island
punctata vealeae, see fernbird, North Island
- BRACKENBURY, G., see BELL, Ben D.; BRACKENBURY, G.
- Branta canadensis*, see goose, Canada
- BROCKIE, R.E., O'BRIEN, B. House sparrows (*Passer domesticus*) opening autodoors, 52-53
- brolga, 124
- BROWN, D.; WILSON, P.R. Establishment and growth of an Australasian gannet colony at Waimaru, Pelorus Sound, and a new colony at Arapawa Island, Queen Charlotte Sound, 227-229
- BROWN, D., see GALBREATH, R.; BROWN, D.
- Bruchigavia jamesonii*, see gull, silver
- BRUNTON, D.H., see PARKER, K.A.; BRUNTON, D.H.
- Bubulcus ibis*, see egret, cattle
- Bulweria bulwerii*, see petrel Bulwer's bunting, cirl, 230
- BURLEIGH, R., see CHALLIES, C.N.; BURLEIGH, R.R.
- Cabalus modestus*, see rail, Chatham Island
- Calidris acuminata*, see sandpiper, sharp-tailed
canutus, see knot, lesser
ferruginea, see sandpiper, curlew
melanotos, see sandpiper, pectoral
ruficollis, see stint, red-necked
- Callaeas cinerea cinerea*, see kokako, South Island
cinerea wilsoni, see kokako, North Island
- Callipepla californica brunnescens*, see quail, California
- Caloenas nicobarica nicobarica*, see pigeon, Nicobar
- Calonectris leucomelas*, see shearwater, streaked
- canary, yellow-headed, see yellowhead
- Canthorhynchus*, 127
- Carduelis carduelis*, see goldfinch
chloris, see greenfinch
flammea, see redpoll
- Carpophaga Novae-Zelandiae*, see *Hemiphaga novaeseelandiae*
- Catharacta maccormicki*, see skua, South Polar
skua lonnbergi, see skua, subantarctic
- CATTO, J.V.F., see BOURNE, W.R.P.; JOUANIN, C.; CATTO, J.V.F.
- Certhia americana*, see tree creeper, North American
melanura, see *Anthornis melanura*
- Certhiparus novae-zealandiae*, see *Mohua novaeseelandiae*
- chaffinch, 81, 85, 120, 189, 230
- CHALLIES, C.N.; BURLEIGH, R.R.
Abundance and breeding distribution of white-flipped penguin (*Eudyptula minor albosignata*) on Banks Peninsula, New Zealand, 1-6
- Chalcophaps stephani mortoni*, see dove, Stephan's
- Chalcopsitta cardinalis*, see Lory, Cardinal
- Charadrius bicinctus*, see dotterel, banded
leschenaultii, see dotterel, large sand
melodus, see plover, piping
mongolus, see dotterel, Mongolian
obscurus, see dotterel, New Zealand
veredus, see dotterel, Oriental

- Charmosyna placentas pallidior*, see lorikeet, red-flanked
- Chlidonias leucopterus*, see tern, white-winged black
- Chrysococcyx lucidus lucidus*, see cuckoo, shining chukor, 124
- Circus approximans*, see harrier, Australasian gouldi, see *Circus approximans*
- Climacteris erythrops*, see tree creeper, red-browed
- Clitonix albicillus*, see *Mohoua albicilla*
- Coenocorypha*, see snipe spp.
- COLBOURNE, R.M., see ROBERTSON, H.A.; COLBOURNE, R.M.
- Collocalia ariel*, see *Hirundo ariel*
- esculenta spilogaster*, see swiftlet, glossy
- Columba livia*, see pigeon, feral sp., see pigeon sp.
- COOPER, J.H.; TENNYSON, A.J.D. New evidence on the life and death of Hawkins' rail (*Diaphorapteryx hawkinsi*): Mori accounts recorded by Sigvard Dannefaerd and Alexander Shand, 212-216
- Coracina novaehollandiae melanops*, see cuckoo-shrike, black-faced
- cormorant, see shag
- great, see shag, black
- CORRIGENDUM, 192
- COTTER, R., see MISKELLY, C.M.; TIMLIN, G.; COTTER, R.
- crake, marsh, 124
- spotless, 73, 82-84, 241
- Creadion carunculatus*, see *Philesturnus carunculatus*
- cinereus*, see *Philesturnus carunculatus*
- creeper, brown, 170, 204-206
- crow, native, see kokako
- orange-wattled, see kokako, South Island
- cuckoo, long-tailed, 79, 85, 95, 97, 98, 101, 131, 202, 203, 205-206, 229
- oriental, 97, 99, 101
- shining, 79, 85, 98, 120, 202, 203, 205, 229, 230
- shining bronze, see cuckoo, shining spp., 156, 229
- cuckoo-shrike, black-faced, 96
- Cuculus saturatus*, see cuckoo, oriental
- taitensis*, see *Eudynamys taitensis*
- curlew, bristle-thighed, 75, 84, 85
- eastern, 74, 85, 144
- Cyanoramphus auriceps auriceps*, see parakeet, yellow-crowned
- novaezelandiae novaezelandiae*, see parakeet, red-crowned
- novaezelandiae cyanurus*, see parakeet, Kermadec
- sp., see parakeet sp.
- Cygnus atratus*, see swan, black
- dabchick, New Zealand, 158-159, 242-245
- Daption capense*, see pigeon, cape
- DARBY, J.T. Flight of the huia: Ecology and conservation of New Zealand's frogs, reptiles, birds and mammals. K-J. Wilson, (Review), 248
- DAVIS, L.S., see MATTERN, T.; HOUSTON, D.M.; DAVIS, L.S.
- Diaphorapteryx hawkinsi*, see rail, Hawkins'
- DILKS, P. Population status, breeding and ecology of Chatham Island tui (*Prothemadera novaeseelandiae chathamensis*), 217-226
- Diomedea antipodensis*, see albatross, Antipodean wandering
- bulleri*, see *Thalassarche bulleri*
- bulleri bulleri*, see *Thalassarche bulleri*
- bulleri platei*, see *Thalassarche platei*
- cauta cauta*, see *Thalassarche cauta*
- cauta eremita*, see *Thalassarche eremita*
- cauta salvini*, see *Thalassarche salvini*
- cauta steadi*, see *Thalassarche steadi*
- epomophora*, see albatross, southern royal
- eremita*, see *Thalassarche eremita*
- exulans*, see albatross, wandering
- melanophrys impavida*, see *Thalassarche impavida*
- melanophrys melanophrys*, see *Thalassarche melanophrys*
- salvini*, see *Thalassarche salvini*
- sanfordi*, see albatross, northern royal
- steadi*, see *Thalassarche steadi*
- spp., see albatross, spp.
- dodo, 193
- dotterel, banded, 73, 85, 141-146, 189
- large sand, 99
- Mongolian, 100
- New Zealand, 59, 189, 233, 234
- Oriental, 73, 85
- dove, bronze ground, 94
- claret-breasted fruit, 94
- Mackinlay's cuckoo, 94
- sp., 189
- Stephen's 94
- yellow-breasted fruit, 94
- duck, blue-billed, 125, 126
- grey, 43, 73, 82, 83, 85, 86, 189
- grey/mallard, 189
- mallard, 43, 73, 85, 86, 158, 189
- spp., 149, 189, 213
- tufted, 244
- white-eyed, 244, see also hardhead

- Ducula pacifica pacifica*, see pigeon, Pacific imperial
pistrinaria pistrinaria, see pigeon, island imperial
- DUNCAN, R.P., see ROBERTS, C.M.;
 DUNCAN, R.P.; WILSON, K-J.
- dunnock, 54, 120, 230
- eagle, Sanford's, 93
 white-bellied sea, 93
- egret, cattle, 72, 85
 little, 72, 85
 Pacific reef, 92, 97-100
- Egretta garzetta*, see egret, little
sacra, see heron, reef
sacra sacra, see egret, Pacific reef
- Emberiza cirrus*, see bunting, cirr
citrinella, see yellowhammer
- Eudynamis taitensis*, see cuckoo, long-tailed
- Eudyptes chrysocome*, see penguin, rockhopper
chrysocome filholi, see penguin, eastern rockhopper
chrysocome moseleyi, see penguin, Moseley's rockhopper
chrysolophus schlegeli, see penguin, royal
pachyrhynchus, see penguin, Fiordland crested
robustus, see penguin, Snares crested
sclateri, see penguin, erect-crested
- Eudyptula minor*, see penguin, blue
minor albosignata, see penguin, white-flippered
- Falco novaeseelandiae*, see falcon, New Zealand
peregrinus, see falcon, peregrine
severus, see hobby, oriental
- falcon, New Zealand, 24, 117-119, 119-121, 170, 205, 229
 peregrine, 93
- fantail, black, 204
 North Island, 21, 23-25
 pied, 204
 South Island, 131, 203, 229, 230
 sp., 21, 83
- fernbird, North Island, 240, 241
 South Island, 203, 204, 206
- FLUX, J.E.C. (Obituary), John Anthony Gibb 1919-2004, 122-123
- flycatcher, Tahiti, 131-133
- FORDHAM, R.A.; SAAFI, P.; MINOT, E.O.
 Food and nest sites of koki (*Prosopeia tabuensis*, Psittacidae) on 'Eua Island, Tonga, 164-166
- FORDHAM, R.A., see McKINNON, H.L.;
 FORDHAM, R.A.; LALAS, C.
- fowl, domestic, 172, 189
- FRASER, M.M.; LALAS, C. Seasonal variation in the diet of blue penguins (*Eudyptula minor*) at Oamaru, New Zealand, 7-15
- Fregata ariel*, see frigatebird, lesser
minor, see frigatebird, great
 sp., see frigatebird sp.
- Fregetta grallaria*, see storm petrel, white-bellied
tropica, see storm petrel, black-bellied
- frigatebird, great, 97, 99, 100
 lesser, 92, 97-100
 sp., 61, 72, 84, 85, 98
- Fringilla coelebs*, see chaffinch
- fruit-dove, claret-breasted, 94
 red-crowned, 94
 superb, 94
 yellow-bibbed, 94
- fulmar, Antarctic, 104-108, 110, 111, 178, 182, 184, 185, 187, 188
- Fulmarus glacialis*, see fulmar, Antarctic
- GALBREATH, R.; BROWN, D. The tale of the lighthouse-keeper's cat: Discovery and extinction of the Stephens Island wren (*Traversia lyalli*), 193-200
- GALES, R., see SCHULZ, M.; GALES, R.
- Gallicolumba beccarii masculina*, see dove, bronze ground
- Gallinula tenebrosa*, see moorhen, dusky
- Gallirallus australis*, see weka
australis australis, see weka, western
australis greyi, see weka, North Island
australis hectori, see weka, buff
australis scotti, see weka, Stewart Island
dieffenbachii, see rail Dieffenbach's
philippensis, see rail, banded
- Gallus gallus*, see fowl, domestic
- GANGLOFF, B.; WILSON, K-J. Feeding frequency, meal size and chick growth in Pycroft's petrels (*Pterodroma pycrofti*): preparing for chick translocations in *Pterodroma* species, 26-32
- gannet, Australasian, 59, 84, 89, 179, 180, 183, 184, 187, 188, 227-229, 245
- GAZE, P.; HUTZLER, I. Changes in abundance of New Zealand falcon (*Falco novaeseelandiae*) in Marlborough, 117-119
- GÉRAUX, H., see BARRÉ, N.; GÉRAUX, H.
- Gerygone flaviventris*, see *Gerygone igata*
igata, see warbler, grey
- GIBBS, G.W. Flight of the huia: Ecology and conservation of New Zealand's frogs, reptiles, birds and mammals. K-J. Wilson, (Review), 247
- GILL, V.A., see VANDERWERF, E.A.; PIERCE, R.J.; TIBBITTS, T.L.; SALDUCCI, J-M.;
 GILL, V.A.; WRAGG, G.

- Glareola maldivarum*, see pratincole, oriental
Glaucopsis cinerea, see *Callaeas cinerea cinerea*
 godwit, Asiatic black-tailed, 125, 128
 bar-tailed, see godwit, eastern bar-tailed
 eastern bar-tailed, 75, 85, 100, 144, 173, 174, 189, 223
 goldfinch, 24, 81, 85, 163-164, 189, 229, 230
 goose, Canada, 43, 72-73, 85, 189
 feral, 43, 189
Graculus punctatus, see *Stictocarbo punctatus*
 grebe, great crested, 242
 hoary-headed, 242
 horned, 242
 little, 96, 242
 red-necked, 242
 southern crested, 124-126
 spp., 124
 greenfinch, 81, 85, 120, 189, 229, 230
 greenshank, 100
 GRIFFITHS, R., see PARKER, K.A.; HUGHES, B.; THOROGOOD, R.; GRIFFITHS, R.
 grouse, black, 123
 gull, black-backed, 75, 84, 85, 115, 179, 180, 183, 184, 186-190, 246
 black-billed, 179, 180, 182, 184, 186, 188, 233
 black-headed, 49
 Bonaparte's, 49
 brown-headed, 49
 brown-hooded, 49
 Franklin's, 49-51, 90
 kelp, see gull, southern black-backed
 laughing, 49, 51-52
 Mediterranean, 49
 red-billed, 49, 50, 75-76, 84, 85, 179, 180, 183, 184, 186-189
 relict, 49, 50
 Sabine's, 49
 Saunders', 49
 silver, 75
 southern black-backed, see gull, black-backed
 spp., 178
Gygis alba, see tern, white
Gymnorhina tibicen, see magpie, Australian
 HADDON, D. Birds of the northern atolls, North Solomons Province of Papua New Guinea, 91-102
Haematopus chathamensis, see oystercatcher, Chatham Island
ostralegus finschi, see oystercatcher, South Island pied
 sp., see oystercatcher sp.
 unicolor, see oystercatcher, variable
Halcyon chloris bennetti, see kingfisher, collared
 sancta sancta, see kingfisher, sacred
 sancta vagans, see kingfisher, New Zealand
 saurophaga saurophaga, see kingfisher, beach
 vagans, see *Halcyon sancta vagans*
Haliaeetus leucogaster, see sea-eagle, white-bellied
 sanfordi, see sea-eagle, Sanford's
Haliastur indus, see kite, Brahminy
Hallstroma, see *Pterodroma*
Halobaena caerulea, see petrel, blue
 hardhead, 244
 HARPER, G. The native forest birds of Stewart Island/Rakiura: distribution, status and recent extinctions, (Abstract), 170-171
 HARPER, G.A., see VEITCH, C.R.; MISKELLY, C.M.; HARPER, G.A.; TAYLOR, G.A.; TENNYSON, A.J.D.
 harrier, Australasian, 24, 73, 84, 85, 189, 204, 205, 229, 230, 240, 248
 HARTLEY, L. Five minute bird counts in New Zealand, (Abstract), 175
Hemiphaga chathamensis, see pigeon, Chatham Island
 novaezeelandiae, see pigeon, New Zealand
 hen, domestic, see fowl, domestic
 heron, nankeen night, 90
 reef, 59, 90, 155-158, see also egret, Pacific reef
 rufous night, 92, 97
 sacred, see heron, reef
 striated, 90, 97
 white-faced, 72, 85, 189
 white-necked, 72, 85
Himantopus himantopus leucocephalus, see stilt, Australasian pied
 leucocephala, see *Himantopus himantopus leucocephalus*
 melas, see *Himantopus novaezeelandiae*
 novaezeelandiae, see stilt, black
 novaezeelandiae, see *Himantopus novaezeelandiae*
Hirundo ariel, see martin, fairy
 nigricans nigricans, see martin, Australian tree
 tahitica, see swallow, welcome
 tahitica neoxena, see swallow, welcome
 tahitica subfusca, see swallow, Pacific
 hobby, Oriental, 93
 HOLDAWAY, R. From the ground up: a different perspective on restoration of biodiversity, (Abstract), 174
 HOUSTON, D.M., see MATTERN, T.; HOUSTON, D.M.; DAVIS, L.S.
 HUGHES, B., see PARKER, K.A.; HUGHES, B.; THOROGOOD, R.; GRIFFITHS, R.
 huia, 247

- HUTZLER, I., see GAZE, P.; HUTZLER, I.
Hybristes longirostris, see *Acrocephalus caffer*
 HYDE, N., see, STEWART, D.; HYDE, N.
Hylochelidon nigricans, see martin, Australian tree
- IMBER, M.J. Kermadec petrels (*Pterodroma neglecta*) at Ilha da Trindade, South Atlantic Ocean and in the North Atlantic, 33-40
 Attempted colonisation of Antipodes Island by goldfinches (*Carduelis carduelis*), 163-164
- INNES, J., see THORSEN, M.; INNES, J.; NUGENT, G.; PRIME, K.
- jaeger, see skua spp.
- JOUANIN, C., see BOURNE, W.R.P.; JOUANIN, C.
- JOUANIN, C., see BOURNE, W.R.P.; JOUANIN, C.; CATTO, J.V.F.
- kaka, 83, 189, 214
 Chatham Island, 214
 North Island, 21, 24, 25, 59
 South Island, 170, 202-205, 229
- kakapo, 170, 213, 214
- kakariki, see parakeet, red-crowned
- kea, 125, 128
- kereru, see pigeon, New Zealand
- kingfisher, beach, 95, 98
 collared, 95, 100, 101
 common, 95
 forest, 95
 little, 95
 New Zealand, 59, 79-80, 82, 85, 189, 204-206, 229, 230
 sacred, 95, 98-101, see also kingfisher, New Zealand
 sp., 156, 191
- KISSLING, W.D. Effects of time of day and observer position on waterbird counts, 41-46
- kite, Brahminy, 93
- kiwi, great spotted, 152-154
 little spotted, 125, 161-163
 spp., 162, 248
- knot, lesser, 74, 85, 173, 233, 234
 red, see knot, lesser
- kokako, North Island, 21, 24, 25
 South Island, 135, 170, 193, 202
- kokei, see parrot, red shining
- koko, see tui
- komako, see bellbird, Chatham Island
- kukupu, see pigeon, New Zealand
- LALAS, C., see FRASER, M.M.; LALAS, C.
- LALAS, C., see MCKINNON, H.L.; FORDHAM, R.A.; LALAS, C.
- landrail, see rail, banded
- lark, ground, see pipit, New Zealand
- Larus atricilla*, see gull, laughing
brunnicephalus, see gull, brown-headed
bulleri, see gull, black-billed
dominicanus, see gull, black-backed, or gull, kelp
gunnii, 75
maculipennis, see gull, brown-hooded
melanocephalus, see gull, Mediterranean
novaehollandiae scopulinus, see gull, red-billed
philadelphia, see gull, Bonaparte's
pipixcan, see gull, Franklin's
relictus, see gull, relict
ridibundus, see gull, black-headed
sabini, see gull, Sabine's
saundersi, see gull, Saunders'
 spp., see gull spp.
- LATHAM, P.C.M.; MARIN, M.; POWLESLAND, R.G. Chatham albatross (*Thalassarche eremita*) off the Chilean coast, 47-49
- LAWRENCE, B. Factors which may affect mohua (*Mohoua ochrocephala*) carrying capacity, (Abstract), 170
- LETTERS:
 MEDWAY, D.G. The place of collection of the original specimens of *Pealeornis maoriana* Matthews 1932, 58-59
 BOURNE, W.R.P.; JOUANIN, C.; CATTO, J.V.F. The original specimens of the New Zealand storm petrel, 191
- Leucocarbo chalconotus*, see shag, Stewart Island
onslowi, see shag, Chatham Island
- LEWIS, B.D., see ROHWEDER, D.A.; LEWIS, B.D.
- Limosa lapponica baueri*, see godwit, eastern
 bar-tailed
limosa melanuroides, see godwit, Asiatic
 black-tailed
melanuroides, see *Limosa limosa melanuroides*
- linnet, green, see greenfinch
- lorikeet, rainbow, 95, 97
 red-flanked, 95, 97
 Tahiti, 131-133
- Lory, cardinal, 94, 101
- Lugensa brevirostris*, see petrel, Kerguelen
- LYALL, J., see WILSON, K-J.; OGILVIE, S.; LYALL, J.; SCHOTBORGH, M.; PRENDERGAST, T.A.; NORTON, T.

- Macronectes giganteus*, see petrel, southern giant
halli, see petrel, northern giant
 spp., see petrel, giant spp.
- Macropygia mackinlayi arossi*, see dove, Mackinlay's cuckoo
- magpie, Australian, 24, 118, 123, 189, 190
- makomako, see bellbird
- mallard, see duck, mallard
- MARIN, M., see LATHAM, P.C.M.; MARIN, M.; POWLESLAND, R.G.
- martin, Australian tree, 90
 fairy, 125, 128
 tree, 96, 101
- MASSARO, M.; BLAIR, D. Comparison of population numbers of yellow-eyed penguins (*Megadyptes antipodes*) on Stewart Island and on adjacent rat-free islands, (Abstract), 172-173
- MATTERN, T.; HOUSTON, D.M.; DAVIS, L.S. Foraging ecology of the Snares crested penguin (*Eudyptes robustus*), (Abstract), 172
- McALLAN, I.A.W. Corrections to the original citations and type localities of some birds described by John Gould and recorded from New Zealand, 125-130.
- McKINNON, H.L.; FORDHAM, R.A.; LALAS, C. Diet of coastal black shags (*Phalacrocorax carbo*), 16-20
- MEDWAY, D.G. (Letter). The place of collection of the original specimens of *Pealeornis maoriana* Matthews, 1932, 58-59
 The extant type specimens of birds from New Zealand and the Society Islands collected on Cook's second voyage and described by Anders Sparrman in *Museum Carlsonianum* (1786-1789), 131-135
 The type localities of Cook's petrel (*Pterodroma cookii*), reef heron (*Egretta sacra sacra*) and wandering tattler (*Tringa incana*), 155-158
 The land bird fauna of Stephens Island, New Zealand in the early 1890s and the cause of its demise, 201-211
 The land bird fauna of Stephens Island, New Zealand 1915-1933, 229-230
 Taxonomic status of the Stephens Island piopio (*Turnagra capensis*), 231-232
- Megadyptes antipodes*, see penguin, yellow-eyed
- Megapode, 83, 86, 90, 93
- Megapodius freycinet eremita*, see scrubfowl, dusky
prichardi, see megapode spp., 83
- mehonui, see rail, Hawkins'
 mehoriki, 213
- MELVILLE, D.S. Migratory waterbirds and avian influenza in the East Asian/Australasian Flyway, (Abstract), 174
- Merops ornatus*, see bee-eater, rainbow
- MICHELSSEN-HEATH, S. Investigating trends in the abundance and distribution of the rock wren (*Xenicus gilviventris*) in the South Island, (Abstract), 171
- MINOT, E.O., see FORDHAM, R.A.; SAAFI, P.; MINOT, E.O.
- Miro albifrons*, see *Petroica australis dannefaerdi*, see *Petroica macrocephala dannefaerdi*
- MISKELLY, C.M.; BELL, M. An unusual influx of Snares crested penguins (*Eudyptes robustus*) on the Chatham Islands, with a review of other crested penguin records from the islands, 235-237
- MISKELLY, C.M.; TIMLIN, G.; COTTER, R. Common diving petrels (*Pelecanoides urinatrix*) recolonise Mana Island, 245-246
- MISKELLY, C.M., see VEITCH, C.R.; MISKELLY, C.M.; HARPER, G.A.; TAYLOR, G.A.; TENNYSON, A.J.D.
- moa spp., 248
- mock, see bellbird
- Mohoua albicilla*, see whitehead
novaeseelandiae, see creeper, brown
ochrocephala, see yellowhead
- mollymawk, black-browed, 47, 48, 71, 167, 178, 182, 186, 192
 Buller's, 48, 66, 85, 104-109, 187, 188
 Chatham Island, 47-49, 192
 Grey-headed, 178, 182, 187, 188
 New Zealand black-browed, 178, 182, 185, 186
 northern Buller's, 179, 180, 183, 184, 187, 188
 Salvin's, 47, 48, 178, 186, 192
 shy, 104, 105, 108, 109, 179, 180, 182, 184, 187, 188
 southern Buller's, 109, 184, 188
 spp., 179, 180, 182, 186
 white-capped, 179, 180, 182, 184, 187, 188
- monarch, island, 96, 98, 100, 101
- Monarcha cinerascens impediens*, see monarch, island
- MOORE, S.J., see BATTLE, P.; MOORE, S.J.
- moorhen, dusky, 125-127
- morepork, 83, 139, 189, 202, 204-206, 229, 230
- Morus serrator*, see gannet, Australasian
- Muscicapa fuliginosa*, see *Rhipidura fuliginosa fuliginosa*
nigra, see *Pomarea nigra nigra*
- muttonbird spp., 155
- myna, common, 120, 189

- Nectarinia jugularis*, see sunbird, yellow-bellied
Nestor meridionalis, see kaka
 meridionalis meridionalis, see kaka, South Island
 meridionalis septentrionalis, see kaka, North Island
 notabilis, see kea
 night-heron, nankeen, 90
 rufous, 92
Ninox novaeseelandiae, see morepork
 noddy, black, 77, 82-84, 93, 97-99, 101, 124, 178, 179, 182
 brown, 61, 76, 82-85, 93, 97-99, 101
 grey, 77-78, 82-84
 spp., 86
 white-capped, see noddy, black
 NORTON, T., see WILSON, K.-J.; OGILVIE, S.; LYALL, J.; SCHOTBORGH, M.; PRENDERGAST, T.A.; NORTON, T.
 NOTICEBOARD:
 24th International Ornithological Congress 13-19 August 2006, 60
 3rd Australasian ornithological conference 2005, 192
 Australasian shorebird conference 2005, 192
 Department of Conservation ornithological research, 192
 Corrigendum, 192
 NUGENT, G., see THORSEN, M.; INNES, J.; NUGENT, G.; PRIME, K.
Numenius madagascariensis, see curlew, eastern
 minutus, see whimbrel, little
 phaeopus ssp., see whimbrel, ssp.
 phaeopus variegatus, see whimbrel, Asiatic
 tahitiensis, see curlew, bristle-thighed
Nycticorax caledonicus, see night-heron, nankeen
 caledonicus mandibularis, see night-heron, rufous
 OBITUARIES:
 John Anthony Gibb 1919-2004, J.E.C. Flux, 122-123
 Kaj Ejvind Westerskov, 1919-2003, C.J.R. Robertson, 123-124
 O'BRIEN, B., see BROCKIE, R.E.; O'BRIEN, B.
Oceanites maorianus, see *Pealeornis maorianus nereis*, see storm petrel, grey-backed
 oceanicus, see storm petrel, Wilson's
Oceanodroma leucorhoa, see storm petrel, Leach's
Ocypterus personatus, see *Artamus personatus superciliosus*, see *Artamus superciliosus*
Oestrelata leucophrys, see *Pterodroma neglecta mollis*, see *Pterodroma neglecta phillipi*, see *Pterodroma solandri*
 OGILVIE, S., see WILSON, K.-J.; OGILVIE, S.; LYALL, J.; SCHOTBORGH, M.; PRENDERGAST, T.A.; NORTON, T.
 ONLEY, D.J.; SCHWEIGMAN, P. First record of Franklin's gull (*Larus pipixcan*) in New Zealand, 49-50
 OPPEL, S.; BEAVEN, B. Juvenile Stewart Island robins (*Petroica australis rakiura*) disperse up to 16 km, 55-56
 OPPEL, S.; BEAVEN, B. Survival and dispersal of mohua (*Mohoua ochrocephala* Pachycephalidae) after transfer to Ulva Island, New Zealand, 116-117
 osprey, 93-93
Otus podarginus, see owl, Palau
 owl, barn, 95, 147, 164
 grass, 147
 long-eared, 149
 Palau, 147
 short-eared, 147
 spp., 147-151
Oxyura australis, see duck, blue-billed
 oystercatcher, Chatham Island, 234
 New Zealand pied, see oystercatcher, South Island pied
 South Island pied, 73, 189, 233, 234
 spp., 61, 73, 85, 189
 variable, 189, 233, 234
Pachycephala melanura dahlia, see whistler, mangrove golden
Pachyptila belcheri, see prion, thin-billed
 crassirostris, see prion, fulmar
 desolata, see prion, Antarctic
 salvini, see prion, Salvin's
 salvini crozeti, see prion, Salvin's
 turtur, see prion, fairy
 vittata, see prion, broad-billed
Pagodroma n. nivea, see petrel, snow
 pakura, see pukeko
Pandion haliaetus melvillensis, see osprey
 parakeet, Antipodes, 163
 Chatham Island red-crowned, 221, 224
 Kermadec, 64, 78-79, 82-86
 Red-crowned, 21, 86, 131-133, 189, 221, 224
 Reischek's, 163
 sp., 21, 24, 25, 202, 229
 yellow-crowned, 170, 203-205
 yellow-headed, see parakeet, yellow-crowned
 pare, see pareia
 pareia, see pigeon, Chatham Island
 Paridae, 122
 PARKER, K.A.; HUGHES, B.; THOROGOOD, R.; GRIFFITHS, R. Homing over 56 km by a North Island tomtit (*Petroica macrocephala toitoi*), 238-239
 PARKER, K.A.; BRUNTON, D.H. Predation of banded rail (*Rallus philippensis*) nests in a saltmarsh habitat, 240-241

- PARKER, K.A. An aggressive interaction between a North Island fernbird (*Bowdleria punctata vealeae*) and a spotless crane (*Porzana tabuensis*), 241
- parrot, red shining, 164-166
spp., 124
- partridge, Danish, 123
grey, 123
sp., 124
- Passer domesticus*, see sparrow, house
- passerine spp., 233
Madagascan spp., 248
- Pealeornis maoriana*, see storm petrel, New Zealand
- Pelagodroma albiglunus*, see storm petrel, Kermadec
- marina dulciae*, see storm petrel, Australian
- white-faced
- marina maoriana*, see storm petrel, white-faced
- Pelecanoides urinatrix*, see petrel, common diving
- Pelecanus conspicillatus*, see pelican, Australian
- punctatus*, see *Stictocarbo punctatus*
- pelican, Australian, 92, 97
- Pelicanus punctatus*, see *Stictocarbo punctatus*
- penguin, blue, 1-6, 7-15, 59, 84, 176, 179-181, 183, 184, 186-188, 190
crested spp., 235-237
eastern rockhopper, 235, 236
erect-crested, 179, 182, 235, 236
Eudyptes spp., 178
Fiordland crested, 178, 182, 184, 186, 235, 237
gentoo, 167
little, see penguin, blue
little blue, see penguin, blue
Moseley's rockhopper, 235-237
rockhopper, 235, 236
royal, 176, 178
Snares crested, 172, 235-237
white flippered, 1-6
yellow-eyed, 12, 172-173, 179, 180, 182, 183, 186-187
- perer', see duck sp.
- Petrel, Antarctic, 104, 106, 107, 110, 111, 182, 184, 186
black, 155, 178, 182, 183, 186
black-capped, see petrel, white-naped
black-winged, 64, 66-68, 82-86, 89, 178, 182, 186
blue, 67, 85, 104, 107, 108, 111, 179, 180, 182-184, 187, 188
Bulwer's, 176, 177, 182
cape, see pigeon, cape
Chatham, 30, 31, 86, 171-172
common diving, see petrel, diving
Cook's, 83, 89, 106, 155-158, 178, 183-185, 187, 188
diving, 83, 104, 106, 107, 109-110, 176, 179, 180-188, 202, 245-246
gadfly spp., 26-32, 33-40
Galapagos dark-rumped, 30, 31
giant sp., 61, 67, 85, 104, 110, 178, 182, 185, 187, 188
Gould's, 26, 30, 31, 86, 178, 182, 186
great-winged, 30, 31, see also petrel, grey-faced
grey, 167, 178, 182, 186
grey-faced, 27, 31, 70, 83, 85, 106, 179, 180, 183, 184, 187
Herald, 33, 35, 38, 39, 84
Kerguelen, 106, 178, 182, 184, 187, 188
Kermadec, 33-40, 69-70, 82-86, 89
mottled, 89, 104, 104, 105, 107, 108, 111, 176, 179, 180, 183, 184, 187, 188
New Caledonian, 179-180, 183
northern giant, 105, 167, 178, 182, 186
phoenix, 31, 35, 69, 84, 85
Procellaria spp., 178
providence, 31, 83, 89, 125, 126
Pterodroma spp., 33-40, 168
Pycroft's, 26-32, 83, 86, 89, 182, 184, 186
snow, 168-169
soft-plumaged, 30, 31
southern giant, 105, 178, 182, 185-186
spp., 26-32, 33-40, 64, 65, 149, 182, 186, 215
Sunday Island, see petrel, white-naped
Trindade, 30, 33-39
Westland, 178, 182, 186
white-chinned, 106, 167, 178, 182, 184, 186
white-headed, 104, 108, 111, 179, 180, 183, 184, 187, 188
white-naped, 66, 68-69, 82-86
white-necked, see petrel, white-naped
- Petroca macrocephala*, see *Petroica macrocephala*
- Petroica australis*, see robin, New Zealand
- australis australis*, see robin, South Island
- australis longipes*, see robin, North Island
- australis rakiura*, see robin, Stewart Island
- macrocephala*, see tomtit, New Zealand
- macrocephala dannefærderi*, see tomtit, Snares Island
- macrocephala macrocephala*, see tomtit, South Island
- macrocephala toitoi*, see tomtit, North Island
- Phaethon lepturus*, see tropicbird, white-tailed
- rubricauda*, see tropicbird, red-tailed
- Phalacrocorax carbo*, see shag, black
- carbo novaehollandiae*, see shag, black
- melanoleucos*, see shag, little
- spp., see shag spp.
- sulcirostris*, see shag, little black
- varius*, see shag, pied
- Phasianus colchicus*, see pheasant, ring-necked
- pheasant, ring-necked, 120, 123, 124, 189

- Philesturnus carunculatus carunculatus*, see saddleback, South Island
carunculatus rufusater, see saddleback, North Island
Phoebastria palpebrata, see albatross, light-mantled sooty
 PIERCE, R.J., see VANDERWERF, E.A.; PIERCE, R.J.; TIBBITTS, T.L.; SALDUCCI, J.M.; GILL, V.A.; WRAGG, G.
 pigeon, cape, 57, 59, 104, 108, 110, 168, 179, 180, 183-185, 187, 188
 Chatham Island, 139, 213, 217
 feral, 170, 189
 island imperial, 94
 New Zealand, 21, 24, 25, 78, 82, 83, 85, 86, 136-140, 170, 171, 184, 202-204, 229
 Nicobar, 94, 97, 101
 Pacific imperial, 94, 99, 101
 rock, see pigeon feral sp., 189
 wood, see pigeon, New Zealand
 piopio, North Island, 231, 232
 South Island, 131, 132, 134-135, 193, 194, 199, 202, 203, 206, 209, 210, 231, 232
 Stephens Island, 193, 194, 199, 201-207, 209, 210, 231-232
 pipit, New Zealand, 80, 83, 85, 120, 123, 189, 204, 206, 229, 230
 rock, 122
Platalea regia, see spoonbill, royal
Platycercus novaeseelandiae, see *Cyanoramphus* sp.
 plover, grey, 74, 85, 145
 large sand, 100
 Mongolian, 99
 Pacific golden, 73-75, 85, 93, 97-100
 piping, 145
 spp., 145, 146
 spur-winged, 74, 85, 189
Pluvialis fulva, see plover, Pacific golden
squatarola, see plover, grey
 pochard, 244
 white-eyed, 244
Podiceps auratus, see grebe, horned
 australis, see *Podiceps cristatus australis*
 cristatus, see grebe, great crested
 cristatus australis, see grebe, southern crested
 cristatus hectori, see *Podiceps cristatus australis*
 grisegena, see grebe, red-necked
Poliiocephalus poliocephalus, see grebe, hoary-headed
 rufopectus, see dabchick, New Zealand
Pomarea nigra nigra, see flycatcher, Tahiti
Porphyrio hochstetteri, see takahe, South Island
 melanonotus, see *Porphyrio porphyrio melanotus*
 porphyrio, see swamphen, purple
 porphyrio melanotus, see pukeko
Porzana tabuensis plumbea, see crane, spotless
poua, see swan, black
 POWLESLAND, M., see POWLESLAND, R.G.; POWLESLAND, M.; BATCHELER, R.; BATCHELER, D.
 POWLESLAND, R.G.; POWLESLAND, M.; BATCHELER, R.; BATCHELER, D. Nesting effort and success of feral pigeons (*Columba livia*) in Wellington – preliminary results, (Abstract), 170
 POWLESLAND, R.G., see LATHAM, P.C.M.; MARIN, M.; POWLESLAND, R.G.
 pratincole, oriental, 73, 85
 PRENDERGAST, T.A., see WILSON, K-J.; OGILVIE, S.; LYALL, J.; SCHOTBORGH, M.; PRENDERGAST, T.A.; NORTON, T.
 PRIME, K., see THORSEN, M.; INNES, J.; NUGENT, G.; PRIME, K.
 prion, Antarctic, 67, 85, 89, 106, 111, 178, 183, 184, 187, 188
 broad-billed, 104, 105, 107, 108, 110-111, 172, 179, 180, 183, 184, 187, 188
 fairy, 89, 104-108, 110, 126, 179, 180, 182-184, 187, 188, 245, 246
 fulmar, 182, 184, 187, 188
 Salvin's, 67, 104, 107, 108, 110, 179, 180, 183, 184, 187, 188
 spp., 179, 180, 183, 184, 187, 188
 thin-billed, 67, 85, 104, 106, 107, 110, 179, 180, 182-185, 187, 188
Procellaria aequinoctialis, see petrel, white-chinned
 cinerea, see petrel, grey
 cookii, see *Pterodroma cookii*
 lineata, see *Pealeornis maoriana*
 parkinsoni, see petrel, black
 solandri, see *Pterodroma solandri*
 spp., see petrel, *Procellaria* spp.
 westlandica, see petrel, Westland
Procellariiformes, 26-32, 103-112, 176-191
Procelsterna cerulea, see noddy, grey
Prosopiea tabuensis, see parrot, red shining
Prothemadara novaeseelandiae, see tui
 novaeseelandiae chathamensis, see tui, Chatham Island
 novaeseelandiae, see *Prothemadara novaeseelandiae*
Prunella modularis, see dunnoek
Psittacus cyaneus, see *Vini peruviana*
 novaeseelandiae, see *Cyanoramphus novaeseelandiae*
 novae zelandiae, see *Cyanoramphus novaeseelandiae*
 pacificus, see *Cyanoramphus novaeseelandiae*
 taitianus, see *Vini peruviana*

- Pterodroma alba*, see petrel, phoenix
atrata, 33
axillaris, see petrel, Chatham
arminjoniana, see petrel, Trindade
arminjoniana heraldica, see *Pterodroma heraldica*
cervicalis, see petrel, white-naped
cookii, see petrel, Cook's
heraldica, see petrel, Herald
inexpectata, see petrel, mottled
juana, 33
lessonii, see petrel, white-headed
leucoptera, see petrel, Gould's
leucoptera caledonica, see petrel, New Caledonian
macroptera, see petrel, great-winged
macroptera gouldi, see petrel, grey-faced
magenta, see taiko, Chatham Island
mollis, see petrel, soft-plumaged
neglecta, see petrel, Kermadec
nigripennis, see petrel, black-winged
phaeopygia, see petrel, Galapagos dark-rumped
pycrofti, see petrel, Pycroft's
solandri, see petrel, providence
 spp., 26-32
Ptilinopus regina, see fruit-dove, red-crowned
solomonensis neumanni, see fruit-dove, yellow-bibbed
viridis, see fruit-dove, claret-breasted
Puffinus assimilis, see shearwater, little
assimilis kermadecensis, see shearwater, Kermadec little
bulleri, see shearwater, Buller's
carneipes, see shearwater, flesh-footed
creatopus, see shearwater, pink-footed
gavia, see shearwater, fluttering
gavia/huttoni, see shearwater, fluttering/
 Hutton's
griseus, see shearwater, sooty
heinrothi, see shearwater, Heinroth's
huttoni, see shearwater, Hutton's
lherminieri, see shearwater, Audubon's
nativitatis, see shearwater, Christmas
pacificus, see shearwater, wedge-tailed
 spp., see shearwater spp.
tenuirostris, see shearwater, short-tailed
 pukeko, 43, 59, 73, 82-85, 124, 189, 214
Pygoscelis papua, see penguin, gentoo
 quail, bobwhite, 123
 California, 121
 rail, banded, 83, 85, 90, 159, 189, 190, 202-205,
 215, 240-241
 Chatham Island, 159
 Dieffenbach's, 159
 Hawkins', 159-161, 212-216
 spp., 191, 212-216
 striped, see rail, banded
Rallus australis, see *Gallirallus australis australis philippensis assimilis*, see *Gallirallus philippensis*
Raphus cacullatus, see dodo
 redpoll, 24, 81-82, 85, 120, 123, 164
 lesser, 24
 reed warbler, Tahiti, 131, 133-134
 REVIEWS:
 GIBBS, G.W. Flight of the huia: Ecology and conservation of New Zealand's frogs, reptiles, birds and mammals. K-J. Wilson, 247
 DARBY, J.T. Flight of the huia: Ecology and conservation of New Zealand's frogs, reptiles, birds and mammals. K-J. Wilson, 248
Rhipidura flabellifera, see *Rhipidura fuliginosa fuliginosa*, see fantail
fuliginosa fuliginosa, see fantail, South Island
fuliginosa placabilis, see fantail, North Island
 rifleman, 21, 23
 North Island, 21, 23, 24
 South Island, 131, 132, 170, 202, 204, 206, 229
 ROBERTS, C.M.; DUNCAN, R.P.; WILSON, K-J. Effects of high densities of burrowing seabirds on forest regeneration, South East Island (Rangitira) Chatham Islands, (Abstract), 173
 ROBERTSON, C.J.R. (Obituary) Kaj Ejvind Westerskov, 1919-2003, 123-124
 ROBERTSON, H.A.; COLBOURNE, R.M. Survival of little spotted kiwi (*Apteryx owenii*) on Kapiti Island, 161-163
 Bird distribution atlas scheme 1999-2004, (Abstract), 175
 robin, 21
 New Zealand, 21, 23, 24, 55-56, 210
 North Island, 21, 23, 24, 55
 South Island, 131, 170, 199, 203, 204, 206, 209
 Stewart Island, 55-56, 238
 wood, see robin South Island
 ROHWEDER, D.A.; LEWIS, B.D. Day-night foraging behaviour of banded dotterels (*Charadrius bicinctus*) in the Richmond River estuary, northern New South Wales, Australia, 141-146 .
 SAAFI, P., see FORDHAM, R.A.; SAAFI, P.; MINOT, E.O.
 saddleback, 210
 North Island, 205, 210
 South Island, 193, 194, 199, 201-206, 209
 SALDUCCI, J-M., see VANDERWERF, E.A.;

- PIERCE, R.J.; TIBBITTS, T.L.; SALDUCCI, J.-M.; GILL, V.A.; WRAGG, G.
 sandpiper, common, 91, 93, 97-99, 101
 curlew, 90
 pectoral, 74
 sharp-tailed, 74, 85, 93, 97
 scaup, lesser, 244
 New Zealand, 41, 42, 158, 242-245
 SCHMECHEL, F. Possibilities for enhancing populations of weka, tui and titi on Banks Peninsula, (Abstract), 174
 SCHOTBORGH, M., see WILSON, K.-J.; OGILVIE, S.; LYALL, J.; SCHOTBORGH, M.; PRENDERGAST, T.A.; NORTON, T.
 SCHULZ, M. Cooperative hunting by subantarctic skuas (*Catharacta skua lonnbergi*) at Macquarie Island, 167
 SCHULZ, M.; GALES, R. Breeding of the Antarctic tern (*Sterna vittata bethunei*) on Macquarie Island, 114-116
 SCHWEIGMAN, P., see ONLEY, D.J.; SCHWEIGMAN, P.
 SCOFIELD, R.P. Clarification of the type specimens of *Apteryx haastii* Potts 1872, the great spotted kiwi, 152-154
 SCOFIELD, R.P. Conservation of birds in the Juan Fernandez Islands, (Abstract), 173
 SCOFIELD, R.P.; WILTSHIRE, A. Snow petrel (*Pagodroma nivea*) records from Macquarie Island, 168-169
Scolopax incana, see *Tringa incana*
 scrubfowl, dusky, 93, 97-100
 seabird spp., 1-6, 7-15, 26-32, 84, 103-112, 171-173, 176-191, 248
 sea-eagle, white-bellied, 93
 shag, black, 16-20, 43, 72, 85, 113-114, 179, 180, 182, 183, 187, 188
 Chatham Island, 178, 182, 186
 little, 43, 113, 158, 178, 182, 186
 little black, 89, 113, 178, 185, 186
 pied, 179, 180, 183, 184, 187-189
 Pitt Island, 178, 183
 spotted, 13, 131, 132, 179, 180, 182-184, 187, 188
 spp., 84, 178, 186
 Stewart Island, 179, 180, 182, 183, 187, 188
 shearwater, Buller's, 106, 179, 180, 183, 184, 187, 188
 Christmas Island, 66, 85
 flesh-footed, 83, 125, 126, 179, 180, 183, 184, 187, 188
 fluttering, 83, 106, 176, 179-181, 183, 184, 187, 188, 190, 245, 246
 fluttering/Hutton's, 178, 182, 186
 Heinroth's, 92
 Hutton's, 106, 179, 180, 183, 184, 187, 188
 Kermadec little, 66, 67, 82-86
 little, 106, 179, 180, 183-185, 187, 188, 190
 pink-footed, 173
 short-tailed, 66, 85, 104-107, 109, 179, 180, 183, 184, 187, 188
 sooty, 66, 85, 104, 106-109, 174, 179-181, 183, 184, 186-188
 spp., 98, 100, 178, 186
 streaked, 92
 wedge-tailed, 66, 82-86, 92, 100, 182, 186
 shelduck, chestnut-breasted, 73, 85
 paradise, 43, 73, 85, 189
 shorebird spp., 141-146, 148, 233-234
 shoveler, New Zealand, 43, 189
 silvereye, 23, 24, 81, 83, 85, 120, 139, 189, 203, 204, 206, 229, 230
Sitta caffra, see *Acrocephalus caffer caffer chloris*, see *Acanthisitta chloris chloris*
 skua, Arctic, 75, 85, 94, 182
 long-tailed, 94, 178
 pomarine, 39, 94, 101, 178, 186
 South Polar, 39
 spp., 39, 178, 182
 subantarctic, 115, 167, 178, 182, 186
 skylark, 80, 85, 119, 120, 189, 229
 SMITH, A.N.H.; WESTBROOKE, I.M.
 Changes in bird conspicuousness at Pureora Forest, 21-25
 snipe, ash-coloured, 157
 spp., 83
 sparrow, hedge, see dunnoek
 house, 52-53, 90, 120, 189, 229, 230
Spenaeacus punctatus, see *Bowdleria punctata*
 SPENNEMANN, D.H.R. The occurrence of owls in the Marshall Islands, 147-151
Sphenoeacus punctatus, see *Bowdleria punctata*
 spinebill, 127
 spoonbill, royal, 72, 84, 85, 189
 starling, 53-55, 80, 82, 85, 120, 189, 229, 230
 atoll, 96, 98, 100, 101
 metallic, 96, 98
 singing, 96
Stercorarius longicaudus, see skua, long-tailed
 parasiticus, see skua, Arctic
 pomarinus, see skua, pomarine
 spp., see skua spp.
Sterna albifrons, see tern, little
 albostrata, see tern, black-fronted
 anaethetus, see tern, bridled
 bergii, see tern, crested
 caspia, see tern, Caspian
 dougalli, see tern, roseate
 fuscata, see tern, sooty
 hirundo, see tern, common
 striata, see tern, white-fronted
 sumatrana, see tern, black-naped
 vittata bethunei, see tern, Antarctic
 vittata macquariensis, see tern, Antarctic
 STEWART, D.; HYDE, N. New Zealand falcons, (*Falco novaeseelandiae*) nesting in exotic plantations, 119-121
Stictocarbo featherstoni, see shag, Pitt Island
 punctatus, see shag, spotted

- stilt, Australasian, pied, 125, 127, 189
 black, 125, 127
 stint, red-necked, 100
 storm petrel, Australian white-faced, 70
 black-bellied, 106, 178, 179, 186
 grey-backed, 106, 125, 126, 178, 182, 186
 Kermadec, 70, 82-86
 Leach's, 176-178, 182
 New Zealand, 57-59, 191
 white-bellied, 70, 82-86
 white-faced, 70, 106, 179, 180, 183-186, 245, 246
 Wilson's, 57, 179, 186
Streptopelia sp., see dove, sp.
Strigops habroptilus, see kakapo
Stringops habroptilus, see *Strigops habroptilus*
Sturnus vulgaris, see starling
Sula dactylatra, see booby, masked
 leucogaster, see booby, brown
 sula, see booby, red-footed
 tasmani, see booby, sp.
 sunbird, yellow-bellied, 96
 swallow, pacific, 95, 101
 welcome, 53, 80, 85, 125, 128, 189
 swamphen, purple, 100
 swan, black, 43, 189, 214
 swiftlet, glossy, 95
 sp., 99, 101
 uniform, 95, 98
Sylvia conspicillata, see warbler, spectacled

Tachybaptus ruficollis, see grebe, little
Tadorna tadornoides, see shelduck, chestnut-breasted
 variegata, see shelduck, paradise
 taiko, Chatham Island, 226
 see also, petrel, black
 takahe, South Island, 214, 215, 248
Tanagra capensis capensis, see *Turnagra capensis*
 tattler, grey-tailed, see tattler, Siberian
 Siberian, 75, 85, 93, 97-99, 101
 wandering, 75, 85, 93, 98, 99, 155-158, 189, 190
 TAYLOR, G.A. the current status of Chatham petrels (*Pterodroma axillaris*) on Rangatira Island, Chatham Islands, (Abstract), 171-172
 TAYLOR, G.A. Beach patrol scheme: Seabirds found dead on New Zealand beaches, 1997-1999, 176-191
 TAYLOR, G.A., see VEITCH, C.R.; MISKELLY, C.M.; HARPER, G.A.; TAYLOR, G.A.; TENNYSON, A.J.D.
 teal, brown, 170
 grey, 43, 189
 TENNYSON, A.J.D. Records of the extinct Hawkins' rail (*Diaphorapteryx hawkinsi*) from Pitt Island, Chatham Islands, 159-161
 TENNYSON, A.J.D., see VEITCH, C.R.; MISKELLY, C.M.; HARPER, G.A.; TAYLOR, G.A.; TENNYSON, A.J.D.
 TENNYSON, A.J.D., see COOPER, J.H.; TENNYSON, A.J.D.
 tern, Antarctic, 114-112
 black-fronted, 234
 black-naped, 84, 93, 97-99, 101
 bridled, 93, 99, 101
 Caspian, 90, 178, 182, 186, 233
 common, 93
 crested, 76, 84, 85, 93, 97-99, 101
 greater crested, see tern, crested
 little, 76, 85, 98
 roseate, 93
 sooty, 64, 76, 82, 83-85, 93, 99, 101, 182
 spp., 34, 49, 182, 186
 white, 78, 82-85, 97-99, 101, 178, 182
 white-fronted, 84, 179, 180, 183, 184, 187, 188, 233, 234
 white-winged black, 176, 182
Thalassarche bulleri, see mollymawk, Buller's
 bulleri/platei, 179, 180, 183, 184, 187, 188
 cauta, see mollymawk, shy
 cauta/steady, 179, 180, 182-184, 187, 188
 chrysostoma, see mollymawk, grey-headed
 eremita, see mollymawk, Chatham Island
 impavida, see mollymawk, New Zealand
 black-browed
 melanophrys, see mollymawk, black-browed
 melanophrys/impavida, 178, 182, 186
 platei, see mollymawk, northern Buller's
 salvini, see mollymawk, Salvin's
 spp., see mollymawk spp.
 steady, see mollymawk, white-capped
Thalassidroma fregata, see *Pealeornis maoriana nereis*, see *Oceanitis nereis*
Thalassoica antarctica, see petrel, Antarctic
 THOROGOOD, R., see PARKER, K.A.; HUGHES, B.; THOROGOOD, R.; GRIFFITHS, R.
 THORSEN, M.; INNES, J.; NUGENT, G.; PRIME, K. Parental care and growth rates of New Zealand pigeon (*Hemiphaga novaeseelandiae*) nestlings, 136-140
 thrush, native, see piopio
 song, 24, 80-82, 85, 120, 189, 206, 209, 229, 230
 thick-billed, see piopio, Stephens Island
 TIBBITTS, T.L., see VANDERWERF, E.A.; PIERCE, R.J.; TIBBITTS, T.L.; SALDUCCI, J.-M.; GILL, V.A.; WRAGG, G.
 TIMLIN, G., see MISKELLY, C.M.; TIMLIN, G.; COTTER, R.
 tit, yellow-breasted, see tomtit, South Island
 titi, see petrel spp.
 titi, see shearwater, sooty

- titmice, 122
Todiramphus macleayi, see kingfisher, forest
sanctus, see *Halcyon sanctus*
 tomtit, 83, 210
 Chatham Island, 225
 North Island, 21, 23-25, 120, 238-239
 Snarcs Island, 213
 South Island, 203, 206, 229, 230
 Yellow-breasted, see tomtit, South Island
Traversia lyalli, see wren, Stephen's Island
 Treecreeper, North American, 248
 red-browed, 127
Trichoglossus haematodus massena, see lorikeet, rainbow
Tringa brevipes, see tattler, Siberian
hypoleucos, see sandpiper, common
incana, see tattler, wandering
nebularia, see greenshank
 tropicbird, red-tailed, 70-71, 82-84, 86, 92, 100, 179, 182
 white-tailed, 84, 92, 97-100, 179, 186
 tui, 21, 24, 25, 79, 81-83, 85, 174, 189, 202-204, 206, 217, 224, 225, 229, 230
 Chatham Island, 213, 217-226
Turdus australis, see *Petroica australis australis*
crassirostris, see *Turnagra capensis*
merula, see blackbird
philomelos, see thrush, song
 turkey, 189
Turnagra capensis capensis, see piopio, South Island
capensis minor, see piopio, Stephens Island
crassirostris, see *Turnagra capensis*
tanagra, see piopio, North Island
 turnstone, 74, 85, 93, 97-99, 101
Tyto alba, see owl, barn
 alba crassirostris, see owl, barn
 capensis, see owl, grass

Vanellus miles novaehollandiae, see plover, spur-winged
 VANDERWERF, E.A.; PIERCE, R.J.; TIBBITTS, T.L.; SALDUCCI, J.-M.; GILL, V.A.; WRAGG, G. First record of laughing gull (*Larus atricilla*) in French Polynesia, 51-52
 VEITCH, C.R.; MISKELLY, C.M.; HARPER, G.A.; TAYLOR, G.A.; TENNYSON, A.J.D. Birds of the Kermadec Islands, South-west Pacific, 61-90
Vini peruviana, see lorikeet, Tahiti

 wader, spp., 93, 96-101, 173-174
 WAKELIN, D. Foods of the New Zealand dabchick (*Poliiocephalus rufopectus*) and New Zealand scaup (*Aythya novaeseelandiae*), 242-245
 warbler, grey, 21, 23-25, 83, 203, 206, 229, 230
 spectacled, 122
 waterbird spp., 41-46
 waterfowl spp., 41-46, 174
 weka, 108, 159, 162, 213-215
 buff, 174, 189, 219, 225
 Stewart Island, 170
 western, 131
 WESTBROOKE, I.M., see SMITH, A.N.H.; WESTBROOKE, I.M
 whimbrel, Asiatic, 75, 85
 little, 125, 128
 spp., 93, 97-100
 whistler, mangrove golden, 96
 white-eye, Louisiade, 96
 see also, silvereye
 whitehead, 23, 24, 59, 120
 WILSON, K.-J.; OGILVIE, S.; LYALL, J.; SCHOTBORGH, M.; PRENDERGAST, T.A.; NORTON, T. Kaupapa kereru: Ecology of kereru (*Hemiphaga novaeseelandiae*) in a rural habitat mosaic on Banks Peninsula, (Abstract), 171
 WILSON, K.-J., see GANGLOFF, B.; WILSON, K.-J.
 WILSON, K.-J., see ROBERTS, C.M.; DUNCAN, R.P.; WILSON, K.-J.
 WILSON, P.R., see BROWN, D.; WILSON, P.R.
 WILTSHIRE, A., see SCOFIELD, R.P.; WILTSHIRE, A.
 WOOD, J. Annual and monthly patterns in recoveries of beach-wrecked Procellariiformes from Southland, New Zealand, 1990-2000, 103-112
 woodswallow, masked, 125, 128
 white-browed, 125, 128
 WRAGG, G., see VANDERWERF, E.A.; PIERCE, R.J.; TIBBITTS, T.L.; SALDUCCI, J.-M.; GILL, V.A.; WRAGG, G.
 wren, bush, 204
 rock, 171, 195, 204
 spp., 193, 202
 Stephen's Island, 193-200, 202-206, 208, 209
 Stephen's Island rock, see wren, Stephens Island
 wrybill, 189, 233-234

Xenicus gilviventris, see wren, rock
insularis, see *Traversia lyalli*
longipes, see wren, bush

 yellowhammer, 81, 82, 85, 120, 189, 229, 230
 yellowhead, 116-117, 170, 203, 206

Zosterops coerulescens, see *Zosterops lateralis*
griseotinctus eichlorni, see white-eye, Louisiade
lateralis, see silvereye